



elmex

since 1963




Price List

Effective from April 2026



since 1963

Converging
Innovations  Expanding
Solutions



**Solutions For
Connectivity**




**Solutions For
Solar Photovoltaic**



**Solutions For
Metering & Protection**



**Solutions For
Control & Instrumentation**



**Solutions For
Railways**



**Solutions For
Oil & Gas Industry**

INDEX



| PRODUCT | PAGE NUMBER | PRODUCT | PAGE NUMBER |
|--|-------------|--|-------------|
| DIN RAIL MOUNTED TERMINALS POLYAMIDE 6.6 | | | |
| FEED THROUGH TERMINALS | | | |
| KUT2.5 | 6 | KATM3E | 9 |
| KUT4 | 6 | KATM4E | 9 |
| KUT6 | 6 | KBTM4 | 9 |
| KUT10 | 6 | KBTM5-15 | 9 |
| KUT16 | 6 | KBTM6 | 9 |
| KUT25 | 6 | KBT100 | 9 |
| KUT35 | 6 | KBTM4E | 9 |
| KUT50 | 6 | KBTM5E | 10 |
| KUT50/70A | 6 | KBTM6E | 10 |
| KUT95 | 6 | STUD TYPE TERMINALS (Shrouded) | |
| MULTIPLE OUTPUT TERMINALS (KUT SERIES) | | | |
| KUT4-1X2 | 6 | KATM3C (Shrouded Version) | 10 |
| KUT4-2X2 | 6 | KATM4C (Shrouded Version) | 10 |
| EARTH TERMINALS | | | |
| ET4 | 6 | KATM5C (Shrouded Version) | 10 |
| ET6 | 6 | KBTM4C (Shrouded Version) | 10 |
| ET10 | 7 | KBTM5-15C (Shrouded Version) | 10 |
| ET16 | 7 | KBTM6C (Shrouded Version) | 10 |
| ET35 | 7 | KABTM4C (Shrouded - Screw & Nut Driver Operated) | 10 |
| ET50 | 7 | KABTM5C (Shrouded - Screw & Nut Driver Operated) | 10 |
| MULTI-LEVEL TERMINALS (DOUBLE DECK) | | | |
| KU2D4 | 7 | OAT2.5 | 10 |
| KU2D4S (Internally Shorted) | 7 | OAT6 | 10 |
| KUDD4 | 7 | OAT25 | 10 |
| SPRING LOADED TERMINALS | | | |
| KULT4 | 7 | FUSE TERMINALS | |
| KULT6 | 7 | KUDF4NV | 11 |
| KULT1 | 7 | KUDF4AD (With LED Indication) | 11 |
| THERMOCOUPLE TERMINALS | | | |
| KUT4NTCK | 8 | KUFH4 | 11 |
| KUT4NTCJ | 8 | KUFH4D (With LED Indication) | 11 |
| KUT4NTCT | 8 | KUFH4A (With LED Indication) | 11 |
| KUT4NTCE | 8 | KUF10 | 11 |
| MULTI-LEVEL TERMINALS (TRIPLE DECK) | | | |
| DU3D4 | 8 | KUF10D (With LED Indication) | 11 |
| DUSD4 | 8 | KUF10A (With LED Indication) | 11 |
| FEED THROUGH TERMINALS (KUT-N SERIES) | | | |
| KUT2.5N | 8 | FUSE FEED THROUGH TERMINALS | |
| KUT4N | 8 | KUDDF4 | 11 |
| KUT6N | 8 | KUDDF4AD (With LED Indication) | 11 |
| KUT10N | 8 | PLUG & SOCKET TERMINALS | |
| KUDD4N | 8 | PS8M (2W to 12W) | 11 |
| EARTH TERMINALS (N SERIES) | | | |
| ETN4 | 8 | DISCONNECTING TERMINALS (SLIDING LINK TYPE) | |
| ETN6 | 8 | KLTD4NV | 12 |
| ETN10 | 9 | KLTD4-2W | 12 |
| ETDD4N | 9 | KUTSD6 | 12 |
| STUD TYPE TERMINALS (SCREW DRIVER OPERATED) | | | |
| KATM3 | 9 | KUTD10 | 12 |
| KABTM3 (Screw & Nut Driver Operated) | 9 | KULTD6 (Spring Loaded) | 12 |
| KATM4 | 9 | OAT6T (Hinged Type) | 12 |
| KABTM4 (Screw & Nut Driver Operated) | 9 | OAT6DTS (Hinged Type) | 12 |
| KATM5 | 9 | OAT6DTS-2W (Hinged Type) | 12 |
| KABTM5 | 9 | OAT10DTS | 12 |
| DISCONNECTING TERMINALS (KNIFE EDGE TYPE) | | | |
| | | KULTD4 | 12 |
| | | KULTD4WS (Spring Loaded) | 12 |
| | | KUDT4TS | 12 |
| | | KUDT4-2X2 | 12 |
| | | KUDT6 | 13 |

INDEX




| PRODUCT | PAGE NUMBER | PRODUCT | PAGE NUMBER |
|--|-------------|---|-------------|
| POWER TERMINALS (PANEL MOUNTED) | | COMPONENT HOUSING | |
| PAT30 | 13 | KPCH4 | 16 |
| PAT100 | 13 | KPCH6 | 16 |
| PAT150 | 13 | KUDD4CC1 (Common Cathode 1) | 16 |
| PAT250 | 13 | KUDD4CC2 (Common Cathode 2) | 16 |
| POWER TERMINALS | | KUDD4CA1 (Common Anode 1) | 16 |
| DPBB50 | 13 | KUDD4CA2 (Common Anode 2) | 16 |
| DPBB50CN | 13 | KUDD4D1 (One Diode) | 16 |
| DPBB70 | 13 | KUDD4R (One Resistor) | 16 |
| DPBB70CN | 13 | KUDD4MOV (With MOV) | 16 |
| DPBB120 | 13 | MICRO TERMINALS (15mm Rail Mounted) | |
| DPBB120CN | 13 | SUT4 | 16 |
| DPBB185N | 13 | SET4 (Earthing) | 16 |
| DPBB240 | 13 | MICRO TERMINALS (Panel Mounted) | |
| POWER TERMINALS (Finger Safe) | | PET4 | 17 |
| SPT35 (35mm Rail Mounted) | 14 | PBTM3 | 17 |
| SPT70 (35mm Rail Mounted) | 14 | PBTM4 | 17 |
| SPT95 (35mm Rail Mounted) | 14 | SPRING CLAMP TERMINALS- FEED THROUGH (35mm Rail Mounted) | |
| SPT120 (35mm Rail Mounted) | 14 | DST2.5 | 17 |
| SPT150 (35mm Rail Mounted) | 14 | DST4 | 17 |
| SPT185 (35mm Rail Mounted) | 14 | DST6 | 17 |
| SPT240 (35mm Rail Mounted) | 14 | DST10 | 17 |
| SPT300 (35mm Rail Mounted) | 14 | DST16 | 17 |
| DISTRIBUTION BLOCKS | | DST35 | 17 |
| FDBK-1X2 | 14 | DST2.5-1X2 | 17 |
| FDBK-1X4 | 14 | DST2.5-2X2 | 17 |
| FDBK-1X8 | 14 | DST4-1X2 | 17 |
| FDBK3 | 14 | DST4-2X2 | 17 |
| FDBK4 | 14 | DST6-1X2 | 17 |
| FDBK8 | 14 | DST10-1X2 | 17 |
| DBK-1X2 | 14 | DST16-1X2 | 18 |
| DBK-1X4 | 14 | DST2.5-2C1P | 18 |
| DBK-1X8 | 15 | DST2.5-2C2P | 18 |
| DFBK12 | 15 | DST2.5-2C1PP | 18 |
| DBK3 | 15 | SCT2.5 (Side - Entry) | 18 |
| DBK4 | 15 | SCT4 (Side - Entry) | 18 |
| DBK5 | 15 | SCT6 (Side - Entry) | 18 |
| DBK8 | 15 | SCT10 (Side - Entry) | 18 |
| DBK150/16-1X2 | 15 | SPRING CLAMP TERMINALS - MULTI LEVEL | |
| DBK150/16-1X4 | 15 | DSDD2.5 | 18 |
| DBK150/16-1X8 | 15 | DS3L2.5 | 18 |
| DBK150/25-1X2 | 15 | DS8LP16 | 18 |
| DBK150/25-1X4 | 15 | DS8LP32 | 18 |
| DBK150/25-1X8 | 15 | SPRING CLAMP TERMINALS - FUSE | |
| DBK150/M6C-1X2 | 15 | DCF4 | 18 |
| DBK150/M6C-1X4 | 15 | DCF4D (With LED Indication) | 18 |
| DBK150/M6C-1X8 | 15 | DCF4A (With LED Indication) | 18 |
| COMPACT DISTRIBUTION BLOCKS | | SCF6 | 18 |
| DBD16 | 15 | SPRING CLAMP DISCONNECT TERMINALS | |
| DBD35 | 15 | DSDT2.5 | 19 |
| DTB35-10 | 16 | DSDT2.5-2X2 | 19 |
| DTB35-10X4 | 16 | SPRING CLAMP DISTRIBUTION BLOCKS | |
| | | DTB35-10 | 19 |


INDEX





| PRODUCT | PAGE NUMBER | PRODUCT | PAGE NUMBER |
|---|-------------|---|-------------|
| SPRING CLAMP DISTRIBUTION BLOCKS | | SPRING LOADED TERMINALS | |
| DTB35-10X4 | 19 | CSLT1 | 22 |
| SPRING CLAMP TERMINALS (EARTHING) | | STUD TYPE TERMINALS (SCREW DRIVER OPERATED) | |
| DSET2.5 | 19 | CATM3 | 22 |
| DSET4 | 19 | CATM4 | 22 |
| DSET6 | 19 | CATM5 | 22 |
| DSET10 | 19 | STUD TYPE TERMINALS (NUT DRIVER OPERATED) | |
| SCET4 | 19 | CBTM4 | 23 |
| DSET2.5-1X2 | 19 | CBTM5 | 23 |
| DSET2.5-2X2 | 19 | CBTM6 | 23 |
| SPRING CLAMP MICRO TERMINALS (15mm Rail Mounted) | | CBTM6S1 | 23 |
| MCT2.5MC | 19 | STUD TYPE TERMINALS (SCREW &NUT DRIVER OPERATED) | |
| SCT2.5MC | 19 | CABTM4 | 23 |
| SPRING CLAMP MICRO TERMINALS (PANEL MOUNTED) | | PLUG & SOCKET TERMINALS | |
| MCT1.5 | 20 | PSC1/5 | 23 |
| MCT2.5 | 20 | TEST - DISCONNECT TERMINALS | |
| MCT2.5P4 | 20 | CATDM4 | 23 |
| MCT4 | 20 | CLTDM4 | 23 |
| MCT4P4 | 20 | POWER TERMINALS | |
| SPRING CLAMP MICRO TERMINALS (DIN RAIL MOUNTED) | | CBT100 | 23 |
| DMCT2.5P4 | 20 | CBT110 | 23 |
| PLUG & SOCKET TERMINALS | | CBT170 | 23 |
| DPSC5.08 (Wire to Wire) | 20 | CBT250 | 23 |
| DPSC5.08 (Panel Mounted) | 20 | CBT300 | 23 |
| LIGHTING POLE TERMINALS | | POWER TERMINALS (WITH TAPPED CURRENT BAR) | |
| LPT225 | 20 | CBT110T | 24 |
| LPT235 | 20 | CBT170T | 24 |
| LPT325 | 20 | CBT250T | 24 |
| LPT335 | 20 | CBT300T | 24 |
| NEUTRAL LINKS | | ACCESSORIES | |
| KNL4 | 21 | DIN RAIL & END CLAMPS | 29 |
| KNL16 | 21 | MARKING LABELS & WARNING LABELS | 30 |
| KNL35 | 21 | END PLATES | 31-32 |
| DIN RAIL MOUNTED TERMINALS MELAMINE | | PARTITION PLATES | 32 |
| FEED THROUGH TERMINALS | | INTER CONNECTING ACCESSORIES | 33-34 |
| CST2.5 | 22 | PROTECTION COVERS | 34 |
| CST6 | 22 | | |
| CST10 | 22 | | |
| CST16 | 22 | | |
| CST25 | 22 | | |
| CST35 | 22 | | |


Feed Through Terminals


| KUT2.5 | | | | Std. Colour | Non Std. Colour |
|---|--------------------------------|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | KUT2.5 | 12.10 | 13.40 |
| | Voltage: 800 V | End Plate | KPNS | 6.90 | 7.60 |
| | Current: 24 A | Shorting Link | CCLM2.5K | 16.50 | - |
| | Wire Size: 2.5 mm ² | Marker | LabelKN5.5 | 10.00 | - |
| | Torque: 0.5 Nm | | | | |


| KUT4 | | | | Std. Colour | Non Std. Colour |
|---|------------------------------|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | KUT4 | 14.70 | 16.20 |
| | Voltage: 800 V | End Plate | KPX | 7.90 | 8.70 |
| | Current: 32 A | Shorting Link | CCLA2.5 | 19.80 | - |
| | Wire Size: 4 mm ² | Marker | LabelKN6.5 | 10.50 | - |
| | Torque: 0.5 Nm | | | | |


| KUT6 | | | | Std. Colour | Non Std. Colour |
|---|------------------------------|---------------|----------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | KUT6 | 20.60 | 22.70 |
| | Voltage: 800 V | End Plate | KPX | 7.90 | 8.70 |
| | Current: 41 A | Shorting Link | CCLA6 | 19.80 | - |
| | Wire Size: 6 mm ² | Marker | LabelKN8 | 11.60 | - |
| | Torque: 0.8 Nm | | | | |


| KUT10 | | | | Std. Colour | Non Std. Colour |
|---|-------------------------------|---------------|-----------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | KUT10 | 26.80 | 29.50 |
| | Voltage: 800 V | End Plate | KPX | 7.90 | 8.70 |
| | Current: 57 A | Shorting Link | CCLA10 | 21.50 | - |
| | Wire Size: 10 mm ² | Marker | LabelKN10 | 12.60 | - |
| | Torque: 1.2 Nm | | | | |


| KUT16 | | | | Std. Colour | Non Std. Colour |
|---|-------------------------------|---------------|-----------|------------------|-----------------|
|  | IEC 60947-7-1 | Terminal | KUT16 | 48.30 | 53.20 |
| | Voltage: 1000 V | End Plate | KPY | 10.30 | 11.40 |
| | Current: 76 A | Shorting Link | CCLA16 | 25.30 | - |
| | Wire Size: 16 mm ² | Marker | LabelKN12 | 12.60 (5 labels) | - |
| | Torque: 1.2 Nm | | | | |

| KUT25 | | | | Std. Colour | Non Std. Colour |
|---|-------------------------------|---------------|-----------|------------------|-----------------|
|  | IEC 60947-7-1 | Terminal | KUT25 | 78.80 | 86.70 |
| | Voltage: 1000 V | End Plate | KPT | 10.30 | 11.40 |
| | Current: 101 A | Shorting Link | CCLA25 | 28.10 | - |
| | Wire Size: 25 mm ² | Marker | LabelKN12 | 12.60 (5 labels) | - |
| | Torque: 2.3 Nm | | | | |


| KUT35 | | | | Std. Colour | Non Std. Colour |
|--|-------------------------------|---------------|--------------|------------------|-----------------|
|  | IEC 60947-7-1 | Terminal | KUT35 | 113.40 | 124.80 |
| | Voltage: 1000 V | End Plate | Not Required | - | - |
| | Current: 125 A | Shorting Link | CCLA35K | 33.60 | - |
| | Wire Size: 35 mm ² | Marker | LabelKN17 | 13.70 (5 labels) | - |
| | Torque: 3 Nm | | | | |


| KUT50 | | | | Std. Colour | Non Std. Colour |
|--|-------------------------------|---------------|--------------|------------------|-----------------|
|  | IEC 60947-7-1 | Terminal | KUT50 | 320.30 | 352.40 |
| | Voltage: 1000 V | End Plate | Not Required | - | - |
| | Current: 150 A | Shorting Link | CCLA50 | 170.50 | - |
| | Wire Size: 50 mm ² | Marker | LabelKN17 | 13.70 (5 labels) | - |
| | Torque: 8 Nm | | | | |

| KUT50/70A | | | | Std. Colour | Non Std. Colour |
|---|-------------------------------|---------------|--------------|------------------|-----------------|
|  | IEC 60947-7-1 | Terminal | KUT50/70A | 320.30 | 352.40 |
| | Voltage: 1000 V | End Plate | Not Required | - | - |
| | Current: 192 A | Shorting Link | CCLA50 | 170.50 | - |
| | Wire Size: 70 mm ² | Marker | LabelKN17 | 13.70 (5 labels) | - |
| | Torque: 8 Nm | | | | |


| KUT95 | | | | Std. Colour | Non Std. Colour |
|---|-------------------------------|---------------|--------------|------------------|-----------------|
|  | IEC 60947-7-1 | Terminal | KUT95 | 530.30 | 583.33 |
| | Voltage: 1000 V | End Plate | Not Required | - | - |
| | Current: 232 A | Shorting Link | Not Required | - | - |
| | Wire Size: 95 mm ² | Marker | LabelKN17 | 13.70 (5 labels) | - |
| | Torque: 20 Nm | | | | |


Multiple Output Terminals (KUT Series)

| KUT4-1X2 | | | | Std. Colour | Non Std. Colour |
|---|------------------------------|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | KUT4-1X2 | 33.60 | 37.00 |
| | Voltage: 1000 V | End Plate | KPM4 | 14.30 | 15.80 |
| | Current: 32 A | Shorting Link | CCLA4N | 18.20 | - |
| | Wire Size: 4 mm ² | Marker | LabelKN5.5 | 10.00 | - |
| | Torque: 0.5 Nm | | | | |

| KUT4-2X2 | | | | Std. Colour | Non Std. Colour |
|---|------------------------------|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | KUT4-2X2 | 46.20 | 50.90 |
| | Voltage: 800 V | End Plate | KPMD4 | 19.70 | 21.70 |
| | Current: 24 A | Shorting Link | CCLA4N | 18.20 | - |
| | Wire Size: 4 mm ² | Marker | LabelKN5.5 | 10.00 | - |
| | Torque: 0.5 Nm | | | | |

Earth Terminals


| ET4 | | | | Std. Colour | Non Std. Colour |
|---|------------------------------|---------------|--------------|-------------|-----------------|
|  | IEC 60947-7-2 | Terminal | ET4 | 104.00 | - |
| | Wire Size: 4 mm ² | End Plate | Not Required | - | - |
| | Torque: 0.5 Nm | Shorting Link | Not Required | - | - |
| | | Marker | LabelKN5.5 | 10.00 | - |
| | | | | | |


| ET6 | | | | Std. Colour | Non Std. Colour |
|---|------------------------------|---------------|--------------|-------------|-----------------|
|  | IEC 60947-7-2 | Terminal | ET6 | 120.80 | - |
| | Wire Size: 6 mm ² | End Plate | Not Required | - | - |
| | Torque: 0.8 Nm | Shorting Link | Not Required | - | - |
| | | Marker | LabelKN8 | 11.60 | - |
| | | | | | |


All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Polyamide 6.6




| ET10 | | Std. Colour | Non Std. Colour |
|--|---------------|--------------|-----------------|
|  <p>IEC 60947-7-2 Wire Size: 10 mm² Torque: 1.2 Nm</p> | Terminal | ET10 | 153.30 |
| | End Plate | Not Required | - |
| | Shorting Link | Not Required | - |
| | Marker | LabelKN10 | 12.60 |


| ET16 | | Std. Colour | Non Std. Colour |
|--|---------------|--------------|------------------|
|  <p>IEC 60947-7-2 Wire Size: 16 mm² Torque: 1.2 Nm</p> | Terminal | ET16 | 168.00 |
| | End Plate | Not Required | - |
| | Shorting Link | Not Required | - |
| | Marker | LabelKN12 | 12.60 (5 labels) |


| ET35 | | Std. Colour | Non Std. Colour |
|---|---------------|--------------|------------------|
|  <p>IEC 60947-7-2 Wire Size: 35mm² Torque: 3 Nm</p> | Terminal | ET35 | 367.50 |
| | End Plate | Not Required | - |
| | Shorting Link | Not Required | - |
| | Marker | LabelKN12 | 12.60 (5 labels) |

| ET50 | | Std. Colour | Non Std. Colour |
|---|---------------|--------------|------------------|
|  <p>IEC 60947-7-2 Wire Size: 50mm² Torque: 8 Nm</p> | Terminal | ET50 | 880.00 |
| | End Plate | Not Required | - |
| | Shorting Link | Not Required | - |
| | Marker | LabelKN17 | 13.70 (5 labels) |


Multi-Level Terminals (Double Deck)


| KU2D4 | | Std. Colour | Non Std. Colour |
|--|---------------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm</p> | Terminal | KU2D4 | 37.80 |
| | End Plate | EPDD4 | 13.80 |
| | Shorting Link | CCLADD | 17.10 |
| | Marker | LabelKN5.5 | 10.00 |


| KU2D4S (Internally Shorted) | | Std. Colour | Non Std. Colour |
|--|---------------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm</p> | Terminal | KU2D4S | 51.50 |
| | End Plate | EPDD4 | 13.80 |
| | Shorting Link | SLC4N | 21.50 |
| | Marker | LabelKN5.5 | 10.00 |

| KUDD4 | | Std. Colour | Non Std. Colour |
|---|---------------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm</p> | Terminal | KUDD4 | 42.00 |
| | End Plate | KPDD | 13.80 |
| | Shorting Link | CCLADD | 17.10 |
| | Marker | LabelKN5.5 | 10.00 |

Spring Loaded Terminals


| KULT4 | | Std. Colour | Non Std. Colour |
|---|---------------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 1000 V Current: 32 A Wire Size: 4 mm² Torque: 0.5 Nm</p> | Terminal | KULT4 | 43.60 |
| | End Plate | KPSL | 14.40 |
| | Shorting Link | CCLAK4 | 18.70 |
| | Marker | LabelKN5.5 | 10.00 |

| KULT6 | | Std. Colour | Non Std. Colour |
|---|---------------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 1000 V Current: 41 A Wire Size: 6 mm² Torque: 1.4 Nm</p> | Terminal | KULT6 | 46.20 |
| | End Plate | KPSL | 14.40 |
| | Shorting Link | CCLAK6 | 22.00 |
| | Marker | LabelKN8 | 11.60 |

| KULT1 | | Std. Colour | Non Std. Colour |
|--|---------------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p> | Terminal | KULT1 | 59.90 |
| | End Plate | KPSL | 14.40 |
| | Shorting Link | CCLA1LK | 28.60 |
| | Marker | LabelKN10 | 12.60 |


Thermocouple Terminals

KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE


| | | | | |
|---|-----------|------------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 400 V Current: 5 A Wire Size: 4 mm² Torque: 0.5 Nm</p> | Type | Terminal | Std. Colour | Non Std. Colour |
| | 'K' Type | KUT4NTCK | 115.50 | 127.10 |
| | 'J' Type | KUT4NTCJ | 147.00 | 161.70 |
| | 'T' Type | KUT4NTCT | 147.00 | 161.70 |
| | 'E' Type | KUT4NTCE | 147.00 | 161.70 |
| | End Plate | KPXN | 9.50 | 10.50 |
| | Marker | LabelKN5.5 | 10.00 | - |

Multi-Level Terminals (Triple Deck)

DU3D4


| | | | | |
|---|---------------|------------|-----------------------|---------------------------|
|  <p>IEC 60947-7-1 Voltage: 500 V Current: 20 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p> | Terminal | DU3D4 | Std. Colour 105.00 | Non Std. Colour 115.50 |
| | End Plate | DP3D | 19.20 | 21.20 |
| | Shorting Link | CCLATD | 17.10 | - |
| | Marker | LabelKN5.5 | 10.00 | - |

DUSD4


| | | | | |
|--|---------------|------------|----------------------|--------------------------|
|  <p>IEC 60947-7-1 Voltage: 500 V Current: 20 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p> | Terminal | DUSD4 | Std. Colour 63.00 | Non Std. Colour 69.30 |
| | End Plate | DPSD | 14.40 | 15.90 |
| | Shorting Link | CCLATD | 17.10 | - |
| | Marker | LabelKN5.5 | 10.00 | - |

Feed Through Terminals (KUT-N Series)


KUT2.5N

| | | | | |
|--|---------------|----------|----------------------|--------------------------|
|  <p>IEC 60947-7-1 Voltage: 1000 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm</p> | Terminal | KUT2.5N | Std. Colour 13.97 | Non Std. Colour 15.40 |
| | End Plate | KPXN | 9.50 | 10.50 |
| | Shorting Link | CCLM2.5N | 16.50 | - |
| | Marker | LabelKN5 | 11.60 | - |


KUT4N

| | | | | |
|---|---------------|------------|----------------------|--------------------------|
|  <p>IEC 60947-7-1 Voltage: 1000 V Current: 32 A Wire Size: 4mm² Torque: 0.5 Nm</p> | Terminal | KUT4N | Std. Colour 17.00 | Non Std. Colour 18.70 |
| | End Plate | KPXN | 9.50 | 10.50 |
| | Shorting Link | CCLA4N | 18.20 | - |
| | Marker | LabelKN5.5 | 10.00 | - |


KUT6N

| | | | | |
|---|---------------|----------|----------------------|--------------------------|
|  <p>IEC 60947-7-1 Voltage: 1000 V Current: 41 A Wire Size: 6 mm² Torque: 0.8 Nm</p> | Terminal | KUT6N | Std. Colour 22.30 | Non Std. Colour 24.60 |
| | End Plate | KPXN | 9.50 | 10.50 |
| | Shorting Link | CCLA6N | 19.80 | - |
| | Marker | LabelKN8 | 11.60 | - |

KUT10N


| | | | | |
|---|---------------|-----------|----------------------|--------------------------|
|  <p>IEC 60947-7-1 Voltage: 1000 V Current: 63 A Wire Size: 10mm² Torque: 1.2 Nm</p> | Terminal | KUT10N | Std. Colour 29.60 | Non Std. Colour 32.60 |
| | End Plate | KPXN | 9.50 | 10.50 |
| | Shorting Link | CCLA10N | 21.50 | - |
| | Marker | LabelKN10 | 12.60 | - |

KUDD4N


| | | | | |
|--|---------------|------------|----------------------|--------------------------|
|  <p>IEC 60947-7-1 Voltage: 630 V Current: 28 A Wire Size: 4 mm² Torque: 0.5 Nm</p> | Terminal | KUDD4N | Std. Colour 52.50 | Non Std. Colour 57.80 |
| | End Plate | KPDDN | 21.60 | 23.80 |
| | Shorting Link | CCLADDN | 22.00 | - |
| | Marker | LabelKN5.5 | 10.00 | - |

Earth Terminals (N-Series)

ETN4


| | | | | |
|---|---------------|--------------|-----------------------|----------------------|
|  <p>IEC 60947-7-2 Wire Size: 4 mm² Torque: 0.5 Nm</p> | Terminal | ETN4 | Std. Colour 110.30 | Non Std. Colour - |
| | End Plate | Not Required | - | - |
| | Shorting Link | Not Required | - | - |
| | Marker | LabelKN5.5 | 10.00 | - |


ETN6

| | | | | |
|---|---------------|--------------|-----------------------|----------------------|
|  <p>IEC 60947-7-2 Wire Size: 6 mm² Torque: 0.8 Nm</p> | Terminal | ETN6 | Std. Colour 123.90 | Non Std. Colour - |
| | End Plate | Not Required | - | - |
| | Shorting Link | Not Required | - | - |
| | Marker | LabelKN8 | 11.60 | - |


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





| ETN10 | | Std. Colour | Non Std. Colour |
|---|---------------|--------------|-----------------|
|  IEC 60947-7-2 Wire Size: 10 mm ² Torque: 1.2 Nm | Terminal | ETN10 | 144.90 |
| | End Plate | Not Required | - |
| | Shorting Link | Not Required | - |
| | Marker | LabelKN10 | 12.60 |


| ETDD4N | | Std. Colour | Non Std. Colour |
|--|---------------|--------------|-----------------|
|  IEC 60947-7-2 Wire Size: 4 mm ² Torque: 0.5 Nm | Terminal | ETDD4N | 173.30 |
| | End Plate | KPDDN (Gr) | 23.80 |
| | Shorting Link | Not Required | - |
| | Marker | LabelKN5.5 | 10.00 |


Stud Type Terminals


| KATM3 | | Std. Colour | Non Std. Colour |
|---|---------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ² Torque: 0.5 Nm | Terminal | KATM3 | 43.60 |
| | End Plate | KPS4 | 12.60 |
| | Shorting Link | KSL3 | 28.40 |
| | Marker | LabelKN6.5 | 10.50 |


| KABTM3 (Screw & Nut Driver Operated) | | Std. Colour | Non Std. Colour |
|---|---------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ² Torque: 0.5 Nm | Terminal | KABTM3 | 44.10 |
| | End Plate | KPS4 | 12.60 |
| | Shorting Link | KSL3 | 28.40 |
| | Marker | LabelKN6.5 | 10.50 |


| KATM4 | | Std. Colour | Non Std. Colour |
|---|---------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm | Terminal | KATM4 | 58.30 |
| | End Plate | KPS4 | 12.60 |
| | Shorting Link | KSL4 | 29.70 |
| | Marker | LabelKN6.5 | 10.50 |


| KABTM4 (Screw & Nut Driver Operated) | | Std. Colour | Non Std. Colour |
|---|---------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm | Terminal | KABTM4 | 57.80 |
| | End Plate | KPS4 | 12.60 |
| | Shorting Link | KSL4 | 29.70 |
| | Marker | LabelKN6.5 | 10.50 |


| KATM5 | | Std. Colour | Non Std. Colour |
|---|---------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm | Terminal | KATM5 | 65.10 |
| | End Plate | KPS4 | 12.60 |
| | Shorting Link | KSL4 | 29.70 |
| | Marker | LabelKN6.5 | 10.50 |


| KABTM5 | | Std. Colour | Non Std. Colour |
|---|---------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm | Terminal | KABTM5 | 64.60 |
| | End Plate | KPS4 | 12.60 |
| | Shorting Link | KSL5 | 30.80 |
| | Marker | LabelKN6.5 | 10.50 |


| KATM3E | | Std. Colour | Non Std. Colour |
|---|---------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ² Torque: 0.5 Nm | Terminal | KATM3E | 33.10 |
| | End Plate | KPS4 | 12.60 |
| | Shorting Link | KSL3 | 28.40 |
| | Marker | LabelKN6.5 | 10.50 |


| KATM4E | | Std. Colour | Non Std. Colour |
|---|---------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm | Terminal | KATM4E | 37.80 |
| | End Plate | KPS4 | 12.60 |
| | Shorting Link | KSL4 | 29.70 |
| | Marker | LabelKN6.5 | 10.50 |


| KBTM4 | | Std. Colour | Non Std. Colour |
|---|---------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm | Terminal | KBTM4 | 57.80 |
| | End Plate | KPS4 | 12.60 |
| | Shorting Link | KSL4 | 29.70 |
| | Marker | LabelKN6.5 | 10.50 |

| KBTM5-15 | | Std. Colour | Non Std. Colour |
|--|---------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm | Terminal | KBTM5-15 | 65.10 |
| | End Plate | KPS4 | 12.60 |
| | Shorting Link | KSL5 | 30.80 |
| | Marker | LabelKN6.5 | 10.50 |

| KBTM6 | | Std. Colour | Non Std. Colour |
|---|---------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm ² Torque: 2.5 Nm | Terminal | KBTM6 | 92.40 |
| | End Plate | KPS4 | 12.60 |
| | Shorting Link | KSL6 | 33.00 |
| | Marker | LabelKN6.5 | 10.50 |


| KBT100 | | Std. Colour | Non Std. Colour |
|---|-----------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm ² Torque: 2.5 Nm | Terminal | KBT100 | 89.30 |
| | End Plate | KPS100 | 15.20 |
| | Partition Plate | KBXF | 21.70 |
| | Marker | LabelKN6.5 | 10.50 |

| KBTM4E | | Std. Colour | Non Std. Colour |
|---|---------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm | Terminal | KBTM4E | 42.00 |
| | End Plate | KPS4 | 12.60 |
| | Shorting Link | KSL4 | 29.70 |
| | Marker | LabelKN6.5 | 10.50 |


| KBTM5E | | Std. Colour | Non Std. Colour |
|--|---------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm | Terminal | KBTM5E | 48.30 |
| | End Plate | KPS4 | 12.60 |
| | Shorting Link | KSL5 | 30.80 |
| | Marker | LabelKN6.5 | 10.50 |


All Shorting Link Prices are for 2 Way Shorting.


Stud Type Terminals


| KBTM6E | | | | Std. Colour | Non Std. Colour |
|---|-----------|-----------|-----------------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm² Torque: 2 Nm</p> | Terminal | KBTM6E | 78.80 | 86.70 | |
| | End Plate | KPS6 | 15.70 | 17.30 | |
| | Marker | LabelKN12 | 12.60(5 labels) | - | |


Stud Type Terminals (Shrouded)


| KATM3C (Shrouded) | | | | Std. Colour | Non Std. Colour |
|---|-----------|--------------|-------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p> | Terminal | KATM3C | 56.70 | 62.40 | |
| | End Plate | Not Required | - | - | |
| | Marker | LabelKN6.5 | 10.50 | - | |


| KATM4C (Shrouded) | | | | Std. Colour | Non Std. Colour |
|--|-----------|--------------|-------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p> | Terminal | KATM4C | 65.10 | 71.70 | |
| | End Plate | Not Required | - | - | |
| | Marker | LabelKN10 | 12.60 | - | |


| KATM5C (Shrouded) | | | | Std. Colour | Non Std. Colour |
|--|-----------|--------------|-------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p> | Terminal | KATM5C | 73.50 | 80.90 | |
| | End Plate | Not Required | - | - | |
| | Marker | LabelKN10 | 12.60 | - | |


| KBTM4C (Shrouded) | | | | Std. Colour | Non Std. Colour |
|--|-----------|--------------|-------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p> | Terminal | KBTM4C | 66.20 | 72.90 | |
| | End Plate | Not Required | - | - | |
| | Marker | LabelKN10 | 12.60 | - | |


| KBTM5-15C (Shrouded) | | | | Std. Colour | Non Std. Colour |
|--|-----------|--------------|-------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p> | Terminal | KBTM5-15C | 75.60 | 83.20 | |
| | End Plate | Not Required | - | - | |
| | Marker | LabelKN12 | 12.60 | - | |


| KBTM6C (Shrouded) | | | | Std. Colour | Non Std. Colour |
|--|-----------|--------------|-----------------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm² Torque: 2.5 Nm</p> | Terminal | KBTM6C | 110.30 | 121.40 | |
| | End Plate | Not Required | - | - | |
| | Marker | LabelKN17 | 13.70(5 labels) | - | |

| KABTM4C (Shrouded - Screw & Nut Driver Operated) | | | | Std. Colour | Non Std. Colour |
|---|-----------|--------------|-------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p> | Terminal | KABTM4C | 65.10 | 71.70 | |
| | End Plate | Not Required | - | - | |
| | Marker | LabelKN10 | 12.60 | - | |

| KABTM5C (Shrouded - Screw & Nut Driver Operated) | | | | Std. Colour | Non Std. Colour |
|---|-----------|--------------|-------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p> | Terminal | KABTM5C | 74.60 | 82.10 | |
| | End Plate | Not Required | - | - | |
| | Marker | LabelKN10 | 12.60 | - | |

| OAT2.5 | | | | Std. Colour | Non Std. Colour |
|--|---------------|------------|-------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 1000 V Current: 41 A Wire Size: 6.0 mm² Torque: 0.5 Nm</p> | Terminal | OAT2.5 | 54.60 | 60.10 | |
| | End Plate | OEP2.5 | 11.70 | 12.90 | |
| | Shorting Link | OSL2.5 | 27.50 | - | |
| | Marker | LabelKN6.5 | 10.50 | - | |

| OAT6 | | | | Std. Colour | Non Std. Colour |
|--|---------------|----------|-------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.5 Nm</p> | Terminal | OAT6 | 66.20 | 72.90 | |
| | End Plate | OEP6 | 12.60 | 13.90 | |
| | Shorting Link | OSL6 | 29.70 | - | |
| | Marker | LabelKN9 | 11.60 | - | |

| OAT25 | | | | Std. Colour | Non Std. Colour |
|---|---------------|-----------|-----------------|-------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 1000 V Current: 125A Wire Size: 35 mm² Torque: 3 Nm</p> | Terminal | OAT25 | 157.50 | 173.30 | |
| | End Plate | OEP25 | 16.80 | 18.50 | |
| | Shorting Link | KSL7 | 38.00 | - | |
| | Marker | LabelKN17 | 13.70(5 labels) | - | |

Fuse Terminals

| KUDF4NV* | | | | Std. Colour | Non Std. Colour |
|-----------------|------------------------------|---------------|--------------|-------------|-----------------|
| | IEC 60947-7-1 | Terminal | KUDF4NV | 51.50 | 56.70 |
| | Voltage: 800 V | End Plate | Not Required | - | - |
| | Current: 6.3 A | Shorting Link | UFSL | 28.60 | - |
| | Wire Size: 4 mm ² | Marker | LabelKN8 | 11.60 | - |
| Torque: 0.4 Nm | | | | | |

| KUDF4AD** (With LED Indication) | | | | Std. Colour | Non Std. Colour |
|--|------------------------------|---------------|--------------|-------------|-----------------|
| | IEC 60947-7-1 | Terminal | KUDF4AD | 76.70 | 84.40 |
| | Voltage: 800 V | End Plate | Not Required | - | - |
| | Current: 6.3 A | Shorting Link | UFSL | 28.60 | - |
| | Wire Size: 4 mm ² | Marker | LabelKN8 | 11.60 | - |
| Torque: 0.4 Nm | | | | | |

| KUFH4 | | | | Std. Colour | Non Std. Colour |
|----------------|------------------------------|---------------|---------------|-------------|-----------------|
| | IEC 60947-7-1 | Terminal | KUFH4 | 107.50 | 118.30 |
| | Voltage: 800 V | End Plate | EPFH | 15.60 | 17.20 |
| | Current: 12 A | Shorting Link | Not Available | - | - |
| | Wire Size: 4 mm ² | Marker | LabelKN9 | 11.60 | - |
| Torque: 0.5 Nm | | | | | |

| KUFH4D*** (With LED Indication) | | | | Std. Colour | Non Std. Colour |
|--|------------------------------|---------------|---------------|-------------|-----------------|
| | IEC 60947-7-1 | Terminal | KUFH4D | 141.90 | 156.10 |
| | Voltage: 800 V | End Plate | EPFH | 15.60 | 17.20 |
| | Current: 12 A | Shorting Link | Not Available | - | - |
| | Wire Size: 4 mm ² | Marker | LabelKN9 | 11.60 | - |
| Torque: 0.5 Nm | | | | | |

| KUFH4A*** (With LED Indication) | | | | Std. Colour | Non Std. Colour |
|--|------------------------------|---------------|---------------|-------------|-----------------|
| | IEC 60947-7-1 | Terminal | KUFH4A | 141.90 | 156.10 |
| | Voltage: 800 V | End Plate | EPFH | 15.60 | 17.20 |
| | Current: 12 A | Shorting Link | Not Available | - | - |
| | Wire Size: 4 mm ² | Marker | LabelKN9 | 11.60 | - |
| Torque: 0.5 Nm | | | | | |

| KUF10 | | | | Std. Colour | Non Std. Colour |
|----------------|-------------------------------|---------------|---------------|-----------------|-----------------|
| | IEC 60947-7-1 | Terminal | KUF10 | 144.40 | 158.90 |
| | Voltage: 1000 V | End Plate | EPF10 | 21.70 | 23.90 |
| | Current: 12 A | Shorting Link | Not Available | - | - |
| | Wire Size: 10 mm ² | Marker | LabelKN12 | 12.60(5 labels) | - |
| Torque: 1.4 Nm | | | | | |

| KUF10D*** (With LED Indication) | | | | Std. Colour | Non Std. Colour |
|--|-------------------------------|---------------|---------------|-----------------|-----------------|
| | IEC 60947-7-1 | Terminal | KUF10D | 165.20 | 181.80 |
| | Voltage: 1000 V | End Plate | EPF10 | 21.70 | 23.90 |
| | Current: 12 A | Shorting Link | Not Available | - | - |
| | Wire Size: 10 mm ² | Marker | LabelKN12 | 12.60(5 labels) | - |
| Torque: 1.4 Nm | | | | | |

| KUF10A*** (With LED Indication) | | | | Std. Colour | Non Std. Colour |
|--|-------------------------------|---------------|---------------|-----------------|-----------------|
| | IEC 60947-7-1 | Terminal | KUF10A | 171.00 | 188.10 |
| | Voltage: 1000 V | End Plate | EPF10 | 21.70 | 23.90 |
| | Current: 12 A | Shorting Link | Not Available | - | - |
| | Wire Size: 10 mm ² | Marker | LabelKN12 | 12.60(5 labels) | - |
| Torque: 1.4 Nm | | | | | |

Fuse Feed Through Terminals

| KUDDF4 | | | | Std. Colour | Non Std. Colour |
|----------------|--------------------------------|---------------|--------------|-------------|-----------------|
| | IEC 60947-7-1 | Terminal | KUDDF4 | 122.90 | 135.20 |
| | Voltage: 630 V | End Plate | Not Required | - | - |
| | Current: 6.3AUT/28ALT | Shorting Link | UFSL | 28.60 | - |
| | Wire Size: 2.5 mm ² | Marker | LabelKN8 | 11.60 | - |
| Torque: 0.5 Nm | | | | | |

| KUDDF4AD** (With LED Indication) | | | | Std. Colour | Non Std. Colour |
|---|--------------------------------|---------------|--------------|-------------|-----------------|
| | IEC 60947-7-1 | Terminal | KUDDF4AD | 140.70 | 154.80 |
| | Voltage: 630 V | End Plate | Not Required | - | - |
| | Current: 6.3AUT/28ALT | Shorting Link | UFSL | 28.60 | - |
| | Wire Size: 2.5 mm ² | Marker | LabelKN8 | 11.60 | - |
| Torque: 0.5 Nm | | | | | |

Plug & Socket Terminal

| PS8M* (2W to 12W) | | | | Std. Colour | Non Std. Colour |
|--------------------------|------------------------------|---------------|--------------|-------------|-----------------|
| | IEC 60947-7-1 | Terminal | PS8M (2 Way) | 150.00 | - |
| | Voltage: 800 V | End Plate | Not Required | - | - |
| | Current: 32 A | Shorting Link | Not Required | - | - |
| | Wire Size: 6 mm ² | Marker | LabelKN6.5 | 10.50 | - |
| Torque: 0.8 Nm | | | | | |

* With spare fuse provision in lever.


**Available Signal Voltage AD12V = 12 V (12KΩ), AD24V = 24 V (27KΩ), AD48V = 48 V (56KΩ), AD110V = 110 V (130KΩ), AD220V = 220 V (270KΩ)


***Available Signal Voltage D1 = 24 VDC (27KΩ), D2 = 48 VDC (56 KΩ), D3 = 110 VDC (130 KΩ), D4 = 220 VDC (270 KΩ), D5 = 12 VDC (12 KΩ), A1 = 110 VAC (130 KΩ), A2 = 220 VAC (270 KΩ)


* PS8M-4 Way to 8 Way Prices are shown on page 26


All Shorting Link Prices are for 2 Way Shorting.


Disconnecting Terminals (Sliding Link Type)


| KLTD4NV | | | Std. Colour | Non Std. Colour | |
|--|------------------------------|---------------|-------------|-----------------|-------|
|  | IEC 60947-7-1 | Terminal | KLTD4NV | 80.00 | 88.00 |
| | Voltage: 800 V | End Plate | KPLD | 17.40 | 19.20 |
| | Current: 41 A | Shorting Link | KDSL4 | 30.80 | - |
| | Wire Size: 6 mm ² | Marker | LabelKN5.5 | 10.00 | - |
| Torque: 1.2 Nm | | | | | |


| KLTD4-2W | | | Std. Colour | Non Std. Colour | |
|---|------------------------------|---------------|--------------|-----------------|--------|
|  | IEC 60947-7-1 | Terminal | KLTD4-2W | 227.40 | 250.20 |
| | Voltage: 800 V | End Plate | KPLD | 17.40 | 19.20 |
| | Current: 41 A | Shorting Link | Not Required | - | - |
| | Wire Size: 6 mm ² | Marker | LabelKN5.5 | 10.00 | - |
| Torque: 1.2 Nm | | | | | |


| KUTSD6 | | | Std. Colour | Non Std. Colour | |
|---|------------------------------|---------------|-------------|-----------------|-------|
|  | IEC 60947-7-1 | Terminal | KUTSD6 | 84.00 | 92.40 |
| | Voltage: 800 V | End Plate | KPSD | 15.60 | 17.20 |
| | Current: 38 A | Shorting Link | SLC6 | 28.60 | - |
| | Wire Size: 6 mm ² | Marker | LabelKN8 | 11.60 | - |
| Torque: 1.4 Nm | | | | | |


| KUTD10 | | | Std. Colour | Non Std. Colour | |
|---|-------------------------------|---------------|-------------|-----------------|--------|
|  | IEC 60947-7-1 | Terminal | KUTD10 | 121.80 | 134.00 |
| | Voltage: 630 V | End Plate | KPTD | 17.40 | 19.20 |
| | Current: 61 A | Shorting Link | SLC6 | 28.60 | - |
| | Wire Size: 10 mm ² | Marker | LabelKN8 | 11.60 | - |
| Torque: 1.2 Nm | | | | | |

| KULTD6 (Spring Loaded) | | | Std. Colour | Non Std. Colour | |
|---|------------------------------|---------------|-------------|-----------------|--------|
|  | IEC 60947-7-1 | Terminal | KULTD6 | 157.50 | 173.30 |
| | Voltage: 800 V | End Plate | KPSLD | 16.80 | 18.50 |
| | Current: 41 A | Shorting Link | SLD6 | 28.60 | - |
| | Wire Size: 6 mm ² | Marker | LabelKN8 | 11.60 | - |
| Torque: 1.0 Nm | | | | | |


| OAT6T (Hinged Type) | | | Std. Colour | Non Std. Colour | |
|---|------------------------------|---------------|-------------|-----------------|--------|
|  | IEC 60947-7-1 | Terminal | OAT6T | 108.00 | 118.80 |
| | Voltage: 800 V | End Plate | OEP6T | 18.10 | 20.00 |
| | Current: 41 A | Shorting Link | OSL6R | 35.20 | - |
| | Wire Size: 6 mm ² | Marker | LabelKN9 | 11.60 | - |
| Torque: 1.5 Nm | | | | | |


| OAT6DTS | | | Std. Colour | Non Std. Colour | |
|--|------------------------------|---------------|-------------|-----------------|--------|
|  | IEC 60947-7-1 | Terminal | OAT6DTS | 110.00 | 121.00 |
| | Voltage: 800 V | End Plate | OEP6DTS | 18.60 | 20.50 |
| | Current: 41 A | Shorting Link | OSL6R | 35.20 | - |
| | Wire Size: 6 mm ² | Marker | LabelKN9 | 11.60 | - |
| Torque: 1.5 Nm | | | | | |


| OAT6DTS-2W | | | Std. Colour | Non Std. Colour | |
|--|------------------------------|---------------|-------------|-----------------|--------|
|  | IEC 60947-7-1 | Terminal | OAT6DTS-2W | 236.30 | 260.00 |
| | Voltage: 800 V | End Plate | OEP6DTS | 18.60 | 20.50 |
| | Current: 41 A | Shorting Link | OSL6R | 35.20 | - |
| | Wire Size: 6 mm ² | Marker | LabelKN9 | 11.60 | - |
| Torque: 1.5 Nm | | | | | |


| OAT10DTS | | | Std. Colour | Non Std. Colour | |
|---|------------------------------|---------------|-------------|------------------|--------|
|  | IEC 60947-7-1 | Terminal | OAT10DTS | 144.90 | 159.40 |
| | Voltage: 1000 V | End Plate | OEP10DTS | 21.20 | 23.40 |
| | Current: 57 A | Shorting Link | OSLD10 | 71.00 | - |
| | Wire Size: 6 mm ² | Marker | LabelKN12 | 12.60 (5 labels) | - |
| Torque: 2 Nm | | | | | |

Disconnecting Terminals (Knife Edge Type)


| KULTD4 | | | Std. Colour | Non Std. Colour | |
|---|------------------------------|---------------|-------------|-----------------|-------|
|  | IEC 60947-7-1 | Terminal | KULTD4 | 52.50 | 57.80 |
| | Voltage: 800 V | End Plate | KPSD4 | 13.30 | 14.70 |
| | Current: 20 A | Shorting Link | SLC4N | 21.50 | - |
| | Wire Size: 4 mm ² | Marker | LabelKN5.5 | 10.00 | - |
| Torque: 0.6 Nm | | | | | |

| KULTD4WS (Spring Loaded) | | | Std. Colour | Non Std. Colour | |
|---|------------------------------|---------------|-------------|-----------------|--------|
|  | IEC 60947-7-1 | Terminal | KULTD4WS | 126.00 | 138.60 |
| | Voltage: 800 V | End Plate | KPSD4 | 13.30 | 14.70 |
| | Current: 20 A | Shorting Link | SLC4N | 21.50 | - |
| | Wire Size: 4 mm ² | Marker | LabelKN5.5 | 10.00 | - |
| Torque: 0.6 Nm | | | | | |


| KULTD4TS | | | Std. Colour | Non Std. Colour | |
|---|------------------------------|---------------|-------------|-----------------|--------|
|  | IEC 60947-7-1 | Terminal | KULTD4TS | 94.50 | 104.00 |
| | Voltage: 800 V | End Plate | KPSD4 | 13.30 | 14.70 |
| | Current: 20 A | Shorting Link | SLC4N | 21.50 | - |
| | Wire Size: 4 mm ² | Marker | LabelKN5.5 | 10.00 | - |
| Torque: 0.6 Nm | | | | | |


| KUDT4-2X2 | | | Std. Colour | Non Std. Colour | |
|---|------------------------------|---------------|-------------|-----------------|--------|
|  | IEC 60947-7-1 | Terminal | KUDT4-2X2 | 97.70 | 107.50 |
| | Voltage: 800 V | End Plate | KPMD4 | 19.70 | 21.70 |
| | Current: 17.5 A | Shorting Link | SLC4N | 21.50 | - |
| | Wire Size: 4 mm ² | Marker | LabelKN5.5 | 10.00 | - |
| Torque: 0.5 Nm | | | | | |


Disconnecting Terminals (Knife Edge Type)


| KUDT6 | | | Std. Colour | Non Std. Colour |
|---|---------------|----------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 6 mm ² Torque: 0.8 Nm | Terminal | KUDT6 | 100.80 | 110.90 |
| | End Plate | KPSD4 | 13.30 | 14.70 |
| | Shorting Link | KSLD6 | 25.30 | - |
| | Marker | LabelKN8 | 11.60 | - |

Power Terminals (Panel Mounted)


| PAT30 | | | Std. Colour | Non Std. Colour |
|--|---------------|--------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm | Terminal | PAT 30 | 37.80 | 41.60 |
| | End Plate | EPA30 | 15.10 | 16.70 |
| | Shorting Link | Not Required | - | - |
| | Marker | LabelKN8 | 11.60 | - |


| PAT100 | | | Std. Colour | Non Std. Colour |
|--|---------------|--------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 100 A Wire Size: 25 mm ² Torque: 3 Nm | Terminal | PAT100 | 149.10 | 164.10 |
| | End Plate | EPA100 | 21.60 | 23.80 |
| | Shorting Link | Not Required | - | - |
| | Marker | LabelKN8 | 11.60 | - |


| PAT150 | | | Std. Colour | Non Std. Colour |
|--|---------------|--------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 800 V Current: 150 A Wire Size: 50 mm ² Torque: 6 Nm | Terminal | PAT150 | 236.30 | 260.00 |
| | End Plate | EPA100 | 21.60 | 23.80 |
| | Shorting Link | Not Required | - | - |
| | Marker | LabelKN8 | 11.60 | - |


| PAT250 | | | Std. Colour | Non Std. Colour |
|--|---------------|--------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 400 V Current: 250 A Wire Size: 95 mm ² Torque: 10 Nm | Terminal | PAT250 | 357.00 | 392.70 |
| | End Plate | EPA100 | 21.60 | 23.80 |
| | Shorting Link | Not Required | - | - |
| | Marker | LabelKN8 | 11.60 | - |


Power Terminals


| DPBB50 | | | Std. Colour | Non Std. Colour |
|---|---------------|-----------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 50 mm ² Torque: 3 Nm | Terminal | DPBB50 | 204.80 | 225.30 |
| | Barrier Plate | BPN70 | 42.00 | 46.20 |
| | Marker | LabelKN10 | 12.60 | - |


| DPBB50CN | | | Std. Colour | Non Std. Colour |
|--|---------------|-----------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 50 mm ² Torque: 3 Nm | Terminal | DPBB50CN | 213.70 | 235.10 |
| | Barrier Plate | BPN70 | 42.00 | 46.20 |
| | Marker | LabelKN10 | 12.60 | - |


| DPBB70 | | | Std. Colour | Non Std. Colour |
|---|---------------|-----------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm ² Torque: 3 Nm | Terminal | DPBB70 | 278.30 | 306.20 |
| | Barrier Plate | BPN70 | 42.00 | 46.20 |
| | Marker | LabelKN10 | 12.60 | - |

| DPBB70CN | | | Std. Colour | Non Std. Colour |
|--|---------------|-----------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm ² Torque: 3 Nm | Terminal | DPBB70CN | 289.30 | 318.30 |
| | Barrier Plate | BPN70 | 42.00 | 46.20 |
| | Marker | LabelKN10 | 12.60 | - |

| DPBB120 | | | Std. Colour | Non Std. Colour |
|--|---------------|-----------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm ² Torque: 6 Nm | Terminal | DPBB120 | 405.30 | 445.90 |
| | Barrier Plate | BPN120 | 47.80 | 52.60 |
| | Marker | LabelKN10 | 12.60 | - |

| DPBB120CN | | | Std. Colour | Non Std. Colour |
|---|---------------|-----------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm ² Torque: 6 Nm | Terminal | DPBB120CN | 417.90 | 459.70 |
| | Barrier Plate | BPN120 | 47.80 | 52.60 |
| | Marker | LabelKN10 | 12.60 | - |

| DPBB185N | | | Std. Colour | Non Std. Colour |
|---|---------------|------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 353 A Wire Size: 185 mm ² Torque: 14 Nm | Terminal | DPBB185N | 987.00 | 1085.70 |
| | Barrier Plate | BPA185/240 | 65.80 | 72.40 |
| | Marker | LabelKN10 | 12.60 | - |


| DPBB240 | | | Std. Colour | Non Std. Colour |
|--|---------------|------------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 415 A Wire Size: 240 mm ² Torque: 25 Nm | Terminal | DPBB240 | 1055.30 | 1160.90 |
| | Barrier Plate | BPA185/240 | 65.80 | 72.40 |
| | Marker | LabelKN10 | 12.60 | - |


All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





Power Terminals (Finger Safe)


| SPT35 (35mm Rail Mounted) | | | Std. Colour | Non Std. Colour | |
|---|-------------------------------|-----------|--------------|-----------------|--------|
|  | IEC 60947-7-1 | Terminal | SPT35 | 305.60 | 336.20 |
| | Voltage: 1000 V | End Plate | Not Required | - | - |
| | Current: 140 A | Marker | LabelKN12 | 12.60(5 labels) | - |
| | Wire Size: 35 mm ² | | | | |
| | Torque: 3 Nm | | | | |


| SPT70 (35mm Rail Mounted) | | | Std. Colour | Non Std. Colour | |
|---|-------------------------------|-----------|--------------|-----------------|--------|
|  | IEC 60947-7-1 | Terminal | SPT70 | 465.20 | 511.80 |
| | Voltage: 1000 V | End Plate | Not Required | - | - |
| | Current: 192 A | Marker | LabelKN12 | 12.60(5 labels) | - |
| | Wire Size: 70 mm ² | | | | |
| | Torque: 6 Nm | | | | |


| SPT95 (35mm Rail Mounted) | | | Std. Colour | Non Std. Colour | |
|---|-------------------------------|-----------|--------------|-----------------|--------|
|  | IEC 60947-7-1 | Terminal | SPT95 | 488.30 | 537.20 |
| | Voltage: 1000 V | End Plate | Not Required | - | - |
| | Current: 232 A | Marker | LabelKN12 | 12.60(5 labels) | - |
| | Wire Size: 95 mm ² | | | | |
| | Torque: 6 Nm | | | | |

| SPT120 (35mm Rail Mounted) | | | Std. Colour | Non Std. Colour | |
|---|--------------------------------|-----------|--------------|-----------------|--------|
|  | IEC 60947-7-1 | Terminal | SPT120 | 787.50 | 866.30 |
| | Voltage: 1000 V | End Plate | Not Required | - | - |
| | Current: 269 A | Marker | LabelKN12 | 12.60(5 labels) | - |
| | Wire Size: 120 mm ² | | | | |
| | Torque: 10 Nm | | | | |


| SPT150 (35mm Rail Mounted) | | | Std. Colour | Non Std. Colour | |
|---|--------------------------------|-----------|--------------|-----------------|--------|
|  | IEC 60947-7-1 | Terminal | SPT150 | 798.00 | 877.80 |
| | Voltage: 1000 V | End Plate | Not Required | - | - |
| | Current: 320 A | Marker | LabelKN12 | 12.60(5 labels) | - |
| | Wire Size: 150 mm ² | | | | |
| | Torque: 10 Nm | | | | |


| SPT185 (35mm Rail Mounted) | | | Std. Colour | Non Std. Colour | |
|---|--------------------------------|-----------|--------------|-----------------|---------|
|  | IEC 60947-7-1 | Terminal | SPT185 | 1270.50 | 1397.60 |
| | Voltage: 1000 V | End Plate | Not Required | - | - |
| | Current: 353 A | Marker | LabelKN12 | 12.60(5 labels) | - |
| | Wire Size: 185 mm ² | | | | |
| | Torque: 14 Nm | | | | |


| SPT240 (35mm Rail Mounted) | | | Std. Colour | Non Std. Colour | |
|--|--------------------------------|-----------|--------------|-----------------|---------|
|  | IEC 60947-7-1 | Terminal | SPT240 | 1270.50 | 1397.60 |
| | Voltage: 1000 V | End Plate | Not Required | - | - |
| | Current: 415 A | Marker | LabelKN12 | 12.60(5 labels) | - |
| | Wire Size: 240 mm ² | | | | |
| | Torque: 14 Nm | | | | |


| SPT300 (35mm Rail Mounted) | | | Std. Colour | Non Std. Colour | |
|--|--------------------------------|-----------|--------------|-----------------|---------|
|  | IEC 60947-7-1 | Terminal | SPT300 | 1617.00 | 1778.70 |
| | Voltage: 1000 V | End Plate | Not Required | - | - |
| | Current: 520 A | Marker | LabelKN12 | 12.60(5 labels) | - |
| | Wire Size: 300 mm ² | | | | |
| | Torque: 25 Nm | | | | |


Distribution Blocks


| FDBK-1X2 | | | Std. Colour | Non Std. Colour | |
|---|---|--------------------|--------------|-----------------|--------|
|  | IEC 60947-7-1 | Distribution Block | FDBK-1X2 | 197.40 | 217.20 |
| | Voltage: 800 V | Partition Plate | KBXF | 22.80 | 25.10 |
| | Current: IC-64A, OG-32A | Shorting Link | Not Required | - | - |
| | Wire Size: IC-25 mm ² OG-4 mm ² | Marker | LabelKN6.5 | 10.50 | - |
| | Torque: IC-2.5 Nm OG-0.5 Nm | | | | |

| FDBK-1X4 | | | Std. Colour | Non Std. Colour | |
|---|---|--------------------|--------------|-----------------|--------|
|  | IEC 60947-7-1 | Distribution Block | FDBK-1X4 | 231.00 | 254.10 |
| | Voltage: 800 V | Partition Plate | KBXF | 22.80 | 25.10 |
| | Current: IC-64A, OG-32A | Shorting Link | Not Required | - | - |
| | Wire Size: IC-25 mm ² OG-4 mm ² | Marker | LabelKN6.5 | 10.50 | - |
| | Torque: IC-2.5 Nm OG-0.5 Nm | | | | |

| FDBK-1X8 | | | Std. Colour | Non Std. Colour | |
|---|---|--------------------|--------------|-----------------|--------|
|  | IEC 60947-7-1 | Distribution Block | FDBK-1X8 | 359.10 | 395.10 |
| | Voltage: 800 V | Partition Plate | KBXF | 22.80 | 25.10 |
| | Current: IC-64A, OG-32A | Shorting Link | Not Required | - | - |
| | Wire Size: IC-25 mm ² OG-4 mm ² | Marker | LabelKN6.5 | 10.50 | - |
| | Torque: IC-2.5 Nm OG-0.5 Nm | | | | |


| FDBK3, FDBK4, FDBK8 | | | Std. Colour | Non Std. Colour | |
|---|--|--------------------|--------------|-----------------|--------|
|  | IEC 60947-7-1 | Distribution Block | FDBK3 | 87.10 | 96.70 |
| | Voltage: 800 V | | FDBK4 | 117.10 | 128.90 |
| | Current: IC-32A, OG-32A | | FDBK8 | 234.20 | 257.70 |
| | Wire Size: IC-4 mm ² OG-4 mm ² | Partition Plate | KBXF | 22.80 | 25.10 |
| | Torque: IC-0.5 Nm OG-0.5 Nm | Shorting Link | Not Required | - | - |
| | | Marker | LabelKN6.5 | 10.50 | - |


| DBK-1X2 | | | Std. Colour | Non Std. Colour | |
|---|--|--------------------|--------------|-----------------|--------|
|  | IEC 60947-7-1 | Distribution Block | DBK-1X2 | 241.50 | 265.70 |
| | Voltage: 800 V | Partition Plate | KBXF | 22.80 | 25.10 |
| | Current: IC-114A, OG-57A | Shorting Link | Not Required | - | - |
| | Wire Size: IC-35 mm ² OG-10 mm ² | Marker | LabelKN10 | 12.60 | - |
| | Torque: IC-6Nm OG-1.2 Nm | | | | |


| DBK-1X4 | | | Std. Colour | Non Std. Colour | |
|---|--|--------------------|--------------|-----------------|--------|
|  | IEC 60947-7-1 | Distribution Block | DBK-1X4 | 315.00 | 346.50 |
| | Voltage: 800 V | Partition Plate | KBXF | 22.80 | 25.10 |
| | Current: IC-114A, OG-57A | Shorting Link | Not Required | - | - |
| | Wire Size: IC-35 mm ² OG-10 sq mm | Marker | LabelKN10 | 12.60 | - |
| | Torque: IC-6 Nm OG-1.2 Nm | | | | |


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





| DBK-1X8 | | Std. Colour | Non Std. Colour |
|---|--------------------|--------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A Wire Size: IC-35 mm² OG-10 sq mm Torque: IC-6 Nm OG-1.2 Nm</p> | Distribution Block | DBK-1X8 | 456.80 502.50 |
| | Partition Plate | KBXF | 22.80 25.10 |
| | Shorting Link | Not Required | - - |
| | Marker | LabelKN10 | 12.60 - |


| DFBK12 | | Std. Colour | Non Std. Colour |
|---|--------------------|---------------------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: 50 A Wire Size: 10/4 mm² Torque: 1.2/0.5 Nm</p> | Distribution Block | DFBK12 | 357.00 392.70 |
| | Partition Plate | KBXF | 22.80 25.10 |
| | Shorting Link | Not Required | - - |
| | Marker | LabelKN 6.5/ LabelKN10 | 10.50/ 12.60 |


| DBK3, DBK4, DBK5, DBK8 | | Std. Colour | Non Std. Colour |
|---|--------------------|--------------|-----------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: IC-57A, OG-57A Wire Size: IC-10 mm² OG-10 mm² Torque: IC-1.2 Nm OG-1.2 Nm</p> | Distribution Block | DBK3 | 114.60 126.10 |
| | | DBK4 | 152.80 168.10 |
| | | DBK5 | 191.00 210.10 |
| | | DBK8 | 305.60 336.20 |
| | Partition Plate | KBXF | 22.80 25.10 |
| | Shorting Link | Not Required | - - |
| Marker | LabelKN10 | 12.60 - | |


| DBK150/16-1X2 | | Std. Colour | Non Std. Colour |
|---|--------------------|---------------|-------------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm² OG-16 mm² Torque: IC-14 Nm OG-1.2 Nm</p> | Distribution Block | DBK150/16-1X2 | 877.80 965.60 |
| | Partition Plate | KBZF | 28.70 31.60 |
| | Shorting Link | Not Required | - - |
| | Marker | LabelKN12 | 12.60(5 labels) - |


| DBK150/16-1X4 | | Std. Colour | Non Std. Colour |
|--|--------------------|---------------|-------------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm² OG-16 mm² Torque: IC-14 Nm OG-1.2 Nm</p> | Distribution Block | DBK150/16-1X4 | 993.30 1092.70 |
| | Partition Plate | KBZF | 28.70 31.60 |
| | Shorting Link | Not Required | - - |
| | Marker | LabelKN12 | 12.60(5 labels) - |


| DBK150/16-1X8 | | Std. Colour | Non Std. Colour |
|---|--------------------|---------------|-------------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm² OG-16 mm² Torque: IC-14 Nm OG-1.2 Nm</p> | Distribution Block | DBK150/16-1X8 | 1224.30 1346.80 |
| | Partition Plate | KBZF | 28.70 31.60 |
| | Shorting Link | Not Required | - - |
| | Marker | LabelKN12 | 12.60(5 labels) - |


| DBK150/25-1X2 | | Std. Colour | Non Std. Colour |
|--|--------------------|---------------|-------------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm² OG-25 mm² Torque: IC-14 Nm OG-2.3 Nm</p> | Distribution Block | DBK150/25-1X2 | 981.80 1080.00 |
| | Partition Plate | KBZF | 28.70 31.60 |
| | Shorting Link | Not Required | - - |
| | Marker | LabelKN12 | 12.60(5 labels) - |

| DBK150/25-1X4 | | Std. Colour | Non Std. Colour |
|---|--------------------|---------------|-------------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm² OG-25 mm² Torque: IC-14 Nm OG-2.3 Nm</p> | Distribution Block | DBK150/25-1X4 | 1131.90 1245.10 |
| | Partition Plate | KBZF | 28.70 31.60 |
| | Shorting Link | Not Required | - - |
| | Marker | LabelKN12 | 12.60(5 labels) - |


| DBK150/25-1X8 | | Std. Colour | Non Std. Colour |
|---|--------------------|---------------|-------------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm² OG-25 mm² Torque: IC-14 Nm OG-2.3 Nm</p> | Distribution Block | DBK150/25-1X8 | 1432.20 1575.50 |
| | Partition Plate | KBZF | 28.70 31.60 |
| | Shorting Link | Not Required | - - |
| | Marker | LabelKN12 | 12.60(5 labels) - |


| DBK150/M6C-1X2 | | Std. Colour | Non Std. Colour |
|--|--------------------|----------------|-------------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm² OG-35 mm² Torque: IC-14 Nm OG-2.5 Nm</p> | Distribution Block | DBK150/M6C-1X2 | 1201.20 1321.40 |
| | Partition Plate | KBXF | 22.80 25.10 |
| | Shorting Link | Not Required | - - |
| | Marker | LabelKN12 | 12.60(5 labels) - |

| DBK150/M6C-1X4 | | Std. Colour | Non Std. Colour |
|---|--------------------|----------------|-------------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm² OG-35 mm² Torque: IC-14 Nm OG-2.5 Nm</p> | Distribution Block | DBK150/M6C-1X4 | 1362.90 1499.20 |
| | Partition Plate | KBXF | 22.80 25.10 |
| | Shorting Link | Not Required | - - |
| | Marker | LabelKN12 | 12.60(5 labels) - |


| DBK150/M6C-1X8 | | Std. Colour | Non Std. Colour |
|--|--------------------|----------------|-------------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm² OG-35 mm² Torque: IC-14 Nm OG-2.5 Nm</p> | Distribution Block | DBK150/M6C-1X8 | 1686.30 1855.00 |
| | Partition Plate | KBXF | 22.80 25.10 |
| | Shorting Link | Not Required | - - |
| | Marker | LabelKN12 | 12.60(5 labels) - |


Compact Distribution Blocks

| DBD16 | | Std. Colour | Non Std. Colour |
|--|--------------------|--------------|-------------------|
|  <p>IEC 60947-7-1 Voltage: 630 V Current: 76 A Wire Size: IC-16 mm² OG- 6 mm², 16mm² Torque: IC-1.2 Nm OG- 0.8 Nm, 1.2 Nm</p> | Distribution Block | DBD16 | 399.00 438.90 |
| | Partition Plate | KBXF | 22.80 25.10 |
| | Shorting Link | Not Required | - - |
| | Marker | LabelKN12 | 12.60(5 labels) - |


| DBD35 | | Std. Colour | Non Std. Colour |
|--|--------------------|--------------|-------------------|
|  <p>IEC 60947-7-1 Voltage: 630 V Current: 125 A Wire Size: IC-35 mm² OG- 10 mm², 16 mm² Torque: IC-4.5 Nm OG- 1.2 Nm</p> | Distribution Block | DBD35 | 572.30 629.60 |
| | Partition Plate | KBXF | 22.80 25.10 |
| | Shorting Link | Not Required | - - |
| | Marker | LabelKN12 | 12.60(5 labels) - |


Compact Distribution Blocks


| DTB35-10 | | Std. Colour | Non Std. Colour |
|--|--|-----------------------------|-------------------|
|  | IEC 60947-7-1 Voltage: 630 V Current: 76 A Wire Size: IC-16 mm ² OG- 6 mm ² , 16mm ² Torque: IC-1.2 Nm OG- 0.8 Nm, 1.2 Nm | Distribution Block DTB35-10 | 252.00 On Request |
| | End Plate | Not Required | - |
| | Shorting Link | SLC17.5 | 64.90 |
| | Marker | LabelKN12 | 12.60 (5 labels) |
| | | | |


| DTB35-10X4 | | Std. Colour | Non Std. Colour |
|---|---|-------------------------------|-------------------|
|  | IEC 60947-7-1 Voltage: 630 V Current: 125 A Wire Size: IC-35 mm ² OG- 10 mm ² , 16 mm ² Torque: IC-4.5 Nm OG- 1.2 Nm | Distribution Block DTB35 10x4 | 262.50 On Request |
| | End Plate | Not Required | - |
| | Shorting Link | SSL35 | 99.00 |
| | Marker | LabelKN12 | 12.60 (5 labels) |
| | | | |


Component Housing


| KPCH 4* / KPCH 6* | | Std. Colour | Non Std. Colour |
|--|---|----------------------|-----------------|
|  | IEC 60947-7-1 Voltage: 800 V Current: 20A/32A Wire Size: 4/6 mm ² Torque: 0.6/0.8 Nm | Terminal KPCH4 | 97.70 107.50 |
| | | KPCH6 | 121.30 133.50 |
| | | End Plate KPSP4 | 13.30 14.70 |
| | | Partition Plate KBZF | 28.70 31.60 |
| | | Marker LabelKN5.5/8 | 10.00/11.60 |


| KUDD4CC1 (Common Cathode 1) | | Std. Colour | Non Std. Colour |
|---|---|-------------------|-----------------|
|  | IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm ² Torque: 0.4 Nm | Terminal KUDD4CC1 | 92.40 101.70 |
| | | End Plate KPDD | 13.80 15.20 |
| | | Partition Plate - | - - |
| | | Marker LabelKN5.5 | 10.00 |
| | | | |


| KUDD4CC2 (Common Cathode 2) | | Std. Colour | Non Std. Colour |
|---|---|-------------------|-----------------|
|  | IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm ² Torque: 0.4 Nm | Terminal KUDD4CC2 | 92.40 101.70 |
| | | End Plate KPDD | 13.80 15.20 |
| | | Partition Plate - | - - |
| | | Marker LabelKN5.5 | 10.00 |
| | | | |

| KUDD4CA1 (Common Anode 1) | | Std. Colour | Non Std. Colour |
|--|---|-------------------|-----------------|
|  | IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm ² Torque: 0.4 Nm | Terminal KUDD4CA1 | 92.40 101.70 |
| | | End Plate KPDD | 13.80 15.20 |
| | | Partition Plate - | - - |
| | | Marker LabelKN5.5 | 10.00 |
| | | | |


| KUDD4CA2 (Common Anode 2) | | Std. Colour | Non Std. Colour |
|--|---|-------------------|-----------------|
|  | IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm ² Torque: 0.4 Nm | Terminal KUDD4CA2 | 92.40 101.70 |
| | | End Plate KPDD | 13.80 15.20 |
| | | Partition Plate - | - - |
| | | Marker LabelKN5.5 | 10.00 |
| | | | |


| KUDD4D1 (One Diode) | | Std. Colour | Non Std. Colour |
|---|---|-------------------|-----------------|
|  | IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm ² Torque: 0.4 Nm | Terminal KUDD4D1 | 92.40 101.70 |
| | | End Plate KPDD | 13.80 15.20 |
| | | Partition Plate - | - - |
| | | Marker LabelKN5.5 | 10.00 |
| | | | |

| KUDD4R (One Resistor) | | Std. Colour | Non Std. Colour |
|--|---|-------------------|-----------------|
|  | IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm ² Torque: 0.4 Nm | Terminal KUDD4R | 92.40 101.70 |
| | | End Plate KPDD | 13.80 15.20 |
| | | Partition Plate - | - - |
| | | Marker LabelKN5.5 | 10.00 |
| | | | |

| KUDD4MOV (with MOV) | | Std. Colour | Non Std. Colour |
|---|---|-------------------|-----------------|
|  | IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm ² Torque: 0.4 Nm | Terminal KUDD4MOV | 138.60 152.50 |
| | | End Plate KPDD | 13.80 15.20 |
| | | Partition Plate - | - - |
| | | Marker LabelKN5.5 | 10.00 |
| | | | |

Micro Terminals (15mm Rail Mounted)


| SUT4 | | Std. Colour | Non Std. Colour |
|--|--|----------------------|-----------------|
|  | IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm | Terminal SUT4 | 13.40 14.80 |
| | | End Plate ES4 | 7.90 8.70 |
| | | Shorting Link CCLADD | 17.10 |
| | | Marker LabelKN5.5 | 10.00 |
| | | | |


| SET4 (Earthing) | | Std. Colour | Non Std. Colour |
|---|---|-------------------|-----------------|
|  | IEC 60947-7-2 Wire Size: 4 mm ² Torque: 0.5 Nm | Terminal SET4 | 68.30 |
| | | End Plate | Not Required |
| | | Shorting Link | Not Required |
| | | Marker LabelKN5.5 | 10.00 |
| | | | |


Price List for DIN Rail Mounted Terminals : Polyamide 6.6




Micro Terminals (Panel Mounted)


| PET4 | | | | Std. Colour | Non Std. Colour |
|---|------------------------------|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | PET4 | 16.80 | 18.50 |
| | Voltage: 500 V | End Plate | EPP | 9.60 | 10.60 |
| | Current: 32 A | Shorting Link | CCLADD | 17.10 | - |
| | Wire Size: 4 mm ² | Marker | LabelKN5.5 | 10.00 | - |
| | Torque: 0.5 Nm | | | | |


| PBTM3 | | | | Std. Colour | Non Std. Colour |
|---|--------------------------------|---------------|--------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | PBTM3 | 12.60 | - |
| | Voltage: 250 V | End Plate | EPBM4 | 8.60 | - |
| | Current: 20 A | Shorting Link | Not Required | - | - |
| | Wire Size: 1.5 mm ² | Marker | Not Required | - | - |
| | Torque: 0.5 Nm | | | | |


| PBTM4 | | | | Std. Colour | Non Std. Colour |
|---|--------------------------------|---------------|--------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | PBTM4 | 14.70 | - |
| | Voltage: 250 V | End Plate | EPBM4 | 8.60 | - |
| | Current: 20 A | Shorting Link | Not Required | - | - |
| | Wire Size: 1.5 mm ² | Marker | Not Required | - | - |
| | Torque: 1.2 Nm | | | | |


Spring Clamp Terminals - Feed Through (35mm Rail Mounted)


| DST2.5 | | | | Std. Colour | Non Std. Colour |
|---|--------------------------------|---------------|----------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DST2.5 | 14.20 | 15.70 |
| | Voltage: 800 V | End Plate | DSEP2.5 | 7.60 | 8.50 |
| | Current: 24 A | Shorting Link | SSL2.5 | 12.10 | - |
| | Wire Size: 2.5 mm ² | Marker | LabelKN5 | 11.60 | - |
| | | | | | |


| DST4 | | | | Std. Colour | Non Std. Colour |
|---|------------------------------|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DST4 | 24.20 | 26.70 |
| | Voltage: 800 V | End Plate | DSEP4 | 9.10 | 10.10 |
| | Current: 32 A | Shorting Link | SSL4 | 20.40 | - |
| | Wire Size: 4 mm ² | Marker | LabelKN5.5 | 10.00 | - |
| | | | | | |


| DST6 | | | | Std. Colour | Non Std. Colour |
|---|------------------------------|---------------|----------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DST6 | 48.30 | 53.20 |
| | Voltage: 800 V | End Plate | DSEP6 | 10.80 | 12.00 |
| | Current: 41 A | Shorting Link | SSL6 | 28.60 | - |
| | Wire Size: 6 mm ² | Marker | LabelKN8 | 11.60 | - |
| | | | | | |


| DST10 | | | | Std. Colour | Non Std. Colour |
|---|-------------------------------|---------------|-----------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DST10 | 96.60 | 106.30 |
| | Voltage: 800 V | End Plate | DSEP10 | 11.50 | 12.80 |
| | Current: 57 A | Shorting Link | SSL10 | 46.20 | - |
| | Wire Size: 10 mm ² | Marker | LabelKN10 | 12.60 | - |
| | | | | | |


| DST16 | | | | Std. Colour | Non Std. Colour |
|---|-------------------------------|---------------|-----------|-----------------------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DST16 | 131.30 | 144.50 |
| | Voltage: 800 V | End Plate | DSEP16 | 18.10 | 20.20 |
| | Current: 76 A | Shorting Link | SSL16 | 73.70 | - |
| | Wire Size: 16 mm ² | Marker | LabelKN12 | 12.60 ^(5 labels) | - |
| | | | | | |


| DST35 | | | | Std. Colour | Non Std. Colour |
|---|-------------------------------|---------------|--------------|-----------------------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DST35 | 430.50 | 473.60 |
| | Voltage: 1000 V | End Plate | Not Required | - | - |
| | Current: 125 A | Shorting Link | SSL35 | 99.00 | - |
| | Wire Size: 35 mm ² | Marker | LabelKN17 | 13.70 ^(5 labels) | - |
| | | | | | |


| DST2.5-1X2 | | | | Std. Colour | Non Std. Colour |
|---|--------------------------------|---------------|-------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DST2.5-1X2 | 34.10 | 37.60 |
| | Voltage: 800 V | End Plate | DSMP2.5-1X2 | 9.10 | 10.10 |
| | Current: 24 A | Shorting Link | SSL2.5 | 12.10 | - |
| | Wire Size: 2.5 mm ² | Marker | LabelKN5 | 11.60 | - |
| | | | | | |

| DST2.5-2X2 | | | | Std. Colour | Non Std. Colour |
|---|--------------------------------|---------------|-------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DST2.5-2X2 | 36.80 | 40.50 |
| | Voltage: 1000 V | End Plate | DSMP2.5-2X2 | 9.60 | 10.60 |
| | Current: 24 A | Shorting Link | SSL2.5 | 12.10 | - |
| | Wire Size: 2.5 mm ² | Marker | LabelKN5 | 11.60 | - |
| | | | | | |

| DST4-1X2 | | | | Std. Colour | Non Std. Colour |
|---|------------------------------|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DST4-1X2 | 45.20 | On Request |
| | Voltage: 800 V | End Plate | DSMP4-1X2 | 11.20 | 12.40 |
| | Current: 32 A | Shorting Link | SSL4 | 20.40 | - |
| | Wire Size: 4 mm ² | Marker | LabelKN5.5 | 10.00 | - |
| | | | | | |

| DST4-2X2 | | | | Std. Colour | Non Std. Colour |
|---|------------------------------|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DST4-2X2 | 54.10 | On Request |
| | Voltage: 800 V | End Plate | DSMP4-2X2 | 13.80 | 15.20 |
| | Current: 32 A | Shorting Link | SSL4 | 20.40 | - |
| | Wire Size: 4 mm ² | Marker | LabelKN5.5 | 10.00 | - |
| | | | | | |

| DST6-1X2 | | | | Std. Colour | Non Std. Colour |
|---|------------------------------|---------------|-----------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DST6-1X2 | 105.00 | On Request |
| | Voltage: 800 V | End Plate | DSMP6-1X2 | 13.80 | 15.20 |
| | Current: 41 A | Shorting Link | SSL6 | 28.60 | - |
| | Wire Size: 6 mm ² | Marker | LabelKN8 | 11.60 | - |
| | | | | | |

| DST10-1X2 | | | | Std. Colour | Non Std. Colour |
|---|-------------------------------|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DST10-1X2 | 162.80 | On Request |
| | Voltage: 1000 V | End Plate | DSMP10-1X2 | 14.20 | 15.70 |
| | Current: 57 A | Shorting Link | SSL10 | 46.20 | - |
| | Wire Size: 10 mm ² | Marker | LabelKN10 | 12.60 | - |
| | | | | | |

All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Spring Clamp Terminals - Feed Through (35mm Rail Mounted)

| DST16-1X2 | | Std. Colour | Non Std. Colour |
|-----------|-------------------------------|----------------------|--------------------|
| | IEC 60947-7-1 | Terminal DST16-1X2 | 199.50 On Request |
| | Voltage: 1000 V | End Plate DSMP16-1X2 | 15.60 17.20 |
| | Current: 76 A | Shorting Link SSL16 | 73.70 - |
| | Wire Size: 16 mm ² | Marker LabelKN12 | 12.60 (5 labels) - |
| | € | | |

| DST2.5-2C1P | | Std. Colour | Non Std. Colour |
|-------------|--------------------------------|------------------------|-----------------|
| | IEC 60947-7-1 | Terminal DST2.5-2C1P | 44.10 48.60 |
| | Voltage: 500 V | End Plate DSMP2.5-2C1P | 15.10 16.70 |
| | Current: 16A | Shorting Link SSL2.5 | 12.10 - |
| | Wire Size: 2.5 mm ² | Marker LabelKN5 | 11.60 - |
| | € | | |

| DST2.5-2C2P | | Std. Colour | Non Std. Colour |
|-------------|--------------------------------|------------------------|-----------------|
| | IEC 60947-7-1 | Terminal DST2.5-2C2P | 51.50 56.70 |
| | Voltage: 500 V | End Plate DSMP2.5-2C2P | 18.10 20.00 |
| | Current: 16 A | Shorting Link SSL2.5 | 12.10 - |
| | Wire Size: 2.5 mm ² | Marker LabelKN5 | 11.60 - |
| | € | | |

| DST2.5-2C1PP | | Std. Colour | Non Std. Colour |
|--------------|--|-------------|-----------------|
| | DST2.5C1PP - 1 Way | 39.90 | - |
| | Compatible with terminal blocks DST 2.5 - 2C1P & DST 2.5 - 2C2P | | |

| SCT2.5 (Side Entry) | | Std. Colour | Non Std. Colour |
|---------------------|--------------------------------|----------------------|-----------------|
| | IEC 60947-7-1 | Terminal SCT2.5 | 14.10 15.60 |
| | Voltage: 800 V | End Plate SEP2.5 | 6.30 7.00 |
| | Current: 24 A | Shorting Link SSL2.5 | 12.10 - |
| | Wire Size: 2.5 mm ² | Marker LabelKN5 | 11.60 - |
| | € | | |

| SCT4 (Side Entry) | | Std. Colour | Non Std. Colour |
|-------------------|------------------------------|--------------------|-----------------|
| | IEC 60947-7-1 | Terminal SCT4 | 22.60 24.90 |
| | Voltage: 800 V | End Plate SEP4 | 7.10 7.90 |
| | Current: 32 A | Shorting Link SSL4 | 20.40 - |
| | Wire Size: 4 mm ² | Marker LabelKN5.5 | 10.00 - |
| | € | | |

| SCT6 (Side Entry) | | Std. Colour | Non Std. Colour |
|-------------------|------------------------------|--------------------|-----------------|
| | IEC 60947-7-1 | Terminal SCT6 | 59.90 65.90 |
| | Voltage: 800 V | End Plate SEP6 | 9.60 10.60 |
| | Current: 41 A | Shorting Link SSL6 | 28.60 - |
| | Wire Size: 6 mm ² | Marker LabelKN8 | 11.60 - |
| | € | | |

| SCT10 (Side Entry) | | Std. Colour | Non Std. Colour |
|--------------------|-------------------------------|---------------------|-----------------|
| | IEC 60947-7-1 | Terminal SCT10 | 69.30 76.30 |
| | Voltage: 800 V | End Plate SEP10 | 10.90 12.00 |
| | Current: 57 A | Shorting Link SSL10 | 46.20 - |
| | Wire Size: 10 mm ² | Marker LabelKN10 | 12.60 - |
| | € | | |

Spring Clamp Terminals - Multi Level

| DSDD2.5 | | Std. Colour | Non Std. Colour |
|---------|--------------------------------|--------------------|------------------|
| | IEC 60947-7-1 | Terminal DSDD2.5 | 39.90 On Request |
| | Voltage: 800 V | End Plate DPDD2.5 | 13.30 On Request |
| | Current: 24 A | Shorting Link SSL4 | 20.40 - |
| | Wire Size: 2.5 mm ² | Marker LabelKN5.5 | 10.00 - |
| | € | | |

| DS3L2.5 | | Std. Colour | Non Std. Colour |
|---------|--------------------------------|--------------------|-------------------|
| | IEC 60947-7-1 | Terminal DS3L2.5 | 127.10 On Request |
| | Voltage: 500 V | End Plate DSEP3 | 35.90 On Request |
| | Current: 20 A | Shorting Link SSL4 | 20.40 - |
| | Wire Size: 2.5 mm ² | Marker LabelKN5.5 | 10.00 - |
| | € | | |

| DS8LP16 / P32 | | Std. Colour | Non Std. Colour |
|---------------|--------------------------------|-------------------|-----------------------|
| | IEC 60947-7-1 | Terminal DS8LP16 | On Request On Request |
| | Voltage: 250 V | DS8LP32 | On Request On Request |
| | Current: 10 A | End Plate DSEP8 | On Request On Request |
| | Wire Size: 1.5 mm ² | Marker LabelKN7.5 | 18.90 - |
| | € | | |

Spring Clamp Terminals - Fuse


| DCF4 | | Std. Colour | Non Std. Colour |
|------|------------------------------|--------------------|------------------|
| | IEC 60947-7-1 | Terminal DCF4 | 89.30 On Request |
| | Voltage: 800 V | End Plate DFEP | 15.10 On Request |
| | Current: 10 A | Shorting Link SSL4 | 20.40 - |
| | Wire Size: 4 mm ² | Marker LabelKN8 | 11.60 - |
| | € | | |


| DCF4D* / 4A** (With LED Indication) | | Std. Colour | Non Std. Colour |
|-------------------------------------|------------------------------|--------------------|-------------------|
| | IEC 60947-7-1 | Terminal DCF4D | 119.70 On Request |
| | Voltage: 800 V | DCF4A | 119.70 On Request |
| | Current: 10 A | End Plate DFEP | 15.10 On Request |
| | Wire Size: 4 mm ² | Shorting Link SSL4 | 20.40 - |
| | € | Marker LabelKN8 | 11.60 - |

| SCF6 | | Std. Colour | Non Std. Colour |
|------|------------------------------|--------------------|--------------------|
| | IEC 60947-7-1 | Terminal SCF6 | 262.50 On Request |
| | Voltage: 800 V | End Plate SFEP6 | 12.60 On Request |
| | Current: 10 A | Shorting Link SSL6 | 28.60 - |
| | Wire Size: 6 mm ² | Marker LabelKN12 | 12.60 (5 labels) - |
| | € | | |


*D1 - 24 VDC, D2 - 48 VDC, D3 - 110 VDC, D4 - 220 VDC, D5 - 12 VDC / **A1 - 110 VAC, A2 - 220 VAC
All Shorting Link Prices are for 2 Way Shorting.


Spring Clamp Terminals - Test Disconnect

| DSDT2.5 | | | | Std. Colour | Non Std. Colour |
|--|--------------------------------|---------------|----------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DSDT2.5 | 59.90 | On Request |
| | Voltage: 1000 V | End Plate | DPDT2.5 | 10.10 | On Request |
| | Current: 17.5 A | Shorting Link | SSL2.5 | 12.10 | - |
| | Wire Size: 2.5 mm ² | Marker | LabelKN5 | 11.60 | - |
| | © € | | | | |


| DSDT2.5-2X2 | | | | Std. Colour | Non Std. Colour |
|---|--------------------------------|---------------|-------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DSDT2.5-2X2 | 65.10 | On Request |
| | Voltage: 1000 V | End Plate | DPMDT2.5 | 12.90 | On Request |
| | Current: 17.5 A | Shorting Link | - | - | - |
| | Wire Size: 2.5 mm ² | Marker | LabelKN5 | 11.60 | - |
| | © € | | | | |


Spring Clamp Distribution Blocks


| DTB35-10 | | | | Std. Colour | Non Std. Colour |
|--|----------------------------------|---------------|--------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DTB35-10 | 252.00 | On Request |
| | Voltage: 800 V | End Plate | Not Required | - | - |
| | Current: 125 A | Shorting Link | SLC17.5 | 64.90 | - |
| | Wire Size: IC-35 mm ² | Marker | LabelKN17 | 13.70 | (5 labels) |
| | OG - 10 mm ² | © € | | | |


| DTB35-10X4 | | | | Std. Colour | Non Std. Colour |
|---|----------------------------------|---------------|--------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DTB35-10X4 | 262.50 | On Request |
| | Voltage: 1000 V | End Plate | Not Required | - | - |
| | Current: 125 A | Shorting Link | SSL35 | 99.00 | - |
| | Wire Size: IC-35 mm ² | Marker | LabelKN12 | 12.60 | (5 labels) |
| | OG - 10 mm ² | © € | | | |


Spring Clamp Terminals - Earthing Type


| DSET2.5 | | | | Std. Colour | Non Std. Colour |
|--|--------------------------------|---------------|--------------|-------------|-----------------|
|  | IEC 60947-7-2 | Terminal | DSET2.5 | 94.50 | - |
| | Wire Size: 2.5 mm ² | End Plate | DSEP2.5(Gr) | 8.50 | - |
| | © € | Shorting Link | Not Required | - | - |
| | | Marker | LabelKN5 | 11.60 | - |
| | | | | | |


| DSET4 | | | | Std. Colour | Non Std. Colour |
|---|------------------------------|---------------|--------------|-------------|-----------------|
|  | IEC 60947-7-2 | Terminal | DSET4 | 95.60 | - |
| | Wire Size: 4 mm ² | End Plate | DSEP4(Gr) | 10.10 | - |
| | © € | Shorting Link | Not Required | - | - |
| | | Marker | LabelKN5.5 | 10.00 | - |
| | | | | | |

| DSET6 | | | | Std. Colour | Non Std. Colour |
|--|------------------------------|---------------|--------------|-------------|-----------------|
|  | IEC 60947-7-2 | Terminal | DSET6 | 199.50 | - |
| | Wire Size: 6 mm ² | End Plate | DSEP6(Gr) | 12.00 | - |
| | © € | Shorting Link | Not Required | - | - |
| | | Marker | LabelKN8 | 11.60 | - |
| | | | | | |


| DSET10 | | | | Std. Colour | Non Std. Colour |
|---|-------------------------------|---------------|--------------|-------------|-----------------|
|  | IEC 60947-7-2 | Terminal | DSET10 | 252.00 | - |
| | Wire Size: 10 mm ² | End Plate | DSEP10(Gr) | 12.80 | - |
| | © € | Shorting Link | Not Required | - | - |
| | | Marker | LabelKN10 | 12.60 | - |
| | | | | | |


| SCET4 | | | | Std. Colour | Non Std. Colour | |
|--|------------------------------|-----------|------------|-------------|-----------------|--|
|  | IEC 60947-7-2 | Terminal | SCET4 | 94.50 | - | |
| | Wire Size: 4 mm ² | End Plate | SEP4(Gr) | 7.90 | - | |
| | © € | Marker | LabelKN5.5 | 10.00 | - | |
| | | | | | | |
| | | | | | | |

| DSET2.5-1X2 | | | | Std. Colour | Non Std. Colour |
|---|--------------------------------|---------------|-----------------|-------------|-----------------|
|  | IEC 60947-7-2 | Terminal | DSET2.5-1X2 | 140.70 | - |
| | Wire Size: 2.5 mm ² | End Plate | DSMP2.5-1X2(Gr) | 10.10 | - |
| | © € | Shorting Link | Not Required | - | - |
| | | Marker | LabelKN5 | 11.60 | - |
| | | | | | |


| DSET2.5-2X2 | | | | Std. Colour | Non Std. Colour |
|--|--------------------------------|---------------|-----------------|-------------|-----------------|
|  | IEC 60947-7-2 | Terminal | DSET2.5-2X2 | 141.80 | - |
| | Wire Size: 2.5 mm ² | End Plate | DSMP2.5-2X2(Gr) | 10.60 | - |
| | © € | Shorting Link | Not Required | - | - |
| | | Marker | LabelKN5 | 11.60 | - |
| | | | | | |


Spring Clamp Micro Terminals (15mm Rail Mounted)


| MCT2.5MC | | | | Std. Colour | Non Std. Colour |
|--|--------------------------------|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | MCT2.5MC | 20.00 | On Request |
| | Voltage: 500 V | End Plate | MEP2.5MC | 7.60 | On Request |
| | Current: 24 A | Shorting Link | MSL2.5 | 18.20 | - |
| | Wire Size: 2.5 mm ² | Marker | LabelKN5.5 | 10.00 | - |
| | © € | | | | |


| SCT2.5MC | | | | Std. Colour | Non Std. Colour |
|---|--------------------------------|---------------|----------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | SCT2.5MC | 19.80 | On Request |
| | Voltage: 800 V | End Plate | SEP2.5 | 6.30 | 7.00 |
| | Current: 24 A | Shorting Link | SSL2.5 | 12.10 | - |
| | Wire Size: 2.5 mm ² | Marker | LabelKN5 | 11.60 | - |
| | © € | | | | |


Spring Clamp Micro Terminals - Panel Mounted

| MCT1.5 | | | | Std. Colour | Non Std. Colour |
|--|--------------------------------|---------------|--------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | MCT1.5 | 8.90 | On Request |
| | Voltage: 500 V | End Plate | MEP1.5 | 4.60 | On Request |
| | Current: 17.5 A | Shorting Link | MSL1.5 | 17.60 | - |
| | Wire Size: 1.5 mm ² | | | | |


| MCT2.5 | | | | Std. Colour | Non Std. Colour |
|---|--------------------------------|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | MCT2.5 | 10.60 | 11.70 |
| | Voltage: 500 V | End Plate | MEP2.5 | 5.00 | 5.50 |
| | Current: 24 A | Shorting Link | MSL2.5 | 18.20 | - |
| | Wire Size: 2.5 mm ² | Marker | LabelKN5.5 | 10.00 | - |

| MCT2.5P4 | | | | Std. Colour | Non Std. Colour |
|--|--------------------------------|---------------|-----------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | MCT2.5P4 | 20.00 | On Request |
| | Voltage: 500 V | End Plate | MEP2.5 | 5.00 | 5.50 |
| | Current: 24 A | Shorting Link | MSL2.5 | 18.20 | - |
| | Wire Size: 2.5 mm ² | Marker | LabelKN10 | 12.60 | - |


| MCT4 | | | | Std. Colour | Non Std. Colour |
|---|------------------------------|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | MCT4 | 16.80 | 18.50 |
| | Voltage: 500 V | End Plate | MEP4 | 8.80 | 9.70 |
| | Current: 32 A | Shorting Link | MSL4 | 23.10 | - |
| | Wire Size: 4 mm ² | Marker | LabelKN6.5 | 10.50 | - |


| MCT4P4 | | | | Std. Colour | Non Std. Colour |
|--|------------------------------|---------------|-----------|-----------------|-----------------|
|  | IEC 60947-7-1 | Terminal | MCT4P4 | 31.50 | On Request |
| | Voltage: 500 V | End Plate | MEP4 | 8.80 | 9.70 |
| | Current: 32 A | Shorting Link | MSL4 | 23.10 | - |
| | Wire Size: 4 mm ² | Marker | LabelKN12 | 12.60(5 labels) | - |

Spring Clamp Terminal (Din Rail Mounted)


| DMCT2.5P4 | | | | Std. Colour | Non Std. Colour |
|---|--------------------------------|---------------|-----------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DMCT2.5P4 | 33.60 | - |
| | Voltage: 800 V | End Plate | DMEP2.5P4 | 12.00 | - |
| | Current: 24 A | Shorting Link | MSL2.5 | 18.20 | - |
| | Wire Size: 2.5 mm ² | Marker | LabelKN10 | 12.60 | - |


Plug & Socket Terminals


| DPSC5.08 (Wire to Wire) | | | | Std. Colour | Non Std. Colour |
|--|--------------------------------|----------|------------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DPSC5.08WW(2Way) | 120.80 | - |
| | Voltage: 250 V | | DPSC5.08WW(3Way) | 181.20 | - |
| | Current: 16 A | | DPSC5.08WW(4Way) | 241.60 | - |
| | Wire Size: 2.5 mm ² | | DPSC5.08WW(5Way) | 302.00 | - |
| | | | DPSC5.08WW(6Way) | 362.40 | - |
| | | | DPSC5.08WW(8Way) | 483.20 | - |


| DPSC5.08 (Panel Mounted) | | | | Std. Colour | Non Std. Colour |
|---|--------------------------------|----------|------------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | DPSC5.08PM(2Way) | 136.50 | - |
| | Voltage: 250 V | | DPSC5.08PM(3Way) | 204.80 | - |
| | Current: 16 A | | DPSC5.08PM(4Way) | 273.00 | - |
| | Wire Size: 2.5 mm ² | | DPSC5.08PM(5Way) | 341.30 | - |
| | | | DPSC5.08PM(6Way) | 409.50 | - |
| | | | DPSC5.08PM(8Way) | 546.00 | - |

Lighting Pole Terminals


| LPT225 | | | | Std. Colour | Non Std. Colour |
|--|---------------------------------|---------------|--------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | LPT225 | 94.50 | 104.00 |
| | Voltage: 400 V | End Plate | Not Required | - | - |
| | Current: 101 A | Shorting Link | Not Required | - | - |
| | Wire Size: 4-25 mm ² | Marker | LabelKN10 | 12.60 | - |


| LPT235 | | | | Std. Colour | Non Std. Colour |
|---|---------------------------------|---------------|--------------|-----------------|-----------------|
|  | IEC 60947-7-1 | Terminal | LPT235 | 257.30 | 283.10 |
| | Voltage: 400 V | End Plate | Not Required | - | - |
| | Current: 125 A | Shorting Link | Not Required | - | - |
| | Wire Size: 6-35 mm ² | Marker | LabelKN12 | 12.60(5 labels) | - |


| LPT325 | | | | Std. Colour | Non Std. Colour |
|--|---------------------------------|---------------|--------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | LPT325 | 144.90 | 159.90 |
| | Voltage: 400 V | End Plate | Not Required | - | - |
| | Current: 101 A | Shorting Link | Not Required | - | - |
| | Wire Size: 4-25 mm ² | Marker | LabelKN10 | 12.60 | - |

| LPT335 | | | | Std. Colour | Non Std. Colour |
|---|---------------------------------|---------------|--------------|-----------------|-----------------|
|  | IEC 60947-7-1 | Terminal | LPT335 | 330.80 | 363.90 |
| | Voltage: 400 V | End Plate | Not Required | - | - |
| | Current: 125 A | Shorting Link | Not Required | - | - |
| | Wire Size: 6-35 mm ² | Marker | LabelKN12 | 12.60(5 labels) | - |

Neutral Links


| KNL4 | | | | Std. Colour |
|--|-----------------------------|------------|------------|-------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm² Torque: 0.8 Nm</p> | Terminal | KNL4 | | 17.90 |
| | Bus-Bar (6 mm x 6 mm) | KNLB6 | On Request | |
| | Bus-Bar (10 mm x 3 mm) | KNLB10 | On Request | |
| | End Support (Panel Mounted) | KNLSUP | | 18.90 |
| | End Support (Rail Mounted) | SCNL | | 29.40 |
| | Marker | LabelKN6.5 | | 10.50 |


| KNL16 | | | | Std. Colour |
|---|-----------------------------|----------|------------|-------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p> | Terminal | KNL16 | | 23.70 |
| | Bus-Bar (6 mm x 6 mm) | KNLB6 | On Request | |
| | Bus-Bar (10 mm x 3 mm) | KNLB10 | On Request | |
| | End Support (Panel Mounted) | KNLSUP | | 18.90 |
| | End Support (Rail Mounted) | SCNL | | 29.40 |
| | Marker | LabelKN8 | | 11.60 |


| KNL35 | | | | Std. Colour |
|--|-----------------------------|-----------|------------|-------------|
|  <p>IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm² Torque: 3 Nm</p> | Terminal | KNL35 | | 42.00 |
| | Bus-Bar (6 mm x 6 mm) | KNLB6 | On Request | |
| | Bus-Bar (10 mm x 3 mm) | KNLB10 | On Request | |
| | End Support (Panel Mounted) | KNLSUP | | 18.90 |
| | End Support (Rail Mounted) | SCNL | | 29.40 |
| | Marker | LabelKN10 | | 12.60 |


Price List for DIN Rail Mounted Terminals : Melamine


Feed Through Terminals


| CST2.5 | | | | Std. Colour | Non Std. Colour |
|---|--|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm | Terminal | CST2.5 | 20.00 | 22.00 |
| | | End Plate | EPX | 9.10 | 10.10 |
| | | Shorting Link | CCLA2.5 | 19.80 | - |
| | | Marker | LabelKN6.5 | 10.50 | - |

| CST6 | | | | Std. Colour | Non Std. Colour |
|---|--|---------------|----------|-------------|-----------------|
|  | IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm ² Torque: 0.8 Nm | Terminal | CST6 | 24.20 | 26.70 |
| | | End Plate | EPX | 9.10 | 10.10 |
| | | Shorting Link | CCLA6 | 19.80 | - |
| | | Marker | LabelKN8 | 11.60 | - |


| CST10 | | | | Std. Colour | Non Std. Colour |
|---|---|---------------|-----------|-------------|-----------------|
|  | IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm | Terminal | CST10 | 32.60 | 35.90 |
| | | End Plate | EPX | 9.10 | 10.10 |
| | | Shorting Link | CCLA10 | 21.50 | - |
| | | Marker | LabelKN10 | 12.60 | - |

| CST16 | | | | Std. Colour | Non Std. Colour |
|---|---|---------------|-----------|-------------|-----------------|
|  | IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 1.2 Nm | Terminal | CST16 | 52.50 | 57.80 |
| | | End Plate | EPY | 17.40 | 19.20 |
| | | Shorting Link | CCLA16 | 25.30 | - |
| | | Marker | LabelKN10 | 12.60 | - |


| CST25 | | | | Std. Colour | Non Std. Colour |
|---|--|---------------|-----------|-----------------|-----------------|
|  | IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm ² Torque: 1.2 Nm | Terminal | CST25 | 73.50 | 80.90 |
| | | End Plate | EPT | 18.10 | 20.00 |
| | | Shorting Link | CCLA25 | 28.10 | - |
| | | Marker | LabelKN12 | 12.60(5 labels) | - |


| CST35 | | | | Std. Colour | Non Std. Colour |
|---|--|---------------|-----------|------------------|-----------------|
|  | IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm ² Torque: 4 Nm | Terminal | CST35 | 141.80 | 156.00 |
| | | End Plate | EPZ | 19.30 | 21.30 |
| | | Shorting Link | CCLA35 | 33.60 | - |
| | | Marker | LabelKN17 | 13.70 (5 labels) | - |


Spring Loaded Terminals

| CSLT1 | | | | Std. Colour | Non Std. Colour |
|--|---|---------------|-----------|-------------|-----------------|
|  | IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm | Terminal | CSLT1 | 73.50 | 80.90 |
| | | End Plate | EPSL | 15.60 | 17.20 |
| | | Shorting Link | CCLA1L | 29.70 | - |
| | | Marker | LabelKN10 | 12.60 | - |

Stud Type Terminals (Screw Driver Operated)

| CATM3* | | | | Std. Colour | Non Std. Colour |
|---|---|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 Voltage: 1100 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm | Terminal | CATM3 | 52.50 | 57.80 |
| | | End Plate | EPS4 | 12.00 | 13.20 |
| | | Shorting Link | ASL1 | 31.90 | - |
| | | Marker | LabelKN6.5 | 10.50 | - |

| CATM4* | | | | Std. Colour | Non Std. Colour |
|---|--|---------------|----------|-------------|-----------------|
|  | IEC 60947-7-1 Voltage: 1100 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm | Terminal | CATM4 | 57.80 | 63.60 |
| | | End Plate | EPS4 | 12.00 | 13.20 |
| | | Shorting Link | ADSL | 29.70 | - |
| | | Marker | LabelKN8 | 11.60 | - |


| CATM5* | | | | Std. Colour | Non Std. Colour |
|---|--|---------------|----------|-------------|-----------------|
|  | IEC 60947-7-1 Voltage: 1100 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm | Terminal | CATM5 | 73.50 | 80.90 |
| | | End Plate | EPS4 | 12.00 | 13.20 |
| | | Shorting Link | ADSL | 29.70 | - |
| | | Marker | LabelKN8 | 11.60 | - |


* Suitable for 1100V AC applications.
All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Melamine




Stud Type Terminals (Nut Driver Operated)


| CBTM4* | | | | Std. Colour | Non Std. Colour |
|---|-------------------------------|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | CBTM4 | 57.80 | 63.60 |
| | Voltage: 1100 V | End Plate | EPS4 | 12.00 | 13.20 |
| | Current: 57 A | Shorting Link | KSL5 | 30.80 | - |
| | Wire Size: 10 mm ² | Marker | LabelKN6.5 | 10.50 | - |
| | Torque: 1.2 Nm | | | | |


| CBTM5* | | | | Std. Colour | Non Std. Colour |
|---|-------------------------------|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | CBTM5 | 73.50 | 80.90 |
| | Voltage: 1100 V | End Plate | EPS4 | 12.00 | 13.20 |
| | Current: 76 A | Shorting Link | KSL5 | 30.80 | - |
| | Wire Size: 16 mm ² | Marker | LabelKN6.5 | 10.50 | - |
| | Torque: 2 Nm | | | | |

| CBTM6* | | | | Std. Colour | Non Std. Colour |
|---|-------------------------------|---------------|----------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | CBTM6 | 120.80 | 132.90 |
| | Voltage: 1100 V | End Plate | EPS4 | 12.00 | 13.20 |
| | Current: 125 A | Shorting Link | BSL6 | 33.00 | - |
| | Wire Size: 35 mm ² | Marker | LabelKN8 | 11.60 | - |
| | Torque: 2.5 Nm | | | | |


| CBTM6S1* | | | | Std. Colour | Non Std. Colour |
|---|-------------------------------|---------------|---------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | CBTM6S1 | 147.00 | 161.70 |
| | Voltage: 1100 V | End Plate | EPS5/6 | 17.40 | 19.20 |
| | Current: 125 A | Shorting Link | Not Available | - | - |
| | Wire Size: 35 mm ² | Marker | LabelKN8 | 11.60 | - |
| | Torque: 2.5 Nm | | | | |


Stud Type Terminals (Screw & Nut Driver Operated)

| CABTM4* | | | | Std. Colour | Non Std. Colour |
|---|-------------------------------|---------------|----------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | CABTM4 | 66.20 | 72.90 |
| | Voltage: 1100 V | End Plate | EPS4 | 12.00 | 13.20 |
| | Current: 57 A | Shorting Link | ADSL | 29.70 | - |
| | Wire Size: 10 mm ² | Marker | LabelKN8 | 11.60 | - |
| | Torque: 1.2 Nm | | | | |


| PSC1/5 | | | | Std. Colour | Non Std. Colour |
|---|--|---------------|---------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | PSC1/5 | 600.00 | - |
| | Voltage: 600 V | End Plate | Not Required | - | - |
| | Current: 25 A | Shorting Link | Not Available | - | - |
| | Per Contact Wire Size: 2.5 mm ² | Marker | Not Required | - | - |
| | Torque: 0.5 Nm | | | | |


Test - Disconnect Terminals


| CATDM4* | | | | Std. Colour | Non Std. Colour |
|---|------------------------------|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | CATDM4 | 115.50 | 127.10 |
| | Voltage: 1100 V | End Plate | EPD4 | 19.30 | 21.30 |
| | Current: 41 A | Shorting Link | ADSL | 29.70 | - |
| | Wire Size: 6 mm ² | Marker | LabelKN5.5 | 10.00 | - |
| | Torque: 1.2 Nm | | | | |


| CLTDM4* | | | | Std. Colour | Non Std. Colour |
|---|------------------------------|---------------|------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | CLTDM4 | 105.00 | 115.50 |
| | Voltage: 1100 V | End Plate | EPLD4 | 19.30 | 21.30 |
| | Current: 45 A | Shorting Link | ADSL | 29.70 | - |
| | Wire Size: 6 mm ² | Marker | LabelKN5.5 | 10.00 | - |
| | Torque: 1.2 Nm | | | | |


Power Terminals

| CBT100 | | | | Std. Colour | Non Std. Colour |
|---|-------------------------------|---------------|---------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | CBT100 | 136.50 | 150.20 |
| | Voltage: 1100 V | End Plate | EPS5/6 | 17.40 | 19.20 |
| | Current: 125 A | Shorting Link | Not Available | - | - |
| | Wire Size: 35 mm ² | Marker | LabelKN8 | 11.60 | - |
| | Torque: 2.5 Nm | | | | |

| CBT110 | | | | Std. Colour | Non Std. Colour |
|---|----------------------------------|---------------|---------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | CBT110 | 252.00 | 277.20 |
| | Voltage: 1000 V | Barrier Plate | BPA110 | 45.60 | 50.20 |
| | Current: 150 A | Shorting Link | Not Available | - | - |
| | Wire Size: 30-35 mm ² | Marker | LabelKN10 | 12.60 | - |
| | Torque: 3 Nm | | | | |

| CBT170 | | | | Std. Colour | Non Std. Colour |
|---|----------------------------------|---------------|---------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | CBT170 | 409.50 | 450.50 |
| | Voltage: 1000 V | Barrier Plate | BPA17/25 | 50.20 | 55.30 |
| | Current: 192 A | Shorting Link | Not Available | - | - |
| | Wire Size: 50-70 mm ² | Marker | LabelKN10 | 12.60 | - |
| | Torque: 6 Nm | | | | |

| CBT250 | | | | Std. Colour | Non Std. Colour |
|---|----------------------------------|---------------|---------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | CBT250 | 483.00 | 531.30 |
| | Voltage: 1000 V | Barrier Plate | BPA17/25 | 50.20 | 55.30 |
| | Current: 250 A | Shorting Link | Not Available | - | - |
| | Wire Size: 70-95 mm ² | Marker | LabelKN10 | 12.60 | - |
| | Torque: 10 Nm | | | | |


| CBT300 | | | | Std. Colour | Non Std. Colour |
|---|-----------------------------------|---------------|---------------|-------------|-----------------|
|  | IEC 60947-7-1 | Terminal | CBT300 | 525.00 | 577.50 |
| | Voltage: 1000 V | Barrier Plate | BPA17/25 | 50.20 | 55.30 |
| | Current: 300A | Shorting Link | Not Available | - | - |
| | Wire Size: 70-120 mm ² | Marker | LabelKN10 | 12.60 | - |
| | Torque: 10 Nm | | | | |


* Suitable for 1100V AC applications.
All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Melamine




Power Terminals (With Tapped Current Bar)

| CBT110T | | | | Std. Colour | Non Std. Colour |
|--|---------------|---------------|--------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 35-50 mm ² Torque: 3 Nm | Terminal | CBT110T | 257.30 | 283.10 | |
| | Barrier Plate | BPA110 | 45.60 | 50.20 | |
| | Shorting Link | Not Available | - | - | |
| | Marker | LabelKN10 | 12.60 | - | |

| CBT170T | | | | Std. Colour | Non Std. Colour |
|---|---------------|---------------|--------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 50-70 mm ² Torque: 6 Nm | Terminal | CBT170T | 430.50 | 473.60 | |
| | Barrier Plate | BPA17/25 | 50.20 | 55.30 | |
| | Shorting Link | Not Available | - | - | |
| | Marker | LabelKN10 | 12.60 | - | |

| CBT250T | | | | Std. Colour | Non Std. Colour |
|---|---------------|---------------|--------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 250 A Wire Size: 70-95 mm ² Torque: 10 Nm | Terminal | CBT250T | 504.00 | 554.40 | |
| | Barrier Plate | BPA17/25 | 50.20 | 55.30 | |
| | Shorting Link | Not Available | - | - | |
| | Marker | LabelKN10 | 12.60 | - | |

| CBT300T | | | | Std. Colour | Non Std. Colour |
|---|---------------|---------------|--------|-------------|-----------------|
|  IEC 60947-7-1 Voltage: 1000 V Current: 300 A Wire Size: 70-120 mm ² Torque: 10 Nm | Terminal | CBT300T | 640.50 | 704.60 | |
| | Barrier Plate | BPA17/25 | 50.20 | 55.30 | |
| | Shorting Link | Not Available | - | - | |
| | Marker | LabelKN10 | 12.60 | - | |

Price List for Terminals: Polyamide 6.6

PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

| Suitable For Terminal Type | Supplied From. | Std. Packing in Nos. | Rate in Rs. (Per Each) | Non-Std. Colour |
|--|----------------|----------------------|------------------------|-----------------|
| Suitable For Feed Through Terminals | | | | |
| KUT2.5 | Elmex Electric | 100 | 12.10 | 13.40 |
| KUT4 | Elmex Electric | 100 | 14.70 | 16.20 |
| KUT6 | Elmex Electric | 100 | 20.60 | 22.70 |
| KUT10 | Elmex Electric | 100 | 26.80 | 29.50 |
| KUT16 | Elmex Electric | 100 | 48.30 | 53.20 |
| KUT25 | Elmex Electric | 100 | 78.80 | 86.70 |
| KUT35 | Elmex Electric | 50 | 113.40 | 124.80 |
| KUT50 | Elmex Electric | 10 | 320.30 | 352.40 |
| KUT50/70A | Elmex Electric | 10 | 320.30 | 352.40 |
| KUT95 | Elmex Electric | 10 | 530.30 | 583.33 |
| KUT4-1X2 | Elmex Electric | 100 | 33.60 | 37.00 |
| KUT4-2X2 | Elmex Electric | 100 | 46.20 | 50.90 |
| Suitable For Earth Terminals | | | | |
| ET4 | Elmex Electric | 100 | 104.00 | - |
| ET6 | Elmex Electric | 50 | 120.80 | - |
| ET10 | Elmex Electric | 50 | 153.30 | - |
| ET16 | Elmex Electric | 50 | 168.00 | - |
| ET35 | Elmex Electric | 20 | 367.50 | - |
| ET50 | Elmex Electric | 20 | 880.00 | - |
| Suitable For Double Deck Terminals | | | | |
| KU2D4 | Elmex Electric | 100 | 37.80 | 41.60 |
| KU2D4S | Elmex Electric | 100 | 51.50 | 56.70 |
| KUDD4 | Elmex Electric | 100 | 42.00 | 46.20 |
| Suitable For Spring Loaded Terminals | | | | |
| KULT4 | Elmex Electric | 100 | 43.60 | 48.00 |
| KULT6 | Elmex Electric | 100 | 46.20 | 50.90 |
| KULT1 | Elmex Electric | 100 | 59.90 | 65.90 |
| Suitable For Thermocouple Terminals | | | | |
| KUT4NTCK | Elmex Electric | 50 | 115.50 | 127.10 |
| KUT4NTCJ | Elmex Electric | 50 | 147.00 | 161.70 |
| KUT4NTCT | Elmex Electric | 50 | 147.00 | 161.70 |
| KUT4NTCE | Elmex Electric | 50 | 147.00 | 161.70 |
| Suitable For Triple Deck Terminals | | | | |
| DU3D4 | Elmex Electric | 100 | 105.00 | 115.50 |
| DUSD4 | Elmex Electric | 100 | 63.00 | 69.30 |
| Suitable For Photovoltaic Terminals | | | | |
| KUT2.5N | Elmex Electric | 100 | 14.00 | 15.40 |
| KUT4N | Elmex Electric | 100 | 17.00 | 18.70 |
| KUT6N | Elmex Electric | 100 | 22.30 | 24.60 |
| KUT10N | Elmex Electric | 100 | 29.60 | 32.60 |
| KUDD4N | Elmex Electric | 100 | 52.50 | 57.80 |
| Suitable For Earth Terminals (N - Series) | | | | |
| ETN4 | Elmex Electric | 100 | 110.30 | - |
| ETN6 | Elmex Electric | 100 | 123.90 | - |
| ETN10 | Elmex Electric | 100 | 144.90 | - |
| ETDD4N | Elmex Electric | 100 | 173.30 | - |
| Suitable For Stud Type Terminals | | | | |
| KATM3 | Elmex Electric | 100 | 43.60 | 48.00 |
| KATM3C | Elmex Electric | 50 | 56.70 | 62.40 |
| KATM4 | Elmex Electric | 50 | 58.30 | 64.20 |
| KATM4C | Elmex Electric | 50 | 65.10 | 71.70 |
| KATM5 | Elmex Electric | 50 | 65.10 | 71.70 |
| KATM5C | Elmex Electric | 50 | 73.50 | 80.90 |
| KABTM3 | Elmex Electric | 50 | 44.10 | 48.60 |
| KABTM4 | Elmex Electric | 50 | 57.80 | 63.60 |
| KABTM5 | Elmex Electric | 50 | 64.60 | 71.10 |
| KABTM4C | Elmex Electric | 50 | 65.10 | 71.70 |
| KABTM5C | Elmex Electric | 50 | 74.60 | 82.10 |
| KATM3E | Elmex Electric | 50 | 33.10 | 36.50 |
| KATM4E | Elmex Electric | 50 | 37.80 | 41.60 |
| KBTM4 | Elmex Electric | 50 | 57.80 | 63.60 |
| KBTM4C | Elmex Electric | 50 | 66.20 | 72.90 |
| KBTM5-15 | Elmex Electric | 50 | 65.10 | 71.70 |
| KBTM5-15C | Elmex Electric | 50 | 75.60 | 83.20 |
| KBTM6 | Elmex Electric | 50 | 92.40 | 101.70 |
| KBTM6C | Elmex Electric | 50 | 110.30 | 121.40 |
| KBTM4E | Elmex Electric | 50 | 42.00 | 46.20 |
| KBTM5E | Elmex Electric | 50 | 48.30 | 53.20 |
| KBTM6E | Elmex Electric | 50 | 78.80 | 86.70 |
| OAT2.5 | Elmex Electric | 50 | 54.60 | 60.10 |
| OAT6 | Elmex Electric | 50 | 66.20 | 72.90 |

Price List for Terminals: Polyamide 6.6



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

| Suitable For Terminal Type | Supplied From. | Std. Packing in Nos. | Rate in Rs. (Per Each) | Non-Std. Colour |
|--|----------------|----------------------|------------------------|-----------------|
| OAT25 | Elmex Electric | 50 | 157.50 | 173.30 |
| Suitable For Fuse Terminals | | | | |
| KUDF4NV | Elmex Electric | 100 | 51.50 | 56.70 |
| KUDF4AD | Elmex Electric | 100 | 76.70 | 84.40 |
| KUFH4 | Elmex Electric | 100 | 107.50 | 118.30 |
| KUFH4D | Elmex Electric | 100 | 141.90 | 156.10 |
| KUFH4A | Elmex Electric | 100 | 141.90 | 156.10 |
| KUF10 | Elmex Electric | 100 | 144.40 | 158.90 |
| KUF10D | Elmex Electric | 100 | 165.20 | 181.80 |
| KUF10A | Elmex Electric | 100 | 171.00 | 188.10 |
| Suitable For Fuse Feed Through Terminals | | | | |
| KUDDF4 | Elmex Electric | 100 | 122.90 | 135.20 |
| KUDDF4AD | Elmex Electric | 100 | 140.70 | 154.80 |
| Suitable For Plug and Socket | | | | |
| PS8M - 2 Way | Elmex Electric | 20 | 150.00 | - |
| PS8M - 3 Way | Elmex Electric | 20 | 225.00 | - |
| PS8M - 4 Way | Elmex Electric | 20 | 300.00 | - |
| PS8M - 5 Way | Elmex Electric | 20 | 375.00 | - |
| PS8M - 6 Way | Elmex Electric | 20 | 450.00 | - |
| PS8M - 7Way | Elmex Electric | 20 | 525.00 | - |
| PS8M - 8 Way | Elmex Electric | 20 | 600.00 | - |
| PS8M - 10 Way | Elmex Electric | 20 | 750.00 | - |
| Suitable For Disconnecting Terminals (Sliding Link Type) | | | | |
| KLTD4NV | Elmex Electric | 50 | 80.00 | 88.00 |
| KLTD4-2W | Elmex Electric | 25 | 227.40 | 250.20 |
| KUTSD6 | Elmex Electric | 50 | 84.00 | 92.40 |
| KUTD10 | Elmex Electric | 50 | 121.80 | 134.00 |
| KULTD6 | Elmex Electric | 50 | 157.50 | 173.30 |
| OAT6T | Elmex Electric | 50 | 108.00 | 118.80 |
| OAT6DTS | Elmex Electric | 40 | 110.00 | 121.00 |
| OAT6DTS - 2Way | Elmex Electric | 20 | 236.30 | 260.00 |
| OAT10DTS | Elmex Electric | 50 | 144.90 | 159.40 |
| Suitable For Disconnecting Terminals (Knife Edge Type) | | | | |
| KULTD4 | Elmex Electric | 100 | 52.50 | 57.80 |
| KULTD4WS | Elmex Electric | 100 | 126.00 | 138.60 |
| KULTD4TS | Elmex Electric | 100 | 94.50 | 104.00 |
| KUDT4-2X2 | Elmex Electric | 100 | 97.70 | 107.50 |
| KUDT6 | Elmex Electric | 100 | 100.80 | 110.90 |
| Suitable For Power Terminals | | | | |
| PAT30 | Elmex Electric | 100 | 37.80 | 41.60 |
| PAT100 | Elmex Electric | 25 | 149.10 | 164.10 |
| PAT150 | Elmex Electric | 10 | 236.30 | 260.00 |
| PAT250 | Elmex Electric | 10 | 357.00 | 392.70 |
| KBT100 | Elmex Electric | 25 | 89.30 | 98.30 |
| DPBB50 | Elmex Electric | 10 | 204.80 | 225.30 |
| DPBB50CN | Elmex Electric | 10 | 213.70 | 235.10 |
| DPBB70 | Elmex Electric | 10 | 278.30 | 306.20 |
| DPBB70CN | Elmex Electric | 10 | 289.30 | 318.30 |
| DPBB120 | Elmex Electric | 10 | 405.30 | 445.90 |
| DPBB120CN | Elmex Electric | 10 | 417.90 | 459.70 |
| DPBB185N | Elmex Electric | 10 | 987.00 | 1085.70 |
| DPBB240 | Elmex Electric | 10 | 1055.30 | 1160.90 |
| SPT35 | Elmex Electric | 10 | 305.60 | 336.20 |
| SPT70 | Elmex Electric | 10 | 465.20 | 511.80 |
| SPT95 | Elmex Electric | 10 | 488.30 | 537.20 |
| SPT120 | Elmex Electric | 10 | 787.50 | 866.30 |
| SPT150 | Elmex Electric | 10 | 798.00 | 877.80 |
| SPT185 | Elmex Electric | 10 | 1270.50 | 1397.60 |
| SPT240 | Elmex Electric | 10 | 1270.50 | 1397.60 |
| SPT300 | Elmex Electric | 10 | 1617.00 | 1778.70 |
| Suitable For Distribution Blocks | | | | |
| FDBK-1X2 | Elmex Electric | 10 | 197.40 | 217.20 |
| FDBK-1X4 | Elmex Electric | 10 | 231.00 | 254.10 |
| FDBK-1X8 | Elmex Electric | 10 | 359.10 | 395.10 |
| FDBK3 | Elmex Electric | 10 | 87.90 | 96.70 |
| FDBK4 | Elmex Electric | 10 | 117.10 | 128.90 |
| FDBK8 | Elmex Electric | 10 | 234.20 | 257.70 |
| DBK-1X2 | Elmex Electric | 10 | 241.50 | 265.70 |
| DBK-1X4 | Elmex Electric | 10 | 315.00 | 346.50 |

Price List for Terminals: Polyamide 6.6



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

| Suitable For Terminal Type | Supplied From. | Std. Packing in Nos. | Rate in Rs. (Per Each) | Non-Std. Colour |
|--|----------------|----------------------|------------------------|-----------------|
| DBK-1X8 | Elmex Electric | 10 | 456.80 | 502.50 |
| DFBK12 | Elmex Electric | 10 | 357.00 | 392.70 |
| DBK3 | Elmex Electric | 10 | 114.60 | 126.10 |
| DBK4 | Elmex Electric | 10 | 152.80 | 168.10 |
| DBK5 | Elmex Electric | 10 | 191.00 | 210.10 |
| DBK8 | Elmex Electric | 10 | 305.60 | 336.20 |
| DBK150/16-1X2 | Elmex Electric | 10 | 877.80 | 965.60 |
| DBK150/16-1X4 | Elmex Electric | 10 | 993.30 | 1092.70 |
| DBK150/16-1X8 | Elmex Electric | 10 | 1224.30 | 1346.80 |
| DBK150/25-1X2 | Elmex Electric | 10 | 981.80 | 1080.00 |
| DBK150/25-1X4 | Elmex Electric | 10 | 1131.90 | 1245.10 |
| DBK150/25-1X8 | Elmex Electric | 10 | 1432.20 | 1575.50 |
| DBK150/M6C-1X2 | Elmex Electric | 10 | 1201.20 | 1321.40 |
| DBK150/M6C-1X4 | Elmex Electric | 10 | 1362.90 | 1499.20 |
| DBK150/M6C-1X8 | Elmex Electric | 10 | 1686.30 | 1855.00 |
| DBD16 | Elmex Electric | 10 | 399.00 | 438.90 |
| DBD35 | Elmex Electric | 10 | 572.30 | 629.60 |
| Suitable For Component Housings | | | | |
| KPCH4* | Elmex Electric | 100 | 97.70 | 107.50 |
| KPCH6* | Elmex Electric | 100 | 121.30 | 133.50 |
| KUDD4CC1 | Elmex Electric | 100 | 92.40 | 101.70 |
| KUDD4CC2 | Elmex Electric | 100 | 92.40 | 101.70 |
| KUDD4CA1 | Elmex Electric | 100 | 92.40 | 101.70 |
| KUDD4CA2 | Elmex Electric | 100 | 92.40 | 101.70 |
| KUDD4D1 | Elmex Electric | 100 | 92.40 | 101.70 |
| KUDD4R | Elmex Electric | 100 | 92.40 | 101.70 |
| KUDD4MOV | Elmex Electric | 100 | 138.60 | 152.50 |
| Suitable For Micro Terminals | | | | |
| SUT4 | Elmex Electric | 100 | 13.40 | 14.80 |
| SET4 | Elmex Electric | 100 | 68.30 | - |
| PET4 | Elmex Electric | 100 | 16.80 | 18.50 |
| PBTM3 | Elmex Electric | 100 | 12.60 | - |
| PBTM4 | Elmex Electric | 100 | 14.70 | - |
| Suitable For Spring Clamp Terminals | | | | |
| DST2.5 | Elmex Electric | 100 | 14.20 | 15.70 |
| DST4 | Elmex Electric | 100 | 24.20 | 26.70 |
| DST6 | Elmex Electric | 50 | 48.30 | 53.20 |
| DST10 | Elmex Electric | 20 | 96.60 | 106.30 |
| DST16 | Elmex Electric | 100 | 131.30 | 144.50 |
| DST35 | Elmex Electric | 100 | 430.50 | 473.60 |
| DST2.5-1X2 | Elmex Electric | 100 | 34.10 | 37.60 |
| DST2.5-2X2 | Elmex Electric | 100 | 36.80 | 40.50 |
| DST4-1X2 | Elmex Electric | 100 | 45.20 | On Request |
| DST4-2X2 | Elmex Electric | 100 | 54.10 | On Request |
| DST6-1X2 | Elmex Electric | 100 | 105.00 | On Request |
| DST10-1X2 | Elmex Electric | 100 | 162.80 | On Request |
| DST16-1X2 | Elmex Electric | 100 | 199.50 | On Request |
| DST2.5-2C1P | Elmex Electric | 100 | 44.10 | 48.60 |
| DST2.5-2C2P | Elmex Electric | 100 | 51.50 | 56.70 |
| DST2.5C1PP - 1 Way | Elmex Electric | 50 | 39.90 | - |
| SCT2.5 | Elmex Electric | 20 | 14.10 | 15.60 |
| SCT4 | Elmex Electric | 100 | 22.60 | 24.90 |
| SCT6 | Elmex Electric | 100 | 59.90 | 65.90 |
| SCT10 | Elmex Electric | 100 | 69.30 | 76.30 |
| DSDD2.5 | Elmex Electric | 100 | 39.90 | On Request |
| DS3L2.5 | Elmex Electric | 100 | 127.10 | On Request |
| DS8LP16 | Elmex Electric | 100 | On Request | - |
| DS8LP32 | Elmex Electric | 100 | On Request | - |
| DCF4 | Elmex Electric | 100 | 89.30 | On Request |
| DCF4D | Elmex Electric | 50 | 119.70 | On Request |
| DCF4A | Elmex Electric | 50 | 119.70 | On Request |
| SCF6 | Elmex Electric | 50 | 262.50 | On Request |
| DSDT2.5 | Elmex Electric | 100 | 59.90 | On Request |
| DSDT2.5-2X2 | Elmex Electric | 100 | 65.10 | On Request |
| DTB35-10 | Elmex Electric | 100 | 252.00 | On Request |
| DTB35-10X4 | Elmex Electric | 100 | 262.50 | On Request |
| DSET2.5 | Elmex Electric | 10 | 94.50 | - |
| DSET4 | Elmex Electric | 10 | 95.60 | - |
| DSET6 | Elmex Electric | 100 | 199.50 | - |
| DSET10 | Elmex Electric | 100 | 252.00 | - |
| SCET4 | Elmex Electric | 100 | 94.50 | - |

Price List for Terminals: Polyamide 6.6, Melamine, Neutral Links, PCB Connectors



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6, MELAMINE, NEUTRAL LINKS, PCB CONNECTORS

| Suitable For Terminal Type | Supplied From. | Std. Packing in Nos. | Rate in Rs. (Per Each) | Non-Std. Colour |
|---|----------------|----------------------|------------------------|-----------------|
| DSET2.5-1X2 | Elmex Electric | 100 | 140.70 | - |
| DSET2.5-2X2 | Elmex Electric | 100 | 141.80 | - |
| MCT2.5MC | Elmex Electric | 100 | 20.00 | On Request |
| SCT2.5MC | Elmex Electric | 100 | 19.80 | On Request |
| MCT1.5 | Elmex Electric | 100 | 8.90 | On Request |
| MCT2.5 | Elmex Electric | 100 | 10.60 | 11.70 |
| MCT2.5P4 | Elmex Electric | 100 | 20.00 | On Request |
| MCT4 | Elmex Electric | 100 | 16.80 | 18.50 |
| MCT4P4 | Elmex Electric | 100 | 31.50 | On Request |
| DMCT2.5P4 | Elmex Electric | 100 | 33.60 | - |
| DPSC5.08WW (2 Way) | Elmex Electric | 100 | 120.80 | - |
| DPSC5.08WW (3 Way) | Elmex Electric | 100 | 181.20 | - |
| DPSC5.08WW (4 Way) | Elmex Electric | 20 | 241.60 | - |
| DPSC5.08WW (5 Way) | Elmex Electric | 20 | 302.00 | - |
| DPSC5.08WW (6 Way) | Elmex Electric | 20 | 362.40 | - |
| DPSC5.08WW (8 Way) | Elmex Electric | 20 | 483.20 | - |
| DPSC5.08PM (2 Way) | Elmex Electric | 20 | 136.50 | - |
| DPSC5.08PM (3 Way) | Elmex Electric | 20 | 204.80 | - |
| DPSC5.08PM (4 Way) | Elmex Electric | 20 | 273.00 | - |
| DPSC5.08PM (5 Way) | Elmex Electric | 20 | 341.30 | - |
| DPSC5.08PM (6 Way) | Elmex Electric | 20 | 409.50 | - |
| DPSC5.08PM (8 Way) | Elmex Electric | 20 | 546.00 | - |
| Suitable For Lighting Pole Terminals | | | | |
| LPT225 | Elmex Electric | 20 | 94.50 | 104.00 |
| LPT235 | Elmex Electric | 20 | 257.30 | 283.10 |
| LPT325 | Elmex Electric | 20 | 144.90 | 159.40 |
| LPT335 | Elmex Electric | 20 | 330.80 | 363.90 |
| Suitable For Neutral Links | | | | |
| KNL4 | Elmex Electric | 50 | 17.90 | - |
| KNL16 | Elmex Electric | 50 | 23.70 | - |
| KNL35 | Elmex Electric | 50 | 42.00 | - |
| Suitable For Feed Through Terminals (Melamine) | | | | |
| CST2.5 | Elmex Controls | 100 | 20.00 | 22.00 |
| CST6 | Elmex Controls | 100 | 24.20 | 26.70 |
| CST10 | Elmex Controls | 100 | 32.60 | 35.90 |
| CST16 | Elmex Controls | 100 | 52.50 | 57.80 |
| CST25 | Elmex Controls | 100 | 73.50 | 80.90 |
| CST35 | Elmex Controls | 50 | 141.80 | 156.00 |
| Suitable For Spring Loaded Terminals | | | | |
| CSLT1 | Elmex Controls | 100 | 73.50 | 80.90 |
| Suitable For Stud Type Terminals | | | | |
| CATM3 | Elmex Controls | 50 | 52.50 | 57.80 |
| CATM4 | Elmex Controls | 50 | 57.80 | 63.60 |
| CATM5 | Elmex Controls | 50 | 73.50 | 80.90 |
| CBTM4 | Elmex Controls | 50 | 57.80 | 63.60 |
| CBTM5 | Elmex Controls | 50 | 73.50 | 80.90 |
| CBTM6 | Elmex Controls | 50 | 120.80 | 132.90 |
| CBTM6S1 | Elmex Controls | 50 | 147.00 | 161.70 |
| CABTM4 | Elmex Controls | 50. | 66.20 | 72.90 |
| Suitable For Plug and Socket | | | | |
| PSC1/5 | Elmex Controls | 20 | 600.00 | - |
| Suitable For Test - Disconnect Terminals | | | | |
| CATDM4 | Elmex Controls | 50 | 115.50 | 127.10 |
| CLTDM4 | Elmex Controls | 50 | 105.00 | 115.50 |
| Suitable Power Terminals | | | | |
| CBT100 | Elmex Controls | 10 | 136.50 | 150.20 |
| CBT110 | Elmex Controls | 10 | 252.00 | 277.20 |
| CBT170 | Elmex Controls | 10 | 409.50 | 450.50 |
| CBT250 | Elmex Controls | 10 | 483.00 | 531.30 |
| CBT300 | Elmex Controls | 10 | 525.00 | 577.50 |
| CBT110T | Elmex Controls | 10 | 257.30 | 283.10 |
| CBT170T | Elmex Controls | 10 | 430.50 | 473.60 |
| CBT250T | Elmex Controls | 10 | 504.00 | 554.40 |
| CBT300T | Elmex Controls | 10 | 640.50 | 704.60 |

Price List for Accessories



MOUNTING CHANNELS

| Description | Supplied From. | Type | Std. Packing in Nos. | Rate in Rs. (Per Each) For Hexavalent Plating | Rate in Rs. (Per Each) For Trivalent Plating |
|--|----------------|-------------------------|----------------------|---|--|
| Mounting Rails with Zinc Plating | | | | | |
| 32mm Rails for Melamine Terminals, K-Series Terminals and C- Series Terminals | | | | | |
| 300mm Length | Elmex Controls | CHS3 | - | 69.00 | 79.00 |
| 500mm Length | Elmex Controls | CHS5 | - | 116.00 | 129.00 |
| 1000mm Length (1 Meter) | Elmex Controls | CHS10 | - | 210.00 | 234.00 |
| 1000mm Length (1 Meter) | Elmex Controls | CHSS10 | - | 242.00 | 247.00 |
| 2000mm Length (2 Meter) | Elmex Controls | CHS20 | - | 441.00 | 488.00 |
| 35mm Rails (7.5mm Depth) for K-Series Terminals | | | | | |
| 300mm Length | Elmex Electric | CHK3 | - | 42.00 | 47.00 |
| 500mm Length | Elmex Electric | CHK5 | - | 63.00 | 75.00 |
| 1000mm Length (1 Meter) | Elmex Electric | CHK10 | - | 121.00 | 126.00 |
| 35mm Rails Perforated Rail (7.5mm Depth) 1000mm Length | Elmex Electric | CHKS10 | - | 142.00 | 156.00 |
| 35mm Rails (15mm Depth) | | | | | |
| 35mm Rails (15mm Depth) for K-Series Terminals 1000mm Length | Elmex Electric | CHKD10 | - | 221.00 | 230.00 |
| 35mm Rails Perforated Rail (15mm Depth) 1000mm Length | Elmex Electric | CHKDS10 | - | 244.00 | 254.00 |
| 15mm Rails For Micro Terminals | | | | | |
| 500mm Length | Elmex Electric | CHM5 | - | 58.00 | 66.00 |
| 1000m Length (1 Meter) | Elmex Electric | CHM10 | - | 105.00 | 113.00 |
| SIDE CLAMPS | | | | | |
| End Clamps suitable for 32mm Rail | Elmex Controls | SCS (METALLIC) | 200 | 8.50 | - |
| End Clamps suitable for 32mm Rail | Elmex Controls | SCSN (MELAMINE) | 200 | 12.00 | - |
| End Clamps suitable for 15mm Rail | Elmex Electric | SCMN (POLYAMIDE 6.6) | 100 | 9.50 | - |
| End Clamps suitable for 35mm Rail | Elmex Electric | SCKN (POLYAMIDE 6.6) | 100 | 11.00 | - |
| End Clamps suitable for 35mm Rail with Marking Label Holder | Elmex Electric | SCKNMLH (POLYAMIDE 6.6) | 100 | 19.00 | - |
| End Clamps suitable for 32mm and 35mm Rail | Elmex Electric | SCUN (POLYAMIDE 6.6) | 100 | 14.00 | - |
| End Clamps suitable for 32mm and 35mm Rail with Marking Label Holder | Elmex Electric | SCUNMLH (POLYAMIDE 6.6) | 100 | 22.50 | - |
| End Clamps suitable for 32mm and 35mm Rail | Elmex Electric | SCUDD (POLYAMIDE 6.6) | 100 | 29.50 | - |
| End Clamps suitable for 35mm Rail | Elmex Electric | SCEC35 (POLYAMIDE 6.6) | 100 | 15.50 | - |
| End Clamps suitable for 35mm Rail | Elmex Electric | SCUP (POLYAMIDE 6.6) | 100 | 14.50 | - |
| End Clamps suitable for 32mm and 35mm Rail (Screwless) | Elmex Electric | SCUSL (POLYAMIDE 6.6) | 100 | 32.00 | - |
| End Clamps suitable for 35mm Rail (Screwless) | Elmex Electric | DCKN (POLYAMIDE 6.6) | 100 | 13.00 | - |
| End Clamps suitable for 35mm Rail (Screwless) | Elmex Electric | DCKN10(POLYAMIDE 6.6) | 100 | 15.50 | - |
| Marking Label Holder for DCKN | Elmex Electric | MLH for DCKN | 100 | 12.00 | - |
| Screwless End Clamps suitable for 35mm Rail with Marking Label Holder (Screwless) | Elmex Electric | DCKNMLH (POLYAMIDE 6.6) | 100 | 25.00 | - |

Price List for Accessories



| MARKING LABELS Snap-On Type Marking Label Strips (1 Strip = 10 Nos.) | Label Type | Supplied From | Std. Packing in Nos. | Rate in Rs. (Per Strip of 10 labels) For Blank | Rate in Rs. (Per Strip of 10 labels) *For Printed. |
|---|-------------|----------------|----------------------|--|--|
| For Terminal Type | | | | | |
| DST2.5, SCT2.5, DST2.5-1X2, DST2.5-2X2, DSDT2.5-2X2, KUT2.5N SCT2.5MC, DST2.5-2C1P, DST2.5-2C2P, DSET2.5, DSET2.5-1X2, DSET2.5-2X2 | LABEL KN5 | Elmex Electric | 100 | 10.50 | 11.60 |
| KUT2.5, KULT4, ET4, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE, KU2D4, DUSD4 KU2D4S, KUDD4, DU3D4, KLTD4, KLTD4, KULTD4, KULTD4WS, KULTD4TS, DBK2.5, SUT4, DST4, SCT4, SCET4, DSET4, MCT2.5, DSDD2.5, KUT4-1X2, KUT4-2X2, KPCH4, ETN4 ETDD4N, KUDT4-2X2, MCT2.5, MCT2.5P4, MCT2.5MC, DS3L 2.5, DST4-1X2, KUDD4N, DST4-2X2, CST35, CATDM4, CLTDM4, KLTDM4-2W | LABEL KN5.5 | EC/EE | 100 | 9.00 | 10.00 |
| KUT4, KATM3, KATM4, KATM5, KBTM4, KABTM4, KBTM5-15, KBTM6, KBT100, MCT4, KNL4, OAT2.5, PS8M, FDBK3, FDBK4, FDBK8, FDBK-1X2, FDBK-1X2, FDBK-1X4, KATM3E, KATM4E, KBTM4E, KBTM5E, KATM3C, KABTM3, KABTM5, CST2.5, CST6, CATM3, CBTM5 | LABEL KN6.5 | EC/EE | 100 | 9.50 | 10.50 |
| KUT6, KULT6, KUDF4, KUDF4AD, KUDDF4, KUDDF4AD, DS8LP16/32, KUTSD6, ETN6, KUTD10, KULTD6, ET6, DST6, DCF4, DSET6, KNL16, PAT30, PAT100, PAT150, KUT6N, PAT250, KUDT6, SCT6, DST6-1X2, CBTM6, CBTM6S1, CBT100, CABTM4 | LABEL KN8 | EC/EE | 100 | 10.50 | 11.60 |
| OAT6, OAT6T, KUFH4, KUFH4A, KUFH4D, OAT6DTS, OAT6DTS-2W | LABEL KN9 | Elmex Electric | 100 | 10.50 | 11.60 |
| KUT10, KULT1, DPBB50/50CN, DPBB70/70CN, DPBB120/120CN, DPBB185N, DPBB240, DFBK12, DBK3, DBK4, DBK5, DBK8, DBK-1X2, DBK-1X4, DBK-1X8, DST10, LPT225, LPT325, DSET10, MCT2.5P4, DMCT2.5P4, KATM4C, KATM5C, KBTM4C, KABTM4C, KABTM5C, DST10-1X2, CST10, CST16, CSLT1, CBT110, CBT170, CBT250, CBT300, CBT110T, CBT170T, CBT250T, CBT300T, KUT10N, ETN10 | LABEL KN10 | EC/EE | 100 | 11.60 | 12.60 |
| KUT16, KUT25, ET16, ET35, KUF10, KUF10A*, KUF10D, DBK150/16-1X2, OAT10DTS, DBK150/16-1X4, DBK150/16-1X8, DBK150/25 Series, DST16, LPT235, LPT335, DBD16, DBD35, MCT4P4, DBK150/M6C Series, SPT Series, KBTM5-15C, KBTM6E, SCF6, DST16-1X2, DTB35-10X4, CST25 | LABEL KN12 | EC/EE | 100 | 10.50 (For 5 label Strip) | 12.60 (For 5 label Strip) |
| KUT35, KUT50, KUT95, ET50, KBTM6C, OAT25, CST70, CST185, DTB35-10 | LABEL KN17 | Elmex Electric | 100 | 11.60 (For 5 label Strip) | 13.70 (For 5 label Strip) |

| WARNING LABELS | Label Type | Supplied From | Std. Packing in Nos. | Rate in Rs. |
|--|------------|----------------|----------------------|-------------|
| Warning Labels with Mounting Screws(Nylon) for Standard Terminals | | | | |
| KUT2.5 | WL2.5 | Elmex Electric | 10 | On Request |
| KUT4, KUT4N, CST2.5 | WL4 | Elmex Electric | 10 | On Request |
| KUT6, CST6 | WL6 | Elmex Electric | 10 | On Request |
| KUT10, CST10 | WL10 | Elmex Electric | 10 | On Request |
| KUT16, KUT25, CST16 | WL16 | Elmex Electric | 10 | On Request |
| PVC Group Marking Carrier | | | | |
| For 32mm DIN Rail | GMC | Elmex Controls | - | 39.60 |
| For 32mm DIN Rail - 10mm Thick | GMH10 | Elmex Electric | 50 | 19.30 |
| For 32mm DIN Rail - 20mm Thick | GMH20 | Elmex Electric | 50 | 28.90 |
| Barrier Plate Universal Rail Mounted to Support PCK3 | UHDD | EC/EE | 50 | 35.40 |

Price List for Accessories



END Plates

| Suitable For Terminal Type | Supplied From. | Type | Std. Packing in Nos. | Rate in Rs. (Per Each) | Rate in Rs. (Per Each) Non-Std. Colour |
|---|----------------|--------------|----------------------|------------------------|--|
| KUT2.5 | Elmex Electric | KPNS | 100 | 6.90 | 7.60 |
| KUT4, KUT6, KUT10 | Elmex Electric | KPX | 100 | 7.90 | 8.70 |
| KUT4-1X2 | Elmex Electric | KPM4 | 100 | 14.30 | 15.80 |
| KUT4-2X2, KUDD4-2X2 | Elmex Electric | KPMD4 | 100 | 19.70 | 21.70 |
| KUT16 | Elmex Electric | KPY | 100 | 10.30 | 11.40 |
| KUT25 | Elmex Electric | KPT | 100 | 10.30 | 11.40 |
| KU2D4, KU2D4S | Elmex Electric | EPDD4 | 100 | 13.80 | 15.20 |
| KUDD4, KUDD4CC1, KUDD4CC2, KUDD4CA1, KUDD4CA2, KUDD4D1, KUDD4R, KUDD4MOV | Elmex Electric | KPDD | 100 | 13.80 | 15.20 |
| DU3D4 | Elmex Electric | DP3D | 100 | 19.20 | 21.20 |
| DUSD4 | Elmex Electric | DPSD | 100 | 14.40 | 15.90 |
| KULT4, KULT6, KULT1 | Elmex Electric | KPSL | 100 | 14.40 | 15.90 |
| KUT2.5N, KUT4N, KUT6N, KUT10N, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE | Elmex Electric | KPXN | 100 | 9.50 | 10.50 |
| KUDD4N, ETTD4N | Elmex Electric | KPDDN | 100 | 21.60 | 23.80 |
| KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KABTM4, KABTM3, KABTM5, KATM3E, KATM4E, KBTM4E, KBTM5E | Elmex Electric | KPS4 | 100 | 12.60 | 13.90 |
| KBTM6E | Elmex Electric | KPS6 | 100 | 15.70 | 17.30 |
| OAT2.5 | Elmex Electric | OEP2.5 | 100 | 11.70 | 12.90 |
| OAT6 | Elmex Electric | OEP6 | 100 | 12.60 | 13.90 |
| OAT25 | Elmex Electric | OEP25 | 100 | 16.80 | 18.50 |
| OAT6T | Elmex Electric | OEP6T | 100 | 18.10 | 20.00 |
| OAT6DTS, OAT6DTS-2W | Elmex Electric | OEP6DTS | 100 | 18.60 | 20.50 |
| OAT10DTS | Elmex Electric | OEP10DTS | 100 | 21.20 | 23.40 |
| KUF10, KUF10D, KUF10A | Elmex Electric | EPF10 | 100 | 21.70 | 23.90 |
| KUFH4, KUFH4D, KUFH4A | Elmex Electric | EPFH | 100 | 15.60 | 17.20 |
| KLTD4MV, KLTD4-2W | Elmex Electric | KPLD | 100 | 17.40 | 19.20 |
| KUTSD6 | Elmex Electric | KPSD | 100 | 15.60 | 17.20 |
| KUTD10 | Elmex Electric | KPTD | 100 | 17.40 | 19.20 |
| KULTD6 | Elmex Electric | KPSLD | 100 | 16.80 | 18.50 |
| KULTD4, KULTD4WS, KULTD4TS, KPCH4, KPCH6, KUDD6 | Elmex Electric | KPSD4 | 100 | 13.30 | 14.70 |
| KBT100 | Elmex Electric | KPS100 | 100 | 15.20 | 16.80 |
| DS3L2.5 | Elmex Electric | DSEP3 | 100 | 35.90 | On Request |
| DS8LP16, DS8LP32 | Elmex Electric | DSEP8 | 100 | On Request | - |
| SUT4 | Elmex Electric | ES4 | 100 | 7.90 | 8.70 |
| PET4 | Elmex Electric | EPP | 100 | 9.60 | 10.60 |
| DST2.5 | Elmex Electric | DSEP2.5 | 100 | 7.60 | 8.50 |
| DST4, DSET4 | Elmex Electric | DSEP4 | 100 | 9.10 | 10.10 |
| DST6, DSET6 | Elmex Electric | DSEP6 | 100 | 10.80 | 12.00 |
| DST10, DSET10 | Elmex Electric | DSEP10 | 100 | 11.50 | 12.80 |
| DST16 | Elmex Electric | DSEP16 | 100 | 18.10 | 20.20 |
| SCT2.5, SCT2.5MC | Elmex Electric | SEP2.5 | 100 | 6.30 | 7.00 |
| SCT4, SCET4 | Elmex Electric | SEP4 | 100 | 7.10 | 7.90 |
| SCT6 | Elmex Electric | SEP6 | 100 | 9.60 | 10.60 |
| SCT10 | Elmex Electric | SEP10 | 100 | 10.90 | 12.00 |
| DST2.5-1X2 | Elmex Electric | DSMP2.5-1X2 | 100 | 9.10 | 10.10 |
| DST2.5-2X2 | Elmex Electric | DSMP2.5-2X2 | 100 | 9.60 | 10.60 |
| DST4-1X2 | Elmex Electric | DSMP4-1X2 | 100 | 11.20 | 12.40 |
| DST4-2X2 | Elmex Electric | DSMP4-2X2 | 100 | 13.80 | 15.20 |
| DST6-1X2 | Elmex Electric | DSMP6-1X2 | 100 | 13.80 | 15.20 |
| DST10-1X2 | Elmex Electric | DSMP10-1X2 | 100 | 14.20 | 15.70 |
| DST16-1X2 | Elmex Electric | DSMP16-1X2 | 100 | 15.60 | 17.20 |
| DST2.5-2C1P | Elmex Electric | DSMP2.5-2C1P | 100 | 15.10 | 16.70 |
| DST2.5-2C2P | Elmex Electric | DSMP2.5-2C2P | 100 | 18.10 | 20.00 |
| DSDT2.5 | Elmex Electric | DPDT2.5 | 100 | 10.10 | On Request |
| DSDT2.5-2X2 | Elmex Electric | DPMDT2.5 | 100 | 12.90 | On Request |
| DSDD2.5 | Elmex Electric | DPDD2.5 | 100 | 13.30 | On Request |
| DCF4, DCF4D, DCF4A | Elmex Electric | DFEP | 100 | 15.10 | On Request |
| SCF6 | Elmex Electric | SFEP6 | 100 | 12.60 | On Request |
| MCT1.5 | Elmex Electric | MEP1.5 | 100 | 4.60 | On Request |
| MCT2.5, MCT2.5P4 | Elmex Electric | MEP2.5 | 100 | 5.00 | 5.50 |
| MCT2.5MC | Elmex Electric | MEP2.5MC | 100 | 7.60 | On Request |
| MCT4, MCT4P4 | Elmex Electric | MEP4 | 100 | 8.80 | 9.70 |
| DMCT2.5P4 | Elmex Electric | DMEP2.5P4 | 100 | 12.00 | - |

Price List for Accessories



END Plates

| Suitable For Terminal Type | Supplied From. | Type | Std. Packing in Nos. | Rate in Rs. (Per Each) | Rate in Rs. (Per Each) Non-Std. Colour |
|--|----------------|--------|----------------------|------------------------|--|
| PAT30 | Elmex Electric | EPA30 | 100 | 15.10 | 16.70 |
| PAT100, PAT150, PAT250 | Elmex Electric | EPA100 | 100 | 21.60 | 23.80 |
| PBTM3, PBTM4 | Elmex Electric | EPBM4 | 100 | 8.60 | - |
| CST2.5, CST6, CST10 | EC/EE | EPX | 100 | 9.10 | 10.10 |
| CST16 | Elmex Controls | EPY | 100 | 17.40 | 19.20 |
| CST25 | Elmex Controls | EPT | 100 | 18.10 | 20.00 |
| CST35 | Elmex Controls | EPZ | 100 | 19.30 | 21.30 |
| CATM3, CATM4, CATM5, CBTM4, CBT M5, CBT M6, CABTM4 | Elmex Controls | EPS4 | 100 | 12.00 | 13.20 |
| CBTM6S1, CBT100 | Elmex Controls | EPS5/6 | 100 | 17.40 | 19.20 |
| CATDM4 | Elmex Controls | EPD4 | 100 | 19.30 | 21.30 |
| CLTDM4 | Elmex Controls | EPLD4 | 100 | 19.30 | 21.30 |
| CSLT1 | Elmex Controls | EPSL | 100 | 15.60 | 17.20 |

PARTITION PLATES

| Suitable For Terminal Type | Supplied From. | Type | Std. Packing in Nos. | Rate in Rs. (Per Each) | Rate in Rs. (Per Each) Non-Std. Colour |
|---|----------------|------|----------------------|------------------------|--|
| KUT2.5, DBK2.5 | Elmex Electric | KBM | 100 | 15.10 | 16.70 |
| KUT4, KST4UWS, KUT6, KUT10, DBK8, DBK1X2, DBK1X4, DBK1X8, FDBK8, FDBK1X4, FDBK1X8, DFBK12 | Elmex Electric | KBX | 100 | 18.60 | 20.50 |
| KST6WS, KUT16, DBK150/16-1X2, DBK150/16-1X4 | Elmex Electric | KBY | 100 | 22.90 | 25.20 |
| KUT25, DBK150/25-1X2, DBK150/25-1X4 | Elmex Electric | KBT | 100 | 24.00 | 26.40 |
| SUT4 | Elmex Electric | MBX | 100 | 18.10 | 20.00 |
| SCT2.5, SCT4 | Elmex Electric | DBF1 | 100 | 37.20 | 41.00 |
| DST2.5, DST4, DSET4 | Elmex Electric | DBF2 | 100 | 39.40 | 43.40 |
| DST2.5-1X2, DST4-1X2, DSDT2.5, SCT6, SCT10 | Elmex Electric | DBF3 | 100 | 55.20 | 60.80 |
| DST6, DST10, DST16, DSET6, DSET10, DST2.5-2X2, DST4-2X2 | Elmex Electric | DBF4 | 100 | 69.70 | 76.70 |
| DST6-1X2, DSDT2.5-2X2 | Elmex Electric | DBF5 | 100 | 89.40 | 98.40 |

PARTITION PLATES WITH FOOT

| Suitable For Terminal Type | Supplied From. | Type | Std. Packing in Nos. | Rate in Rs. (Per Each) | Rate in Rs. (Per Each) Non-Std. Colour |
|--|----------------|------------|----------------------|------------------------|--|
| KUT2.5, KUT4, KST4UWS, KUT6, KUT10, ET4, ET6, ET10, KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KATM3C, KATM4C, KATM5C-15, KBTM6C, KATM3E, KATM4E, KBTM4E, KBTM5E, OAT2.5, OAT6, DBK8, DBK1X2, DBK1X4, DBK1X8, FDBK3, FDBK8, FDBK1X4, FDBK1X8, DFBK12, DBK2.5, DBD16, DBD35, KABTM4, CST2.5, CST6, CST10, KBT100, FDBK-1X2, FDBK3/4/8, DBK3/4/5/8, DBK150/M6C-1X2, DBK150/M6C-1X4, DBK150/M6C-1X8 | Elmex Electric | KBXF-Grey | 100 | 22.80 | 25.10 |
| KUT16, KUT25, KUT35, ET16, ET35, KULT4, KULT6, KULT1, KUDF4, KUDF4D, KUDF4A, KUDDF4, KUDDF4D, KUDDF4A, KUF10, KUF10D, KUF10A, KUFH4, KUFH4D, KUFH4A, KULTD4, KULTD4WS, OAT6T, DBK150/16-1X2, DBK150/16-1X4, DBK150/25-1X2, DBK150/25-1X4, KPCH4, KUDT6, KUPDS6, CST16, CST25, CSLT1 | Elmex Electric | KBZF-Grey | 100 | 28.70 | 31.60 |
| KUT2.5N, KUT4N, KUT6N, KUT10N, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE, ETN4, ETN6, ETN10, KUT4-1X2 | Elmex Electric | KNBF2.5/10 | 100 | 28.70 | 31.60 |
| DPBB50/50CN, DPBB70/70CN | Elmex Electric | BPN70 | 20 | 42.00 | 46.20 |
| DPBB120/120CN | Elmex Electric | BPN120 | 20 | 47.80 | 52.60 |
| DPBB185N, DPBB240 | Elmex Electric | BPA185/240 | 20 | 65.80 | 72.40 |

PARTITION PLATES

| Suitable For Terminal Type | Supplied From. | Type | Std. Packing in Nos. | Rate in Rs. (Per Each) | Rate in Rs. (Per Each) Non-Std. Colour |
|---|----------------|----------|----------------------|------------------------|--|
| CBT110, CBT110T | Elmex Controls | BPA110 | 20 | 45.60 | 50.20 |
| CBT170, CBT170T, CBT250, CBT250T, CBT300, CBT300T | Elmex Controls | BPA17/25 | 20 | 50.20 | 55.30 |
| CBT170, CBT170T, CBT250, CBT250T, CBT300, CBT300T | Elmex Controls | BPA25/30 | 20 | 65.80 | 72.40 |

INTER CONNECTING ACCESSORIES

| All Shorting Prices are for 2 Way Shorting | Supplied From. | Type | Std. Packing in Nos. | Rate in Rs. (Per Each) | Note |
|---|----------------|----------|----------------------|------------------------|------|
| Removable Shorting Links - 2 Ways | | | | | |
| KUT4,CST2.5 | EC/EE | RSL2.5 | 50 | 6.50 | |
| KUT6, CST6 | EC/EE | RSL6 | 50 | 6.50 | |
| KUT10, CST10 | EC/EE | RSL10 | 50 | 7.50 | |
| KUT16, CST16 | EC/EE | RSL16 | 50 | 10.50 | |
| KUT25, CST25 | EC/EE | RSL25 | 50 | 16.50 | |
| CST35 | Elmex Controls | RSL35 | 50 | 22.00 | |
| KUT35 | Elmex Electric | RSL35K | 50 | 22.00 | |
| KULT1, CSLT1 | EC/EE | RSL1L | 50 | 33.00 | |
| Long Stud With Screws for Removable Shorting Links | | | | | |
| KUT4, KUT6, CST2.5, CST6 | EC/EE | LSR2.5-6 | 50 | 12.00 | |
| KUT10, KUT16, KUT25, CST10,CST16 | EC/EE | LSR10-16 | 50 | 13.00 | |
| CST25 | Elmex Controls | LSR25 | 50 | 20.00 | |
| CST35 | Elmex Controls | LSR35 | 50 | 28.50 | |
| KUT35 | Elmex Electric | LSR35K | 50 | 27.50 | |
| KULT1, CSLT1 | EC/EE | LSR1L | 50 | 35.50 | |
| KUT2.5N | Elmex Electric | LSR2.5N | 50 | 11.00 | |
| KUT4N, KUT4-1X2, KUT4-2X2, KUT6N | Elmex Electric | LSR6N | 50 | 12.00 | |

| Description | Supplied From. | Type | Std. Packing in Nos. | Rate in Rs. (Per Each) | Note |
|--|----------------|------------------|----------------------|------------------------|------|
| Cross Connection Link Assembly for Permanent Shorting 2 way with Captive Screws, Sleeves and Washer | | | | | |
| KUT2.5 | Elmex Electric | CCLM2.5K | 50 | 16.50 | |
| KUT4, CST2.5 | EC/EE | CCLA2.5 | 50 | 19.80 | |
| KUT6, KUT6N, CST6 | EC/EE | CCLA6/6N | 50 | 19.80 | |
| KUT10, CST10, KUT10N | EC/EE | CCLA10/10N | 50 | 21.50 | |
| KUT16, CST16 | EC/EE | CCLA16 | 50 | 25.30 | |
| KUT25, CST25 | EC/EE | CCLA25 | 50 | 28.10 | |
| CST35 | Elmex Controls | CCLA35 | 50 | 33.60 | |
| KUT35 | Elmex Electric | CCLA35K | 50 | 33.60 | |
| KUT50 , KUT50/70A | Elmex Electric | CCLA50 | 50 | 170.50 | |
| KU2D4, KUDD4, SUT4, PET4 | EC/EE | CCLADD | 50 | 17.10 | |
| DU3D4, DUSD4 | Elmex Electric | CCLATD | 50 | 17.10 | |
| KULT4 | Elmex Electric | CCLAK4 | 50 | 18.70 | |
| KULT6 | Elmex Electric | CCLAK6 | 50 | 22.00 | |
| CSLT1 | Elmex Controls | CCLA1L | 50 | 29.70 | |
| KULT1 | Elmex Electric | CCLA1LK | 50 | 28.60 | |
| KUT2.5N | Elmex Electric | CCLK2.5/CCLM2.5N | 50 | 16.50 | |
| KUT4N, KUT4-1X2, KUT4-2X2 | Elmex Electric | CCLA4N | 50 | 18.20 | |
| KUDD4N | Elmex Electric | CCLADDN | 50 | 22.00 | |

INTER CONNECTING ACCESSORIES

| Description | Supplied From. | Type | Std. Packing in Nos. | Rate in Rs. (Per Each) | Note |
|---|----------------|------------|----------------------|------------------------|------|
| Comb Type Shorting Links with Insulation -2 Ways for | | | | | |
| KUT2.5N | Elmex Electric | SLC2.5N | 50 | 20.40 | |
| KUT2.5, DU3D4, DUSD4, KULT4, KUDD4N, KULTD4, KULTD4TS, KULTD4WS, KPCH4, KUDD4-2X2, KU2D4, KU2D4S, KUDD4 | EC/EE | SLC4N | 50 | 21.50 | |
| KUT4, CST2.5 | EC/EE | SLC2.5 | 50 | 20.40 | |
| CET4 | Elmex Electric | SLE2 | 50 | 23.70 | |
| KUT6, KULT6, KUT6N, KUTSD6, KUTD10 | EC/EE | SLC6 | 50 | 28.60 | |
| KUT10, CST10 | EC/EE | SLC10N | 50 | 31.90 | |
| KATM3, KATM3E, KABTM3 | Elmex Electric | KSL3 | 50 | 28.40 | |
| KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KABTM4 | Elmex Electric | KSL4 | 50 | 29.70 | |
| KBTM5-15, KABTM5, KBTM5E, CBTM4, CBTM5 | EC/EE | KSL5 | 50 | 30.80 | |
| KBTM6, CBTM6 | EC/EE | KSL6/BSL6 | 50 | 33.00 | |
| OAT25 | Elmex Electric | KSL7 | 50 | 38.00 | |
| OAT2.5 | Elmex Electric | OSL2.5 | 50 | 27.50 | |
| OAT6, OAT6T, OAT6DTS, OAT6DTS-2W | Elmex Electric | OSL6/OSL6R | 50 | 29.70/35.20 | |
| OAT6DTS-2WSL | Elmex Electric | OSLD6 | 50 | 47.30 | |
| OAT10DTS | Elmex Electric | OSLD10 | 50 | 71.00 | |
| KUDF4, KUDF4AD, KUDDF4, KUDDF4AD | Elmex Electric | UFSL | 50 | 28.60 | |
| KLTD4NV | Elmex Electric | KDSL4 | 50 | 30.80 | |

Price List for Accessories



INTER CONNECTING ACCESSORIES

| All Shorting Prices are for 2 Way Shorting | Supplied From. | Type | Std. Packing in Nos. | Rate in Rs. (Per Each) | Note |
|--|----------------|------------|----------------------|------------------------|------|
| Comb Type Shorting Links with Insulation - 2 Ways for | | | | | |
| KULTD6 | Elmex Electric | KSLD6 | 50 | 25.30 | |
| KUTD6 | Elmex Electric | SLC6SL | 50 | 25.90 | |
| DTB35-10 | Elmex Electric | SLC17.5 | 50 | 64.90 | |
| KULTD6, KUPTD6, KUPTD6S | Elmex Electric | SLD6 | 50 | 28.60 | |
| CATM3 | Elmex Controls | ASL1 | 50 | 31.90 | |
| CATM4, CATM5, CATDM4, CLTDM4, CABTM4 | Elmex Controls | ADSL/ADSLR | 50 | 29.70/35.80 | |
| Insulated Push-In Type Shorting Link - 2 Ways for | | | | | |
| DST2.5, DCT2.5-1X2, DST2.5-1X2, DST2.5-2X2, SCT2.5, SCT2.5MC | Elmex Electric | SSL2.5 | 100 | 12.10 | |
| DST2.5-1C1P, DST2.5-2C2P, DSDD2.5 | Elmex Electric | SSL4 | 100 | 20.40 | |
| DST4, SCT4, DCF4, DCF4D, DCF4A, DSDD2.5, DST4-1X2/2X2, DS3L2.5 | Elmex Electric | SSL6 | 100 | 28.60 | |
| DST6, DST6-1X2, SCF6, SCT6 | Elmex Electric | SSL10 | 100 | 46.20 | |
| DST10, SCT10, DST10-1X2 | Elmex Electric | SSL16 | 100 | 73.70 | |
| DST16, DST16-1X2 | Elmex Electric | SSL35 | 100 | 99.00 | |
| DST35, DTB35-10X4 | Elmex Electric | MSL1.5 | 100 | 17.60 | |
| MCT1.5 | Elmex Electric | MSL2.5 | 100 | 18.20 | |
| MCT2.5, MCT2.5P4, MCT2.5MC, DMCT2.5P4 | Elmex Electric | MSL4 | 100 | 23.10 | |
| MCT4, MCT4P4 | Elmex Electric | | | | |

Available upto 10 ways (No. of ways Required = Rate for 2 ways / 2 x No. of ways Required)

PROTECTION COVER

| All Shorting Prices are for 2 Way Shorting | Supplied From. | Type | Std. Packing in Nos. | Rate in Rs. (Per Each) | Note |
|---|----------------|---------------|----------------------|------------------------|------|
| CST2.5, CST6, CST10, KUT4, KUT6, KUT10 | Elmex Controls | PCST (300mm) | - | 132.00 | |
| CATM3, CATM4, CBTM4, CBTM5, CBTM6, CABTM4 | Elmex Controls | PCC3 (300mm) | - | 144.00 | |
| KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KABTM4 | Elmex Electric | PCC3K (300mm) | - | 144.00 | |
| CBT110, CBT110T (Covers One Terminal Block) | Elmex Controls | PCP110 | - | 57.00 | |
| CBT110, CBT110T (Covers Two Terminal Block) | Elmex Controls | PCP110L | - | 63.50 | |
| DPBB50/50CN, DPBB70/70CN, DPBB120/120CN (Covers One Terminal Block) | Elmex Electric | PCP120 | - | 51.00 | |
| CBT170, CBT170T (Covers One Terminal Block) | Elmex Controls | PCP170 | - | 66.00 | |
| CBT170, CBT170T (Covers Two Terminal Block) | Elmex Controls | PCP170L | - | 69.00 | |
| CBT250, CBT250T, CBT300, CBT300T (Covers One Terminal Block) | Elmex Controls | PCP250 | - | 72.00 | |
| CBT250, CBT250T, CBT300, CBT300T (Covers Two Terminal Block) | Elmex Controls | PCP25/30L | - | 86.00 | |
| KUTM2.5, KUT2.5, KUT4, KUT6, KUT10, KUT10, KUT16, KUT25, KUT35, ET4, ET6, ET10, ET16, ET35, KU2D4, KULT4, KULT6, KULT1, KUT2.5N, KUT4N, KUT6N, KUT10N, OAT2.5, OAT6, OAT6DTS, OAT6DTS-2W, KULTD4, KULTD4WS, KULTD4TS, KUDD4CC1, KUDD4CC2, KUDD4D1, KUDD4R, KUDD4CA1, KUDD4CA2, KUDT4-2X2, KUDD4MOV, CSTM2.5, CST2.5, CST6, CST10, CST16, CST25, CST2.5WS, CST6WS, CSLT1, ETN4, ETN6, ETN10, KUT4-1X2, KPCH4 | EC/EE | PCK3 | - | 172.00 | |
| CATDM4, CLTDM4, KLDM4 | EC/EE | PCD3(300mm) | - | 195.00 | |
| CATM3 (Covers Two Terminal Block) | Elmex Controls | PCCM20 | - | 23.00 | |
| CATM3 (Covers Three Terminal Block), CBTM4, CBTM5 (Covers One Terminal Block) | Elmex Controls | PCCM30 | - | 23.50 | |
| CATM4, CATM5, CABTM4 (Covers Two Terminal Block) | Elmex Controls | PCCM26 | - | 20.00 | |
| CATM4, CATM5 (Covers Three Terminal Block) | Elmex Controls | PCCM39 | - | 26.50 | |
| CBTM4, CBTM5, CBTM5-15 (Covers Three Terminal Block) | Elmex Controls | PCCM45K | - | 26.50 | |
| CBTM6 (Covers Three Terminal Block) | Elmex Controls | PCCM60 | - | 28.50 | |
| CATDM4, CLTDM4 (Covers Two Terminal Block) | Elmex Controls | PCDM26 | - | 24.00 | |
| CATDM4, CLTDM4 (Covers Three Terminal Block) | Elmex Controls | PCDM39 | - | 34.50 | |
| KATM3, KATM3E (Covers Two Terminal Block) | Elmex Electric | PCCM17K | - | 19.50 | |
| KBTM6 (Covers Three Terminal Block) | Elmex Electric | PCCM51K | - | 30.00 | |
| KBT100, CBT100 (Covers Two Terminal Block) | EC/EE | PCCM52K | - | 27.50 | |
| KBT100, CBT100 (Covers Three Terminal Block) | EC/EE | PCCM78K | - | 43.50 | |
| CBTM6 (Covers Two Terminal Block) | Elmex Controls | PCCM40 | - | 26.00 | |
| KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KABTM4 (Covers Two Terminal Block) | Elmex Electric | PCCM26K | - | 20.00 | |
| KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KBTM5E, KABTM4 (Covers Three Terminal Block) | Elmex Electric | PCCM39K | - | 26.50 | |

Note

- The Standard colour of Polyamide 66 Terminals and Accessories will be Grey. The non-standard colour will be Red, Yellow, Blue, Black. Any colour other than these shall be quoted against specific request.
- The Purchase Order for non-standard colour items other than Terminals KUT2.5 to KUT35 and all Stud Type Terminals will be subject to Minimum Order Quantity. Please Contact us for MOQ.
- Standard colour for Melamine Terminals and accessories is Khakhi. The non-standard colour will be Red, Yellow, Blue, Black Only.
- Please contact us for the prices of channels for lengths other than mentioned in the price list.

Terms & Conditions

1. Price : Ex-works Vadodara/ Por/ Itola.
2. Packing & Forwarding : Inclusive of standard packing.
3. GST : Extra as applicable.
4. Freight : To be borne by customer.
5. Payment : 100% advance or as agreed.
6. Dispatch : By Road/Rail/Courier or on request by Air.
7. Insurance : If desired by customer, at his cost.
8. Arbitration : All disputes arising in connection with the supply shall be under the rule of conciliation and arbitration of the international Chamber of commerce by one or more Arbitrators appointed in accordance with the rules.
9. Place of jurisdiction : The competent place of jurisdiction will be Vadodara, Gujarat, India.
10. Shortages/Damage/Loss in Transit : Our liability for any shortage, damage or loss in transit for any reason whatsoever shall cease after the consignment is handed over to the transporter & LR/Railway Receipt is obtained by us. Claims, if any, should be referred by the customer to the insurance company.

Special Clauses

1. Deduction : You/Your bankers will not deduct any amount, whatsoever, from our bills without our prior written consent.
2. Price Variation : We reserve the rights to revise our Price list as and when required without any prior notice.



Elmex Controls Pvt. Ltd. | Elmex Electric Pvt. Ltd.

12, GIDC Estate, Makarpura, Vadodara -390010, Gujarat, India

☎ 0265-2642021 / 23

✉ marketing@elmex.net

🌐 www.elmex.net