



elmex

since 1963




Price List

Effective from February 2026



since 1963

Converging
Innovations  Expanding
Solutions



**Solutions For
Connectivity**




**Solutions For
Solar Photovoltaic**



**Solutions For
Metering & Protection**



**Solutions For
Control & Instrumentation**



**Solutions For
Railways**



**Solutions For
Oil & Gas Industry**

INDEX



PRODUCT	PAGE NUMBER	PRODUCT	PAGE NUMBER
DIN RAIL MOUNTED TERMINALS POLYAMIDE 6.6			
FEED THROUGH TERMINALS			
KUT2.5	6	KATM3E	9
KUT4	6	KATM4E	9
KUT6	6	KBTM4	9
KUT10	6	KBTM5-15	9
KUT16	6	KBTM6	9
KUT25	6	KBT100	9
KUT35	6	KBTM4E	9
KUT50	6	KBTM5E	10
KUT50/70A	6	KBTM6E	10
KUT95	6	STUD TYPE TERMINALS (Shrouded)	
MULTIPLE OUTPUT TERMINALS (KUT SERIES)			
KUT4-1X2	6	KATM3C (Shrouded Version)	10
KUT4-2X2	6	KATM4C (Shrouded Version)	10
EARTH TERMINALS			
ET4	6	KATM5C (Shrouded Version)	10
ET6	6	KBTM4C (Shrouded Version)	10
ET10	7	KBTM5-15C (Shrouded Version)	10
ET16	7	KBTM6C (Shrouded Version)	10
ET35	7	KABTM4C (Shrouded - Screw & Nut Driver Operated)	10
ET50	7	KABTM5C (Shrouded - Screw & Nut Driver Operated)	10
MULTI-LEVEL TERMINALS (DOUBLE DECK)			
KU2D4	7	OAT2.5	10
KU2D4S (Internally Shorted)	7	OAT6	10
KUDD4	7	OAT25	10
SPRING LOADED TERMINALS			
KULT4	7	FUSE TERMINALS	
KULT6	7	KUDF4NV	11
KULT1	7	KUDF4AD (With LED Indication)	11
THERMOCOUPLE TERMINALS			
KUT4NTCK	8	KUFH4	11
KUT4NTCJ	8	KUFH4D (With LED Indication)	11
KUT4NTCT	8	KUFH4A (With LED Indication)	11
KUT4NTCE	8	KUF10	11
MULTI-LEVEL TERMINALS (TRIPLE DECK)			
DU3D4	8	KUF10D (With LED Indication)	11
DUSD4	8	KUF10A (With LED Indication)	11
FEED THROUGH TERMINALS (KUT-N SERIES)			
KUT2.5N	8	FUSE FEED THROUGH TERMINALS	
KUT4N	8	KUDDF4	11
KUT6N	8	KUDDF4AD (With LED Indication)	11
KUT10N	8	PLUG & SOCKET TERMINALS	
KUDD4N	8	PS8M (2W to 12W)	11
EARTH TERMINALS (N SERIES)			
ETN4	8	DISCONNECTING TERMINALS (SLIDING LINK TYPE)	
ETN6	8	KLTD4NV	12
ETN10	9	KLTD4-2W	12
ETDD4N	9	KUTSD6	12
STUD TYPE TERMINALS (SCREW DRIVER OPERATED)			
KATM3	9	KUTD10	12
KABTM3 (Screw & Nut Driver Operated)	9	KULTD6 (Spring Loaded)	12
KATM4	9	OAT6T (Hinged Type)	12
KABTM4 (Screw & Nut Driver Operated)	9	OAT6DTS (Hinged Type)	12
KATM5	9	OAT6DTS-2W (Hinged Type)	12
KABTM5	9	OAT10DTS	12
DISCONNECTING TERMINALS (KNIFE EDGE TYPE)			
		KULTD4	12
		KULTD4WS (Spring Loaded)	12
		KUDT4TS	12
		KUDT4-2X2	12
		KUDT6	13

INDEX




PRODUCT	PAGE NUMBER	PRODUCT	PAGE NUMBER
POWER TERMINALS (PANEL MOUNTED)		COMPONENT HOUSING	
PAT30	13	KPCH4	16
PAT100	13	KPCH6	16
PAT150	13	KUDD4CC1 (Common Cathode 1)	16
PAT250	13	KUDD4CC2 (Common Cathode 2)	16
POWER TERMINALS		KUDD4CA1 (Common Anode 1)	16
DPBB50	13	KUDD4CA2 (Common Anode 2)	16
DPBB50CN	13	KUDD4D1 (One Diode)	16
DPBB70	13	KUDD4R (One Resistor)	16
DPBB70CN	13	KUDD4MOV (With MOV)	16
DPBB120	13	MICRO TERMINALS (15mm Rail Mounted)	
DPBB120CN	13	SUT4	16
DPBB185N	13	SET4 (Earthing)	16
DPBB240	13	MICRO TERMINALS (Panel Mounted)	
POWER TERMINALS (Finger Safe)		PET4	17
SPT35 (35mm Rail Mounted)	14	PBTM3	17
SPT70 (35mm Rail Mounted)	14	PBTM4	17
SPT95 (35mm Rail Mounted)	14	SPRING CLAMP TERMINALS- FEED THROUGH (35mm Rail Mounted)	
SPT120 (35mm Rail Mounted)	14	DST2.5	17
SPT150 (35mm Rail Mounted)	14	DST4	17
SPT185 (35mm Rail Mounted)	14	DST6	17
SPT240 (35mm Rail Mounted)	14	DST10	17
SPT300 (35mm Rail Mounted)	14	DST16	17
DISTRIBUTION BLOCKS		DST35	17
FDBK-1X2	14	DST2.5-1X2	17
FDBK-1X4	14	DST2.5-2X2	17
FDBK-1X8	14	DST4-1X2	17
FDBK3	14	DST4-2X2	17
FDBK4	14	DST6-1X2	17
FDBK8	14	DST10-1X2	17
DBK-1X2	14	DST16-1X2	18
DBK-1X4	14	DST2.5-2C1P	18
DBK-1X8	15	DST2.5-2C2P	18
DFBK12	15	DST2.5-2C1PP	18
DBK3	15	SCT2.5 (Side - Entry)	18
DBK4	15	SCT4 (Side - Entry)	18
DBK5	15	SCT6 (Side - Entry)	18
DBK8	15	SCT10 (Side - Entry)	18
DBK150/16-1X2	15	SPRING CLAMP TERMINALS - MULTI LEVEL	
DBK150/16-1X4	15	DSDD2.5	18
DBK150/16-1X8	15	DS3L2.5	18
DBK150/25-1X2	15	DS8LP16	18
DBK150/25-1X4	15	DS8LP32	18
DBK150/25-1X8	15	SPRING CLAMP TERMINALS - FUSE	
DBK150/M6C-1X2	15	DCF4	18
DBK150/M6C-1X4	15	DCF4D (With LED Indication)	18
DBK150/M6C-1X8	15	DCF4A (With LED Indication)	18
COMPACT DISTRIBUTION BLOCKS		SCF6	18
DBD16	15	SPRING CLAMP DISCONNECT TERMINALS	
DBD35	15	DSDT2.5	19
DTB35-10	16	DSDT2.5-2X2	19
DTB35-10X4	16	SPRING CLAMP DISTRIBUTION BLOCKS	
		DTB35-10	19


INDEX





PRODUCT	PAGE NUMBER	PRODUCT	PAGE NUMBER
SPRING CLAMP DISTRIBUTION BLOCKS		SPRING LOADED TERMINALS	
DTB35-10X4	19	CSLT1	22
SPRING CLAMP TERMINALS (EARTHING)		STUD TYPE TERMINALS (SCREW DRIVER OPERATED)	
DSET2.5	19	CATM3	22
DSET4	19	CATM4	22
DSET6	19	CATM5	22
DSET10	19	STUD TYPE TERMINALS (NUT DRIVER OPERATED)	
SCET4	19	CBTM4	23
DSET2.5-1X2	19	CBTM5	23
DSET2.5-2X2	19	CBTM6	23
SPRING CLAMP MICRO TERMINALS (15mm Rail Mounted)		CBTM6S1	23
MCT2.5MC	19	STUD TYPE TERMINALS (SCREW & NUT DRIVER OPERATED)	
SCT2.5MC	19	CABTM4	23
SPRING CLAMP MICRO TERMINALS (PANEL MOUNTED)		PLUG & SOCKET TERMINALS	
MCT1.5	20	PSC1/5	23
MCT2.5	20	TEST - DISCONNECT TERMINALS	
MCT2.5P4	20	CATDM4	23
MCT4	20	CLTDM4	23
MCT4P4	20	POWER TERMINALS	
SPRING CLAMP MICRO TERMINALS (DIN RAIL MOUNTED)		CBT100	23
DMCT2.5P4	20	CBT110	23
PLUG & SOCKET TERMINALS		CBT170	23
DPSC5.08 (Wire to Wire)	20	CBT250	23
DPSC5.08 (Panel Mounted)	20	CBT300	23
LIGHTING POLE TERMINALS		POWER TERMINALS (WITH TAPPED CURRENT BAR)	
LPT225	20	CBT110T	24
LPT235	20	CBT170T	24
LPT325	20	CBT250T	24
LPT335	20	CBT300T	24
NEUTRAL LINKS		ACCESSORIES	
KNL4	21	DIN RAIL & END CLAMPS	29
KNL16	21	MARKING LABELS & WARNING LABELS	30
KNL35	21	END PLATES	31-32
DIN RAIL MOUNTED TERMINALS MELAMINE		PARTITION PLATES	32
FEED THROUGH TERMINALS		INTER CONNECTING ACCESSORIES	33-34
CST2.5	22	PROTECTION COVERS	34
CST6	22		
CST10	22		
CST16	22		
CST25	22		
CST35	22		


Feed Through Terminals


KUT2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT2.5	11.50	12.70
	Voltage: 800 V	End Plate	KPNS	6.50	7.20
	Current: 24 A	Shorting Link	CCLM2.5K	16.50	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	10.00	-
	Torque: 0.5 Nm				


KUT4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT4	14.00	15.40
	Voltage: 800 V	End Plate	KPX	7.50	8.30
	Current: 32 A	Shorting Link	CCLA2.5	19.80	-
	Wire Size: 4 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 0.5 Nm				


KUT6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT6	19.60	21.60
	Voltage: 800 V	End Plate	KPX	7.50	8.30
	Current: 41 A	Shorting Link	CCLA6	19.80	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.60	-
	Torque: 0.8 Nm				


KUT10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT10	25.50	28.10
	Voltage: 800 V	End Plate	KPX	7.50	8.30
	Current: 57 A	Shorting Link	CCLA10	21.50	-
	Wire Size: 10 mm ²	Marker	LabelKN10	12.60	-
	Torque: 1.2 Nm				


KUT16				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT16	46.00	50.60
	Voltage: 1000 V	End Plate	KPY	9.80	10.80
	Current: 76 A	Shorting Link	CCLA16	25.30	-
	Wire Size: 16 mm ²	Marker	LabelKN12	12.60 (5 labels)	-
	Torque: 1.2 Nm				

KUT25				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT25	75.00	82.50
	Voltage: 1000 V	End Plate	KPT	9.80	10.80
	Current: 101 A	Shorting Link	CCLA25	28.10	-
	Wire Size: 25 mm ²	Marker	LabelKN12	12.60 (5 labels)	-
	Torque: 2.3 Nm				


KUT35				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT35	108.00	118.80
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	CCLA35K	33.60	-
	Wire Size: 35 mm ²	Marker	LabelKN17	13.70 (5 labels)	-
	Torque: 3 Nm				


KUT50				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT50	305.00	335.50
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 150 A	Shorting Link	CCLA50	170.50	-
	Wire Size: 50 mm ²	Marker	LabelKN17	13.70 (5 labels)	-
	Torque: 8 Nm				

KUT50/70A				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT50/70A	305.00	335.50
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 192 A	Shorting Link	CCLA50	170.50	-
	Wire Size: 70 mm ²	Marker	LabelKN17	13.70 (5 labels)	-
	Torque: 8 Nm				


KUT95				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT95	505.00	555.50
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 232 A	Shorting Link	Not Required	-	-
	Wire Size: 95 mm ²	Marker	LabelKN17	13.70 (5 labels)	-
	Torque: 20 Nm				


Multiple Output Terminals (KUT Series)

KUT4-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT4-1X2	32.00	35.20
	Voltage: 1000 V	End Plate	KPM4	13.60	15.00
	Current: 32 A	Shorting Link	CCLA4N	18.20	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-
	Torque: 0.5 Nm				

KUT4-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT4-2X2	44.00	48.40
	Voltage: 800 V	End Plate	KPMD4	18.70	20.60
	Current: 24 A	Shorting Link	CCLA4N	18.20	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-
	Torque: 0.5 Nm				

Earth Terminals


ET4				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET4	99.00	-
	Wire Size: 4 mm ²	End Plate	Not Required	-	-
	Torque: 0.5 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	10.00	-


ET6				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET6	115.00	-
	Wire Size: 6 mm ²	End Plate	Not Required	-	-
	Torque: 0.8 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN8	11.60	-


All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Polyamide 6.6




ET10			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-2 Wire Size: 10 mm² Torque: 1.2 Nm</p> <p>UL IEC CE CCC</p>	Terminal	ET10	146.00	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	12.60	-


ET16			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-2 Wire Size: 16 mm² Torque: 1.2 Nm</p> <p>UL IEC CE CCC</p>	Terminal	ET16	160.00	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN12	12.60 (5 labels)	-


ET35			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-2 Wire Size: 35mm² Torque: 3 Nm</p> <p>UL IEC CE CCC</p>	Terminal	ET35	350.00	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN12	12.60 (5 labels)	-

ET50			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-2 Wire Size: 50mm² Torque: 8 Nm</p> <p>UL IEC CE CCC</p>	Terminal	ET50	850.00	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN17	13.70 (5 labels)	-


Multi-Level Terminals (Double Deck)


KU2D4			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm</p> <p>UL IEC CE CCC</p>	Terminal	KU2D4	36.00	39.60
	End Plate	EPDD4	13.10	14.50
	Shorting Link	CCLADD	17.10	-
	Marker	LabelKN5.5	10.00	-


KU2D4S (Internally Shorted)			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm</p> <p>UL IEC CE CCC</p>	Terminal	KU2D4S	49.00	53.90
	End Plate	EPDD4	13.10	14.50
	Shorting Link	SLC4N	21.50	-
	Marker	LabelKN5.5	10.00	-

KUDD4			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm</p> <p>UL IEC CE CCC</p>	Terminal	KUDD4	40.00	44.00
	End Plate	KPDD	13.10	14.50
	Shorting Link	CCLADD	17.10	-
	Marker	LabelKN5.5	10.00	-

Spring Loaded Terminals

KULT4			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 32 A Wire Size: 4 mm² Torque: 0.5 Nm</p> <p>UL IEC CE CCC</p>	Terminal	KULT4	41.50	45.70
	End Plate	KPSL	13.70	15.10
	Shorting Link	CCLAK4	18.70	-
	Marker	LabelKN5.5	10.00	-


KULT6			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 41 A Wire Size: 6 mm² Torque: 1.4 Nm</p> <p>UL IEC CE CCC</p>	Terminal	KULT6	44.00	48.40
	End Plate	KPSL	13.70	15.10
	Shorting Link	CCLAK6	22.00	-
	Marker	LabelKN8	11.60	-

KULT1			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p> <p>UL IEC CE CCC</p>	Terminal	KULT1	57.00	62.70
	End Plate	KPSL	13.70	15.10
	Shorting Link	CCLA1LK	28.60	-
	Marker	LabelKN10	12.60	-

All Shorting Link Prices are for 2 Way Shorting.


Thermocouple Terminals

KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE


 <p>IEC 60947-7-1 Voltage: 400 V Current: 5 A Wire Size: 4 mm² Torque: 0.5 Nm</p>	Type	Terminal	Std. Colour	Non Std. Colour
	'K' Type	KUT4NTCK	110.00	121.00
	'J' Type	KUT4NTCJ	140.00	154.00
	'T' Type	KUT4NTCT	140.00	154.00
	'E' Type	KUT4NTCE	140.00	154.00
	End Plate	KPXN	9.00	9.90
Marker	LabelKN5.5	10.00	-	

Multi-Level Terminals (Triple Deck)

DU3D4


 <p>IEC 60947-7-1 Voltage: 500 V Current: 20 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p>	Terminal	DU3D4	Std. Colour 100.00	Non Std. Colour 110.00
	End Plate	DP3D	18.20	20.10
	Shorting Link	CCLATD	17.10	-
	Marker	LabelKN5.5	10.00	-

DUSD4


 <p>IEC 60947-7-1 Voltage: 500 V Current: 20 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p>	Terminal	DUSD4	Std. Colour 60.00	Non Std. Colour 66.00
	End Plate	DPSD	13.70	15.10
	Shorting Link	CCLATD	17.10	-
	Marker	LabelKN5.5	10.00	-

Feed Through Terminals (KUT-N Series)


KUT2.5N

 <p>IEC 60947-7-1 Voltage: 1000 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUT2.5N	Std. Colour 13.30	Non Std. Colour 14.70
	End Plate	KPXN	9.00	9.90
	Shorting Link	CCLM2.5N	16.50	-
	Marker	LabelKN5	11.60	-


KUT4N

 <p>IEC 60947-7-1 Voltage: 1000 V Current: 32 A Wire Size: 4mm² Torque: 0.5 Nm</p>	Terminal	KUT4N	Std. Colour 16.20	Non Std. Colour 17.90
	End Plate	KPXN	9.00	9.90
	Shorting Link	CCLA4N	18.20	-
	Marker	LabelKN5.5	10.00	-


KUT6N

 <p>IEC 60947-7-1 Voltage: 1000 V Current: 41 A Wire Size: 6 mm² Torque: 0.8 Nm</p>	Terminal	KUT6N	Std. Colour 21.20	Non Std. Colour 23.40
	End Plate	KPXN	9.00	9.90
	Shorting Link	CCLA6N	19.80	-
	Marker	LabelKN8	11.60	-

KUT10N


 <p>IEC 60947-7-1 Voltage: 1000 V Current: 63 A Wire Size: 10mm² Torque: 1.2 Nm</p>	Terminal	KUT10N	Std. Colour 28.20	Non Std. Colour 31.10
	End Plate	KPXN	9.00	9.90
	Shorting Link	CCLA10N	21.50	-
	Marker	LabelKN10	12.60	-

KUDD4N


 <p>IEC 60947-7-1 Voltage: 630 V Current: 28 A Wire Size: 4 mm² Torque: 0.5 Nm</p>	Terminal	KUDD4N	Std. Colour 50.00	Non Std. Colour 55.00
	End Plate	KPDDN	20.50	22.60
	Shorting Link	CCLADDN	22.00	-
	Marker	LabelKN5.5	10.00	-

Earth Terminals (N-Series)

ETN4


 <p>IEC 60947-7-2 Wire Size: 4 mm² Torque: 0.5 Nm</p>	Terminal	ETN4	Std. Colour 105.00	Non Std. Colour -
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN5.5	10.00	-


ETN6

 <p>IEC 60947-7-2 Wire Size: 6 mm² Torque: 0.8 Nm</p>	Terminal	ETN6	Std. Colour 118.00	Non Std. Colour -
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.60	-


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





ETN10		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-2 Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	ETN10	138.00
	End Plate	Not Required	-
	Shorting Link	Not Required	-
	Marker	LabelKN10	12.60


ETDD4N		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-2 Wire Size: 4 mm² Torque: 0.5 Nm</p>	Terminal	ETDD4N	165.00
	End Plate	KPDDN (Gr)	22.60
	Shorting Link	Not Required	-
	Marker	LabelKN5.5	10.00


Stud Type Terminals


KATM3		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p>	Terminal	KATM3	41.50
	End Plate	KPS4	12.00
	Shorting Link	KSL3	28.40
	Marker	LabelKN6.5	10.50


KABTM3 (Screw & Nut Driver Operated)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p>	Terminal	KABTM3	42.00
	End Plate	KPS4	12.00
	Shorting Link	KSL3	28.40
	Marker	LabelKN6.5	10.50


KATM4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KATM4	55.50
	End Plate	KPS4	12.00
	Shorting Link	KSL4	29.70
	Marker	LabelKN6.5	10.50


KABTM4 (Screw & Nut Driver Operated)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KABTM4	55.00
	End Plate	KPS4	12.00
	Shorting Link	KSL4	29.70
	Marker	LabelKN6.5	10.50


KATM5		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KATM5	62.00
	End Plate	KPS4	12.00
	Shorting Link	KSL4	29.70
	Marker	LabelKN6.5	10.50


KABTM5		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KABTM5	61.50
	End Plate	KPS4	12.00
	Shorting Link	KSL5	30.80
	Marker	LabelKN6.5	10.50


KATM3E		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p>	Terminal	KATM3E	31.50
	End Plate	KPS4	12.00
	Shorting Link	KSL3	28.40
	Marker	LabelKN6.5	10.50


KATM4E		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KATM4E	36.00
	End Plate	KPS4	12.00
	Shorting Link	KSL4	29.70
	Marker	LabelKN6.5	10.50


KBTM4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KBTM4	55.00
	End Plate	KPS4	12.00
	Shorting Link	KSL4	29.70
	Marker	LabelKN6.5	10.50

KBTM5-15		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KBTM5-15	62.00
	End Plate	KPS4	12.00
	Shorting Link	KSL5	30.80
	Marker	LabelKN6.5	10.50

KBTM6		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm² Torque: 2.5 Nm</p>	Terminal	KBTM6	88.00
	End Plate	KPS4	12.00
	Shorting Link	KSL6	33.00
	Marker	LabelKN6.5	10.50


KBT100		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm² Torque: 2.5 Nm</p>	Terminal	KBT100	85.00
	End Plate	KPS100	14.40
	Partition Plate	KBXF	21.70
	Marker	LabelKN6.5	10.50

KBTM4E		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KBTM4E	40.00
	End Plate	KPS4	12.00
	Shorting Link	KSL4	29.70
	Marker	LabelKN6.5	10.50


KBTM5E		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KBTM5E	46.00
	End Plate	KPS4	12.00
	Shorting Link	KSL5	30.80
	Marker	LabelKN6.5	10.50


All Shorting Link Prices are for 2 Way Shorting.


Stud Type Terminals


KBTM6E				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm² Torque: 2 Nm</p>	Terminal	KBTM6E	75.00	82.50	
	End Plate	KPS6	14.90	16.40	
	Marker	LabelKN12	12.60(5 labels)	-	


Stud Type Terminals (Shrouded)


KATM3C (Shrouded)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p>	Terminal	KATM3C	54.00	59.40	
	End Plate	Not Required	-	-	
	Marker	LabelKN6.5	10.50	-	


KATM4C (Shrouded)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KATM4C	62.00	68.20	
	End Plate	Not Required	-	-	
	Marker	LabelKN10	12.60	-	


KATM5C (Shrouded)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KATM5C	70.00	77.00	
	End Plate	Not Required	-	-	
	Marker	LabelKN10	12.60	-	


KBTM4C (Shrouded)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KBTM4C	63.00	69.30	
	End Plate	Not Required	-	-	
	Marker	LabelKN10	12.60	-	


KBTM5-15C (Shrouded)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KBTM5-15C	72.00	79.20	
	End Plate	Not Required	-	-	
	Marker	LabelKN12	12.60	-	


KBTM6C (Shrouded)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm² Torque: 2.5 Nm</p>	Terminal	KBTM6C	105.00	115.50	
	End Plate	Not Required	-	-	
	Marker	LabelKN17	13.70(5 labels)	-	

KABTM4C (Shrouded - Screw & Nut Driver Operated)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KABTM4C	62.00	68.20	
	End Plate	Not Required	-	-	
	Marker	LabelKN10	12.60	-	

KABTM5C (Shrouded - Screw & Nut Driver Operated)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KABTM5C	71.00	78.10	
	End Plate	Not Required	-	-	
	Marker	LabelKN10	12.60	-	

OAT2.5				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 41 A Wire Size: 6.0 mm² Torque: 0.5 Nm</p>	Terminal	OAT2.5	52.00	57.20	
	End Plate	OEP2.5	11.10	12.30	
	Shorting Link	OSL2.5	27.50	-	
	Marker	LabelKN6.5	10.50	-	


OAT6				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.5 Nm</p>	Terminal	OAT6	63.00	69.30	
	End Plate	OEP6	12.00	13.20	
	Shorting Link	OSL6	29.70	-	
	Marker	LabelKN9	11.60	-	


OAT25				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 125A Wire Size: 35 mm² Torque: 3 Nm</p>	Terminal	OAT25	150.00	165.00	
	End Plate	OEP25	16.00	17.60	
	Shorting Link	KSL7	38.00	-	
	Marker	LabelKN17	13.70(5 labels)	-	


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





Fuse Terminals


KUDF4NV*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDF4NV	49.00	53.90
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 6.3 A	Shorting Link	UFSL	28.60	-
	Wire Size: 4 mm ²	Marker	LabelKN8	11.60	-
Torque: 0.4 Nm					


KUDF4AD** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDF4AD	73.00	80.30
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 6.3 A	Shorting Link	UFSL	28.60	-
	Wire Size: 4 mm ²	Marker	LabelKN8	11.60	-
Torque: 0.4 Nm					


KUFH4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH4	102.30	112.60
	Voltage: 800 V	End Plate	EPFH	14.80	16.30
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	11.60	-
Torque: 0.5 Nm					

KUFH4D*** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH4D	135.10	148.70
	Voltage: 800 V	End Plate	EPFH	14.80	16.30
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	11.60	-
Torque: 0.5 Nm					


KUFH4A*** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH4A	135.10	148.70
	Voltage: 800 V	End Plate	EPFH	14.80	16.30
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	11.60	-
Torque: 0.5 Nm					


KUF10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF10	137.50	151.30
	Voltage: 1000 V	End Plate	EPF10	20.60	22.70
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	12.60(5 labels)	-
Torque: 1.4 Nm					

KUF10D*** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF10D	157.30	173.10
	Voltage: 1000 V	End Plate	EPF10	20.60	22.70
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	12.60(5 labels)	-
Torque: 1.4 Nm					


KUF10A*** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF10A	162.80	179.10
	Voltage: 1000 V	End Plate	EPF10	20.60	22.70
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	12.60(5 labels)	-
Torque: 1.4 Nm					

Fuse Feed Through Terminals

KUDDF4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDDF4	117.00	128.70
	Voltage: 630 V	End Plate	Not Required	-	-
	Current: 6.3AUT/28ALT	Shorting Link	UFSL	28.60	-
	Wire Size: 2.5 mm ²	Marker	LabelKN8	11.60	-
Torque: 0.5 Nm					

KUDDF4AD** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDDF4AD	134.00	147.40
	Voltage: 630 V	End Plate	Not Required	-	-
	Current: 6.3AUT/28ALT	Shorting Link	UFSL	28.60	-
	Wire Size: 2.5 mm ²	Marker	LabelKN8	11.60	-
Torque: 0.5 Nm					

Plug & Socket Terminal

PS8M* (2W to 12W)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PS8M (2 Way)	118.80	130.70
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 32 A	Shorting Link	Not Required	-	-
	Wire Size: 6 mm ²	Marker	LabelKN6.5	10.50	-
Torque: 0.8 Nm					

* With spare fuse provision in lever.


**Available Signal Voltage AD12V = 12 V (12KΩ), AD24V = 24 V (27KΩ), AD48V = 48 V (56KΩ), AD110V = 110 V (130KΩ), AD220V = 220 V (270KΩ)


***Available Signal Voltage D1 = 24 VDC (27KΩ), D2 = 48 VDC (56 KΩ), D3 = 110 VDC (130 KΩ), D4 = 220 VDC (270 KΩ), D5 = 12 VDC (12 KΩ), A1 = 110 VAC (130 KΩ), A2 = 220 VAC (270 KΩ)


* PS8M-4 Way to 8 Way Prices are shown on page 26


All Shorting Link Prices are for 2 Way Shorting.


Disconnecting Terminals (Sliding Link Type)


KLTD4NV			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KLTD4NV	75.00	82.50
	Voltage: 800 V	End Plate	KPLD	16.50	18.20
	Current: 41 A	Shorting Link	KDSL4	30.80	-
	Wire Size: 6 mm ²	Marker	LabelKN5.5	10.00	-
Torque: 1.2 Nm					


KLTD4-2W			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KLTD4-2W	216.50	238.20
	Voltage: 800 V	End Plate	KPLD	16.50	18.20
	Current: 41 A	Shorting Link	Not Required	-	-
	Wire Size: 6 mm ²	Marker	LabelKN5.5	10.00	-
Torque: 1.2 Nm					


KUTSD6			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KUTSD6	80.00	88.00
	Voltage: 800 V	End Plate	KPSD	14.80	16.30
	Current: 38 A	Shorting Link	SLC6	28.60	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.60	-
Torque: 1.4 Nm					


KUTD10			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KUTD10	116.00	127.60
	Voltage: 630 V	End Plate	KPTD	16.50	18.20
	Current: 61 A	Shorting Link	SLC6	28.60	-
	Wire Size: 10 mm ²	Marker	LabelKN8	11.60	-
Torque: 1.2 Nm					

KULTD6 (Spring Loaded)			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KULTD6	150.00	165.00
	Voltage: 800 V	End Plate	KPSLD	16.00	17.60
	Current: 41 A	Shorting Link	SLD6	28.60	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.60	-
Torque: 1.0 Nm					


OAT6T (Hinged Type)			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	OAT6T	95.00	104.50
	Voltage: 800 V	End Plate	OEP6T	17.20	19.00
	Current: 41 A	Shorting Link	OSL6R	35.20	-
	Wire Size: 6 mm ²	Marker	LabelKN9	11.60	-
Torque: 1.5 Nm					


OAT6DTS			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	OAT6DTS	103.00	113.30
	Voltage: 800 V	End Plate	OEP6DTS	17.70	19.50
	Current: 41 A	Shorting Link	OSL6R	35.20	-
	Wire Size: 6 mm ²	Marker	LabelKN9	11.60	-
Torque: 1.5 Nm					


OAT6DTS-2W			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	OAT6DTS-2W	225.00	247.50
	Voltage: 800 V	End Plate	OEP6DTS	17.70	19.50
	Current: 41 A	Shorting Link	OSL6R	35.20	-
	Wire Size: 6 mm ²	Marker	LabelKN9	11.60	-
Torque: 1.5 Nm					


OAT10DTS			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	OAT10DTS	138.00	151.80
	Voltage: 1000 V	End Plate	OEP10DTS	20.10	22.20
	Current: 57 A	Shorting Link	OSLD10	71.00	-
	Wire Size: 6 mm ²	Marker	LabelKN12	12.60 (5 labels)	-
Torque: 2 Nm					

Disconnecting Terminals (Knife Edge Type)


KULTD4			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KULTD4	50.00	55.00
	Voltage: 800 V	End Plate	KPSD4	12.60	13.90
	Current: 20 A	Shorting Link	SLC4N	21.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-
Torque: 0.6 Nm					

KULTD4WS (Spring Loaded)			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KULTD4WS	120.00	132.00
	Voltage: 800 V	End Plate	KPSD4	12.60	13.90
	Current: 20 A	Shorting Link	SLC4N	21.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-
Torque: 0.6 Nm					


KULTD4TS			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KULTD4TS	90.00	99.00
	Voltage: 800 V	End Plate	KPSD4	12.60	13.90
	Current: 20 A	Shorting Link	SLC4N	21.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-
Torque: 0.6 Nm					


KUDT4-2X2			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KUDT4-2X2	93.00	102.30
	Voltage: 800 V	End Plate	KPMD4	18.70	20.60
	Current: 17.5 A	Shorting Link	SLC4N	21.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-
Torque: 0.5 Nm					


Disconnecting Terminals (Knife Edge Type)


KUDT6			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 6 mm ² Torque: 0.8 Nm	Terminal	KUDT6	96.00	105.60
	End Plate	KPSD4	12.60	13.90
	Shorting Link	KSLD6	25.30	-
	Marker	LabelKN8	11.60	-

Power Terminals (Panel Mounted)


PAT30			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	PAT 30	36.00	39.60
	End Plate	EPA30	14.30	15.80
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.60	-


PAT100			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 100 A Wire Size: 25 mm ² Torque: 3 Nm	Terminal	PAT100	142.00	156.20
	End Plate	EPA100	20.50	22.60
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.60	-


PAT150			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 150 A Wire Size: 50 mm ² Torque: 6 Nm	Terminal	PAT150	225.00	247.50
	End Plate	EPA100	20.50	22.60
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.60	-


PAT250			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 400 V Current: 250 A Wire Size: 95 mm ² Torque: 10 Nm	Terminal	PAT250	340.00	374.00
	End Plate	EPA100	20.50	22.60
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.60	-


Power Terminals


DPBB50			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 50 mm ² Torque: 3 Nm	Terminal	DPBB50	195.00	214.50
	Barrier Plate	BPN70	40.00	44.00
	Marker	LabelKN10	12.60	-


DPBB50CN			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 50 mm ² Torque: 3 Nm	Terminal	DPBB50CN	203.50	223.90
	Barrier Plate	BPN70	40.00	44.00
	Marker	LabelKN10	12.60	-


DPBB70			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm ² Torque: 3 Nm	Terminal	DPBB70	265.00	291.50
	Barrier Plate	BPN70	40.00	44.00
	Marker	LabelKN10	12.60	-

DPBB70CN			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm ² Torque: 3 Nm	Terminal	DPBB70CN	275.50	303.10
	Barrier Plate	BPN70	40.00	44.00
	Marker	LabelKN10	12.60	-

DPBB120			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm ² Torque: 6 Nm	Terminal	DPBB120	386.00	424.60
	Barrier Plate	BPN120	45.50	50.10
	Marker	LabelKN10	12.60	-

DPBB120CN			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm ² Torque: 6 Nm	Terminal	DPBB120CN	398.00	437.80
	Barrier Plate	BPN120	45.50	50.10
	Marker	LabelKN10	12.60	-

DPBB185N			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 353 A Wire Size: 185 mm ² Torque: 14 Nm	Terminal	DPBB185N	940.00	1034.00
	Barrier Plate	BPA185/240	62.60	68.90
	Marker	LabelKN10	12.60	-


DPBB240			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 415 A Wire Size: 240 mm ² Torque: 25 Nm	Terminal	DPBB240	1005.00	1105.50
	Barrier Plate	BPA185/240	62.60	68.90
	Marker	LabelKN10	12.60	-


All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





Power Terminals (Finger Safe)


SPT35 (35mm Rail Mounted)		Std. Colour	Non Std. Colour
	Terminal	SPT35	291.00 320.10
	End Plate	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -
	IEC 60947-7-1 Voltage: 1000 V Current: 140 A Wire Size: 35 mm ² Torque: 3 Nm		


SPT70 (35mm Rail Mounted)		Std. Colour	Non Std. Colour
	Terminal	SPT70	443.00 487.30
	End Plate	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -
	IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm ² Torque: 6 Nm		


SPT95 (35mm Rail Mounted)		Std. Colour	Non Std. Colour
	Terminal	SPT95	465.00 511.50
	End Plate	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -
	IEC 60947-7-1 Voltage: 1000 V Current: 232 A Wire Size: 95 mm ² Torque: 6 Nm		

SPT120 (35mm Rail Mounted)		Std. Colour	Non Std. Colour
	Terminal	SPT120	750.00 825.00
	End Plate	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -
	IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm ² Torque: 10 Nm		


SPT150 (35mm Rail Mounted)		Std. Colour	Non Std. Colour
	Terminal	SPT150	760.00 836.00
	End Plate	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -
	IEC 60947-7-1 Voltage: 1000 V Current: 320 A Wire Size: 150 mm ² Torque: 10 Nm		


SPT185 (35mm Rail Mounted)		Std. Colour	Non Std. Colour
	Terminal	SPT185	1210.00 1331.00
	End Plate	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -
	IEC 60947-7-1 Voltage: 1000 V Current: 353 A Wire Size: 185 mm ² Torque: 14 Nm		


SPT240 (35mm Rail Mounted)		Std. Colour	Non Std. Colour
	Terminal	SPT240	1210.00 1331.00
	End Plate	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -
	IEC 60947-7-1 Voltage: 1000 V Current: 415 A Wire Size: 240 mm ² Torque: 14 Nm		


SPT300 (35mm Rail Mounted)		Std. Colour	Non Std. Colour
	Terminal	SPT300	1540.00 1694.00
	End Plate	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -
	IEC 60947-7-1 Voltage: 1000 V Current: 520 A Wire Size: 300 mm ² Torque: 25 Nm		


Distribution Blocks


FDBK-1X2		Std. Colour	Non Std. Colour
	Distribution Block	FDBK-1X2	188.00 207.00
	Partition Plate	KBXF	21.70 23.90
	Shorting Link	Not Required	- -
	Marker	LabelKN6.5	10.50 -
	IEC 60947-7-1 Voltage: 800 V Current: IC-64A, OG-32A Wire Size: IC-25 mm ² OG-4 mm ² Torque: IC-2.5 Nm OG-0.5 Nm		

FDBK-1X4		Std. Colour	Non Std. Colour
	Distribution Block	FDBK-1X4	220.00 242.00
	Partition Plate	KBXF	21.70 23.90
	Shorting Link	Not Required	- -
	Marker	LabelKN6.5	10.50 -
	IEC 60947-7-1 Voltage: 800 V Current: IC-64A, OG-32A Wire Size: IC-25 mm ² OG-4 mm ² Torque: IC-2.5 Nm OG-0.5 Nm		

FDBK-1X8		Std. Colour	Non Std. Colour
	Distribution Block	FDBK-1X8	342.00 376.40
	Partition Plate	KBXF	21.70 23.90
	Shorting Link	Not Required	- -
	Marker	LabelKN6.5	10.50 -
	IEC 60947-7-1 Voltage: 800 V Current: IC-64A, OG-32A Wire Size: IC-25 mm ² OG-4 mm ² Torque: IC-2.5 Nm OG-0.5 Nm		


FDBK3, FDBK4, FDBK8		Std. Colour	Non Std. Colour
	Distribution Block	FDBK3	83.70 92.10
		FDBK4	111.50 122.70
		FDBK8	223.00 245.70
	Partition Plate	KBXF	21.70 23.90
	Shorting Link	Not Required	- -
	Marker	LabelKN6.5	10.50 -


DBK-1X2		Std. Colour	Non Std. Colour
	Distribution Block	DBK-1X2	230.00 253.00
	Partition Plate	KBXF	21.70 23.90
	Shorting Link	Not Required	- -
	Marker	LabelKN10	12.60 -
	IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A Wire Size: IC-35 mm ² OG-10 mm ² Torque: IC-6Nm OG-1.2 Nm		


DBK-1X4		Std. Colour	Non Std. Colour
	Distribution Block	DBK-1X4	300.00 330.00
	Partition Plate	KBXF	21.70 23.90
	Shorting Link	Not Required	- -
	Marker	LabelKN10	12.60 -
	IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A Wire Size: IC-35 mm ² OG-10 sq mm Torque: IC-6 Nm OG-1.2 Nm		


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





DBK-1X8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A Wire Size: IC-35 mm² OG-10 sq mm Torque: IC-6 Nm OG-1.2 Nm</p>	Distribution Block	DBK-1X8	435.00 478.50
	Partition Plate	KBXF	21.70 23.90
	Shorting Link	Not Required	- -
	Marker	LabelKN10	12.60 -


DFBK12		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 50 A Wire Size: 10/4 mm² Torque: 1.2/0.5 Nm</p>	Distribution Block	DFBK12	340.00 374.00
	Partition Plate	KBXF	21.70 23.90
	Shorting Link	Not Required	- -
	Marker	LabelKN 6.5/ LabelKN10	10.50/ 12.60


DBK3, DBK4, DBK5, DBK8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-57A, OG-57A Wire Size: IC-10 mm² OG-10 mm² Torque: IC-1.2 Nm OG-1.2 Nm</p>	Distribution Block	DBK3	109.10 120.10
		DBK4	145.50 160.10
		DBK5	181.90 200.10
		DBK8	291.00 320.10
	Partition Plate	KBXF	21.70 23.90
	Shorting Link	Not Required	- -
Marker	LabelKN10	12.60 -	


DBK150/16-1X2		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm² OG-16 mm² Torque: IC-14 Nm OG-1.2 Nm</p>	Distribution Block	DBK150/16-1X2	836.00 919.60
	Partition Plate	KBZF	27.30 30.10
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


DBK150/16-1X4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm² OG-16 mm² Torque: IC-14 Nm OG-1.2 Nm</p>	Distribution Block	DBK150/16-1X4	946.00 1040.60
	Partition Plate	KBZF	27.30 30.10
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


DBK150/16-1X8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm² OG-16 mm² Torque: IC-14 Nm OG-1.2 Nm</p>	Distribution Block	DBK150/16-1X8	1166.00 1282.60
	Partition Plate	KBZF	27.30 30.10
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


DBK150/25-1X2		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm² OG-25 mm² Torque: IC-14 Nm OG-2.3 Nm</p>	Distribution Block	DBK150/25-1X2	935.00 1028.50
	Partition Plate	KBZF	27.30 30.10
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -

DBK150/25-1X4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm² OG-25 mm² Torque: IC-14 Nm OG-2.3 Nm</p>	Distribution Block	DBK150/25-1X4	1078.00 1185.80
	Partition Plate	KBZF	27.30 30.10
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


DBK150/25-1X8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm² OG-25 mm² Torque: IC-14 Nm OG-2.3 Nm</p>	Distribution Block	DBK150/25-1X8	1364.00 1500.40
	Partition Plate	KBZF	27.30 30.10
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


DBK150/M6C-1X2		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm² OG-35 mm² Torque: IC-14 Nm OG-2.5 Nm</p>	Distribution Block	DBK150/M6C-1X2	1144.00 1258.40
	Partition Plate	KBXF	21.70 23.90
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -

DBK150/M6C-1X4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm² OG-35 mm² Torque: IC-14 Nm OG-2.5 Nm</p>	Distribution Block	DBK150/M6C-1X4	1298.00 1427.80
	Partition Plate	KBXF	21.70 23.90
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


DBK150/M6C-1X8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm² OG-35 mm² Torque: IC-14 Nm OG-2.5 Nm</p>	Distribution Block	DBK150/M6C-1X8	1606.00 1766.60
	Partition Plate	KBXF	21.70 23.90
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


Compact Distribution Blocks

DBD16		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 630 V Current: 76 A Wire Size: IC-16 mm² OG- 6 mm², 16mm² Torque: IC-1.2 Nm OG- 0.8 Nm, 1.2 Nm</p>	Distribution Block	DBD16	380.00 418.00
	Partition Plate	KBXF	21.70 23.90
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


DBD35		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 630 V Current: 125 A Wire Size: IC-35 mm² OG- 10 mm², 16 mm² Torque: IC-4.5 Nm OG- 1.2 Nm</p>	Distribution Block	DBD35	545.00 600.00
	Partition Plate	KBXF	21.70 23.90
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


Compact Distribution Blocks


DTB35-10		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 630 V Current: 76 A Wire Size: IC-16 mm² OG- 6 mm², 16mm² Torque: IC-1.2 Nm OG- 0.8 Nm, 1.2 Nm</p>	Distribution Block	DTB35-10	240.00 On Request
	End Plate	Not Required	- -
	Shorting Link	SLC17.5	64.90 -
	Marker	LabelKN12	12.60(5 labels) -


DTB35-10X4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 630 V Current: 125 A Wire Size: IC-35 mm² OG- 10 mm², 16 mm² Torque: IC-4.5 Nm OG- 1.2 Nm</p>	Distribution Block	DTB35 10x4	250.00 On Request
	End Plate	Not Required	- -
	Shorting Link	SSL35	99.00 -
	Marker	LabelKN12	12.60(5 labels) -


Component Housing


KPCH 4* / KPCH 6*		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 20A/32A Wire Size: 4/6 mm² Torque: 0.6/0.8 Nm</p>	Terminal	KPCH4	93.00 102.30
		KPCH6	115.50 127.10
	End Plate	KPSD4	12.60 13.90
	Partition Plate	KBZF	27.30 30.10
	Marker	LabelKN5.5/8	10.00/11.60 -


KUDD4CC1 (Common Cathode 1)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4CC1	88.00 96.80
	End Plate	KPDD	13.10 14.50
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -


KUDD4CC2 (Common Cathode 2)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4CC2	88.00 96.80
	End Plate	KPDD	13.10 14.50
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -

KUDD4CA1 (Common Anode 1)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4CA1	88.00 96.80
	End Plate	KPDD	13.10 14.50
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -


KUDD4CA2 (Common Anode 2)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4CA2	88.00 96.80
	End Plate	KPDD	13.10 14.50
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -


KUDD4D1 (One Diode)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4D1	88.00 96.80
	End Plate	KPDD	13.10 14.50
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -

KUDD4R (One Resistor)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4R	88.00 96.80
	End Plate	KPDD	13.10 14.50
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -

KUDD4MOV (with MOV)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4MOV	132.00 145.20
	End Plate	KPDD	13.10 14.50
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -


Micro Terminals (15mm Rail Mounted)


SUT4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm² Torque: 0.5 Nm</p>	Terminal	SUT4	12.80 14.50
	End Plate	ES4	7.50 8.30
	Shorting Link	CCLADD	17.10 -
	Marker	LabelKN5.5	10.00 -


SET4 (Earthing)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-2 Wire Size: 4 mm² Torque: 0.5 Nm</p>	Terminal	SET4	65.00 -
	End Plate	Not Required	- -
	Shorting Link	Not Required	- -
	Marker	LabelKN5.5	10.00 -

All Shorting Link Prices are for 2 Way Shorting.
* Also available with diode, resistor and MOV.


Micro Terminals (Panel Mounted)


PET4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PET4	16.00	17.60
	Voltage: 500 V	End Plate	EPP	9.10	10.00
	Current: 32 A	Shorting Link	CCLADD	17.10	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-
	Torque: 0.5 Nm				


PBTM3				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PBTM3	12.00	-
	Voltage: 250 V	End Plate	EPBM4	8.10	-
	Current: 20 A	Shorting Link	Not Required	-	-
	Wire Size: 1.5 mm ²	Marker	Not Required	-	-
	Torque: 0.5 Nm				


PBTM4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PBTM4	14.00	-
	Voltage: 250 V	End Plate	EPBM4	8.10	-
	Current: 20 A	Shorting Link	Not Required	-	-
	Wire Size: 1.5 mm ²	Marker	Not Required	-	-
	Torque: 1.2 Nm				


Spring Clamp Terminals - Feed Through (35mm Rail Mounted)


DST2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST2.5	13.50	14.90
	Voltage: 800 V	End Plate	DSEP2.5	7.20	8.50
	Current: 24 A	Shorting Link	SSL2.5	12.10	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.60	-


DST4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST4	23.00	25.30
	Voltage: 800 V	End Plate	DSEP4	8.60	10.10
	Current: 32 A	Shorting Link	SSL4	20.40	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-


DST6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST6	46.00	50.60
	Voltage: 800 V	End Plate	DSEP6	10.20	12.00
	Current: 41 A	Shorting Link	SSL6	28.60	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.60	-


DST10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST10	92.00	101.20
	Voltage: 800 V	End Plate	DSEP10	10.90	12.80
	Current: 57 A	Shorting Link	SSL10	46.20	-
	Wire Size: 10 mm ²	Marker	LabelKN10	12.60	-


DST16				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST16	125.00	137.50
	Voltage: 800 V	End Plate	DSEP16	17.20	20.20
	Current: 76 A	Shorting Link	SSL16	73.70	-
	Wire Size: 16 mm ²	Marker	LabelKN12	12.60(5 labels)	-


DST35				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST35	410.00	451.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	SSL35	99.00	-
	Wire Size: 35 mm ²	Marker	LabelKN17	13.70(5 labels)	-


DST2.5-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST2.5-1X2	32.50	35.80
	Voltage: 800 V	End Plate	DSMP2.5-1X2	8.60	9.50
	Current: 24 A	Shorting Link	SSL2.5	12.10	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.60	-

DST2.5-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST2.5-2X2	35.00	38.50
	Voltage: 1000 V	End Plate	DSMP2.5-2X2	9.10	10.00
	Current: 24 A	Shorting Link	SSL2.5	12.10	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.60	-

DST4-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST4-1X2	43.00	On Request
	Voltage: 800 V	End Plate	DSMP4-1X2	10.60	11.70
	Current: 32 A	Shorting Link	SSL4	20.40	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-

DST4-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST4-2X2	51.50	On Request
	Voltage: 800 V	End Plate	DSMP4-2X2	13.10	14.50
	Current: 32 A	Shorting Link	SSL4	20.40	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-

DST6-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST6-1X2	100.00	On Request
	Voltage: 800 V	End Plate	DSMP6-1X2	13.10	14.50
	Current: 41 A	Shorting Link	SSL6	28.60	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.60	-


DST10-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST10-1X2	155.00	On Request
	Voltage: 1000 V	End Plate	DSMP10-1X2	13.50	14.90
	Current: 57 A	Shorting Link	SSL10	46.20	-
	Wire Size: 10 mm ²	Marker	LabelKN10	12.60	-


All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





Spring Clamp Terminals - Feed Through (35mm Rail Mounted)


DST16-1X2		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DST16-1X2	190.00 On Request
	Voltage: 1000 V	End Plate DSMP16-1X2	14.80 16.30
	Current: 76 A	Shorting Link SSL16	73.70 -
	Wire Size: 16 mm ²	Marker LabelKN12	12.60 (5 labels) -
	€		


DST2.5-2C1P		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DST2.5-2C1P	42.00 46.20
	Voltage: 500 V	End Plate DSMP2.5-2C1P	14.30 15.80
	Current: 16A	Shorting Link SSL2.5	12.10 -
	Wire Size: 2.5 mm ²	Marker LabelKN5	11.60 -
	€		


DST2.5-2C2P		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DST2.5-2C2P	49.00 53.90
	Voltage: 500 V	End Plate DSMP2.5-2C2P	17.20 19.00
	Current: 16 A	Shorting Link SSL2.5	12.10 -
	Wire Size: 2.5 mm ²	Marker LabelKN5	11.60 -
	€		

DST2.5-2C1PP		Std. Colour	Non Std. Colour
	DST2.5C1PP - 1 Way	38.00	-
	Compatible with terminal blocks DST 2.5 - 2C1P & DST 2.5 - 2C2P		


SCT2.5 (Side Entry)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal SCT2.5	13.40 14.80
	Voltage: 800 V	End Plate SEP2.5	6.00 6.60
	Current: 24 A	Shorting Link SSL2.5	12.10 -
	Wire Size: 2.5 mm ²	Marker LabelKN5	11.60 -
	€		


SCT4 (Side Entry)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal SCT4	21.50 23.70
	Voltage: 800 V	End Plate SEP4	6.70 7.40
	Current: 32 A	Shorting Link SSL4	20.40 -
	Wire Size: 4 mm ²	Marker LabelKN5.5	10.00 -
	€		


SCT6 (Side Entry)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal SCT6	57.00 62.70
	Voltage: 800 V	End Plate SEP6	9.10 10.00
	Current: 41 A	Shorting Link SSL6	28.60 -
	Wire Size: 6 mm ²	Marker LabelKN8	11.60 -
	€		

SCT10 (Side Entry)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal SCT10	66.00 72.60
	Voltage: 800 V	End Plate SEP10	10.30 11.40
	Current: 57 A	Shorting Link SSL10	46.20 -
	Wire Size: 10 mm ²	Marker LabelKN10	12.60 -
	€		


Spring Clamp Terminals - Multi Level


DSDD2.5		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DSDD2.5	38.00 On Request
	Voltage: 800 V	End Plate DPDD2.5	12.60 On Request
	Current: 24 A	Shorting Link SSL4	20.40 -
	Wire Size: 2.5 mm ²	Marker LabelKN5.5	10.00 -
	€		


DS3L2.5		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DS3L2.5	121.00 On Request
	Voltage: 500 V	End Plate DSEP3	34.10 On Request
	Current: 20 A	Shorting Link SSL4	20.40 -
	Wire Size: 2.5 mm ²	Marker LabelKN5.5	10.00 -
	€		

DS8LP16 / P32		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DS8LP16	On Request On Request
	Voltage: 250 V	DS8LP32	On Request On Request
	Current: 10 A	End Plate DSEP8	On Request On Request
	Wire Size: 1.5 mm ²	Marker LabelKN7.5	18.90 -
	€		

Spring Clamp Terminals - Fuse


DCF4		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DCF4	85.00 On Request
	Voltage: 800 V	End Plate DFEP	14.30 On Request
	Current: 10 A	Shorting Link SSL4	20.40 -
	Wire Size: 4 mm ²	Marker LabelKN8	11.60 -
	€		


DCF4D* / 4A** (With LED Indication)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DCF4D	114.00 On Request
	Voltage: 800 V	DCF4A	114.00 On Request
	Current: 10 A	End Plate DFEP	14.30 On Request
	Wire Size: 4 mm ²	Shorting Link SSL4	20.40 -
	€	Marker LabelKN8	11.60 -

SCF6		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal SCF6	250.00 On Request
	Voltage: 800 V	End Plate SFEP6	12.00 On Request
	Current: 10 A	Shorting Link SSL6	28.60 -
	Wire Size: 6 mm ²	Marker LabelKN12	12.60 (5 labels) -
	€		


*D1 - 24 VDC, D2 - 48 VDC, D3 - 110 VDC, D4 - 220 VDC, D5 - 12 VDC /**A1 - 110 VAC, A2 - 220 VAC
All Shorting Link Prices are for 2 Way Shorting.


Spring Clamp Terminals - Test Disconnect

DSDT2.5		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DSDT2.5	57.00 On Request
	Voltage: 1000 V	End Plate DPDT2.5	9.60 On Request
	Current: 17.5 A	Shorting Link SSL2.5	12.10 -
	Wire Size: 2.5 mm ²	Marker LabelKN5	11.60 -
	©		


DSDT2.5-2X2		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DSDT2.5-2X2	62.00 On Request
	Voltage: 1000 V	End Plate DPMDT2.5	12.20 On Request
	Current: 17.5 A	Shorting Link -	- -
	Wire Size: 2.5 mm ²	Marker LabelKN5	11.60 -
	©		


Spring Clamp Distribution Blocks


DTB35-10		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DTB35-10	240.00 On Request
	Voltage: 800 V	End Plate Not Required	- -
	Current: 125 A	Shorting Link SLC17.5	64.90 -
	Wire Size: IC-35 mm ²	Marker LabelKN17	13.70 (5 labels)
	OG - 10 mm ²		
©			


DTB35-10X4		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DTB35-10X4	250.00 On Request
	Voltage: 1000 V	End Plate Not Required	- -
	Current: 125 A	Shorting Link SSL35	99.00 -
	Wire Size: IC-35 mm ²	Marker LabelKN12	12.60 (5 labels)
	OG - 10 mm ²		
©			


Spring Clamp Terminals - Earthing Type


DSET2.5		Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal DSET2.5	90.00 -
	Wire Size: 2.5 mm ²	End Plate DSEP2.5(Gr)	8.50 -
	©	Shorting Link Not Required	- -
		Marker LabelKN5	11.60 -


DSET4		Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal DSET4	91.00 -
	Wire Size: 4 mm ²	End Plate DSEP4(Gr)	10.10 -
	©	Shorting Link Not Required	- -
		Marker LabelKN5.5	10.00 -

DSET6		Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal DSET6	190.00 -
	Wire Size: 6 mm ²	End Plate DSEP6(Gr)	12.00 -
	©	Shorting Link Not Required	- -
		Marker LabelKN8	11.60 -


DSET10		Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal DSET10	240.00 -
	Wire Size: 10 mm ²	End Plate DSEP10(Gr)	12.80 -
	©	Shorting Link Not Required	- -
		Marker LabelKN10	12.60 -


SCET4		Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal SCET4	90.00 -
	Wire Size: 4 mm ²	End Plate SEP4(Gr)	7.40 -
	©	Marker LabelKN5.5	10.00 -

DSET2.5-1X2		Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal DSET2.5-1X2	134.00 -
	Wire Size: 2.5 mm ²	End Plate DSMP2.5-1X2(Gr)	9.50 -
	©	Shorting Link Not Required	- -
		Marker LabelKN5	11.60 -


DSET2.5-2X2		Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal DSET2.5-2X2	135.00 -
	Wire Size: 2.5 mm ²	End Plate DSMP2.5-2X2(Gr)	10.00 -
	©	Shorting Link Not Required	- -
		Marker LabelKN5	11.60 -


Spring Clamp Micro Terminals (15mm Rail Mounted)


MCT2.5MC		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal MCT2.5MC	20.00 On Request
	Voltage: 500 V	End Plate MEP2.5MC	7.20 On Request
	Current: 24 A	Shorting Link MSL2.5	18.20 -
	Wire Size: 2.5 mm ²	Marker LabelKN5.5	10.00 -
	©		


SCT2.5MC		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal SCT2.5MC	18.80 On Request
	Voltage: 800 V	End Plate SEP2.5	6.00 6.60
	Current: 24 A	Shorting Link SSL2.5	12.10 -
	Wire Size: 2.5 mm ²	Marker LabelKN5	11.60 -
	©		


Spring Clamp Micro Terminals - Panel Mounted

MCT1.5		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 17.5 A Wire Size: 1.5 mm ²	Terminal	MCT1.5	8.50 On Request
	End Plate	MEP1.5	4.30 On Request
	Shorting Link	MSL1.5	17.60 -
	Marker	LabelKN10	12.60 -


MCT2.5P4		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	MCT2.5P4	19.00 On Request
	End Plate	MEP2.5	4.70 5.20
	Shorting Link	MSL2.5	18.20 -
	Marker	LabelKN10	12.60 -

MCT4P4		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm ²	Terminal	MCT4P4	30.00 On Request
	End Plate	MEP4	8.30 9.20
	Shorting Link	MSL4	23.10 -
	Marker	LabelKN12	12.60(5 labels) -


MCT2.5		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	MCT2.5	10.10 11.20
	End Plate	MEP2.5	4.70 5.20
	Shorting Link	MSL2.5	18.20 -
	Marker	LabelKN5.5	10.00 -


MCT4		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm ²	Terminal	MCT4	16.00 17.60
	End Plate	MEP4	8.30 9.20
	Shorting Link	MSL4	23.10 -
	Marker	LabelKN6.5	10.50 -

Spring Clamp Terminal (Din Rail Mounted)


DMCT2.5P4		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	DMCT2.5P4	32.00 -
	End Plate	DMEP2.5P4	11.40 -
	Shorting Link	MSL2.5	18.20 -
	Marker	LabelKN10	12.60 -


Plug & Socket Terminals


DPSC5.08 (Wire to Wire)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 250 V Current: 16 A Wire Size: 2.5 mm ²	Terminal	DPSC5.08WW(2Way)	115.00 -
		DPSC5.08WW(3Way)	172.50 -
		DPSC5.08WW(4Way)	230.00 -
		DPSC5.08WW(5Way)	287.50 -
		DPSC5.08WW(6Way)	345.00 -
		DPSC5.08WW(8Way)	460.00 -


DPSC5.08 (Panel Mounted)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 250 V Current: 16 A Wire Size: 2.5 mm ²	Terminal	DPSC5.08PM(2Way)	130.00 -
		DPSC5.08PM(3Way)	195.00 -
		DPSC5.08PM(4Way)	260.00 -
		DPSC5.08PM(5Way)	325.00 -
		DPSC5.08PM(6Way)	390.00 -
		DPSC5.08PM(8Way)	520.00 -

Lighting Pole Terminals


LPT225		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 400 V Current: 101 A Wire Size: 4-25 mm ²	Terminal	LPT225	90.00 99.00
	End Plate	Not Required	- -
	Shorting Link	Not Required	- -
	Marker	LabelKN10	12.60 -


LPT235		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 400 V Current: 125 A Wire Size: 6-35 mm ²	Terminal	LPT235	245.00 269.50
	End Plate	Not Required	- -
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


LPT325		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 400 V Current: 101 A Wire Size: 4-25 mm ²	Terminal	LPT325	138.00 151.80
	End Plate	Not Required	- -
	Shorting Link	Not Required	- -
	Marker	LabelKN10	12.60 -

LPT335		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 400 V Current: 125 A Wire Size: 6-35 mm ²	Terminal	LPT335	315.00 346.50
	End Plate	Not Required	- -
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -

Neutral Links

KNL4				Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm² Torque: 0.8 Nm</p>	Terminal	KNL4		17.00
	Bus-Bar (6 mm x 6 mm)	KNLB6	On Request	
	Bus-Bar (10 mm x 3 mm)	KNLB10	On Request	
	End Support (Panel Mounted)	KNLSUP		18.00
	End Support (Rail Mounted)	SCNL		28.00
	Marker	LabelKN6.5		10.50


KNL16				Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KNL16		22.50
	Bus-Bar (6 mm x 6 mm)	KNLB6	On Request	
	Bus-Bar (10 mm x 3 mm)	KNLB10	On Request	
	End Support (Panel Mounted)	KNLSUP		18.00
	End Support (Rail Mounted)	SCNL		28.00
	Marker	LabelKN8		11.60


KNL35				Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm² Torque: 3 Nm</p>	Terminal	KNL35		40.00
	Bus-Bar (6 mm x 6 mm)	KNLB6	On Request	
	Bus-Bar (10 mm x 3 mm)	KNLB10	On Request	
	End Support (Panel Mounted)	KNLSUP		18.00
	End Support (Rail Mounted)	SCNL		28.00
	Marker	LabelKN10		12.60


Price List for DIN Rail Mounted Terminals : Melamine





Feed Through Terminals


CST2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm	Terminal	CST2.5	19.00	20.90
		End Plate	EPX	8.60	9.50
		Shorting Link	CCLA2.5	19.80	-
		Marker	LabelKN6.5	10.50	-

CST6				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm ² Torque: 0.8 Nm	Terminal	CST6	23.00	25.30
		End Plate	EPX	8.60	9.50
		Shorting Link	CCLA6	19.80	-
		Marker	LabelKN8	11.60	-


CST10				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CST10	31.00	34.10
		End Plate	EPX	8.60	9.50
		Shorting Link	CCLA10	21.50	-
		Marker	LabelKN10	12.60	-

CST16				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 1.2 Nm	Terminal	CST16	50.00	55.00
		End Plate	EPY	16.50	18.20
		Shorting Link	CCLA16	25.30	-
		Marker	LabelKN10	12.60	-


CST25				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm ² Torque: 1.2 Nm	Terminal	CST25	70.00	77.00
		End Plate	EPT	17.20	19.00
		Shorting Link	CCLA25	28.10	-
		Marker	LabelKN12	12.60(5 labels)	-


CST35				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm ² Torque: 4 Nm	Terminal	CST35	135.00	148.50
		End Plate	EPZ	18.30	20.20
		Shorting Link	CCLA35	33.60	-
		Marker	LabelKN17	13.70 (5 labels)	-


Spring Loaded Terminals

CSLT1				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CSLT1	70.00	77.00
		End Plate	EPSL	14.80	16.30
		Shorting Link	CCLA1L	29.70	-
		Marker	LabelKN10	12.60	-

Stud Type Terminals (Screw Driver Operated)

CATM3*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm	Terminal	CATM3	50.00	55.00
		End Plate	EPS4	11.40	12.60
		Shorting Link	ASL1	31.90	-
		Marker	LabelKN6.5	10.50	-

CATM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CATM4	55.00	60.50
		End Plate	EPS4	11.40	12.60
		Shorting Link	ADSL	29.70	-
		Marker	LabelKN8	11.60	-


CATM5*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm	Terminal	CATM5	70.00	77.00
		End Plate	EPS4	11.40	12.60
		Shorting Link	ADSL	29.70	-
		Marker	LabelKN8	11.60	-


* Suitable for 1100V AC applications.
All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Melamine




Stud Type Terminals (Nut Driver Operated)


CBTM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBTM4	55.00	60.50
	Voltage: 1100 V	End Plate	EPS4	11.40	12.60
	Current: 57 A	Shorting Link	KSL5	30.80	-
	Wire Size: 10 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 1.2 Nm				


CBTM5*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBTM5	70.00	77.00
	Voltage: 1100 V	End Plate	EPS4	11.40	12.60
	Current: 76 A	Shorting Link	KSL5	30.80	-
	Wire Size: 16 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 2 Nm				

CBTM6*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBTM6	115.00	126.50
	Voltage: 1100 V	End Plate	EPS4	11.40	12.60
	Current: 125 A	Shorting Link	BSL6	33.00	-
	Wire Size: 35 mm ²	Marker	LabelKN8	11.60	-
	Torque: 2.5 Nm				


CBTM6S1*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBTM6S1	140.00	154.00
	Voltage: 1100 V	End Plate	EPS5/6	16.50	18.20
	Current: 125 A	Shorting Link	Not Available	-	-
	Wire Size: 35 mm ²	Marker	LabelKN8	11.60	-
	Torque: 2.5 Nm				


Stud Type Terminals (Screw & Nut Driver Operated)

CABTM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CABTM4	63.00	69.30
	Voltage: 1100 V	End Plate	EPS4	11.40	12.60
	Current: 57 A	Shorting Link	ADSL	29.70	-
	Wire Size: 10 mm ²	Marker	LabelKN8	11.60	-
	Torque: 1.2 Nm				


PSC1/5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PSC1/5	460.00	506.00
	Voltage: 600 V	End Plate	Not Required	-	-
	Current: 25 A	Shorting Link	Not Available	-	-
	Per Contact Wire Size: 2.5 mm ²	Marker	Not Required	-	-
	Torque: 0.5 Nm				


Test - Disconnect Terminals


CATDM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CATDM4	110.00	121.00
	Voltage: 1100 V	End Plate	EPD4	18.30	20.20
	Current: 41 A	Shorting Link	ADSL	29.70	-
	Wire Size: 6 mm ²	Marker	LabelKN5.5	10.00	-
	Torque: 1.2 Nm				


CLTDM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CLTDM4	100.00	110.00
	Voltage: 1100 V	End Plate	EPLD4	18.30	20.20
	Current: 45 A	Shorting Link	ADSL	29.70	-
	Wire Size: 6 mm ²	Marker	LabelKN5.5	10.00	-
	Torque: 1.2 Nm				


Power Terminals

CBT100				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBT100	130.00	143.00
	Voltage: 1100 V	End Plate	EPS5/6	16.50	18.20
	Current: 125 A	Shorting Link	Not Available	-	-
	Wire Size: 35 mm ²	Marker	LabelKN8	11.60	-
	Torque: 2.5 Nm				

CBT110				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBT110	240.00	264.00
	Voltage: 1000 V	Barrier Plate	BPA110	43.40	47.80
	Current: 150 A	Shorting Link	Not Available	-	-
	Wire Size: 30-35 mm ²	Marker	LabelKN10	12.60	-
	Torque: 3 Nm				

CBT170				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBT170	390.00	429.00
	Voltage: 1000 V	Barrier Plate	BPA17/25	47.80	52.60
	Current: 192 A	Shorting Link	Not Available	-	-
	Wire Size: 50-70 mm ²	Marker	LabelKN10	12.60	-
	Torque: 6 Nm				

CBT250				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBT250	460.00	506.00
	Voltage: 1000 V	Barrier Plate	BPA17/25	47.80	52.60
	Current: 250 A	Shorting Link	Not Available	-	-
	Wire Size: 70-95 mm ²	Marker	LabelKN10	12.60	-
	Torque: 10 Nm				


CBT300				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBT300	500.00	550.00
	Voltage: 1000 V	Barrier Plate	BPA17/25	47.80	52.60
	Current: 300A	Shorting Link	Not Available	-	-
	Wire Size: 70-120 mm ²	Marker	LabelKN10	12.60	-
	Torque: 10 Nm				


* Suitable for 1100V AC applications.
All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Melamine




Power Terminals (With Tapped Current Bar)

CBT110T				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 35-50 mm² Torque: 3 Nm</p>	Terminal	CBT110T	245.00	269.50	
	Barrier Plate	BPA110	43.40	47.80	
	Shorting Link	Not Available	-	-	
	Marker	LabelKN10	12.60	-	

CBT170T				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 50-70 mm² Torque: 6 Nm</p>	Terminal	CBT170T	410.00	451.00	
	Barrier Plate	BPA17/25	47.80	52.60	
	Shorting Link	Not Available	-	-	
	Marker	LabelKN10	12.60	-	

CBT250T				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 250 A Wire Size: 70-95 mm² Torque: 10 Nm</p>	Terminal	CBT250T	480.00	528.00	
	Barrier Plate	BPA17/25	47.80	52.60	
	Shorting Link	Not Available	-	-	
	Marker	LabelKN10	12.60	-	

CBT300T				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 300 A Wire Size: 70-120 mm² Torque: 10 Nm</p>	Terminal	CBT300T	610.00	671.00	
	Barrier Plate	BPA17/25	47.80	52.60	
	Shorting Link	Not Available	-	-	
	Marker	LabelKN10	12.60	-	

Price List for Terminals: Polyamide 6.6

PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
Suitable For Feed Through Terminals				
KUT2.5	Elmex Electric	100	11.50	12.70
KUT4	Elmex Electric	100	14.00	15.40
KUT6	Elmex Electric	100	19.60	21.60
KUT10	Elmex Electric	100	25.50	28.10
KUT16	Elmex Electric	100	46.00	50.60
KUT25	Elmex Electric	100	75.00	82.50
KUT35	Elmex Electric	50	108.00	118.80
KUT50	Elmex Electric	10	305.00	335.50
KUT50/70A	Elmex Electric	10	305.00	335.50
KUT95	Elmex Electric	10	505.00	555.50
KUT4-1X2	Elmex Electric	100	32.00	35.20
KUT4-2X2	Elmex Electric	100	44.00	48.40
Suitable For Earth Terminals				
ET4	Elmex Electric	100	99.00	-
ET6	Elmex Electric	50	115.00	-
ET10	Elmex Electric	50	146.00	-
ET16	Elmex Electric	50	160.00	-
ET35	Elmex Electric	20	350.00	-
ET50	Elmex Electric	20	850.00	-
Suitable For Double Deck Terminals				
KU2D4	Elmex Electric	100	36.00	39.60
KU2D4S	Elmex Electric	100	49.00	53.90
KUDD4	Elmex Electric	100	40.00	44.00
Suitable For Spring Loaded Terminals				
KULT4	Elmex Electric	100	41.50	45.70
KULT6	Elmex Electric	100	44.00	48.40
KULT1	Elmex Electric	100	57.00	62.70
Suitable For Thermocouple Terminals				
KUT4NTCK	Elmex Electric	50	110.00	121.00
KUT4NTCJ	Elmex Electric	50	140.00	154.00
KUT4NTCT	Elmex Electric	50	140.00	154.00
KUT4NTCE	Elmex Electric	50	140.00	154.00
Suitable For Triple Deck Terminals				
DU3D4	Elmex Electric	100	100.00	110.00
DUSD4	Elmex Electric	100	60.00	66.00
Suitable For Photovoltaic Terminals				
KUT2.5N	Elmex Electric	100	13.30	14.70
KUT4N	Elmex Electric	100	16.20	17.90
KUT6N	Elmex Electric	100	21.20	23.40
KUT10N	Elmex Electric	100	28.20	31.10
KUDD4N	Elmex Electric	100	50.00	55.00
Suitable For Earth Terminals (N - Series)				
ETN4	Elmex Electric	100	105.00	-
ETN6	Elmex Electric	100	118.00	-
ETN10	Elmex Electric	100	138.00	-
ETDD4N	Elmex Electric	100	165.00	-
Suitable For Stud Type Terminals				
KATM3	Elmex Electric	100	41.50	45.70
KATM3C	Elmex Electric	50	54.00	59.40
KATM4	Elmex Electric	50	55.50	61.10
KATM4C	Elmex Electric	50	62.00	68.20
KATM5	Elmex Electric	50	62.00	68.20
KATM5C	Elmex Electric	50	70.00	77.00
KABTM3	Elmex Electric	50	42.00	46.20
KABTM4	Elmex Electric	50	55.00	60.50
KABTM5	Elmex Electric	50	61.50	67.70
KABTM4C	Elmex Electric	50	62.00	68.20
KABTM5C	Elmex Electric	50	71.00	78.10
KATM3E	Elmex Electric	50	31.50	34.70
KATM4E	Elmex Electric	50	36.00	39.60
KBTM4	Elmex Electric	50	55.00	60.50
KBTM4C	Elmex Electric	50	63.00	69.30
KBTM5-15	Elmex Electric	50	62.00	68.20
KBTM5-15C	Elmex Electric	50	72.00	79.20
KBTM6	Elmex Electric	50	88.00	96.80
KBTM6C	Elmex Electric	50	105.00	115.50
KBTM4E	Elmex Electric	50	40.00	44.00
KBTM5E	Elmex Electric	50	46.00	50.60
KBTM6E	Elmex Electric	50	75.00	82.50
OAT2.5	Elmex Electric	50	52.00	57.20
OAT6	Elmex Electric	50	63.00	69.30

Price List for Terminals: Polyamide 6.6



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
OAT25	Elmex Electric	50	150.00	165.00
Suitable For Fuse Terminals				
KUDF4NV	Elmex Electric	100	49.00	53.90
KUDF4AD	Elmex Electric	100	73.00	80.30
KUFH4	Elmex Electric	100	102.30	112.60
KUFH4D	Elmex Electric	100	135.10	148.70
KUFH4A	Elmex Electric	100	135.10	148.70
KUF10	Elmex Electric	100	137.50	151.30
KUF10D	Elmex Electric	100	157.30	173.10
KUF10A	Elmex Electric	100	162.80	179.10
Suitable For Fuse Feed Through Terminals				
KUDDF4	Elmex Electric	100	117.00	128.70
KUDDF4AD	Elmex Electric	100	134.00	147.40
Suitable For Plug and Socket				
PS8M - 2 Way	Elmex Electric	20	118.80	130.70
PS8M - 3 Way	Elmex Electric	20	178.20	196.10
PS8M - 4 Way	Elmex Electric	20	237.60	261.40
PS8M - 5 Way	Elmex Electric	20	297.00	326.70
PS8M - 6 Way	Elmex Electric	20	356.40	392.10
PS8M - 7Way	Elmex Electric	20	415.80	457.40
PS8M - 8 Way	Elmex Electric	20	475.20	522.80
PS8M - 10 Way	Elmex Electric	20	594.00	653.40
Suitable For Disconnecting Terminals (Sliding Link Type)				
KLTD4NV	Elmex Electric	50	75.00	82.50
KLTD4-2W	Elmex Electric	25	216.50	238.20
KUTSD6	Elmex Electric	50	80.00	88.00
KUTD10	Elmex Electric	50	116.00	127.60
KULTD6	Elmex Electric	50	150.00	165.00
OAT6T	Elmex Electric	50	95.00	104.50
OAT6DTS	Elmex Electric	40	103.00	113.30
OAT6DTS - 2Way	Elmex Electric	20	225.00	247.50
OAT10DTS	Elmex Electric	50	138.00	151.80
Suitable For Disconnecting Terminals (Knife Edge Type)				
KULTD4	Elmex Electric	100	50.00	55.00
KULTD4WS	Elmex Electric	100	120.00	132.00
KULTD4TS	Elmex Electric	100	90.00	99.00
KUDT4-2X2	Elmex Electric	100	93.00	102.30
KUDT6	Elmex Electric	100	96.00	105.60
Suitable For Power Terminals				
PAT30	Elmex Electric	100	36.00	39.60
PAT100	Elmex Electric	25	142.00	156.20
PAT150	Elmex Electric	10	225.00	247.50
PAT250	Elmex Electric	10	340.00	374.00
KBT100	Elmex Electric	25	85.00	93.50
DPBB50	Elmex Electric	10	195.00	214.50
DPBB50CN	Elmex Electric	10	203.50	223.90
DPBB70	Elmex Electric	10	265.00	291.50
DPBB70CN	Elmex Electric	10	275.50	303.10
DPBB120	Elmex Electric	10	386.00	424.60
DPBB120CN	Elmex Electric	10	398.00	437.80
DPBB185N	Elmex Electric	10	940.00	1034.00
DPBB240	Elmex Electric	10	1005.00	1105.50
SPT35	Elmex Electric	10	291.00	320.10
SPT70	Elmex Electric	10	443.00	487.30
SPT95	Elmex Electric	10	465.00	511.50
SPT120	Elmex Electric	10	750.00	825.00
SPT150	Elmex Electric	10	760.00	836.00
SPT185	Elmex Electric	10	1210.00	1331.00
SPT240	Elmex Electric	10	1210.00	1331.00
SPT300	Elmex Electric	10	1540.00	1694.00
Suitable For Distribution Blocks				
FDBK-1X2	Elmex Electric	10	188.00	207.00
FDBK-1X4	Elmex Electric	10	220.00	242.00
FDBK-1X8	Elmex Electric	10	342.00	376.40
FDBK3	Elmex Electric	10	83.70	92.10
FDBK4	Elmex Electric	10	111.50	122.70
FDBK8	Elmex Electric	10	223.00	245.70
DBK-1X2	Elmex Electric	10	230.00	253.00
DBK-1X4	Elmex Electric	10	300.00	330.00

Price List for Terminals: Polyamide 6.6



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
DBK-1X8	Elmex Electric	10	435.00	478.50
DFBK12	Elmex Electric	10	340.00	374.00
DBK3	Elmex Electric	10	109.10	120.10
DBK4	Elmex Electric	10	145.50	160.10
DBK5	Elmex Electric	10	181.90	200.10
DBK8	Elmex Electric	10	291.00	320.10
DBK150/16-1X2	Elmex Electric	10	836.00	919.60
DBK150/16-1X4	Elmex Electric	10	946.00	1040.60
DBK150/16-1X8	Elmex Electric	10	1166.00	1282.60
DBK150/25-1X2	Elmex Electric	10	935.00	1028.50
DBK150/25-1X4	Elmex Electric	10	1078.00	1185.80
DBK150/25-1X8	Elmex Electric	10	1364.00	1500.40
DBK150/M6C-1X2	Elmex Electric	10	1144.00	1258.40
DBK150/M6C-1X4	Elmex Electric	10	1298.00	1427.80
DBK150/M6C-1X8	Elmex Electric	10	1606.00	1766.60
DBD16	Elmex Electric	10	380.00	418.00
DBD35	Elmex Electric	10	545.00	600.00
Suitable For Component Housings				
KPCH4*	Elmex Electric	100	93.00	102.30
KPCH6*	Elmex Electric	100	115.50	127.10
KUDD4CC1	Elmex Electric	100	88.00	96.80
KUDD4CC2	Elmex Electric	100	88.00	96.80
KUDD4CA1	Elmex Electric	100	88.00	96.80
KUDD4CA2	Elmex Electric	100	88.00	96.80
KUDD4D1	Elmex Electric	100	88.00	96.80
KUDD4R	Elmex Electric	100	88.00	96.80
KUDD4MOV	Elmex Electric	100	132.00	145.20
Suitable For Micro Terminals				
SUT4	Elmex Electric	100	12.80	14.50
SET4	Elmex Electric	100	65.00	-
PET4	Elmex Electric	100	16.00	17.60
PBTM3	Elmex Electric	100	12.00	-
PBTM4	Elmex Electric	100	14.00	-
Suitable For Spring Clamp Terminals				
DST2.5	Elmex Electric	100	13.50	14.90
DST4	Elmex Electric	100	23.00	25.30
DST6	Elmex Electric	50	46.00	50.60
DST10	Elmex Electric	20	92.00	101.20
DST16	Elmex Electric	100	125.00	137.50
DST35	Elmex Electric	100	410.00	451.00
DST2.5-1X2	Elmex Electric	100	32.50	35.80
DST2.5-2X2	Elmex Electric	100	35.00	38.50
DST4-1X2	Elmex Electric	100	43.00	On Request
DST4-2X2	Elmex Electric	100	51.50	On Request
DST6-1X2	Elmex Electric	100	100.00	On Request
DST10-1X2	Elmex Electric	100	155.00	On Request
DST16-1X2	Elmex Electric	100	190.00	On Request
DST2.5-2C1P	Elmex Electric	100	42.00	46.20
DST2.5-2C2P	Elmex Electric	100	49.00	53.90
DST2.5C1PP - 1 Way	Elmex Electric	50	38.00	-
SCT2.5	Elmex Electric	20	13.40	14.80
SCT4	Elmex Electric	100	21.50	23.70
SCT6	Elmex Electric	100	57.00	62.70
SCT10	Elmex Electric	100	66.00	72.60
DSDD2.5	Elmex Electric	100	38.00	On Request
DS3L2.5	Elmex Electric	100	121.00	On Request
DS8LP16	Elmex Electric	100	On Request	-
DS8LP32	Elmex Electric	100	On Request	-
DCF4	Elmex Electric	100	85.00	On Request
DCF4D	Elmex Electric	50	114.00	On Request
DCF4A	Elmex Electric	50	114.00	On Request
SCF6	Elmex Electric	50	250.00	On Request
DSDT2.5	Elmex Electric	100	57.00	On Request
DSDT2.5-2X2	Elmex Electric	100	62.00	On Request
DTB35-10	Elmex Electric	100	240.00	On Request
DTB35-10X4	Elmex Electric	100	250.00	On Request
DSET2.5	Elmex Electric	10	90.00	-
DSET4	Elmex Electric	10	91.00	-
DSET6	Elmex Electric	100	190.00	-
DSET10	Elmex Electric	100	240.00	-
SCET4	Elmex Electric	100	90.00	-

Price List for Terminals: Polyamide 6.6, Melamine, Neutral Links, PCB Connectors



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6, MELAMINE, NEUTRAL LINKS, PCB CONNECTORS

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
DSET2.5-1X2	Elmex Electric	100	134.00	-
DSET2.5-2X2	Elmex Electric	100	135.00	-
MCT2.5MC	Elmex Electric	100	20.00	On Request
SCT2.5MC	Elmex Electric	100	18.80	On Request
MCT1.5	Elmex Electric	100	8.50	On Request
MCT2.5	Elmex Electric	100	10.10	11.20
MCT2.5P4	Elmex Electric	100	19.00	On Request
MCT4	Elmex Electric	100	16.00	17.60
MCT4P4	Elmex Electric	100	30.00	On Request
DMCT2.5P4	Elmex Electric	100	32.00	-
DPSC5.08WW (2 Way)	Elmex Electric	100	115.00	-
DPSC5.08WW (3 Way)	Elmex Electric	100	172.50	-
DPSC5.08WW (4 Way)	Elmex Electric	20	230.00	-
DPSC5.08WW (5 Way)	Elmex Electric	20	287.50	-
DPSC5.08WW (6 Way)	Elmex Electric	20	345.00	-
DPSC5.08WW (8 Way)	Elmex Electric	20	460.00	-
DPSC5.08PM (2 Way)	Elmex Electric	20	130.00	-
DPSC5.08PM (3 Way)	Elmex Electric	20	195.00	-
DPSC5.08PM (4 Way)	Elmex Electric	20	260.00	-
DPSC5.08PM (5 Way)	Elmex Electric	20	325.00	-
DPSC5.08PM (6 Way)	Elmex Electric	20	390.00	-
DPSC5.08PM (8 Way)	Elmex Electric	20	520.00	-
Suitable For Lighting Pole Terminals				
LPT225	Elmex Electric	20	90.00	99.00
LPT235	Elmex Electric	20	245.00	269.50
LPT325	Elmex Electric	20	138.00	151.80
LPT335	Elmex Electric	20	315.00	346.50
Suitable For Neutral Links				
KNL4	Elmex Electric	50	17.00	-
KNL16	Elmex Electric	50	22.50	-
KNL35	Elmex Electric	50	40.00	-
Suitable For Feed Through Terminals (Melamine)				
CST2.5	Elmex Controls	100	19.00	20.90
CST6	Elmex Controls	100	23.00	25.30
CST10	Elmex Controls	100	31.00	34.10
CST16	Elmex Controls	100	50.00	55.00
CST25	Elmex Controls	100	70.00	77.00
CST35	Elmex Controls	50	135.00	148.50
Suitable For Spring Loaded Terminals				
CSLT1	Elmex Controls	100	70.00	77.00
Suitable For Stud Type Terminals				
CATM3	Elmex Controls	50	50.00	55.00
CATM4	Elmex Controls	50	55.00	60.50
CATM5	Elmex Controls	50	70.00	77.00
CBTM4	Elmex Controls	50	55.00	60.50
CBTM5	Elmex Controls	50	70.00	77.00
CBTM6	Elmex Controls	50	115.00	126.50
CBTM6S1	Elmex Controls	50	140.00	154.00
CABTM4	Elmex Controls	50.	63.00	69.30
Suitable For Plug and Socket				
PSC1/5	Elmex Controls	20	460.00	506.00
Suitable For Test - Disconnect Terminals				
CATDM4	Elmex Controls	50	110.00	121.00
CLTDM4	Elmex Controls	50	100.00	110.00
Suitable Power Terminals				
CBT100	Elmex Controls	10	130.00	143.00
CBT110	Elmex Controls	10	240.00	264.00
CBT170	Elmex Controls	10	390.00	429.00
CBT250	Elmex Controls	10	460.00	506.00
CBT300	Elmex Controls	10	500.00	550.00
CBT110T	Elmex Controls	10	245.00	269.50
CBT170T	Elmex Controls	10	410.00	451.00
CBT250T	Elmex Controls	10	480.00	528.00
CBT300T	Elmex Controls	10	610.00	671.00

Price List for Accessories



MOUNTING CHANNELS

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each) For Hexavalent Plating	Rate in Rs. (Per Each) For Trivalent Plating
Mounting Rails with Zinc Plating					
32mm Rails for Melamine Terminals, K-Series Terminals and C- Series Terminals					
300mm Length	Elmex Controls	CHS3	-	69.00	79.00
500mm Length	Elmex Controls	CHS5	-	116.00	129.00
1000mm Length (1 Meter)	Elmex Controls	CHS10	-	210.00	234.00
1000mm Length (1 Meter)	Elmex Controls	CHSS10	-	242.00	247.00
2000mm Length (2 Meter)	Elmex Controls	CHS20	-	441.00	488.00
35mm Rails (7.5mm Depth) for K-Series Terminals					
300mm Length	Elmex Electric	CHK3	-	42.00	47.00
500mm Length	Elmex Electric	CHK5	-	63.00	75.00
1000mm Length (1 Meter)	Elmex Electric	CHK10	-	121.00	126.00
35mm Rails Perforated Rail (7.5mm Depth) 1000mm Length	Elmex Electric	CHKS10	-	142.00	156.00
35mm Rails (15mm Depth)					
35mm Rails (15mm Depth) for K-Series Terminals 1000mm Length	Elmex Electric	CHKD10	-	221.00	230.00
35mm Rails Perforated Rail (15mm Depth) 1000mm Length	Elmex Electric	CHKDS10	-	244.00	254.00
15mm Rails For Micro Terminals					
500mm Length	Elmex Electric	CHM5	-	58.00	66.00
1000m Length (1 Meter)	Elmex Electric	CHM10	-	105.00	113.00
SIDE CLAMPS					
End Clamps suitable for 32mm Rail	Elmex Controls	SCS (METALLIC)	200	8.50	-
End Clamps suitable for 32mm Rail	Elmex Controls	SCSN (MELAMINE)	200	12.00	-
End Clamps suitable for 15mm Rail	Elmex Electric	SCMN (POLYAMIDE 6.6)	100	9.50	-
End Clamps suitable for 35mm Rail	Elmex Electric	SCKN (POLYAMIDE 6.6)	100	11.00	-
End Clamps suitable for 35mm Rail with Marking Label Holder	Elmex Electric	SCKNMLH (POLYAMIDE 6.6)	100	19.00	-
End Clamps suitable for 32mm and 35mm Rail	Elmex Electric	SCUN (POLYAMIDE 6.6)	100	14.00	-
End Clamps suitable for 32mm and 35mm Rail with Marking Label Holder	Elmex Electric	SCUNMLH (POLYAMIDE 6.6)	100	22.50	-
End Clamps suitable for 32mm and 35mm Rail	Elmex Electric	SCUDD (POLYAMIDE 6.6)	100	29.50	-
End Clamps suitable for 35mm Rail	Elmex Electric	SCEC35 (POLYAMIDE 6.6)	100	15.50	-
End Clamps suitable for 35mm Rail	Elmex Electric	SCUP (POLYAMIDE 6.6)	100	14.50	-
End Clamps suitable for 32mm and 35mm Rail (Screwless)	Elmex Electric	SCUSL (POLYAMIDE 6.6)	100	32.00	-
End Clamps suitable for 35mm Rail (Screwless)	Elmex Electric	DCKN (POLYAMIDE 6.6)	100	13.00	-
End Clamps suitable for 35mm Rail (Screwless)	Elmex Electric	DCKN10(POLYAMIDE 6.6)	100	15.50	-
Marking Label Holder for DCKN	Elmex Electric	MLH for DCKN	100	12.00	-
Screwless End Clamps suitable for 35mm Rail with Marking Label Holder (Screwless)	Elmex Electric	DCKNMLH (POLYAMIDE 6.6)	100	25.00	-

Price List for Accessories



MARKING LABELS Snap-On Type Marking Label Strips (1 Strip = 10 Nos.)	Label Type	Supplied From	Std. Packing in Nos.	Rate in Rs. (Per Strip of 10 labels) For Blank	Rate in Rs. (Per Strip of 10 labels) *For Printed.
For Terminal Type					
DST2.5, SCT2.5, DST2.5-1X2, DST2.5-2X2, DSDT2.5-2X2, KUT2.5N SCT2.5MC, DST2.5-2C1P, DST2.5-2C2P, DSET2.5, DSET2.5-1X2, DSET2.5-2X2	LABEL KN5	Elmex Electric	100	10.50	11.60
KUT2.5, KULT4, ET4, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE, KU2D4, DUSD4 KU2D4S, KUDD4, DU3D4, KLTD4, KLTD4, KULTD4, KULTD4WS, KULTD4TS, DBK2.5, SUT4, DST4, SCT4, SCET4, DSET4, MCT2.5, DSDD2.5, KUT4-1X2, KUT4-2X2, KPCH4, ETN4 ETDD4N, KUDT4-2X2, MCT2.5, MCT2.5P4, MCT2.5MC, DS3L 2.5, DST4-1X2, KUDD4N, DST4-2X2, CST35, CATDM4, CLTDM4, KLTDM4-2W	LABEL KN5.5	EC/EE	100	9.00	10.00
KUT4, KATM3, KATM4, KATM5, KBTM4, KABTM4, KBTM5-15, KBTM6, KBT100, MCT4, KNL4, OAT2.5, PS8M, FDBK3, FDBK4, FDBK8, FDBK-1X2, FDBK-1X2, FDBK-1X4, KATM3E, KATM4E, KBTM4E, KBTM5E, KATM3C, KABTM3, KABTM5, CST2.5, CST6, CATM3, CBTM5	LABEL KN6.5	EC/EE	100	9.50	10.50
KUT6, KULT6, KUDF4, KUDF4AD, KUDDF4, KUDDF4AD, DS8LP16/32, KUTSD6, ETN6, KUTD10, KULTD6, ET6, DST6, DCF4, DSET6, KNL16, PAT30, PAT100, PAT150, KUT6N, PAT250, KUDT6, SCT6, DST6-1X2, CBTM6, CBTM6S1, CBT100, CABTM4	LABEL KN8	EC/EE	100	10.50	11.60
OAT6, OAT6T, KUFH4, KUFH4A, KUFH4D, OAT6DTS, OAT6DTS-2W	LABEL KN9	Elmex Electric	100	10.50	11.60
KUT10, KULT1, DPBB50/50CN, DPBB70/70CN, DPBB120/120CN, DPBB185N, DPBB240, DFBK12, DBK3, DBK4, DBK5, DBK8, DBK-1X2, DBK-1X4, DBK-1X8, DST10, LPT225, LPT325, DSET10, MCT2.5P4, DMCT2.5P4, KATM4C, KATM5C, KBTM4C, KABTM4C, KABTM5C, DST10-1X2, CST10, CST16, CSLT1, CBT110, CBT170, CBT250, CBT300, CBT110T, CBT170T, CBT250T, CBT300T, KUT10N, ETN10	LABEL KN10	EC/EE	100	11.60	12.60
KUT16, KUT25, ET16, ET35, KUF10, KUF10A*, KUF10D, DBK150/16-1X2, OAT10DTS, DBK150/16-1X4, DBK150/16-1X8, DBK150/25 Series, DST16, LPT235, LPT335, DBD16, DBD35, MCT4P4, DBK150/M6C Series, SPT Series, KBTM5-15C, KBTM6E, SCF6, DST16-1X2, DTB35-10X4, CST25	LABEL KN12	EC/EE	100	10.50 (For 5 label Strip)	12.60 (For 5 label Strip)
KUT35, KUT50, KUT95, ET50, KBTM6C, OAT25, CST70, CST185, DTB35-10	LABEL KN17	Elmex Electric	100	11.60 (For 5 label Strip)	13.70 (For 5 label Strip)

WARNING LABELS	Label Type	Supplied From	Std. Packing in Nos.	Rate in Rs.
Warning Labels with Mounting Screws(Nylon) for Standard Terminals				
KUT2.5	WL2.5	Elmex Electric	10	On Request
KUT4, KUT4N, CST2.5	WL4	Elmex Electric	10	On Request
KUT6, CST6	WL6	Elmex Electric	10	On Request
KUT10, CST10	WL10	Elmex Electric	10	On Request
KUT16, KUT25, CST16	WL16	Elmex Electric	10	On Request
PVC Group Marking Carrier				
For 32mm DIN Rail	GMC	Elmex Controls	-	39.60
For 32mm DIN Rail - 10mm Thick	GMH10	Elmex Electric	50	19.30
For 32mm DIN Rail - 20mm Thick	GMH20	Elmex Electric	50	28.90
Barrier Plate Universal Rail Mounted to Support PCK3	UHDD	EC/EE	50	35.40

Price List for Accessories



END Plates

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUT2.5	Elmex Electric	KPNS	100	6.50	7.20
KUT4, KUT6, KUT10	Elmex Electric	KPX	100	7.50	8.30
KUT4-1X2	Elmex Electric	KPM4	100	13.60	15.00
KUT4-2X2, KUDD4-2X2	Elmex Electric	KPMD4	100	18.70	20.60
KUT16	Elmex Electric	KPY	100	9.80	10.80
KUT25	Elmex Electric	KPT	100	9.80	10.80
KU2D4, KU2D4S	Elmex Electric	EPDD4	100	13.10	14.50
KUDD4, KUDD4CC1, KUDD4CC2, KUDD4CA1, KUDD4CA2, KUDD4D1, KUDD4R, KUDD4MOV	Elmex Electric	KPDD	100	13.10	14.50
DU3D4	Elmex Electric	DP3D	100	18.20	20.10
DUSD4	Elmex Electric	DPSD	100	13.70	15.10
KULT4, KULT6, KULT1	Elmex Electric	KPSL	100	13.70	15.10
KUT2.5N, KUT4N, KUT6N, KUT10N, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE	Elmex Electric	KPXN	100	9.00	9.90
KUDD4N, ETTD4N	Elmex Electric	KPDDN	100	20.50	22.60
KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KABTM4, KABTM3, KABTM5, KATM3E, KATM4E, KBTM4E, KBTM5E	Elmex Electric	KPS4	100	12.00	13.20
KBTM6E	Elmex Electric	KPS6	100	14.90	16.40
OAT2.5	Elmex Electric	OEP2.5	100	11.10	12.30
OAT6	Elmex Electric	OEP6	100	12.00	13.20
OAT25	Elmex Electric	OEP25	100	16.00	17.60
OAT6T	Elmex Electric	OEP6T	100	17.20	19.00
OAT6DTS, OAT6DTS-2W	Elmex Electric	OEP6DTS	100	17.70	19.50
OAT10DTS	Elmex Electric	OEP10DTS	100	20.10	22.20
KUF10, KUF10D, KUF10A	Elmex Electric	EPF10	100	20.60	22.70
KUFH4, KUFH4D, KUFH4A	Elmex Electric	EPFH	100	14.80	16.30
KLTD4MV, KLTD4-2W	Elmex Electric	KPLD	100	16.50	18.20
KUTSD6	Elmex Electric	KPSD	100	14.80	16.30
KUTD10	Elmex Electric	KPTD	100	16.50	18.20
KULTD6	Elmex Electric	KPSLD	100	16.00	17.60
KULTD4, KULTD4WS, KULTD4TS, KPCH4, KPCH6, KUDD6	Elmex Electric	KPSD4	100	12.60	13.90
KBT100	Elmex Electric	KPS100	100	14.40	15.90
DS3L2.5	Elmex Electric	DSEP3	100	34.10	On Request
DS8LP16, DS8LP32	Elmex Electric	DSEP8	100	On Request	-
SUT4	Elmex Electric	ES4	100	7.50	8.30
PET4	Elmex Electric	EPP	100	9.10	10.00
DST2.5	Elmex Electric	DSEP2.5	100	7.20	8.50
DST4, DSET4	Elmex Electric	DSEP4	100	8.60	10.10
DST6, DSET6	Elmex Electric	DSEP6	100	10.20	12.00
DST10, DSET10	Elmex Electric	DSEP10	100	10.90	12.80
DST16	Elmex Electric	DSEP16	100	17.20	20.20
SCT2.5, SCT2.5MC	Elmex Electric	SEP2.5	100	6.00	6.60
SCT4, SCET4	Elmex Electric	SEP4	100	6.70	7.40
SCT6	Elmex Electric	SEP6	100	9.10	10.00
SCT10	Elmex Electric	SEP10	100	10.30	11.40
DST2.5-1X2	Elmex Electric	DSMP2.5-1X2	100	8.60	9.50
DST2.5-2X2	Elmex Electric	DSMP2.5-2X2	100	9.10	10.00
DST4-1X2	Elmex Electric	DSMP4-1X2	100	10.60	11.70
DST4-2X2	Elmex Electric	DSMP4-2X2	100	13.10	14.50
DST6-1X2	Elmex Electric	DSMP6-1X2	100	13.10	14.50
DST10-1X2	Elmex Electric	DSMP10-1X2	100	13.50	14.90
DST16-1X2	Elmex Electric	DSMP16-1X2	100	14.80	16.30
DST2.5-2C1P	Elmex Electric	DSMP2.5-2C1P	100	14.30	15.80
DST2.5-2C2P	Elmex Electric	DSMP2.5-2C2P	100	17.20	19.00
DSDT2.5	Elmex Electric	DPDT2.5	100	9.60	On Request
DSDT2.5-2X2	Elmex Electric	DPMDT2.5	100	12.20	On Request
DSDD2.5	Elmex Electric	DPDD2.5	100	12.60	On Request
DCF4, DCF4D, DCF4A	Elmex Electric	DFEP	100	14.30	On Request
SCF6	Elmex Electric	SFEP6	100	12.00	On Request
MCT1.5	Elmex Electric	MEP1.5	100	4.30	On Request
MCT2.5, MCT2.5P4	Elmex Electric	MEP2.5	100	4.70	5.20
MCT2.5MC	Elmex Electric	MEP2.5MC	100	7.20	On Request
MCT4, MCT4P4	Elmex Electric	MEP4	100	8.30	9.20
DMCT2.5P4	Elmex Electric	DMEP2.5P4	100	11.40	-

Price List for Accessories



END Plates

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
PAT30	Elmex Electric	EPA30	100	14.30	15.80
PAT100, PAT150, PAT250	Elmex Electric	EPA100	100	20.50	22.60
PBTM3, PBTM4	Elmex Electric	EPBM4	100	8.10	-
CST2.5, CST6, CST10	EC/EE	EPX	100	8.60	9.50
CST16	Elmex Controls	EPY	100	16.50	18.20
CST25	Elmex Controls	EPT	100	17.20	19.00
CST35	Elmex Controls	EPZ	100	18.30	20.20
CATM3, CATM4, CATM5, CBTM4, CBT M5, CBT M6, CABTM4	Elmex Controls	EPS4	100	11.40	12.60
CBTM6S1, CBT100	Elmex Controls	EPS5/6	100	16.50	18.20
CATDM4	Elmex Controls	EPD4	100	18.30	20.20
CLTDM4	Elmex Controls	EPLD4	100	18.30	20.20
CSLT1	Elmex Controls	EPSL	100	14.80	16.30

PARTITION PLATES

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUT2.5, DBK2.5	Elmex Electric	KBM	100	14.30	15.80
KUT4, KST4UWS, KUT6, KUT10, DBK8, DBK1X2, DBK1X4, DBK1X8, FDBK8, FDBK1X4, FDBK1X8, DFBK12	Elmex Electric	KBX	100	17.70	19.50
KST6WS, KUT16, DBK150/16-1X2, DBK150/16-1X4	Elmex Electric	KBY	100	21.80	24.00
KUT25, DBK150/25-1X2, DBK150/25-1X4	Elmex Electric	KBT	100	22.80	25.10
SUT4	Elmex Electric	MBX	100	17.20	19.00
SCT2.5, SCT4	Elmex Electric	DBF1	100	35.40	39.00
DST2.5, DST4, DSET4	Elmex Electric	DBF2	100	37.50	41.30
DST2.5-1X2, DST4-1X2, DSDT2.5, SCT6, SCT10	Elmex Electric	DBF3	100	52.50	57.80
DST6, DST10, DST16, DSET6, DSET10, DST2.5-2X2, DST4-2X2	Elmex Electric	DBF4	100	66.30	73.00
DST6-1X2, DSDT2.5-2X2	Elmex Electric	DBF5	100	85.10	93.70

PARTITION PLATES WITH FOOT

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUT2.5, KUT4, KST4UWS, KUT6, KUT10, ET4, ET6, ET10, KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTOM6, KATM3C, KATM4C, KATM5C-15, KBTM6C, KATM3E, KATM4E, KBTM4E, KBTM5E, OAT2.5, OAT6, DBK8, DBK1X2, DBK1X4, DBK1X8, FDBK3, FDBK8, FDBK1X4, FDBK1X8, DFBK12, DBK2.5, DBD16, DBD35, KABTM4, CST2.5, CST6, CST10, KBT100, FDBK-1X2, FDBK3/4/8, DBK3/4/5/8, DBK150/M6C-1X2, DBK150/M6C-1X4, DBK150/M6C-1X8	Elmex Electric	KBXF-Grey	100	21.70	23.90
KUT16, KUT25, KUT35, ET16, ET35, KULT4, KULT6, KULT1, KUDF4, KUDF4D, KUDF4A, KUDDF4, KUDDF4D, KUDDF4A, KUF10, KUF10D, KUF10A, KUFH4, KUFH4D, KUFH4A, KULTD4, KULTD4WS, OAT6T, DBK150/16-1X2, DBK150/16-1X4, DBK150/25-1X2, DBK150/25-1X4, KPCH4, KUDT6, KUPDS6, CST16, CST25, CSLT1	Elmex Electric	KBZF-Grey	100	27.30	30.10
KUT2.5N, KUT4N, KUT6N, KUT10N, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE, ETN4, ETN6, ETN10, KUT4-1X2	Elmex Electric	KNBF2.5/10	100	27.30	30.10
DPBB50/50CN, DPBB70/70CN	Elmex Electric	BPN70	20	40.00	44.00
DPBB120/120CN	Elmex Electric	BPN120	20	45.50	50.10
DPBB185N, DPBB240	Elmex Electric	BPA185/240	20	62.60	68.90

PARTITION PLATES

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
CBT110, CBT110T	Elmex Controls	BPA110	20	43.40	47.80
CBT170, CBT170T, CBT250, CBT250T, CBT300, CBT300T	Elmex Controls	BPA17/25	20	47.80	52.60
CBT170, CBT170T, CBT250, CBT250T, CBT300, CBT300T	Elmex Controls	BPA25/30	20	62.60	68.90

INTER CONNECTING ACCESSORIES

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Removable Shorting Links - 2 Ways					
KUT4,CST2.5	EC/EE	RSL2.5	50	6.50	
KUT6, CST6	EC/EE	RSL6	50	6.50	
KUT10, CST10	EC/EE	RSL10	50	7.50	
KUT16, CST16	EC/EE	RSL16	50	10.50	
KUT25, CST25	EC/EE	RSL25	50	16.50	
CST35	Elmex Controls	RSL35	50	22.00	
KUT35	Elmex Electric	RSL35K	50	22.00	
KULT1, CSLT1	EC/EE	RSL1L	50	33.00	
Long Stud With Screws for Removable Shorting Links					
KUT4, KUT6, CST2.5, CST6	EC/EE	LSR2.5-6	50	12.00	
KUT10, KUT16, KUT25, CST10,CST16	EC/EE	LSR10-16	50	13.00	
CST25	Elmex Controls	LSR25	50	20.00	
CST35	Elmex Controls	LSR35	50	28.50	
KUT35	Elmex Electric	LSR35K	50	27.50	
KULT1, CSLT1	EC/EE	LSR1L	50	35.50	
KUT2.5N	Elmex Electric	LSR2.5N	50	11.00	
KUT4N, KUT4-1X2, KUT4-2X2, KUT6N	Elmex Electric	LSR6N	50	12.00	

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Cross Connection Link Assembly for Permanent Shorting 2 way with Captive Screws, Sleeves and Washer					
KUT2.5	Elmex Electric	CCLM2.5K	50	16.50	
KUT4, CST2.5	EC/EE	CCLA2.5	50	19.80	
KUT6, KUT6N, CST6	EC/EE	CCLA6/6N	50	19.80	
KUT10, CST10, KUT10N	EC/EE	CCLA10/10N	50	21.50	
KUT16, CST16	EC/EE	CCLA16	50	25.30	
KUT25, CST25	EC/EE	CCLA25	50	28.10	
CST35	Elmex Controls	CCLA35	50	33.60	
KUT35	Elmex Electric	CCLA35K	50	33.60	
KUT50 , KUT50/70A	Elmex Electric	CCLA50	50	170.50	
KU2D4, KUDD4, SUT4, PET4	EC/EE	CCLADD	50	17.10	
DU3D4, DUSD4	Elmex Electric	CCLATD	50	17.10	
KULT4	Elmex Electric	CCLAK4	50	18.70	
KULT6	Elmex Electric	CCLAK6	50	22.00	
CSLT1	Elmex Controls	CCLA1L	50	29.70	
KULT1	Elmex Electric	CCLA1LK	50	28.60	
KUT2.5N	Elmex Electric	CCLK2.5/CCLM2.5N	50	16.50	
KUT4N, KUT4-1X2, KUT4-2X2	Elmex Electric	CCLA4N	50	18.20	
KUDD4N	Elmex Electric	CCLADDN	50	22.00	

INTER CONNECTING ACCESSORIES

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Comb Type Shorting Links with Insulation -2 Ways for					
KUT2.5N	Elmex Electric	SLC2.5N	50	20.40	
KUT2.5, DU3D4, DUSD4, KULT4, KUDD4N, KULTD4, KULTD4TS, KULTD4WS, KPCH4, KUDD4-2X2, KU2D4, KU2D4S, KUDD4	EC/EE	SLC4N	50	21.50	
KUT4, CST2.5	EC/EE	SLC2.5	50	20.40	
CET4	Elmex Electric	SLE2	50	23.70	
KUT6, KULT6, KUT6N, KUTSD6, KUTD10	EC/EE	SLC6	50	28.60	
KUT10, CST10	EC/EE	SLC10N	50	31.90	
KATM3, KATM3E, KABTM3	Elmex Electric	KSL3	50	28.40	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KABTM4	Elmex Electric	KSL4	50	29.70	
KBTM5-15, KABTM5, KBTM5E, CBTM4, CBTM5	EC/EE	KSL5	50	30.80	
KBTM6, CBTM6	EC/EE	KSL6/BSL6	50	33.00	
OAT25	Elmex Electric	KSL7	50	38.00	
OAT2.5	Elmex Electric	OSL2.5	50	27.50	
OAT6, OAT6T, OAT6DTS, OAT6DTS-2W	Elmex Electric	OSL6/OSL6R	50	29.70/35.20	
OAT6DTS-2WSL	Elmex Electric	OSLD6	50	47.30	
OAT10DTS	Elmex Electric	OSLD10	50	71.00	
KUDF4, KUDF4AD, KUDDF4, KUDDF4AD	Elmex Electric	UFSL	50	28.60	
KLTD4NV	Elmex Electric	KDSL4	50	30.80	

Price List for Accessories



INTER CONNECTING ACCESSORIES

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Comb Type Shorting Links with Insulation - 2 Ways for					
KULTD6	Elmex Electric	KSLD6	50	25.30	
KUTD6	Elmex Electric	SLC6SL	50	25.90	
DTB35-10	Elmex Electric	SLC17.5	50	64.90	
KULTD6, KUPTD6, KUPTD6S	Elmex Electric	SLD6	50	28.60	
CATM3	Elmex Controls	ASL1	50	31.90	
CATM4, CATM5, CATDM4, CLTDM4, CABTM4	Elmex Controls	ADSL/ADSLR	50	29.70/35.80	
Insulated Push-In Type Shorting Link - 2 Ways for					
DST2.5, DCT2.5-1X2, DST2.5-1X2, DST2.5-2X2, SCT2.5, SCT2.5MC	Elmex Electric	SSL2.5	100	12.10	
DST2.5-1C1P, DST2.5-2C2P, DS2T2.5					
DST4, SCT4, DCF4, DCF4D, DCF4A, DSDD2.5, DST4-1X2/2X2, DS3L2.5	Elmex Electric	SSL4	100	20.40	
DST6, DST6-1X2, SCF6, SCT6	Elmex Electric	SSL6	100	28.60	
DST10, SCT10, DST10-1X2	Elmex Electric	SSL10	100	46.20	
DST16, DST16-1X2	Elmex Electric	SSL16	100	73.70	
DST35, DTB35-10X4	Elmex Electric	SSL35	100	99.00	
MCT1.5	Elmex Electric	MSL1.5	100	17.60	
MCT2.5, MCT2.5P4, MCT2.5MC, DMCT2.5P4	Elmex Electric	MSL2.5	100	18.20	
MCT4, MCT4P4	Elmex Electric	MSL4	100	23.10	

Available upto 10 ways (No. of ways Required = Rate for 2 ways / 2 x No. of ways Required)

PROTECTION COVER

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
CST2.5, CST6, CST10, KUT4, KUT6, KUT10	Elmex Controls	PCST (300mm)	-	132.00	
CATM3, CATM4, CBTM4, CBTM5, CBTM6, CABTM4	Elmex Controls	PCC3 (300mm)	-	144.00	
KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KABTM4	Elmex Electric	PCC3K (300mm)	-	144.00	
CBT110, CBT110T (Covers One Terminal Block)	Elmex Controls	PCP110	-	57.00	
CBT110, CBT110T (Covers Two Terminal Block)	Elmex Controls	PCP110L	-	63.50	
DPBB50/50CN, DPBB70/70CN, DPBB120/120CN (Covers One Terminal Block)	Elmex Electric	PCP120	-	51.00	
CBT170, CBT170T (Covers One Terminal Block)	Elmex Controls	PCP170	-	66.00	
CBT170, CBT170T (Covers Two Terminal Block)	Elmex Controls	PCP170L	-	69.00	
CBT250, CBT250T, CBT300, CBT300T (Covers One Terminal Block)	Elmex Controls	PCP250	-	72.00	
CBT250, CBT250T, CBT300, CBT300T (Covers Two Terminal Block)	Elmex Controls	PCP25/30L	-	86.00	
KUTM2.5, KUT2.5, KUT4, KUT6, KUT10, KUT10, KUT16, KUT25, KUT35, ET4, ET6, ET10, ET16, ET35, KU2D4, KULT4, KULT6, KULT1, KUT2.5N, KUT4N, KUT6N, KUT10N, OAT2.5, OAT6, OAT6DTS, OAT6DTS-2W, KULTD4, KULTD4WS, KULTD4TS, KUDD4CC1, KUDD4CC2, KUDD4D1, KUDD4R, KUDD4CA1, KUDD4CA2, KUDT4-2X2, KUDD4MOV, CSTM2.5, CST2.5, CST6, CST10, CST16, CST25, CST2.5WS, CST6WS, CSLT1, ETN4, ETN6, ETN10, KUT4-1X2, KPCH4	EC/EE	PCK3	-	172.00	
CATDM4, CLTDM4, KLDM4	EC/EE	PCD3(300mm)	-	195.00	
CATM3 (Covers Two Terminal Block)	Elmex Controls	PCCM20	-	23.00	
CATM3 (Covers Three Terminal Block), CBTM4, CBTM5 (Covers One Terminal Block)	Elmex Controls	PCCM30	-	23.50	
CATM4, CATM5, CABTM4 (Covers Two Terminal Block)	Elmex Controls	PCCM26	-	20.00	
CATM4, CATM5 (Covers Three Terminal Block)	Elmex Controls	PCCM39	-	26.50	
CBTM4, CBTM5, CBTM5-15 (Covers Three Terminal Block)	Elmex Controls	PCCM45K	-	26.50	
CBTM6 (Covers Three Terminal Block)	Elmex Controls	PCCM60	-	28.50	
CATDM4, CLTDM4 (Covers Two Terminal Block)	Elmex Controls	PCDM26	-	24.00	
CATDM4, CLTDM4 (Covers Three Terminal Block)	Elmex Controls	PCDM39	-	34.50	
KATM3, KATM3E (Covers Two Terminal Block)	Elmex Electric	PCCM17K	-	19.50	
KBTM6 (Covers Three Terminal Block)	Elmex Electric	PCCM51K	-	30.00	
KBT100, CBT100 (Covers Two Terminal Block)	EC/EE	PCCM52K	-	27.50	
KBT100, CBT100 (Covers Three Terminal Block)	EC/EE	PCCM78K	-	43.50	
CBTM6 (Covers Two Terminal Block)	Elmex Controls	PCCM40	-	26.00	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KABTM4 (Covers Two Terminal Block)	Elmex Electric	PCCM26K	-	20.00	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KBTM5E, KABTM4 (Covers Three Terminal Block)	Elmex Electric	PCCM39K	-	26.50	

Note

- The Standard colour of Polyamide 66 Terminals and Accessories will be Grey. The non-standard colour will be Red, Yellow, Blue, Black. Any colour other than these shall be quoted against specific request.
- The Purchase Order for non-standard colour items other than Terminals KUT2.5 to KUT35 and all Stud Type Terminals will be subject to Minimum Order Quantity. Please Contact us for MOQ.
- Standard colour for Melamine Terminals and accessories is Khakhi. The non-standard colour will be Red, Yellow, Blue, Black Only.
- Please contact us for the prices of channels for lengths other than mentioned in the price list.

Terms & Conditions

1. Price : Ex-works Vadodara/ Por/ Itola.
2. Packing & Forwarding : Inclusive of standard packing.
3. GST : Extra as applicable.
4. Freight : To be borne by customer.
5. Payment : 100% advance or as agreed.
6. Dispatch : By Road/Rail/Courier or on request by Air.
7. Insurance : If desired by customer, at his cost.
8. Arbitration : All disputes arising in connection with the supply shall be under the rule of conciliation and arbitration of the international Chamber of commerce by one or more Arbitrators appointed in accordance with the rules.
9. Place of jurisdiction : The competent place of jurisdiction will be Vadodara, Gujarat, India.
10. Shortages/Damage/Loss in Transit : Our liability for any shortage, damage or loss in transit for any reason whatsoever shall cease after the consignment is handed over to the transporter & LR/Railway Receipt is obtained by us. Claims, if any, should be referred by the customer to the insurance company.

Special Clauses

1. Deduction : You/Your bankers will not deduct any amount, whatsoever, from our bills without our prior written consent.
2. Price Variation : We reserve the rights to revise our Price list as and when required without any prior notice.



Elmex Controls Pvt. Ltd. | Elmex Electric Pvt. Ltd.

12, GIDC Estate, Makarpura, Vadodara -390010, Gujarat, India

☎ 0265-2642021 / 23

✉ marketing@elmex.net

🌐 www.elmex.net