

SUPAFLEX

www.supaflex.co.in



SUPA FLEX BRAIDED SLEEVES & SPIRAL WRAPPING BANDS

A trusted **BRAND** for industrial needs

PRODUCT CATALOG

CE TÜV ✓ RoHS

NEW
Product Launch




Braided Sleeve

- **Material :** Nylon PET
- **Working Temperature :** -40°C ± 150°C
- **Melting Point :** 240°C ± 10°C
- **Usage :** Protection and tightening of materials such as power cords
- **Characteristics :** Fireproof and flame-retardant, soft & wear-resistant, easy to bend, with strong stretchability and elasticity

Part No (Black)	Part No (Grey)	Size	Applicable Range	Meters/Roll
AGR-2S	AGR-2G	2mm	2-5mm	100
AGR-3S	AGR-3G	3mm	2-5mm	100
AGR-4S	AGR-4G	4mm	4-8mm	100
AGR-6S	AGR-6G	6mm	4-10mm	100
AGR-8S	AGR-8G	8mm	5-16mm	100
AGR-10S	AGR-10G	10mm	7-19mm	100
AGR-12S	AGR-12G	12mm	8-24mm	100
AGR-15S	AGR-15G	15mm	12-25mm	100
AGR-18S	AGR-18G	18mm	15-28mm	100
AGR-20S	AGR-20G	20mm	15-28mm	100
AGR-25S	AGR-25G	25mm	18-35mm	100
AGR-30S	AGR-30G	30mm	20-50mm	100
AGR-35S	AGR-35G	35mm	26-52mm	100
AGR-40S	AGR-40G	40mm	30-60mm	100
AGR-50S	AGR-50G	50mm	40-80mm	50
AGR-60S	AGR-60G	60mm	45-95mm	50
AGR-70S	AGR-70G	70mm	60-120mm	50
AGR-80S	AGR-80G	80mm	70-140mm	50
AGR-90S	AGR-90G	90mm	80-145m	50
AGR-100S	AGR-100G	100mm	90-150mm	50



Spiral Wrapping Band



Item No.	Inner diameter (D)	Outer diameter (D1)	Pitch (W)	Wrapping range (Ø)	Packing
JHD-6	4mm	6mm	7.0mm	4x50mm	10m
JHD-8	6mm	8mm	10mm, 8mm	6x60mm	10m
JHD-10	7.5mm	10mm	11.4mm	7.5x60mm	10m
JHD-12	9mm	12mm	13.9mm	9x65mm	10m
JHD-16	13mm	16mm	15.0mm	12x70mm	10m
JHD-20	16mm	20mm	18.2mm	15x100mm	10m
JHD-25	21mm	25mm	19.6mm	20x130mm	10m

SUPA FLEX PVT. LTD.

📍 Plot No. 83/6, Firni Road, Udyog Nagar, Mundka, New Delhi-110041 INDIA

✉ sales@supaflex.co.in, sales1@supaflex.co.in

☎ +91-9599992306-07-09

Follow us on



Download Catalog Here