



BCH
ELECTRIC
LIMITED

Price list Effective

19th August 2026

ENCLOSURES



Modern facilities at Faridabad & Rudrapur



Our Strengths

- ◆ State-of-the-art product development and R&D
- ◆ Modern manufacturing facilities
- ◆ Tool room with latest facilities
- ◆ Serving customers for five decades
- ◆ Presence in ~50 locations
- ◆ 650 channel partners
- ◆ ISO 9001:2015, ISO 14001:2015 & ISO 45001: 2018 certified company

Core Values

- ◆ Integrity
- ◆ Nurturing People
- ◆ Commitment to Customers
- ◆ Striving for Excellence
- ◆ Long Term Thinking

Quality Policy

We as a member of BCH Electric Limited manufacturer of Low Voltage Switchgear & Controlgear products, are fully committed to provide Quality products and service in compliance with applicable Statutory and Regulatory requirements, to meet or exceed the customer need and expectations through -

- ◆ Continual improvement
- ◆ Involvement of employees
- ◆ Setting Quality objectives
- ◆ Training and development of employees

Health & Safety Policy

We as a member of BCH Electric Limited manufacturer of Low Voltage Switchgear & Controlgear products, are fully committed to conduct Business in compliance to applicable Health & Safety legislation and regulation.

We shall continually improve through -

- ◆ Provide Safe & Healthy working conditions for the prevention of work related injury and ill health.
- ◆ Develop & maintain the Health & Safety objectives & targets and conduct health & safety programs for achieving the objectives and target.
- ◆ The prevention of accidents through the identification, assessment and elimination of workplace hazards and the promotion of health & safety awareness among its employees and contractors.
- ◆ Encourage employee's participation and consultation in matters affecting the health, safety and well being of our people and seek suggestions from our employees of ways in which health, safety & well being can be furthered.

The Health & safety policy is publicly available on request.


Environmental Policy

We as a member of BCH Electric Limited manufacturer of Low Voltage Switchgear & Controlgear products, are fully committed to conduct Business in compliance to applicable Environmental legislation and regulation.

We shall continually improve through -

- ◆ Provide a framework for setting and reviewing environmental objectives and targets.
- ◆ Regularly review the impact of our activities on environment and strive to reduce the pollution/waste.
- ◆ Involve employees in our environmental program and provide necessary training to enable them to discharge their responsibilities towards environment management.
- ◆ Sustain the program of continual improvement in environment in environmental performance incorporating suitable metrics and monitoring.

The Environment policy is publicly available on request.



www.bchindia.com

Enclosures

- Bhartia Enclosure 2.0
- Terminal Box 2.0
- 'BCH-SS' (Stainless Steel) Boxes
- Terminal Boxes
- Bhartia Boxes
- TCE Series Enclosure
- Techno - Modular Enclosures
- Compartmentalized Enclosure (Fixed & Draw-out)
- Control Desk
- IT Racks - 19" and ETSI Racks
- Non Metallic Enclosure
- Enclosure Cooling System 



ENCLOSURE COOLING SYSTEM



Protects Panels



Prevents
Overheating

Reliable Operation



Reduces
Downtime

Energy Efficient



Lower
Power Consumption

Boosts Productivity



Keeps
Operations Running



KEY FEATURES

- 500W–2000W Cooling Capacity
- IP54 Internal Protection
- R134a Refrigerant

Reliable Cooling For
Electrical Enclosures
In Demanding
Industrial
Environments



BCH
ELECTRIC
LIMITED



- Available in 45 different variants
- Single/Double door version
- Min. Size : 200Wx300Hx120D mm
- Max. Size : 1200Wx1400Hx400D mm
- Protection Ratings:
 - Single door - UL/cUL Type 1,4[#]
 - IP66
 - IK10
 - Double door - UL/cUL Type 1,12[#]
 - IP55
 - IK10
- CE Certified

[#] For UL Listed products, please contact the nearest BCH branch office.



Technical Particulars (Bhartia Enclosure 2.0)

- Enclosure body fabricated from 1.2mm/1.6mm
- Enclosure door fabricated from 1.2mm/1.6mm/2.0mm
- Cable entry plate 1.6mm provided at bottom
- Mounting plate made 2.0/2.5mm Galvanised steel
- Foamed in PU Gasket
- Hinged door interchangeable LHS/RHS
- Door opening angle 120°
- Die casted Cam lock provided up to 1000mm height
- 3 - point lock provide for 1200mm and above height
- Powder coated to RAL - 7035 structure finish

Bhartia Enclosure 2.0

HSN CODE: 8538

Type	SIZE (WxHxD) mm	MOQ Nos.	Cat No.	List Price [₹]
SINGLE DOOR ENCLOSURE	200X300X120	1	BIL-40000	4155
SINGLE DOOR ENCLOSURE	200X300X150	1	BIL-40010	4530
SINGLE DOOR ENCLOSURE	250X300X150	1	BIL-40020	4700
SINGLE DOOR ENCLOSURE	300X300X150	1	BIL-40030	5065
SINGLE DOOR ENCLOSURE	300X300X210	1	BIL-40040	5400
SINGLE DOOR ENCLOSURE	300X400X150	1	BIL-40050	5630
SINGLE DOOR ENCLOSURE	300X400X210	1	BIL-40060	6310
SINGLE DOOR ENCLOSURE	400X300X150	1	BIL-40070	5515
SINGLE DOOR ENCLOSURE	400X300X210	1	BIL-40080	6185
SINGLE DOOR ENCLOSURE	400X400X150	1	BIL-40090	6310
SINGLE DOOR ENCLOSURE	400X400X210	1	BIL-40100	6690
SINGLE DOOR ENCLOSURE	400X500X150	1	BIL-40110	7125
SINGLE DOOR ENCLOSURE	400X500X210	1	BIL-40120	7550
SINGLE DOOR ENCLOSURE	400X600X210	1	BIL-40140	8900
SINGLE DOOR ENCLOSURE	400X600X350	1	BIL-40150	11040
SINGLE DOOR ENCLOSURE	500X500X210	1	BIL-40160	8900
SINGLE DOOR ENCLOSURE	500X500X300	1	BIL-40170	10675
SINGLE DOOR ENCLOSURE	500X600X210	1	BIL-40180	10210
SINGLE DOOR ENCLOSURE	500X700X210	1	BIL-40190	11605
SINGLE DOOR ENCLOSURE	500X700X300	1	BIL-40200	13355
SINGLE DOOR ENCLOSURE	600X400X210	1	BIL-40210	9070
SINGLE DOOR ENCLOSURE	600X400X300	1	BIL-40220	11655
SINGLE DOOR ENCLOSURE	600X600X210	1	BIL-40230	10950
SINGLE DOOR ENCLOSURE	600X600X300	1	BIL-40240	13150
SINGLE DOOR ENCLOSURE	600X600X350	1	BIL-40250	13945
SINGLE DOOR ENCLOSURE	600X800X210	1	BIL-40260	13215
SINGLE DOOR ENCLOSURE	600X800X250	1	BIL-40270	15160
SINGLE DOOR ENCLOSURE	600X800X300	1	BIL-40280	15130
SINGLE DOOR ENCLOSURE	600X1000X210	1	BIL-40290	16665
SINGLE DOOR ENCLOSURE	600X1000X300	1	BIL-40300	18900
SINGLE DOOR ENCLOSURE	600X1200X300	1	BIL-40310	21705
SINGLE DOOR ENCLOSURE	800X600X300	1	BIL-40320	15040
SINGLE DOOR ENCLOSURE	800X800X210	1	BIL-40330	16615
SINGLE DOOR ENCLOSURE	800X800X300	1	BIL-40340	17635
SINGLE DOOR ENCLOSURE	800X1000X250	1	BIL-40350	20045
SINGLE DOOR ENCLOSURE	800X1000X300	1	BIL-40360	20290
SINGLE DOOR ENCLOSURE	800X1200X300	1	BIL-40370	25270
DOUBLE DOOR ENCLOSURE	1000X800X210	1	BIL-40380	21200
DOUBLE DOOR ENCLOSURE	1000X800X300	1	BIL-40390	24305
DOUBLE DOOR ENCLOSURE	1000X1000X300	1	BIL-40400	28270
DOUBLE DOOR ENCLOSURE	1000X1200X300	1	BIL-40410	32490
DOUBLE DOOR ENCLOSURE	1000X1400X300	1	BIL-40420	38865
DOUBLE DOOR ENCLOSURE	1000X1400X400	1	BIL-40430	42000
DOUBLE DOOR ENCLOSURE	1200X1400X300	1	BIL-40440	40970
DOUBLE DOOR ENCLOSURE	1200X1400X400	1	BIL-40450	45095

MOQ : Minimum order quantity in nos.

HSN CODE: 8538

Type	Cat No.	MOQ Nos.	List Price [₹]
Wall Mounting Bracket Kit 20mm	BIL-WM-H20	1	420

Note: Cutout charges will be extra
: Wall mounting bracket set is an additional accessory
(For Bhartia enclosure 2.0, it is not a part of standard packing)

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.
*GST to be charged extra

www.bchindia.com

Effective from 19.08.2026



Terminal Box 2.O



- Available in 22 different variants
- Min. Size : 150Wx150Hx80D mm
- Max. Size : 600Wx400Hx120D mm
- Degree of protection:IP66 - IK10
- CE Certified



Terminal Box 2.O

HSN CODE: 8538

SIZE (W x H x D) mm	MOQ	Cat No.	List Price [₹]
150X150X80	1	BIL-30000	2030
200X150X80	1	BIL-30010	2240
300X150X80	1	BIL-30020	2585
200X200X80	1	BIL-30030	2355
300X200X80	1	BIL-30040	2510
400X200X80	1	BIL-30050	2685
600X200X80	1	BIL-30060	3645
150X150X120	1	BIL-30070	2310
200X150X120	1	BIL-30080	2390
300X150X120	1	BIL-30090	2640
400X150X120	1	BIL-30100	3100
200X200X120	1	BIL-30110	2585
300X200X120	1	BIL-30120	2865
400X200X120	1	BIL-30130	3250
500X200X120	1	BIL-30140	4075
600X200X120	1	BIL-30150	4505
300X300X120	1	BIL-30160	3465
400X300X120	1	BIL-30170	4155
500X300X120	1	BIL-30180	4485
600X300X120	1	BIL-30190	5420
400X400X120	1	BIL-30200	4700
600X400X120	1	BIL-30210	5905

MOQ : Minimum order quantity in nos.

Technical Particulars (Terminal Box 2.O)

- Enclosure body fabricated from 1.2mm
- Enclosure door fabricated from 1.2mm
- Holes with rubber grommet at top and bottom of enclosure body provided to facilitate cable entry
- Provision of din rail fixing in horizontal position on predrilled bracket
- Door removable type with quick release fastners
- Foamed in PU Gasket
- Powder coated to RAL - 7035 structure finish

HSN Code : 8538

Type	Cat. No.	MOQ	List Price [₹]
Set of Wall Mounting bracket (small)	BIL-WM-S	1	250
Set of Wall Mounting bracket (big)	BIL-WM-B	1	285
Set of Wall Mounting bracket Kit 20mm	BIL-WM-H20	1	420

Note : Cutout charges will be extra
: Wall mounting bracket set is an additional accessory
(For Terminal box 2.O, it is not a part of standard packing)

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.
*GST to be charged extra






- 10 Different Versions
- Fabricated from 1.2/1.5 mm stainless steel sheet
- Mounting Plate made up of 2.0mm Galvanised steel
- Cable entry plate 2.0mm SS 304 provided at bottom
- SS grade 304
- Foamed in PU gasket
- Box upto BIL - 90405020 is made up of 1.2 mm SS & above of 1.5 MM SS.
- Degree of protection IP66
- 120 deg door open-able concealed hinge door with cam locking arrangement.



- 43 Different Versions
- Min. Size : 150 X 150 X 80
- Max Size : 800 X 400 X 120
- Degree of protection IP55/IP66/IK10
- CE Certified



Technical Particulars (TERMINAL BOXES)

- Fabricated from 1.2mm CRCA sheet steel
- Powder coated to shade RAL 7035 Structure finish
- Foamed in PU gasket
- Provided with screwed cover on top
- Degree of protection IP55/IP66/IK10
- CE Certified
- Brackets provided inside to facilitate DIN rail mounting
- Holes with Gromet provided to facilitate cable entry in IP 55 terminal boxes

Note: Cutout charges will be extra

'BCH - SS' (Stainless Steel)

HSN Code : 8538

Type	Size (WxHxD) mm	MOQ Nos.	Cat No.	List Price [₹]
SINGLE DOOR BOX	200X300X150	1	BIL-90203015	8810
SINGLE DOOR BOX	300X300X200	1	BIL-90303020	12205
SINGLE DOOR BOX	400X400X200	1	BIL-90404020	16140
SINGLE DOOR BOX	400X500X200	1	BIL-90405020	17980
SINGLE DOOR BOX	400X600X200	1	BIL-90406020	20605
SINGLE DOOR BOX	500X600X200	1	BIL-90506020	26390
SINGLE DOOR BOX	600X600X200	1	BIL-90606020	28220
SINGLE DOOR BOX	600X800X200	1	BIL-90608020	33545
SINGLE DOOR BOX	500X700X300	1	BIL-90507030	34070
SINGLE DOOR BOX	800X800X300	1	BIL-90808030	46905

MOQ - Minimum order quantity in nos.

Type	Cat No.	MOQ Nos.	List Price [₹]
SET OF SS WALL MOUNTING BRACKET (SMALL)	BIL-WM-S-SS	1	685
SET OF SS WALL MOUNTING BRACKET (BIG)	BIL-WM-B-SS	1	910

Terminal Boxes

HSN Code : 8538

Box Size (W x H x D)	IP-55 Range			IP-66 Range	
	MOQ	Cat. No.	List Price [₹]	Cat. No.	List Price [₹]
150x150x80	1	BIL-70000	2000	BIL-80000	2295
200x150x80	-			BIL-80100	2525
300x150x80	1	BIL-70010	2350	BIL-80010	2915
200x200x80	1	BIL-70020	2250	BIL-80020	2660
300x200x80	1	BIL-70030	2465	BIL-80030	2840
400x200x80	-			BIL-80110	3035
600x200x80	-			BIL-80130	4125
150x150x120	1	BIL-70040	2215	BIL-80040	2610
200x150x120	-			BIL-80150	2710
300x150x120	1	BIL-70050	2625	BIL-80050	2965
200x200x120	1	BIL-70060	2560	BIL-80060	2915
300x200x120	1	BIL-70070	2850	BIL-80070	3230
400x200x120	1	BIL-70080	3190	BIL-80080	3665
300x300x120	1	BIL-70090	3400	BIL-80090	3920
400x150x120	-			BIL-80170	3500
400x300x120	1	BIL-70180	3765	BIL-80180	4700
400x400x120	1	BIL-70190	4425	BIL-80190	5310
500x200x120	1	BIL-70200	3880	BIL-80200	4605
500x300x120	1	BIL-70210	4305	BIL-80210	5070
600x200x120	1	BIL-70220	4335	BIL-80220	5080
600x300x120	1	BIL-70230	5300	BIL-80230	6130
600x400x120	1	BIL-70240	5815	BIL-80240	6670
800x200x120	1	BIL-70250	6130	BIL-80250	7025
800x400x120	1	BIL-70260	7455	BIL-80260	8440

MOQ-Minimum order quantity in nos.


*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

*GST to be charged extra



- 51 Different Versions
- Single/Double door versions
- Min. Size : 200 X 200 X 150
- Max Size : 1200 X 1400 X 400
- Degree of protection IP55/IP66/IK10
- CE Certified

Double door version



Technical Particulars (BHARTIA BOXES)

- Fabricated from 1.2mm / 1.6mm CRCA sheet steel (Sizes upto BIL-50180 made from 1.2mm CRCA, beyond this using 1.6mm CRCA)
- Foamed in PU gasket
- Hinged door, interchangeable LHS / RHS, opening angle 180 deg for standard hinge & 120 deg for concealed hinge in bigger sizes.
- Degree of protection IP55/IP66/IK10
- CE Certified
- Cable gland plate 2mm thick provided at bottom
- Cam locking arrangement
- Powder coated to RAL : 7035 structure finish
- Mounting Plate made up of 2.0mm Galvanised steel

Note : Cutout charges will be extra
: Wall mounting bracket set is an additional accessory
(for Bhartia Box & Terminal box it is not a part of standard packing)

HSN Code : 8538

Type	Cat. No.	MOQ	List Price [₹]
Set of Wall Mounting bracket (small)	BIL-WM-S	1	250
Set of Wall Mounting bracket (big)	BIL-WM-B	1	285
Set of Wall Mounting bracket Kit 20mm	BIL-WM-H20	1	420

Note :

- * Set of wall mounting bracket (small) is suitable for all range of terminal boxes and Bhartia boxes upto size : 400x500x200mm.
- * Set of wall mounting bracket (big) is suitable for Bhartia boxes beyond size : 400x500x200mm.

Bhartia Boxes

HSN Code : 8538

Type	Size (WxHxD) mm	IP-55 Range			IP-66 Range	
		MOQ Nos.	Cat. No.	List Price [₹]	Cat. No.	List Price [₹]
SINGLE DOOR BOX	200x200x150	1	BIL-50000	4025	BIL-60000	4225
SINGLE DOOR BOX	200x300x150	1	BIL-50010	5110	BIL-60010	5210
SINGLE DOOR BOX	250x300x150	1	BIL-50020	5310	BIL-60020	5475
SINGLE DOOR BOX	300x300x150	1	BIL-50030	5730	BIL-60030	5955
SINGLE DOOR BOX	300x300x200	1	BIL-50050	6100	BIL-60050	6460
SINGLE DOOR BOX	300x400x150	1	BIL-50060	6360	BIL-60060	6695
SINGLE DOOR BOX	300x400x200	1	BIL-50080	7140	BIL-60080	7180
SINGLE DOOR BOX	400x300x150	1	BIL-50090	6235	BIL-60090	6600
SINGLE DOOR BOX	400x300x200	1	BIL-50110	6985	BIL-60110	7090
SINGLE DOOR BOX	400x400x150	1	BIL-50120	7140	BIL-60120	7275
SINGLE DOOR BOX	400x400x200	1	BIL-50140	7560	BIL-60140	7790
SINGLE DOOR BOX	400x500x150	1	BIL-50150	8050	BIL-60150	8470
SINGLE DOOR BOX	400x500x200	1	BIL-50170	8535	BIL-60170	8775
SINGLE DOOR BOX	500x500x200	1	BIL-50180	10055		
SINGLE DOOR BOX	400x600x200	1	BIL-50190	10055	BIL-60190	10200
SINGLE DOOR BOX	500x600x200	1	BIL-50210	11535	BIL-60210	11880
SINGLE DOOR BOX	500x700x200	1	BIL-50220	13115		
SINGLE DOOR BOX	500x700x300	1	BIL-50230	15085		
SINGLE DOOR BOX	600x400x200	1	BIL-50240	10250	BIL-60240	10630
SINGLE DOOR BOX	600x400x300	1	BIL-50250	13170		
SINGLE DOOR BOX	600x500x200	1	BIL-50260	11880	BIL-60260	12840
SINGLE DOOR BOX	600x600x200	1	BIL-50270	12365		
SINGLE DOOR BOX	600x600x300	1	BIL-50280	14865		
SINGLE DOOR BOX	600x700x200	1	BIL-50290	14895		
SINGLE DOOR BOX	600x800x200	1	BIL-50300	14935		
SINGLE DOOR BOX	600x800x300	1	BIL-50320	17090		
SINGLE DOOR BOX	600x1000x200	1	BIL-50330	18835		
SINGLE DOOR BOX	600x1000x300	1	BIL-50340	21370		
SINGLE DOOR BOX	800x800x300	1	BIL-50310	19935		
SINGLE DOOR BOX	800x1000x200	1	BIL-50350	22195		
SINGLE DOOR BOX	800x1000x250	1	BIL-50360	22655		
SINGLE DOOR BOX	800x1000x300	1	BIL-50390	22925		
SINGLE DOOR BOX	800x1200x300	1	BIL-50395	28565		
DOUBLE DOOR BOX	1000x800x200	1	BIL-50500	23955		
DOUBLE DOOR BOX	1000x800x300	1	BIL-50520	27470		
DOUBLE DOOR BOX	1000x1000x300	1	BIL-50540	31940		
DOUBLE DOOR BOX	1000x1200x300	1	BIL-50550	36720		
DOUBLE DOOR BOX	1000x1400x300	1	BIL-50560	43915		
DOUBLE DOOR BOX	1200x1400x300	1	BIL-50570	48820		
DOUBLE DOOR BOX	1000x1400x400	1	BIL-50580	46310		
DOUBLE DOOR BOX	1200x1400x400	1	BIL-50590	50965		

MOQ. Minimum order quantity in nos.

Canopy for Bhartia Boxes


HSN Code : 8538

Size (WxHxD) mm	Cat. No.	MOQ Nos.	List Price [₹]	Size (WxHxD) mm	Cat. No.	MOQ Nos.	List Price [₹]
200WX150D	BIL-12-CAN-2015	1	1180	600WX200D	BIL-16-CAN-6020	1	2255
250WX150D	BIL-12-CAN-2515	1	1340	600WX300D	BIL-16-CAN-6030	1	2765
300WX150D	BIL-12-CAN-3015	1	1430	800WX300D	BIL-16-CAN-8030	1	3365
300WX200D	BIL-12-CAN-3020	1	1555	800WX200D	BIL-16-CAN-8020	1	2735
400WX150D	BIL-12-CAN-4015	1	1620	800WX250D	BIL-16-CAN-8025	1	2950
400WX200D	BIL-12-CAN-4020	1	1785	1000WX200D	BIL-16-CAN-1020	1	3205
500WX200D	BIL-12-CAN-5020	1	2025	1000WX300D	BIL-16-CAN-1030	1	3945
500WX300D	BIL-12-CAN-5030	1	2475				

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.
*GST to be charged extra

TCE Series Enclosure Code Selection |

Example:-



Sizes Available |

Width	Height	Depth
06-600 W	18-1800 H	04-400 D
08-800 W	20-2000 H	05-500 D
10-1000 W	22-2200 H	06-600 D
12-1200 W		08-800 D

Version Details |

001	002	003	004	005
Structure:	Structure:	Structure:	Structure:	Structure:
Front Door with Hinge	Front Door with Hinge	Front Door with Hinge	Front Door with Hinge	Front Door with Hinge
Rear Bolted Cover	Rear Door with Hinge	Rear Bolted Cover	Rear Door with Hinge	Rear Door with Hinge
STD Gland Plate	STD Gland Plate	STD Gland Plate	STD Gland Plate	STD Gland Plate
Top Cover	Top Cover	Top Cover	Top Cover	Top Cover
Eye Bolt	Eye Bolt	Eye Bolt	Eye Bolt	Eye Bolt
01 Mounting Plate	01 Mounting Plate	No Mounting Plate	No Mounting Plate	2 Mounting Plate

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.
*GST to be charged extra



Technical Particulars for TCE Series

- IP66-IK10 for single door enclosure
- IP65-IK10 for double door enclosure
- Structure made up with 2.0mm CRCA
- Door made up with 2.0mm CRCA and covers made up with 1.6mm CRCA
- Bottom 3-part cable entry provision as standard and made up with 2.0mm GPSP
- Mounting plate with sliding arrangement and made up with 3.0mm GPSP
- Push fit Die casted hinge provided at doors.
- Door with Interchangeability features (LHS/RHS)
- 4-point locking provides as standards
- Separate locking at LHS door with swing handle
- Door stiffener with provision of drilling holes for wiring harness.
- Eye bolt as standard for lifting
- Modular Plinth (optional) 100mm Height with Black finish
- Side Covers – Pair consisting of 1no. LHS and 1no. RHS cover
- Surface finish of enclosure RAL - 7035
- Surface finish of Mounting plate - Zn Galvanized

Note: up to 800 mm width single door
1000 mm & 1200 mm width double door



IK10

IP66 | IP65

CE



*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**

HSN Code: 8538

Size of Enclosure in mm			Cat No.	Enclosure Version*				
Width (W)	Height (H)	Depth (D)		VER-001 LP [₹]	VER-002 LP [₹]	VER-003 LP [₹]	VER-004 LP [₹]	VER-005 LP [₹]
600	1800	400	TCE061804	39780	44310	31590	36480	
800	1800	400	TCE081804	47515	52140	36120	41765	
1000	1800	400	TCE101804	65395	70480	50725	55470	
1200	1800	400	TCE121804	73490	82085	57010	63195	
600	1800	500	TCE061805	41560	45745	33720	37890	
800	1800	500	TCE081805	48385	54475	38675	43315	
1000	1800	500	TCE101805	67160	72275	52910	58340	
1200	1800	500	TCE121805	74890	85085	59990	67395	
800	1800	600	TCE081806	51590	54130	41985	45965	62895
800	1800	800	TCE081808	53835	59230	44780	50155	71850
600	2000	400	TCE062004	42870	48195	32925	39110	
800	2000	400	TCE082004	49910	54795	38130	43290	
1000	2000	400	TCE102004	71460	75460	55570	59430	
1200	2000	400	TCE122004	76770	84850	61425	69630	
600	2000	500	TCE062005	45500	49280	37350	42210	
800	2000	500	TCE082005	51055	56345	39335	44850	
1000	2000	500	TCE102005	70705	79115	56345	62525	
1200	2000	500	TCE122005	77310	85085	60775	67395	
600	2000	600	TCE062006	46175	50725	39550	44095	61035
800	2000	600	TCE082006	52815	57550	42410	47165	68305
1000	2000	600	TCE102006	71830	82405	57210	66705	99920
1200	2000	600	TCE122006	78835	87405	63850	72030	106115
600	2000	800	TCE062008	47515	51055	39680	44640	66495
800	2000	800	TCE082008	55015	59090	44965	49235	71960
1000	2000	800	TCE102008	78835	84060	60775	67395	98185
1200	2000	800	TCE122008	82875	91920	68080	74890	109665
600	2200	600	TCE062206	52045	57010	41315	49045	68305
800	2200	600	TCE082206	58890	62755	47410	52265	73240
1000	2200	600	TCE102206	81540	87825	67005	73280	102645
1200	2200	600	TCE122206	84725	94580	65855	73570	117635
600	2200	800	TCE062208	56745	61555	43540	50265	65505
800	2200	800	TCE082208	68495	72485	52585	57210	79240
1000	2200	800	TCE102208	86835	93555	70480	75800	109030
1200	2200	800	TCE122208	93920	99210	76910	82085	122955

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.
*GST to be charged extra



TCE Bottom Plinth 100mm Height

HSN Code: 8538

Size in MM		Cat No	LP [₹]
Width (W)	Depth (D)		
600	400	TCEPL0604	3590
800	400	TCEPL0804	4090
1000	400	TCEPL1004	4580
1200	400	TCEPL1204	5015
600	500	TCEPL0605	3840
800	500	TCEPL0805	4305
1000	500	TCEPL1005	4805
1200	500	TCEPL1205	5235
600	600	TCEPL0606	4060
800	600	TCEPL0806	4510
1000	600	TCEPL1006	4980
1200	600	TCEPL1206	5430
600	800	TCEPL0608	4510
800	800	TCEPL0808	4980
1000	800	TCEPL1008	5385
1200	800	TCEPL1208	5915



TCE Side Panel

HSN Code: 8538

Size in MM		Cat No	LP [₹]
Height (H)	Depth (D)		
1800	400	TCESP0418	7150
1800	500	TCESP0518	8305
1800	600	TCESP0618	9235
1800	800	TCESP0818	12310
2000	400	TCESP0420	7680
2000	500	TCESP0520	9030
2000	600	TCESP0620	10030
2000	800	TCESP0820	12910
2200	600	TCESP0622	11615
2200	800	TCESP0822	15095

Note: Cutout charges will be extra
Freight charges will be extra at actuals

TCE Series Enclosure



TCE Series Enclosure Accessories

Baying system

HSN Code: 8538

Sl. No	Description	Cat No	LP [₹]
1	Baying Kit	TCE-14280	2660
2	Combination Angle (Pack of 2)	TCE-14281	1400

Mounting plate filler profile

HSN Code: 8538

Sl. No	Description	Cat No	LP [₹]
1	Filler plate for 1800mm Height	TCE-FP-1800	2025
2	Filler plate for 2000mm Height	TCE-FP-2000	2230
3	Filler plate for 2200mm Height	TCE-FP-2200	2445

Wiring plan pocket

HSN Code: 8538

Sl. No	Description	Cat No	LP [₹]
1	File pocket 500mm Width	TCE-TPKT-500	990
2	File pocket 600mm Width	TCE-TPKT-600	1185
3	File pocket 800mm Width	TCE-TPKT-800	1535

Lamp rail

HSN Code: 8538

Sl. No	Description	Cat No	LP [₹]
1	Lamp rail 600mm Width	TCE-LAMP-RAIL-600	285
2	Lamp rail 800mm Width	TCE-LAMP-RAIL-800	390
3	Lamp rail 1000mm Width	TCE-LAMP-RAIL-1000	480
4	Lamp rail 1200mm Width	TCE-LAMP-RAIL-1200	585

Limit switch with fixing arrangement

HSN Code: 8538

Sl. No	Description	Cat No	LP [₹]
1	BCH Limit switch	TCE-LC	1185

Punched section for depth

HSN Code: 8538

Sl. No	Description	Cat No	LP [₹]
1	Punched section 400mm depth	TCE-PSD-400	700
2	Punched section 500mm depth	TCE-PSD-500	990
3	Punched section 600mm depth	TCE-PSD-600	1260
4	Punched section 800mm depth	TCE-PSD-800	1680

Punched section for width

HSN Code: 8538

Sl. No	Description	Cat No	LP [₹]
1	Punched section 600mm width	TCE-PSW-600	1400
2	Punched section 800mm width	TCE-PSW-800	1680
3	Punched section 1000mm width	TCE-PSW-1000	1960
4	Punched section 1200mm width	TCE-PSW-1200	2230

Air Filter Unit

HSN Code: 8538

Sl. No	Description	Cat No	LP [₹]
1	Snap fit air filter 148x148	BIL-SF-1414	1100
2	Snap fit air filter 204x204	BIL-SF-2020	1650
3	Snap fit air filter 255x255	BIL-SF-2525	1825
4	Snap fit air filter 204x204 with mounting adaptor	BIL-SFMA-2020	1925
5	Snap fit air filter 255x255 with mounting adaptor	BIL-SFMA-2525	2405

Door Stay

HSN Code: 8538

Sl. No	Description	Cat No	LP [₹]
1	Door Stay for TCE Series	TCE-DS	1525



Brackets for
3 point lock

Robust Mounting
Plate 3MM Thick,
RAL 2000

Gland Plate



Enclosure Versions

- 001 - with mounting plate and rear cover
- 002 - with mounting plate and rear door
- 003 - without mounting plate and with rear cover
- 004 - without mounting plate and with rear door

To Order And Calculate List Price

- (a) Choose Cat. No. and LP of Enclosure version from 001, 002, 003 or 004
- (b) Add Cat. No. and LP of Plinth
- (c) Add Cat. No. and LP of Side Covers pair

General Technical Particulars

- Degree of protection IP55/IK10
- C € Certified
- Fabricated from 2/1.6 mm CRCA/GPSP (frame made up of 2.0mm GPSP, doors & covers made up of 1.6 mm CRCA).
- Fully bolted construction
- Mounting Plate with sliding arrangement - standard & Powder coated to RAL-2000
- Modular Plinth (optional) 100mm high fabricated from CRCA
- Cable entry provision is given from Bottom & made in 3-part construction with Galvanized steel [Unpainted]
- Foamed-in PU gasket
- Powder coated to RAL : 7035 structure finish
- Hinge design allows 120 deg. Door opening
- 3 point lock provided as standard
- Door stiffener with provision of drilling holes for wiring harness.
- Side Covers - Pair : consisting of 1no. LHS and 1no. RHS cover
- To calculate limiting dimension of the enclosure, add 44mm to the width to account for Side Covers,
- 22mm to the height for Top Cover & 44mm to the depth on account of Front and Rear door / cover.

Note : upto 800 mm width single door
1000 mm & 1200 mm width double leaf door

Modular Enclosures

- Enclosures
- Minimum size in mm :
600 x 1800 x 400 (W x H x D)
- Maximum size in mm :
1200 x 2200 x 800 (W x H x D)
- Degree of protection IP55/IK10
- C € Certified
- Wide range of accessories

Features

- Completely modular in all the three axes
- Powder coated surface (RAL 7035) for excellent finish and durability
- PU Gasket ensuring higher degree of ingress protection
- 3mm CRCA mounting plate as a standard
- Manufactured on CNC Turret punch press for higher precision, finish and repeated accuracy
- Ideal for :
 - Special purpose machines
 - Control panels
 - PLC panels
 - Starter enclosures
 - Accessories for mounting 19" equipment

***List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.**

***GST to be charged extra**
www.bchindia.com

Techno Modular Enclosures

HSN Code : 8538

Size of Enclosure (W x H x D in mm)	Cat. No.	Enclosure Version*				Plinth		Side Covers (Pair)	
		Ver 001 LP [₹]	Ver 002 LP [₹]	Ver 003 LP [₹]	Ver 004 LP [₹]	Cat. No.	List Price [₹]	Cat. No.	List Price [₹]
600 x 1800 x 400	TME 061804	37130	41355	29485	34045	TPL 061804	3610	TSC 061804	7200
800 x 1800 x 400	TME 081804	44355	48670	33725	38980	TPL 081804	4110	TSC 081804	7200
1000 x 1800 x 400	TME 101804	61045	65790	47335	51785	TPL 101804	4605	TSC 101804	7200
1200 x 1800 x 400	TME 121804	68580	76610	53215	58985	TPL 121804	5060	TSC 121804	7200
600 x 1800 x 500	TME 061805	38785	42700	31465	35365	TPL 061805	3865	TSC 061805	8360
800 x 1800 x 500	TME 081805	45165	50850	36105	40425	TPL 081805	4355	TSC 081805	8360
1000 x 1800 x 500	TME 101805	62705	67445	49400	54465	TPL 101805	4850	TSC 101805	8360
1200 x 1800 x 500	TME 121805	69905	79420	55990	62915	TPL 121805	5275	TSC 121805	8360
800 x 1800 x 600	TME 081806	48150	50550	39205	42900	TPL 081806	4550	TSC 081806	9300
600 x 2000 x 400	TME 062004	40025	44970	30735	36525	TPL 062004	3610	TSC 062004	7745
800 x 2000 x 400	TME 082004	46575	51155	35590	40400	TPL 082004	4110	TSC 082004	7745
1000 x 2000 x 400	TME 102004	66715	70425	51870	55470	TPL 102004	4605	TSC 102004	7745
1200 x 2000 x 400	TME 122004	71670	79205	57340	64975	TPL 122004	5060	TSC 122004	7745
600 x 2000 x 500	TME 062005	42485	45990	34855	39400	TPL 062005	3865	TSC 062005	9090
800 x 2000 x 500	TME 082005	47655	52605	36725	41875	TPL 082005	4355	TSC 082005	9090
1000 x 2000 x 500	TME 102005	66000	73845	52605	58365	TPL 102005	4850	TSC 102005	9090
1200 x 2000 x 500	TME 122005	72170	79420	56720	62915	TPL 122005	5275	TSC 122005	9090
600 x 2000 x 600	TME 062006	43095	47335	36920	41160	TPL 062006	4075	TSC 062006	10115
800 x 2000 x 600	TME 082006	49300	53725	39595	44035	TPL 082006	4550	TSC 082006	10115
1000 x 2000 x 600	TME 102006	67035	76920	53415	62275	TPL 102006	5025	TSC 102006	10115
1200 x 2000 x 600	TME 122006	73585	81570	59585	67235	TPL 122006	5495	TSC 122006	10115
600 x 2000 x 800	TME 062008	44355	47655	37030	41650	TPL 062008	4550	TSC 062008	13000
800 x 2000 x 800	TME 082008	51355	55175	41970	45960	TPL 082008	5025	TSC 082008	13000
1000 x 2000 x 800	TME 102008	73585	78480	56720	62915	TPL 102008	5420	TSC 102008	13000
1200 x 2000 x 800	TME 122008	77355	85780	63545	69905	TPL 122008	5975	TSC 122008	13000
600 x 2200 x 600	TME 062206	48575	53215	38585	45775	TPL 062206	4075	TSC 062206	11715
800 x 2200 x 600	TME 082206	54975	58580	44240	48780	TPL 082206	4550	TSC 082206	11715
1000 x 2200 x 600	TME 102206	76105	81970	62535	68410	TPL 102206	5025	TSC 102206	11715
1200 x 2200 x 600	TME 122206	79085	88275	61475	68680	TPL 122206	5495	TSC 122206	11715
600 x 2200 x 800	TME 062208	52975	57460	40645	46930	TPL 062208	4550	TSC 062208	15210
800 x 2200 x 800	TME 082208	63930	67660	49110	53415	TPL 082208	5025	TSC 082208	15210
1000 x 2200 x 800	TME 102208	81040	87320	65790	70750	TPL 102208	5420	TSC 102208	15210
1200 x 2200 x 800	TME 122208	87655	92590	71775	76610	TPL 122208	5975	TSC 122208	15210


*Baying kit (BIL-14280) Rs. 2445/- is also available for Enclosure Version. For extra accessories, please contact nearest branch office.

Note : Cutout charges will be extra
Freight charges will be extra at actuals


*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**

Highlights of **BCH Compartmentalized** **MCC / PCC / PMCC Solution (Fixed & Drawed Type)**



- 100% Modular Structure; can be dispatched in flat pack.
- Flexible compartmentalized -up to Form 4b.
- IP 54 degree of protection with polyurethane foam gasket.
- Compartment size available from 200mm height & multiplies of 100mm.
- Additional accessories like Cable support, Busbar support, Limit Switch and Lamp brackets are available.
- Adjustable mounting plates (Depth wise at the pitch of 25mm).
- Panel can be expended in all 3 dimensions and bayed together by using Baying Kit.
- All Structure members (Corner & Cross bar) having M6 extrude hole at 25mm intervals, No need of any Captive hardware.
- Standard Module dimension for Drawout Enclosures.
 - ▷ Single Front :- 900(W) x 2400(H) x 600(D)
 - ▷ Double Front :- 900(W) x 2400(H) x 1200(D)
- Draw-out feeder available from 200mm height (2SU) to 800mm height (8SU).
- Colour:- RAL-7035 (Structure finish) for structure, doors, covers & internal parts - RAL-2000 (smooth finish) for Mounting plates & Black (Smooth Finish) for Plinth.
- Sheet thickness 2.0mm GPSP for structure, 2.0mm CRCA for Mounting Plate & Mounting rail, 1.6mm CRCA for Doors & Covers, 1.2mm CRCA for Separation plates.



Technical Particulars (CONTROL DESK):

- Desk body: 1.6mm CRCA sheet
- Hinged door: 1.6mm CRCA sheet
- Bottom Gland plate: 2.0mm CRCA sheet
- Mounting plate: 2.0mm GPSP sheet
- Plinth corner: 2.0mm CRCA sheet
- Plinth Trim Plates: 1.6mm CRCA sheet
- Foamed-in PU gasket at front door
- Powder coated to RAL: 7035 structure finish
- Bottom plinth painted with smooth black color
- Mounting plate Zn galvanized



Control Desk

HSN Code : 8538

Type	SIZE (WxHxD) mm	Control DESK		
		MOQ Nos.	Cat No.	List Price [₹]
SINGLE DOOR CONTROL DESK	600X1000X400	1	BIL-CD-061004	22400
SINGLE DOOR CONTROL DESK	800X1000X400	1	BIL-CD-081004	26650
SINGLE DOOR CONTROL DESK	600X1000X500	1	BIL-CD-061005	24385
SINGLE DOOR CONTROL DESK	800X1000X500	1	BIL-CD-081005	29485
DOUBLE DOOR CONTROL DESK	1000X1000X400	1	BIL-CD-101004	31185
DOUBLE DOOR CONTROL DESK	1200X1000X400	1	BIL-CD-121004	36290
DOUBLE DOOR CONTROL DESK	1000X1000X500	1	BIL-CD-101005	35615
DOUBLE DOOR CONTROL DESK	1200X1000X500	1	BIL-CD-121005	40260

Bottom Plinth for Control Desk


HSN Code : 8538

Size in MM		MOQ Nos.	Cat No	List Price [₹]
Width (W)	Depth (D)			
600	400	1	BIL-CDPL-0604	3690
800	400	1	BIL-CDPL-0804	4200
1000	400	1	BIL-CDPL-1004	4710
1200	400	1	BIL-CDPL-1204	5165
600	500	1	BIL-CDPL-0605	3970
800	500	1	BIL-CDPL-0805	4485
1000	500	1	BIL-CDPL-1005	4995
1200	500	1	BIL-CDPL-1205	5445



Key Attributes:

- Aesthetic & robust construction
- Mounting Fan in top doesn't take usable "U" space.
- Special type of Wall mounting hardware.
- Provision for earthing available in the cabinets.
- Highly corrosion resistant in nature.
- Power coated to shade RAL : 7035 structure finish.



Key Attributes:

- Floor mounting robust design.
- Lockable & removable side panels.
- 2-pairs of adjustable 19" rails.
- Front door with toughened glass & perforation.
- High load bearing capacity.
- Rear vented door.
- Provision for fan mounting in top which doesn't take usable "U" Space.
- Superior cable management facility in extra wide racks.
- 4-integrated vertical cable managers are default design of 800mm wide racks.
- Rear space saving split door with 3-point secure locking in extra wide (800mm) racks.
- Power coated to shade RAL : 7035 structure finish.

19" Wall Mount Racks

HSN Code : 8538

Dimensions (H x W x D) mm	MOQ Nos.	Cat. No.	List Price [₹]
6UX550X400	1	BIL-W-6-5504	6885
9UX550X400	1	BIL-W-9-5504	8305
6UX550X500	1	BIL-W-6-5505	7600
9UX550X500	1	BIL-W-9-5505	8855
12UX550X500	1	BIL-W-12-5505	9835
15UX550X500	1	BIL-W-15-5505	11580

MOQ-Minimum order quantity in nos.
Standard Configuration: Wallmount cabinet, 2-Pairs of 19" rail.
Notes : Accessories viz. Shelves, Fans, power strips, cable managers captive H/W & wall mounting hardware etc. will be extra as per the accessories list furnished in the price list.
Wall mount racks price do not include freight & will be extra at actuals

19" Networking Racks

HSN Code : 8538

Dimensions (H x W x D) mm	MOQ Nos.	Cat. No.	List Price [₹]
24U X 600 X 600	1	BIL-N-062406	38465
24U X 600 X 800	1	BIL-N-062408	42520
24U X 800 X 600	1	BIL-N-082406	48195
24U X 800 X 800	1	BIL-N-082408	52675
30U X 600 X 600	1	BIL-N-063006	42520
30U X 600 X 800	1	BIL-N-063008	46595
30U X 800 X 600	1	BIL-N-083006	52675
30U X 800 X 800	1	BIL-N-083008	57735
36U X 600 X 600	1	BIL-N-063606	46595
36U X 600 X 800	1	BIL-N-063608	51645
36U X 800 X 600	1	BIL-N-083606	57760
36U X 800 X 800	1	BIL-N-083608	62710
42U X 600 X 600	1	BIL-N-064206	53695
42U X 600 X 800	1	BIL-N-064208	57530
42U X 800 X 600	1	BIL-N-084206	63195
42U X 800 X 800	1	BIL-N-084208	69865
45U X 600 X 600	1	BIL-N-064506	61780
45U X 600 X 800	1	BIL-N-064508	64840
45U X 800 X 600	1	BIL-N-084506	67850
45U X 800 X 800	1	BIL-N-084508	73920

MOQ-Minimum order quantity in nos.
Notes : 1) Networking racks price do not include freight & this will be extra at actuals.
For more details visit : www.bchindia.com/technorack

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.
*GST to be charged extra

Key Attributes:

- Floor mounting robust design.
- Lockable & removable side panels.
- 2-pairs of adjustable 19" rails.
- Front door with toughened glass & perforation.
- High load bearing capacity.
- Rear vented door.
- Provision for fan mounting in top which doesn't take usable "U" Space.
- Superior cable management facility in extra wide racks.
- 4-integrated vertical cable managers are default design of 800mm wide racks.
- Rear space saving split door with 3-point secure locking
- locking in extra wide (800mm) racks.
- Power coated to shade RAL : 7035 structure finish.



Key Attributes:

- Includes 1-Pair of 21" rails.
- Integrated side panels.
- Grouting arrangements along with grouting bolts as std. BOM
- Provision for power & detachable Cable entry/exit in top & bottom.
- Power coated to shade RAL : 7035 structure finish.



Key Attributes:

- 1-Pair of vertical cable manager is default design.
- Surface pretreated and advance powder coated
- Goruting bolts as std. BOM.
- Power coated to shade RAL : 7035 structure finish.

19" Server Racks

HSN Code : 8538

Dimensions (H x W x D) mm	MOQ Nos.	Cat. No.	List Price [₹]
24U X 600 X 900	1	BIL-S-062409	43455
24U X 600 X 1000	1	BIL-S-062410	46175
30U X 600 X 900	1	BIL-S-063009	49135
30U X 600 X 1000	1	BIL-S-063010	51055
36U X 600 X 900	1	BIL-S-063609	53865
36U X 600 X 1000	1	BIL-S-063610	56745
42U X 600 X 900	1	BIL-S-064209	60570
42U X 600 X 1000	1	BIL-S-064210	64415
42U X 800 X 1000	1	BIL-S-084210	74125
45U X 600 X 900	1	BIL-S-064509	69995
45U X 600 X 1000	1	BIL-S-064510	74055

MOQ - Minimum order quantity in nos.
Notes : Server racks price do not include freight & this will be extra at actuals.

STANDARD CONFIGURATION: Basic frame, Top & bottom, Front Glass door with perforation, Rear vented door, Lockable & detachable side panels, 2-Pairs of 19" rails with depth members.

ETSI Racks

HSN Code : 8538

Dimensions (H x W x D) mm	MOQ Nos.	Cat. No.	List Price [₹]
2200 X 600 x 300	1	ITE-062203	On request
2200 X 600 x 600	1	ITE-062206	On request

MOQ - Minimum order quantity in nos.
Notes : Above ETSI configuration do not include front & rear door and covers.
All other accessories will be extra & will be furnished on request.
The prices mentioned above do not include freight.

19" Open Racks

HSN Code : 8538

Dimensions (H x W) mm	MOQ Nos.	Cat. No.	List Price [₹]
36U X 600	1	ITE-OF-0636	On request
45U X 600	1	ITE-OF-0645	On request

MOQ - Minimum order quantity in nos.
Notes : 1) Above Open Rack configuration does not include Shelves, Doors and Covers. All other accessories prices will be extra and will be furnished on request.
2) The Prices above do not include Freight and this will be extra at actuals.
For more details, visit : www.bchindia.com/technorack

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

*GST to be charged extra

Accessories for 19" Racks

Shelves		HSN Code : 8538
Description	Cat No.	List Price [₹]
Fixed Shelf (600mmD)	BIL-A-FS-L-06	1755
Fixed Shelf (800mmD)	BIL-A-FS-L-08	2715
Fixed Shelf (900mmD)	BIL-A-FS-L-09	3015
Fixed Shelf (1000mmD)	BIL-A-FS-L-10	3245
Key board tray (Sliding & Rotatory)	BIL-A-KB-06	5185
Canteliver Shelf (1U)	BIL-A-CS-1	1050
Canteliver Shelf (2U)	BIL-A-CS-2	1555
Equipment Support Angle (600mmD)	BIL-A-ESA-06	665
Equipment Support Angle (800mmD)	BIL-A-ESA-08	750
Equipment Support Angle (900mmD)	BIL-A-ESA-09	920
Equipment Support Angle (1000mmD)	BIL-A-ESA-10	1075
Sliding Shelf (900mmD)	BIL-A-SS-09	5185
Sliding Shelf (1000mmD)	BIL-A-SS-10	5380
Thermal Management		HSN Code : 8538
Description	Cat No.	List Price [₹]
1-Fan (Direct mounted)	BIL-A-SF	1755
Fan-tray with 2-Fans (FHU)	BIL-A-FHU-2FANS	3745
Fan-tray with 4-Fans (FHU)	BIL-A-FHU-4FANS	6520
Cable Management		HSN Code : 8538
Description	Cat No.	List Price [₹]
Horizontal Cable Manager (1U)	BIL-A-HCM-1U	420
Horizontal Cable Manager (2U)	BIL-A-HCM-2U	520
Vertical Cable Manager (24U)	BIL-A-VCM-24U	665
Vertical Cable Manager (30U)	BIL-A-VCM-30U	835
Vertical Cable Manager (36U)	BIL-A-VCM-36U	955
Vertical Cable Manager (42U)	BIL-A-VCM-42U	1050
Vertical Cable Manager (45U)	BIL-A-VCM-45U	1150
Power Management		HSN Code : 8538
Description	Cat No.	List Price [₹]
6-Point 5Amp Horizontal Power Strip (19")	BIL-A-HPS-5AMP	1720
5-Point 5/15Amp Horizontal Power Strip (19")	BIL-A-HPS-15AMP	2285
12-Point 5Amp Vertical Power Strip	BIL-A-12VPS-5AMP	3340
10-Point 5/15Amp Vertical Power Strip	BIL-A-10VPS-15AMP	3830
Earth continuity Kit (Earthing Kit)	BIL-A-ECT	1305
Stability Management		HSN Code : 8538
Description	Cat No.	List Price [₹]
Castors (1-Set) Heavy Duty	BIL-A-CAS-HD	6255
Castors (1-Set) Light Duty	BIL-A-CAS	4980
Levelling Feet (1-Set)	BIL-A-LF	855
Miscellaneous		HSN Code : 8538
Description	Cat No.	List Price [₹]
BAYING KIT	BIL-A-BK	620
BLANKING PANEL (1U)	BIL-A-BP-1U	295
BLANKING PANEL (2U)	BIL-A-BP-2U	390
BLANKING PANEL (3U)	BIL-A-BP-3U	485
BLANKING PANEL (4U)	BIL-A-BP-4U	600
BLANKING PANEL (5U)	BIL-A-BP-5U	675
Captive H/w (set of 10)	BIL-A-Captive-M6	295
Wallmounting H/w (set of 4)	BIL-A-WALLMOUNTHW	305

Fixed Shelf/Stationary Shelf

- Compatible to keep monitor, servers, non 19" Networking & allied equipments.

Key-Board Tray

- Sliding & rotatory type.

Canteliver Shelf

- It can accomodate light weighted networking & allied equipments like modem, routers etc.

Equipment Support Angle

- "L" type angles. Useful to keep non 19" heavy duty equipment in rack mounting position.

Sliding Shelf

- Useful to keep servers, networking & allied equipment which are required to slide out for operational & other purpose.

Fans/Fan Tray

- 220V 90 CFM Capacity. Can be mounted at the top either directly or through Fan housing unit (Fan Tray)

6-Point 5A Hor. Power Strip

- All universal type socket along with on/off switch with fuse & indicator. Internal strips are made up of Berellium copper that has high rate of heat & mechanical tolerance.
- Other 5A or 5/15A Power strips have Indian style (Anchor) Sockets with on/off switch/MCB.

Castors

- 1-Set includes 4Nos. of castors, 2Nos. with foot operated brake & remaining 2 are free.

Levelling Feet

- 1-Set includes 4Nos. of Levelling Feet.

Stability Plate

- It Prevents the racks from toppling while taking out heavy duty servers.

Notes : Packing & forwarding will be extra if accessories are ordered separately.

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.
*GST to be charged extra

Non Metallic Enclosure



Technical Particulars :

- Enclosure with In built hinges for front door
- Pad locking provision for front door
- Suitable for wall & pole mounting
- Front door locked with rust proof hardware
- Silicon Gasket between enclosure and front door for sealing
- Protection Category IP-67

Type-1 (Inbuilt Hinged Door Enclosure)

Size (WxHxD) mm	MOQ	Box & Cover both in ABS		Box in ABS & Cover in PC(TR)		Box & Cover both in PC	
		Cat No.	List Price[₹]	Cat No.	List Price[₹]	Cat No.	List Price[₹]
210X257X90	17	BIL-AB-1.01	1445	BIL-AP-1.01	1600	BIL-PC-1.01	1760
225X275X105	17	BIL-AB-1.02	1490	BIL-AP-1.02	1655	BIL-PC-1.02	1810
200X280X140	12	BIL-AB-1.03	1745	BIL-AP-1.03	1930	BIL-PC-1.03	2115
280X280X130	8	BIL-AB-1.04	2065	BIL-AP-1.04	2285	BIL-PC-1.04	2495
300X350X146	6	BIL-AB-1.05A	2920	BIL-AP-1.05A	3245	BIL-PC-1.05A	3580
300X350X205	4	BIL-AB-1.05B	3160	BIL-AP-1.05B	3505	BIL-PC-1.05B	3860
644X674X277	1	NA	-	NA	-	BIL-PC-1.06	21010

Technical Particulars :

- Plain walled enclosures came along with front removable Cover
- Rust proof polyamide screw for front cover
- Equipped with parallel inner bush ribs for din channels Self-tapping screws
- Silicon Gasket between enclosure and front cover for sealing
- Protection Category IP-67

Type-2 (Plain Walled Industrial Enclosure)

Size (WxHxD) mm	MOQ	Box & Cover both in ABS		Box in ABS & Cover in PC(TR)		Box & Cover both in PC	
		Cat No.	List Price[₹]	Cat No.	List Price[₹]	Cat No.	List Price[₹]
130X180X100	40	BIL-AB-2.00A	885	BIL-AP-2.00A	965	BIL-PC-2.00A	1045
180X180X100	26	BIL-AB-2.01A	1035	BIL-AP-2.01A	1135	BIL-PC-2.01A	1235
180X180X138	16	BIL-AB-2.01	1175	BIL-AP-2.01	1280	BIL-PC-2.01	1395
180X240X138	16	BIL-AB-2.02	1455	BIL-AP-2.02	1600	BIL-PC-2.02	1745
240X320X138	10	BIL-AB-2.03	2155	BIL-AP-2.03	2380	BIL-PC-2.03	2610
320X420X138	6	BIL-AB-2.04	3320	BIL-AP-2.04	3675	BIL-PC-2.04	4030
320X420X210	4	BIL-AB-2.04B	4240	BIL-AP-2.04B	4640	BIL-PC-2.04B	5030
420X640X160	3	BIL-AB-2.05A	6110	BIL-AP-2.05A	6855	BIL-PC-2.05A	7605
420X640X210	2	NA	-	NA	-	BIL-PC-2.05B	9275
380X640X230	2	NA	-	NA	-	BIL-PC-2.06	7540

Technical Particulars :

- Modular in nature and ideal for LV compartmentalized Panel
- Knock outs on box walls for bus bar and cables routing
- Molded silicon push lock jointing kits to maintain IP rating of enclosure After joining each other
- Silicon Gasket between enclosure and front cover for sealing
- Can be joined in modules to make any size of electrical LV panel
- Protection Category IP-67

Type-3 (Modular Panel Enclosure)

Size (WxHxD) mm	MOQ	Box & Cover both in ABS		Box in ABS & Cover in PC(TR)		Box & Cover both in PC	
		Cat No.	List Price[₹]	Cat No.	List Price[₹]	Cat No.	List Price[₹]
150X300X135	13	BIL-AB-3.01A	2305	BIL-AP-3.01A	2515	BIL-PC-3.01A	2725
150X300X210	12	BIL-AB-3.01B	2715	BIL-AP-3.01B	2965	BIL-PC-3.01B	3205
300X300X210	4	BIL-AB-3.02	3750	BIL-AP-3.02	4125	BIL-PC-3.02	4490
300X450X210	4	BIL-AB-3.03	4580	BIL-AP-3.03	5030	BIL-PC-3.03	5495
300X600X210	6	BIL-AB-3.04	5665	BIL-AP-3.04	6265	BIL-PC-3.04	6855

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

*GST to be charged extra

www.bchindia.com

Non Metallic Enclosure



Type-4 (Junction Boxes)

Technical Particulars :

- Equipped with multiple knockouts to accommodate different size of cables
- Front cover fixes with SS304 screws
- No of inner bush for din rail fixing
- Silicon Gasket between enclosure and front cover for sealing
- Outside bushes provided to mount box without tampering enclosures to maintain IP rating
- Protection Category IP-67

Size (WxHxD) mm	MOQ	Box & Cover both in ABS		Box in ABS & Cover in PC(TR)		Box & Cover both in PC	
		Cat No.	List Price[₹]	Cat No.	List Price[₹]	Cat No.	List Price[₹]
100X100X60	160	BIL-AB-4.01B	400	BIL-AP-4.01B	430	BIL-PC-4.01B	455
120X120X70	120	BIL-AB-4.02B	515	BIL-AP-4.02B	560	BIL-PC-4.02B	600
120X150X80	80	BIL-AB-4.03B	640	BIL-AP-4.03B	695	BIL-PC-4.03B	750
140X140X100	50	BIL-AB-4.04B	750	BIL-AP-4.04B	810	BIL-PC-4.04B	875
140X180X100	38	BIL-AB-4.05B	820	BIL-AP-4.05B	895	BIL-PC-4.05B	975
160X210X100	32	BIL-AB-4.06	1005	BIL-AP-4.06	1090	BIL-PC-4.06	1175
210X260X120	17	BIL-AB-4.07	1660	BIL-AP-4.07	1960	BIL-PC-4.07	2255

Technical Particulars :

- Suitable for wall or Pole mounting
- Polycarbonate hinged window for easy operation of MCB
- Number of horizontal inner bush for din rail fixing
- Rust proof SS304 screw for front cover fixing
- Silicon Gasket between enclosure and front cover for sealing
- Front cover fixed with rust proof SS304 screws
- Protection Category IP-65

Type-5 (Power Distribution Boxes With Poly Carbonate Window)

Size (WxHxD) mm	MOQ	Box & Cover both in ABS		Box in ABS & Cover in PC(TR)		Box & Cover both in PC	
		Cat No.	List Price[₹]	Cat No.	List Price[₹]	Cat No.	List Price[₹]
98X138X75	80	NA	-	BIL-AP-5.01 Eco	1015	NA	-
76X170X95	60	NA	-	BIL-AP-5.01B Eco	915	NA	-
100X225X100	40	NA	-	BIL-AP-5.01	1430	NA	-
115X160X75	50	NA	-	BIL-AP-5.02 Eco	1305	NA	-
118X170X95	50	NA	-	BIL-AP-5.02B Eco	1150	NA	-
150X225X100	25	NA	-	BIL-AP-5.02	1845	NA	-
225X225X100	20	NA	-	BIL-AP-5.03	2360	NA	-
225X300X100	17	NA	-	BIL-AP-5.04	2875	NA	-
300X400X100	8	NA	-	BIL-AP-5.05 A	4250	NA	-
300X400X100	8	NA	-	BIL-AP-5.05	5260	NA	-
300X600X100	5	NA	-	BIL-AP-5.06	7510	NA	-

Technical Particulars :

- Provision of outside mounting on enclosure
- Suitable for heavy duty application like Bus bars, industrial plugs sockets & Solar application
- Number of horizontal inner bush for din rail fixing
- Rust proof SS304 screw for front cover fixing
- Silicon Gasket between enclosure and front cover for sealing
- Protection Category IP-67

Type-6 (Enclosure With External Mounting)

Size (WxHxD) mm	MOQ	Box & Cover both in ABS		Box in ABS & Cover in PC(TR)		Box & Cover both in PC	
		Cat No.	List Price[₹]	Cat No.	List Price[₹]	Cat No.	List Price[₹]
98X138X68	80	BIL-AB-6.01	490	NA	-	NA	-
98X200X60	60	BIL-AB-6.02A	640	BIL-AP-6.02A	690	NA	-
98X200X82	50	BIL-AB-6.02B	760	BIL-AP-6.02B	820	NA	-
138X138X82	50	BIL-AB-6.03	660	BIL-AP-6.03	705	NA	-
138X225X68	40	BIL-AB-6.04	905	NA	-	NA	-
160X225X100	35	BIL-AB-6.05	1235	NA	-	NA	-
225X225X115	20	BIL-AB-6.06A	1100	BIL-AP-6.06A	1185	NA	-
225X225X180	12	BIL-AB-6.06B	1365	BIL-AP-6.06B	1480	NA	-
225X300X115	17	BIL-AB-6.07	1925	BIL-AP-6.07	2125	NA	-
300X400X100	8	BIL-AB-6.08	3095	NA	-	NA	-
300X600X100	5	BIL-AB-6.09	4385	NA	-	NA	-

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

*GST to be charged extra

www.bchindia.com

Effective from 19.08.2026



19

- Technical Particulars :
- Specially designed for IT, electronics and automation industrial solutions
 - Available in 31 different sizes
 - Provision of PCB & Electronics component mounting
 - Rust proof SS304 screw for front cover fixing
 - Silicon Gasket between enclosure and front door for sealing
 - Suitable for wall & pole mounting
 - Protection Category IP-67

Type-7 (Enclosure With External Mounting)

Size (WxHxD) mm	MOQ	Box & Cover both in ABS		Box in ABS & Cover in PC(TR)		Box & Cover both in PC	
		Cat No.	List Price[₹]	Cat No.	List Price[₹]	Cat No.	List Price[₹]
56X80X40	100	BIL-AB-7.01	350	NA	-	BIL-PC-7.01	390
100X100X62	80	BIL-AB-7.02	525	BIL-AP-7.02	570	NA	-
65X115X40	100	BIL-AB-7.03	400	NA	-	NA	-
80X125X56	100	BIL-AB-7.04	515	NA	-	NA	-
125X125X62	60	BIL-AB-7.05	640	BIL-AP-7.05	700	NA	-
90X134X36	100	BIL-AB-7.06A	455	NA	-	NA	-
90X134X56	100	BIL-AB-7.06B	590	NA	-	NA	-
120X140X76	80	BIL-AB-7.07	820	BIL-AP-7.07	895	NA	-
120X140X100	60	BIL-AB-7.07B	855	BIL-AP-7.07B	935	NA	-
150X150X75	50	BIL-AB-7.08	685	NA	-	NA	-
132X150X40	50	BIL-AB-7.08A	935	BIL-AP-7.08A	1025	BIL-PC-7.08A	1110
150X150X100	50	BIL-AB-7.08C	1035	BIL-AP-7.08C	1130	BIL-PC-7.08C	1225
115X160X55	60	BIL-AB-7.09A	810	NA	-	NA	-
115X160X75	60	BIL-AB-7.09B	885	NA	-	NA	-
125X170X66	60	BIL-AB-7.10A	960	BIL-AP-7.10A	On Request	BIL-PC-7.10A	1065
125X170X115	36	BIL-AB-7.10B	1050	NA	-	BIL-PC-7.10B	1175
124X175X36	60	BIL-AB-7.11	525	NA	-	NA	-
160X180X75	45	BIL-AB-7.12	1005	NA	-	NA	-
125X205X75	18	BIL-AB-7.13	985	NA	-	NA	-
80X210X55	60	BIL-AB-7.13A	885	NA	-	NA	-
125X230X90	20	BIL-AB-7.14	1025	NA	-	NA	-
70X240X92	56	BIL-AB-7.15	1015	NA	-	NA	-
200X250X90	16	BIL-AB-7.16	2090	NA	-	NA	-
176X260X92	16	BIL-AB-7.18	1725	BIL-AP-7.18	1885	BIL-PC-7.18	2050
225X315X90	16	BIL-AB-7.19	1215	NA	-	NA	-
260X350X90	10	BIL-AB-7.20	2665	NA	-	NA	-
58X84X33	100	BIL-AB-7.01L	325	BIL-AP-7.01L	345	NA	-
70X100X50	100	BIL-AB-7.02L	465	BIL-AP-7.02L	495	BIL-PC-7.02L	525
80X160X55	84	BIL-AB-7.03L	770	BIL-AP-7.03L	820	NA	-



*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

*GST to be charged extra
www.bchindia.com

Effective from 19.08.2026

Technical Particulars

- Cooling Capacity: 500-2000 Watt
- Ingress Protection: Internal IP 54 protection
- Temperature Control: Digital controller with display
- Twin Air Flow: Efficient internal cooling & external heat dissipation
- Compressor: Hermitically Sealed with Reciprocatory /Rotary technology
- Drain Pipe: Remove moisture / condensate in the panel
- Fans: High-reliability backward curve fans

Options On Request

- Potential free alarm for high and low temperature
- Door limit switch interference
- Aluminum/Galvanized / Stainless steel body
- Custom built sizes
- IP55 Certified BCH Panel Air conditioners
- For outdoor panel air conditioner applications, please contact your nearest BCH Branch.
- For cooling capacities below 500 W or above 2000 W, please contact your nearest BCH Branch for customized solutions.

HSN Code: 84158290

Cooling Capacity (Watt)	Rated Current (Amp)	Width (mm)	Height (mm)	Depth (mm)	Cat No	Standard Packing	List Price [₹]
500	2.5	280	600	230	BIL-PAC500	1 Nos	On Request
1000	3.5	300	780	250	BIL-PAC1000	1 Nos	On Request
1500	5.5	390	950	260	BIL-PAC1500	1 Nos	On Request
2000	8	400	950	300	BIL-PAC2000	1 Nos	On Request



*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.
*GST to be charged extra



BCH

Price List

General Terms & Conditions

Prices are subject to change without any prior notice and will be applicable as prevailing at the time of dispatch.

- The prices are ex-works basis..
- The prices given in this list are effective as on date and are subject to change without notice.
- The List Prices (LP) mentioned are exclusive of GST.
- The duties, taxes and other statutory levies are based on rates prevailing at the time of billing. Any subsequent revision of those rates having retrospective effective shall be to customer's account.
- In case where any GST exemption has been claimed, the purchaser is responsible for providing the necessary GST exemption form within the specified period, failing which the purchaser would be liable for the payment of full GST plus applicable interest and penalties
- All Prices are in Indian Rupees (₹).
- Alteration made after receipt of confirmation of order are subject to price & delivery revisions and any other expenses or levies
- The dispute, if any, will be resolved mutually by discussion. However, if no settlement is forthcoming then, the Courts at New Delhi shall only have territorial jurisdiction to hear and decide the dispute.

Warranty

All products unless specifically mentioned otherwise, shall have warranty against manufacturing defects only for a period of 12* months from the date of invoice or 18 months from the date of manufacturing whichever is later. The Company shall not be liable to give warranty replacement / service for the products damaged due to negligence or wrong application of the product by the customer.

* Proof of purchase to be retained to avail warranty.

***List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.**

***GST to be charged extra**

www.bchindia.com



a strong commitment
to serve better
always ...



**Power Distribution | Industrial Control & Protections| Industrial Brakes
Industrial Automation & Safety| Starters| Enclosures| Wires & Cables|FDP
Power Quality & Energy Management |Electric Motors |Switchboards & Solutions**



BCH

**BCH
ELECTRIC
LIMITED**

www.bchindia.com

Power Distribution
Final Distribution Products
Industrial Control & Protection
Industrial Brakes
Industrial Automation & Safety
Starters
Enclosures
Wires & Cables
Power Quality & Energy Management
Electric Motors
Switchboards & Solutions
Power Bus Duct



BCH ELECTRIC LIMITED



www.bchindia.com



1800-103-9262
customer@bchindia.com

Visit us at : www.bchindia.com

Registered & Corporate Office : 1105, New Delhi House, 27, Barakhamba Road, New Delhi - 110 001 Tel. : 91-11- 43673100
CIN : U31103DL1965PLC425953, **Customercare No.** 1800-103-9262, **E-mail :** marketing@bchindia.com
Works 1 : 20/4, Mathura Road, Faridabad - 121 006 (Haryana) Tel. : 0129-4063000/4293000 Fax : 0129-2304016
Works 2 : 64-68, Sector-7, IIE, Pant Nagar, Rudrapur, Udham Singh Nagar - 263 153 (Uttarakhand) Tel. : 05944-250214/16 Fax : 05944-250215

Sales Offices :

Ahmedabad 401, Ship Zeveri, Beside Shyamal Iconic, Above Westside, Shyamal Cross Road, Ahmedabad - 380015 E-mail.: ahmedabad@bchindia.com	Bangalore 2nd Floor, 130/5, K.H. Road (Double road), Bangalore - 560 027 Tel. : 080-41144879 / 22236759 E-mail : bangalore@bchindia.com	Bhubaneswar Mallick Commercial Complex Plot No.: A/69, unit - 3 Bhubaneswar - 751 001 Tel.: 0674-2380988 E-mail.: bhubaneswar@bchindia.com	Chandigarh (Panchkula) SCO -270, 2nd Floor, Sector-16, Panchkula Haryana-134 113 Tel.: 0172-5078957 / 5049905 E-mail.: chandigarh@bchindia.com	Chennai Flat No. 3A, 3rd Floor, Sree Apartments, No.508, TTK Road, Alwarpet, Chennai 600 018 Tel.: 044-24337046, 24337047 E-mail : chennai@bchindia.com	Coimbatore 87, Dr. Nanjappa Road, Coimbatore - 641 018 Tel. : 0422-2305311 / 2302599 E-mail : coimbatore@bchindia.com
Delhi 1 801, Akash Deep Building, 26A, Barakhamba Road, New Delhi - 110 001 Tel. : 011-23313878 / 43518200 E-mail : delhi@bchindia.com	Delhi 2 710, Deepali Building, 92 Nehru Place, New Delhi - 110 019 Tel. : 011-45720334 E-mail : delhi2@bchindia.com	Dehradun 8, Co-operative Industrial Estate, Patel Nagar, Dehradun-248001 E-mail : dehradun@bchindia.com	Faridabad 20/4, Mathura Road, Faridabad - 121 006 (Haryana) Tel/fax. : 0129-4293009 E-mail : faridabad@bchindia.com	Hyderabad 1-8-303/48/13/102, Arya One, 2nd Floor, P. G. Road, Secunderabad - 500 003 Tel. : 040-66206263/27890306 Fax : 040-66207273 E-mail : hyderabad@bchindia.com	Indore 330-331, Indraprastha Tower, 3rd Floor, 6, M.G. Road, Indore - 452 001 Tel. : 0731-2510011 / 2510012 E-mail : indore@bchindia.com
Jaipur 25, Hathroi, Gopalbari, Jaipur - 302 001 Tel. : 0141-2363521 E-mail : jaipur@bchindia.com	Jamshedpur A.J. Tower, 2B, 2nd Floor, R-Road, Bistupur, Jamshedpur - 831 001 E-mail : jamshedpur@bchindia.com	Kolkata Block 1E, 216, Acharya Jagadish Chandra Bose Road, Kolkata - 700 017 Tel. : 033-22871728 / 46021884 E-mail : kolkata@bchindia.com	Lucknow Shop No. 3, First Floor, Tower T-10, Millennium Place IBB - 2, Sushant Golf City, Sultanpur Road, Lucknow U.P. - 226030 Tel. : 0522-4025597/4025997 E-mail : lucknow@bchindia.com	Ludhiana S.C.O.- 18, 2nd Floor, Feroze Gandhi Market, Ludhiana - 140 001 Tel. : 0161-5021807/5022808 E-mail : ludhiana@bchindia.com	Madurai 12, Parvathi Plaza-3rd Floor, 70 Feet Road, Ellis Nagar Madurai-625016, Tamilnadu Email: madurai@bchindia.com
Mumbai A-151, Mittal Tower, Nariman Point, Mumbai - 400 021 Tel. : 022-22822947/22850162 Fax : 022-22822858 E-mail : mumbai@bchindia.com	Patna No.703, 7th Floor, Luv Kush Tower, Exhibition Road, Patna - 800001	Pune A-605, 6th Floor, Kumar Surabhi Building, Pune Satara Road, Opposite Sai Baba Temple, Pune - 411009 E-mail : pune@bchindia.com	Raipur 6th Floor, Office No. 607, Babylon Capital, Near Oswal Petrol Pump, VIP Chowk, G.E. Road, Raipur - 492 006 Tel. : 0771- 4045053 E-mail : raipur@bchindia.com	Vadodara 301, Third Floor, "Florence Classic", 10, Ashapuri Co-Op. Hsg. Soc. Ltd., Opp. VUDA Housing, Near Cow Circle, Akota, Vadodara - 390 020 Tel. : 0265-2345068/2345069 Telefax : 0265-2345068, E-mail : vadodara@bchindia.com	

Other Branch Locations

Cochin : cochin@bchindia.com, **Guwahati** : guwahati@bchindia.com, **Vishakapatnam** : vizag@bchindia.com, **Surat** : surat@bchindia.com, **Trichy** : Trichy@bchindia.com

Resident Engineer Locations

Agra	Bhopal	Hospet	Kanpur	Muzaffarnagar	Rajahmundry	Silliguri	Varanasi
Ahmednagar	Calicut	Hubli	Karimnagar	Nanded	Ranchi	Solapur	Vijaywada
Ambala	Goa	Idukki	Karnal	Nashik	Rourkela	Srinagar	Vishakapatnam
Anantapur	Gulbarga	Jabalpur	Kota	Panipat	Rudarpur	Trivendrum	Vellore
Ankleshwar	Gurgaon	Jalandhar	Kurnool	Salem	Tirunelveli	Vilupuram	
Aurangabad	Haridwar	Jodhpur	Midnapore	Puducherry	Sikar	Udaipur	Warangal
Bhiwadi	Hisar	Kashipur	Mahua	Rajkot	Silchar	Vapi	Yamunanagar

Since product improvement is a continuous process, the data furnished in this brochure may undergo revision without prior notice.