


PRICE LIST (w.e.f. 5th April 2024)




SR	PHOTO	SRO	PRODUCT / DESCRIPTION	COIL	COIL	PER BOX	HSN	UNIT MRP
NO.		NO.		VOLTAGE	Ohms (± 10%)	(In Nos.)	CODE	(In INR)
1	MPC V1 : PLUG-IN TYPE RELAYS 6 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops)							
  	1944	MPC 2C 6D 6 Amps L V1	6 VDC	40	20	85364100	264.00	
	1945	MPC 2C 12D 6 Amps L V1	12 VDC	160	20	85364100	235.00	
	1946	MPC 2C 18D 6 Amps L V1	18 VDC	350	20	85364100	279.00	
	1947	MPC 2C 24D 6 Amps L V1	24 VDC	650	20	85364100	235.00	
	1948	MPC 2C 30D 6 Amps L V1	30 VDC	1.0K	20	85364100	254.00	
	1949	MPC 2C 48D 6 Amps L V1	48 VDC	2.6K	20	85364100	254.00	
	1950	MPC 2C 110D 6 Amps L V1	110 VDC	11K	20	85364900	274.00	
	1943	MPC 2C 220D 6 Amps L V1	220 VDC	54K	20	85364900	308.00	
	1981	MPC 2C 6A 6 Amps L V1	6 VAC	12	20	85364100	261.00	
	1971	MPC 2C 12A 6 Amps L V1	12 VAC	46	20	85364100	237.00	
	1973	MPC 2C 24A 6 Amps L V1	24 VAC	180	20	85364100	248.00	
	1984	MPC 2C 48A 6 Amps L V1	48 VAC	735	20	85364100	249.00	
	1974	MPC 2C 110A 6 Amps L V1	110 VAC	4.4K	20	85364900	248.00	
	1975	MPC 2C 240A 6 Amps L V1	240 VAC	19K	20	85364900	286.00	
	1972	MPC 2C 415A 6 Amps L V1	415 VAC	54K	20	85364900	308.00	
	1957	MPC 3C 6D 6 Amps L V1	6 VDC	40	20	85364100	308.00	
	1951	MPC 3C 12D 6 Amps L V1	12 VDC	160	20	85364100	286.00	
	1952	MPC 3C 18D 6 Amps L V1	18 VDC	350	20	85364100	298.00	
	1953	MPC 3C 24D 6 Amps L V1	24 VDC	650	20	85364100	286.00	
	1954	MPC 3C 30D 6 Amps L V1	30 VDC	1.0K	20	85364100	320.00	
	19401	MPC 3C 48D 6 Amps L V1	48 VDC	2.6K	20	85364100	320.00	
	19403	MPC 3C 110D 6 Amps L V1	110 VDC	11K	20	85364900	330.00	
	1956	MPC 3C 220D 6 Amps L V1	220 VDC	54K	20	85364900	430.00	
	1982	MPC 3C 6A 6 Amps L V1	6 VAC	12	20	85364100	288.00	
	1976	MPC 3C 12A 6 Amps L V1	12 VAC	46	20	85364100	286.00	
	1977	MPC 3C 24A 6 Amps L V1	24 VAC	180	20	85364100	286.00	
	1983	MPC 3C 48A 6 Amps L V1	48 VAC	735	20	85364100	330.00	
	1978	MPC 3C 110A 6 Amps L V1	110 VAC	4.4K	20	85364900	330.00	
	1979	MPC 3C 240A 6 Amps L V1	240 VAC	19K	20	85364900	345.00	
	1980	MPC 3C 415A 6 Amps L V1	415 VAC	54K	20	85364900	430.00	
2	MPC V1 : PLUG-IN TYPE RELAYS 12 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops)							
 	6251	MPC 2C 6D 12 Amps L V1	6 VDC	40	20	85364100	291.00	
	6252	MPC 2C 12D 12 Amps L V1	12 VDC	160	20	85364100	262.00	
	6253	MPC 2C 18D 12 Amps L V1	18 VDC	350	20	85364100	306.00	
	6254	MPC 2C 24D 12 Amps L V1	24 VDC	650	20	85364100	262.00	
	6255	MPC 2C 30D 12 Amps L V1	30 VDC	1.0K	20	85364100	280.00	
	6256	MPC 2C 48D 12 Amps L V1	48 VDC	2.6K	20	85364100	280.00	
	6257	MPC 2C 110D 12 Amps L V1	110 VDC	11K	20	85364900	301.00	
	6258	MPC 2C 220D 12 Amps L V1	220 VDC	54K	20	85364900	335.00	
	6261	MPC 2C 6A 12 Amps L V1	6 VAC	12	20	85364100	286.00	
	6262	MPC 2C 12A 12 Amps L V1	12 VAC	46	20	85364100	275.00	
	6263	MPC 2C 24A 12 Amps L V1	24 VAC	180	20	85364100	275.00	
	6264	MPC 2C 110A 12 Amps L V1	110 VAC	4.4K	20	85364900	301.00	
	6265	MPC 2C 240A 12 Amps L V1	240 VAC	19K	20	85364900	327.00	
	6266	MPC 2C 415A 12 Amps L V1	415 VAC	54K	20	85364900	335.00	
	6271	MPC 3C 6D 12 Amps L V1	6 VDC	40	20	85364100	350.00	
	6272	MPC 3C 12D 12 Amps L V1	12 VDC	160	20	85364100	328.00	
	6273	MPC 3C 18D 12 Amps L V1	18 VDC	350	20	85364100	338.00	
	6274	MPC 3C 24D 12 Amps L V1	24 VDC	650	20	85364100	328.00	
	6275	MPC 3C 30D 12 Amps L V1	30 VDC	1.0K	20	85364100	360.00	
	6276	MPC 3C 48D 12 Amps L V1	48 VDC	2.6K	20	85364100	360.00	
	6277	MPC 3C 110D 12 Amps L V1	110 VDC	11K	20	85364900	372.00	
	6278	MPC 3C 220D 12 Amps L V1	220 VDC	54K	20	85364900	470.00	

Page 1 of 11

SR	PHOTO	SRO	PRODUCT / DESCRIPTION	COIL	COIL	PER BOX	HSN	UNIT MRP
NO.		NO.		VOLTAGE	Ohms (± 10%)	(In Nos.)	CODE	(In INR)
		6281	MPC 3C 6A 12 Amps L V1	6 VAC	12	20	85364100	344.00
		6282	MPC 3C 12A 12 Amps L V1	12 VAC	46	20	85364100	343.00
		6283	MPC 3C 24A 12 Amps L V1	24 VAC	180	20	85364100	343.00
		6284	MPC 3C 110A 12 Amps L V1	110 VAC	4.4K	20	85364900	372.00
		6285	MPC 3C 240A 12 Amps L V1	240 VAC	19K	20	85364900	389.00
		6286	MPC 3C 415A 12 Amps L V1	415 VAC	54K	20	85364900	470.00



3

MPC : PLUG-IN TYPE RELAYS 5 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops)

	544	MPC 2C 6D 5 Amps L	6 VDC	30	20	85364100	320.00
	545	MPC 2C 12D 5 Amps L	12 VDC	200	20	85364100	275.00
	546	MPC 2C 18D 5 Amps L	18 VDC	390	20	85364100	324.00
	547	MPC 2C 24D 5 Amps L	24 VDC	500	20	85364100	278.00
	54412	MPC 2C 30D 5 Amps L	30 VDC	750	20	85364100	356.00
	54400	MPC 2C 48D 5 Amps L	48 VDC	2.25K	20	85364100	329.00
	54402	MPC 2C 110D 5 Amps L	110 VDC	10K	20	85364900	331.00
	543	MPC 2C 220D 5 Amps L	220 VDC	50K	20	85364900	373.00
	54452	MPC 2C 250D 5 Amps L	250 VDC	54K	20	85364900	525.00
	581	MPC 2C 6A 5 Amps L	6 VAC	7	20	85364100	294.00
	571	MPC 2C 12A 5 Amps L	12 VAC	30	20	85364100	301.00
	573	MPC 2C 24A 5 Amps L	24 VAC	110	20	85364100	299.00
	584	MPC 2C 48A 5 Amps L	48 VAC	440	20	85364100	312.00
	574	MPC 2C 110A 5 Amps L	110 VAC	2.4K	20	85364900	303.00
	575	MPC 2C 240A 5 Amps L	240 VAC	9.5K	20	85364900	335.00
	572	MPC 2C 400A 5 Amps L	400 VAC	27K	20	85364900	532.00
	550	MPC 3C 6D 5 Amps L	6 VDC	30	20	85364100	452.00
	551	MPC 3C 12D 5 Amps L	12 VDC	150	20	85364100	345.00
	552	MPC 3C 18D 5 Amps L	18 VDC	390	20	85364100	362.00
	553	MPC 3C 24D 5 Amps L	24 VDC	500	20	85364100	338.00
	54411	MPC 3C 30D 5 Amps L	30 VDC	750	20	85364100	395.00
	54401	MPC 3C 48D 5 Amps L	48 VDC	2.25K	20	85364100	398.00
	54403	MPC 3C 110D 5 Amps L	110 VDC	10K	20	85364900	384.00
	556	MPC 3C 220D 5 Amps L	220 VDC	50K	20	85364900	470.00
	582	MPC 3C 6A 5 Amps L	6 VAC	7	20	85364100	345.00
	576	MPC 3C 12A 5 Amps L	12 VAC	30	20	85364100	352.00
	577	MPC 3C 24A 5 Amps L	24 VAC	110	20	85364100	332.00
	54305	MPC 3C 48A 5 Amps L	48 VAC	440	20	85364100	360.00
	578	MPC 3C 110A 5 Amps L	110 VAC	2.4K	20	85364900	351.00
	579	MPC 3C 240A 5 Amps L	240 VAC	9.5K	20	85364900	380.00
	580	MPC 3C 400A 5 Amps L	400 VAC	27K	20	85364900	565.00

4

MPC : PLUG-IN TYPE RELAYS 10 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops)



	44	MPC 2C 6D 10 Amps L	6 VDC	30	20	85364100	347.00
	45	MPC 2C 12D 10 Amps L	12 VDC	200	20	85364100	301.00
	47	MPC 2C 24D 10 Amps L	24 VDC	500	20	85364100	305.00
	4412	MPC 2C 30D 10 Amps L	30 VDC	750	20	85364100	382.00
	4400	MPC 2C 48D 10 Amps L	48 VDC	2.25K	20	85364100	354.00
	4402	MPC 2C 110D 10 Amps L	110 VDC	10K	20	85364900	356.00
	15043	MPC 2C 220D 10 Amps L	220 VDC	50K	20	85364900	399.00
	4455	MPC 2C 250D 10 Amps L	250 VDC	54K	20	85364900	551.00
	81	MPC 2C 6A 10 Amps L	6 VAC	7	20	85364100	319.00
	71	MPC 2C 12A 10 Amps L	12 VAC	30	20	85364100	320.00
	73	MPC 2C 24A 10 Amps L	24 VAC	110	20	85364100	307.00
	74	MPC 2C 110A 10 Amps L	110 VAC	2.4K	20	85364900	330.00
	75	MPC 2C 240A 10 Amps L	240 VAC	9.5K	20	85364900	360.00
	72	MPC 2C 400A 10 Amps L	400 VAC	27K	20	85364900	559.00
	51	MPC 3C 12D 10 Amps L	12 VDC	150	20	85364100	385.00
	53	MPC 3C 24D 10 Amps L	24 VDC	500	20	85364100	378.00
	4411	MPC 3C 30D 10 Amps L	30 VDC	750	20	85364100	436.00
	4401	MPC 3C 48D 10 Amps L	48 VDC	2.25K	20	85364100	438.00
	4403	MPC 3C 110D 10 Amps L	110 VDC	10K	20	85364900	433.00
	56	MPC 3C 220D 10 Amps L	220 VDC	50K	20	85364900	509.00

SR	PHOTO	SRO	PRODUCT / DESCRIPTION	COIL	COIL	PER BOX	HSN	UNIT MRP
NO.		NO.		VOLTAGE	Ohms (± 10%)	(In Nos.)	CODE	(In INR)
		82	MPC 3C 6A 10 Amps L	6 VAC	7	20	85364100	384.00
		76	MPC 3C 12A 10 Amps L	12 VAC	30	20	85364100	392.00
		77	MPC 3C 24A 10 Amps L	24 VAC	110	20	85364100	379.00
		78	MPC 3C 110A 10 Amps L	110 VAC	2.4K	20	85364900	390.00
		79	MPC 3C 240A 10 Amps L	240 VAC	9.5K	20	85364900	419.00
		80	MPC 3C 400A 10 Amps L	400 VAC	27K	20	85364900	605.00

Note:- 1) Relays with DIODE can be supplied at an additional charge of Rs. 9.00 on MRP
2) Relays with ARC SUPPRESSOR (HMPC RELAYS) are available only in 2C
3) Prices of equivalent HMPC Relays can be worked out by the formula: equivalent MPC + Rs. 100/-
4) Prices of 12 Amps Relays (HPC) can be worked as : equivalent 10 Amps + Rs. 25.00/- = MPC 12 Amp

5

PMY : PLUG-IN / SOLDERABLE TYPE RELAYS WITH LED 6 Amps Resistive @ 30VDC / 250VAC (1,00,000 ops)



4615	PMY F 2C 12D 6 Amps	12 VDC	160	20	85364100	183.00
4617	PMY F 2C 24D 6 Amps	24 VDC	650	20	85364100	183.00
4621	PMY F 2C 30D 6 Amps	30 VDC	1.0K	20	85364100	203.00
4618	PMY F 2C 48D 6 Amps	48 VDC	2.6K	20	85364100	203.00
4619	PMY F 2C 110D 6 Amps	110 VDC	11K	20	85364900	204.00
4620	PMY F 2C 220D 6 Amps	220 VDC	54K	20	85364900	308.00
4661	PMY F 2C 12A 6 Amps	12 VAC	46	20	85364100	213.00
4662	PMY F 2C 24A 6 Amps	24 VAC	180	20	85364100	196.00
4632	PMY F 2C 48A 6 Amps	48 VAC	735	20	85364100	200.00
4664	PMY F 2C 110A 6 Amps	110 VAC	4.4K	20	85364900	200.00
4665	PMY F 2C 240A 6 Amps	240 VAC	19K	20	85364900	221.00
5551	PMY F 3C 12D 6 Amps	12 VDC	160	20	85364100	212.00
5552	PMY F 3C 24D 6 Amps	24 VDC	650	20	85364100	212.00
5556	PMY F 3C 30D 6 Amps	30 VDC	1.0K	20	85364100	221.00
5553	PMY F 3C 48D 6 Amps	48 VDC	2.6K	20	85364100	222.00
5554	PMY F 3C 110D 6 Amps	110 VDC	11K	20	85364900	222.00
5555	PMY F 3C 220D 6 Amps	220 VDC	54K	20	85364900	306.00
5560	PMY F 3C 12A 6 Amps	12 VAC	46	20	85364100	217.00
5561	PMY F 3C 24A 6 Amps	24 VAC	180	20	85364100	219.00
5563	PMY F 3C 110A 6 Amps	110 VAC	4.4K	20	85364900	224.00
5564	PMY F 3C 240A 6 Amps	240 VAC	19K	20	85364900	256.00
4600	PMY 4C 12D 6 Amps	12 VDC	160	20	85364100	223.00
4601	PMY 4C 24D 6 Amps	24 VDC	650	20	85364100	225.00
4608	PMY 4C 30D 6 Amps	30 VDC	1.0K	20	85364100	232.00
4603	PMY 4C 48D 6 Amps	48 VDC	2.6K	20	85364100	234.00
4602	PMY 4C 110D 6 Amps	110 VDC	11K	20	85364900	237.00
4607	PMY 4C 220D 6 Amps	220 VDC	54K	20	85364900	313.00
4647	PMY 4C 12A 6 Amps	12 VAC	46	20	85364100	244.00
4648	PMY 4C 24A 6 Amps	24 VAC	180	20	85364100	233.00
4628	PMY 4C 48A 6 Amps	48 VAC	735	20	85364100	352.00
4649	PMY 4C 110A 6 Amps	110 VAC	4.4K	20	85364900	243.00
4650	PMY 4C 240A 6 Amps	240 VAC	19K	20	85364900	243.00







6






PMY : PLUG-IN / SOLDERABLE TYPE RELAYS WITH LED 12 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops)








5001	PMY F 2C 12D 12 Amps	12 VDC	160	20	85364100	210.00
5002	PMY F 2C 24D 12 Amps	24 VDC	650	20	85364100	210.00
5006	PMY F 2C 30D 12 Amps	30 VDC	1.0K	20	85364100	239.00
5003	PMY F 2C 48D 12 Amps	48 VDC	2.6K	20	85364100	239.00
5004	PMY F 2C 110D 12 Amps	110 VDC	11K	20	85364900	239.00
5005	PMY F 2C 220D 12 Amps	220 VDC	54K	20	85364900	332.00
5010	PMY F 2C 12A 12 Amps	12 VAC	46	20	85364100	243.00
5011	PMY F 2C 24A 12 Amps	24 VAC	180	20	85364100	218.00
5012	PMY F 2C 110A 12 Amps	110 VAC	4.4K	20	85364900	223.00
5013	PMY F 2C 240A 12 Amps	240 VAC	19K	20	85364900	247.00

SR NO.	PHOTO	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL Ohms (± 10%)	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)
		5571	PMY F 3C 12D 12 Amps	12 VDC	160	20	85364100	279.00
		5572	PMY F 3C 24D 12 Amps	24 VDC	650	20	85364100	279.00
		5576	PMY F 3C 30D 12 Amps	30 VDC	1.0K	20	85364100	296.00
		5573	PMY F 3C 48D 12 Amps	48 VDC	2.6K	20	85364100	296.00
		5574	PMY F 3C 110D 12 Amps	110 VDC	11K	20	85364900	296.00
		5575	PMY F 3C 220D 12 Amps	220 VDC	54K	20	85364900	360.00
		5580	PMY F 3C 12A 12 Amps	12 VAC	46	20	85364100	310.00
		5581	PMY F 3C 24A 12 Amps	24 VAC	180	20	85364100	314.00
		5582	PMY F 3C 110A 12 Amps	110 VAC	4.4K	20	85364900	320.00
		5583	PMY F 3C 240A 12 Amps	240 VAC	19K	20	85364900	331.00
7		PLY : PLUG-IN / SOLDERABLE TYPE RELAYS WITH LED 10 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops)						
		5240	PLY 2C 12D 10 Amps	12 VDC	130	20	85364100	244.00
		5241	PLY 2C 24D 10 Amps	24 VDC	650	20	85364100	244.00
		5242	PLY 2C 240A 10 Amps	240 VAC	19K	20	85364900	261.00
		5225	PLY 4C 12D 10 Amps	12 VDC	100	20	85364100	441.00
		5226	PLY 4C 24D 10 Amps	24 VDC	350	20	85364100	441.00
		5232	PLY 4C 240A 10 Amps	240 VAC	8K	20	85364900	449.00
8		MPCN : PLUG-IN TYPE RELAYS 12 Amps Resistive @ 30VDC / 250VAC (1,00,000 ops)						
		4925	MPCN 1C 12D 12 Amps	12 VDC	270	10	85364100	239.00
		4926	MPCN 1C 24D 12 Amps	24 VDC	1.1K	10	85364100	246.00
		4927	MPCN 1C 240A 12 Amps	240 VAC	23K	10	85364900	278.00
9		MPCN : PLUG-IN TYPE RELAYS 7 Amps Resistive @ 30VDC / 250VAC (1,00,000 ops)						
		4900	MPCN 2C 12D 7 Amps	12 VDC	270	10	85364100	246.00
		4901	MPCN 2C 24D 7 Amps	24 VDC	1.1K	10	85364100	251.00
		4905	MPCN 2C 240A 7 Amps	240 VAC	23K	10	85364900	291.00
10		PMCM : PLUG-IN TYPE RELAYS 12 / 16 Amps Resistive @ 30VDC / 250 VAC (1,00,000 ops)						
		6076	PMCM 1C 12D 12 Amps (5 Pin)	12 VDC	270	20	85364100	113.00
		6077	PMCM 1C 24D 12 Amps (5 Pin)	24 VDC	1.05K	20	85364100	113.00
		6080	PMCM 1C 12D 16 Amps (8 Pin)	12 VDC	270	20	85364100	158.00
		6081	PMCM 1C 24D 16 Amps (8 Pin)	24 VDC	1.05K	20	85364100	158.00
11		PMCM : PLUG-IN TYPE RELAYS 8 Amps Resistive @ 30VDC / 250VAC (1,00,000 ops)						
		6085	PMCM 2C 12D 8 Amps (8 Pin)	12 VDC	270	20	85364100	141.00
		6086	PMCM 2C 24D 8 Amps (8 Pin)	24 VDC	1.05K	20	85364100	141.00
12		SMP : PLUG-IN / PCB MOUNT TYPE RELAYS 6 Amps Resistive @ 30VDC / 250VAC (1,00,000 ops)						
		5250	SMP 1C 12D 6 Amps	12 VDC	848	20	85364100	168.00
		5251	SMP 1C 24D 6 Amps	24 VDC	3.39K	20	85364100	168.00
13		PSR SAFETY RELAYS : PLUG-IN RELAYS 6 Amps Resistive @ 30VDC / 250VAC (1,00,000 ops)						
		8151	PSR 2NO + 2NC 12VDC 6 Amps	12 VDC	400	20	85364100	885.00
		8152	PSR 2NO + 2NC 24VDC 6 Amps	24 VDC	1.6K	20	85364100	885.00
		8153	PSR 3NO + 1NC 12VDC 6 Amps	12 VDC	400	20	85364100	885.00
		8154	PSR 3NO + 1NC 24VDC 6 Amps	24 VDC	1.6K	20	85364100	885.00









SR NO.	PHOTO	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL Ohms (± 10%)	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)
14			'ON' & 'OFF' : TYPE RELAYS FOR TEXTILE APPLICATION 10 AMP Resistive @ 24VDC / 250VAC (1,00,000 ops)					
		112	ON RELAY	6 VDC	50	20	85364100	621.00
		111	OFF RELAY	6 VDC	50	20	85364100	621.00
15			HPCC : PLUG-IN, LUGS TYPE RELAYS 20 Amps Resistive @ 220VDC (1,00,000 ops) (Relays with ARC SUPPRESSOR)					
		10006	HPCC 2C 12D 20 Amps	12 VDC	74	10	85364100	700.00
		10007	HPCC 2C 24D 20 Amps	24 VDC	260	10	85364100	730.00
		10008	HPCC 2C 110D 20 Amps	110 VDC	5.5K	10	85364900	740.00
		10010	HPCC 2C 115A 20 Amps	115 VAC	1.3K	10	85364900	730.00
		10011	HPCC 2C 240A 20 Amps	240 VAC	4.7K	10	85364900	741.00
16	 		MCC V1 : SOLDERABLE TYPE RELAYS 6 Amps Resistive @ 30VDC / 250VAC (1,00,000 ops) (METAL BASE PLATE)					
		5520	MCC 1C 6D 6 Amps V1	6 VDC	52	20	85364100	184.00
		5521	MCC 1C 12D 6 Amps V1	12 VDC	160	20	85364100	147.00
		5524	MCC 1C 24D 6 Amps V1	24 VDC	650	20	85364100	153.00
		5530	MCC 2C 6D 6 Amps V1	6 VDC	30	20	85364100	251.00
		5525	MCC 2C 12D 6 Amps V1	12 VDC	160	20	85364100	200.00
		5527	MCC 2C 24D 6 Amps V1	24 VDC	650	20	85364100	206.00
		5528	MCC 2C 48D 6 Amps V1	48 VDC	2.6K	20	85364100	220.00
		5529	MCC 2C 110D 6 Amps V1	110 VDC	11K	20	85364900	226.00
		5541	MCC 2C 110A 6 Amps V1	110 VAC	4.4K	20	85364900	219.00
		5542	MCC 2C 240A 6 Amps V1	240 VAC	19K	20	85364900	252.00
		5536	MCC 3C 6D 6 Amps V1	6 VDC	30	20	85364100	301.00
		5531	MCC 3C 12D 6 Amps V1	12 VDC	160	20	85364100	241.00
		5533	MCC 3C 24D 6 Amps V1	24 VDC	650	20	85364100	247.00
		5534	MCC 3C 48D 6 Amps V1	48 VDC	2.6K	20	85364100	272.00
		5535	MCC 3C 110D 6 Amps V1	110 VDC	11K	20	85364900	278.00
		5543	MCC 3C 110A 6 Amps V1	110 VAC	4.4K	20	85364900	279.00
		5544	MCC 3C 240A 6 Amps V1	240 VAC	19K	20	85364900	294.00
17	 		MCC V1 : SOLDERABLE TYPE RELAYS 12 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops) (METAL BASE PLATE)					
		1020	MCC 1C 6D 12 Amps V1	6 VDC	52	20	85364100	228.00
		1021	MCC 1C 12D 12 Amps V1	12 VDC	160	20	85364100	182.00
		1024	MCC 1C 24D 12 Amps V1	24 VDC	650	20	85364100	189.00
		1030	MCC 2C 6D 12 Amps V1	6 VDC	30	20	85364100	320.00
		1025	MCC 2C 12D 12 Amps V1	12 VDC	160	20	85364100	256.00
		1027	MCC 2C 24D 12 Amps V1	24 VDC	650	20	85364100	262.00
		1028	MCC 2C 48D 12 Amps V1	48 VDC	2.6K	20	85364100	266.00
		1029	MCC 2C 110D 12 Amps V1	110 VDC	11K	20	85364900	272.00
		1041	MCC 2C 110A 12 Amps V1	110 VAC	4.4K	20	85364900	273.00
		1042	MCC 2C 240A 12 Amps V1	240 VAC	19K	20	85364900	289.00
		1036	MCC 3C 6D 12 Amps V1	6 VDC	30	20	85364100	394.00
		1031	MCC 3C 12D 12 Amps V1	12 VDC	160	20	85364100	315.00
		1033	MCC 3C 24D 12 Amps V1	24 VDC	650	20	85364100	322.00
		1034	MCC 3C 48D 12 Amps V1	48 VDC	2.6K	20	85364100	327.00
		1035	MCC 3C 110D 12 Amps V1	110 VDC	11K	20	85364900	332.00
		1043	MCC 3C 110A 12 Amps V1	110 VAC	4.4K	20	85364900	293.00
		1044	MCC 3C 240A 12 Amps V1	240 VAC	19K	20	85364900	350.00

SR	PHOTO	SRO	PRODUCT / DESCRIPTION	COIL	COIL	PER BOX	HSN	UNIT MRP
NO.		NO.		VOLTAGE	Ohms (± 10%)	(In Nos.)	CODE	(In INR)
18	 	MCC : SOLDERABLE TYPE RELAYS 5 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops) (POLYCARBONATE BASE PLATE)						
		520	MCC 1C 6D 5 Amps	6 VDC	52	20	85364100	171.00
		521	MCC 1C 12D 5 Amps	12 VDC	200	20	85364100	156.00
		54104	MCC 1C 18D 5 Amps	18 VDC	500	20	85364100	178.00
		4116	MCC 1C 18D 5 Amps 390 Ohms	18 VDC	390	20	85364100	178.00
		524	MCC 1C 24D 5 Amps	24 VDC	600	20	85364100	169.00
		530	MCC 2C 6D 5 Amps	6 VDC	30	20	85364100	277.00
		525	MCC 2C 12D 5 Amps	12 VDC	200	20	85364100	218.00
		526	MCC 2C 18D 5 Amps	18 VDC	390	20	85364100	231.00
		527	MCC 2C 24D 5 Amps	24 VDC	500	20	85364100	223.00
		54100	MCC 2C 48D 5 Amps	48 VDC	2.25K	20	85364100	270.00
		54102	MCC 2C 110D 5 Amps	110 VDC	10K	20	85364900	274.00
		560	MCC 2C 110A 5 Amps	110 VAC	2.4K	20	85364900	300.00
		565	MCC 2C 240A 5 Amps	240 VAC	9.5K	20	85364900	269.00
		536	MCC 3C 6D 5 Amps	6 VDC	30	20	85364100	313.00
		531	MCC 3C 12D 5 Amps	12 VDC	150	20	85364100	272.00
		532	MCC 3C 18D 5 Amps	18 VDC	390	20	85364100	288.00
		533	MCC 3C 24D 5 Amps	24 VDC	500	20	85364100	270.00
		54101	MCC 3C 48D 5 Amps	48 VDC	2.25K	20	85364100	357.00
		54103	MCC 3C 110D 5 Amps	110 VDC	10K	20	85364900	337.00
		5562	MCC 3C 110A 5 Amps	110 VAC	2.4K	20	85364900	371.00
		563	MCC 3C 240A 5 Amps	240 VAC	9.5K	20	85364900	307.00
19	 	MCC : SOLDERABLE TYPE RELAYS 5 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops) (METAL BASE PLATE)						
		* MCC 1C without BASE PLATE						
		7520	MCC 1C 6D 5 Amps *	6 VDC	52	20	85364100	169.00
		7521	MCC 1C 12D 5 Amps *	12 VDC	200	20	85364100	161.00
		754104	MCC 1C 18D 5 Amps *	18 VDC	500	20	85364100	181.00
		7524	MCC 1C 24D 5 Amps *	24 VDC	600	20	85364100	174.00
		7530	MCC 2C 6D 5 Amps	6 VDC	30	20	85364100	285.00
		7525	MCC 2C 12D 5 Amps	12 VDC	200	20	85364100	226.00
		7526	MCC 2C 18D 5 Amps	18 VDC	390	20	85364100	238.00
		7527	MCC 2C 24D 5 Amps	24 VDC	500	20	85364100	230.00
		754100	MCC 2C 48D 5 Amps	48 VDC	2.25K	20	85364100	277.00
		754102	MCC 2C 110D 5 Amps	110 VDC	10K	20	85364900	281.00
		7536	MCC 3C 6D 5 Amps	6 VDC	30	20	85364100	320.00
		7531	MCC 3C 12D 5 Amps	12 VDC	150	20	85364100	279.00
		7532	MCC 3C 18D 5 Amps	18 VDC	390	20	85364100	282.00
		7533	MCC 3C 24D 5 Amps	24 VDC	500	20	85364100	277.00
		754101	MCC 3C 48D 5 Amps	48 VDC	2.25K	20	85364100	365.00
		754103	MCC 3C 110D 5 Amps	110 VDC	10K	20	85364900	344.00
20		MCC - O / OLC : SOLDERABLE TYPE RELAYS 10 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops)						
		3715	MCC - O / OLC 3C 9.5D 10 Amps	9.5 VDC	100	20	85364100	368.00
		3702	MCC - O / OLC 3C 12D 10 Amps	12 VDC	150	20	85364100	369.00
		3703	MCC - O / OLC 3C 24D 10 Amps	24 VDC	500	20	85364100	380.00
		3709	MCC - O / OLC 3C 110D 10 Amps	110 VDC	10K	20	85364900	518.00
		3711	MCC - O / OLC 3C 12A 10 Amps	12 VAC	30	20	85364100	427.00
		3712	MCC - O / OLC 3C 115A 10 Amps	115 VAC	2.4K	20	85364900	454.00
		3713	MCC - O / OLC 3C 240A 10 Amps	240 VAC	9.5K	20	85364900	518.00






SR	PHOTO	SRO	PRODUCT / DESCRIPTION	COIL	COIL	PER BOX	HSN	UNIT MRP
NO.		NO.		VOLTAGE	Ohms (± 10%)	(In Nos.)	CODE	(In INR)
21		MCC - P / PCB : PCB MOUNT TYPE RELAYS 6 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops) Note:- NO SCHEME DISCOUNT APPLICABLE ON PCB RELAYS. ONLY STANDARD DISCOUNT.						
		96	PCB 2C 12D 6 Amps	12 VDC	200	20	85364100	239.00
		97	PCB 2C 24D 6 Amps	24 VDC	500	20	85364100	250.00
		102	PCB 3C 12D 6 Amps	12 VDC	150	20	85364100	322.00
		103	PCB 3C 24D 6 Amps	24 VDC	500	20	85364100	306.00
		105	PCB 3C 48D 6 Amps	48 VDC	2.25K	20	85364100	352.00
		106	PCB 3C 110D 6 Amps	110 VDC	10K	20	85364900	340.00
		110	PCB 3C 240A 6 Amps	240 VAC	9.5K	20	85364900	440.00
22		HCC : SOLDERABLE TYPE RELAYS 12 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops)						
		353	HCC 1C 12D 12 Amps	12 VDC	120	20	85364100	201.00
		354	HCC 1C 18D 12 Amps	18 VDC	270	20	85364100	219.00
		355	HCC 1C 24D 12 Amps	24 VDC	480	20	85364100	219.00
		400	HCC 1C 240A 12 Amps	240 VAC	9.5K	20	85364900	352.00
		357	HCC 2C 12D 12 Amps	12 VDC	120	20	85364100	272.00
		358	HCC 2C 18D 12 Amps	18 VDC	270	20	85364100	278.00
		359	HCC 2C 24D 12 Amps	24 VDC	480	20	85364100	278.00
		401	HCC 2C 240A 12 Amps	240 VAC	9.5K	20	85364900	396.00
		363	HCC 3C 12D 12 Amps	12 VDC	120	20	85364100	351.00
	 	364	HCC 3C 18D 12 Amps	18 VDC	270	20	85364100	357.00
		365	HCC 3C 24D 12 Amps	24 VDC	480	20	85364100	357.00
		403	HCC 3C 240A 12 Amps	240 VAC	9.5K	20	85364900	527.00
23		HCC / MPR : SOLDERABLE TYPE RELAYS 16 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops) Note:- HCC 16 Amps formerly known as MPR Relays						
		1602	HCC 1C 12D 16 Amps	12 VDC	120	20	85364100	210.00
		1603	HCC 1C 18D 16 Amps	18 VDC	270	20	85364100	230.00
		1604	HCC 1C 24D 16 Amps	24 VDC	480	20	85364100	230.00
		5054	HCC 1C 240A 16 Amps	240 VAC	9.5K	20	85364900	399.00
		1612	HCC 2C 12D 16 Amps	12 VDC	120	20	85364100	280.00
		1613	HCC 2C 18D 16 Amps	18 VDC	270	20	85364100	287.00
		1614	HCC 2C 24D 16 Amps	24 VDC	480	20	85364100	287.00
		1661	HCC 2C 240A 16 Amps	240 VAC	9.5K	20	85364900	410.00
		1622	HCC 3C 12D 16 Amps	12 VDC	120	20	85364100	360.00
		1623	HCC 3C 18D 16 Amps	18 VDC	270	20	85364100	369.00
		1624	HCC 3C 24D 16 Amps	24 VDC	480	20	85364100	369.00
		1662	HCC 3C 240A 16 Amps	240 VAC	9.5K	20	85364900	544.00
24		PCN : SOLDERABLE / LUGS TYPE RELAYS 30 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops)						
		2061	PCN 1C 12D 30 Amps	12 VDC	120	10	85364100	363.00
		2062	PCN 1C 24D 30 Amps	24 VDC	480	10	85364100	348.00
		2063	PCN 2C 12D 30 Amps	12 VDC	74	10	85364100	474.00
		2064	PCN 2C 24D 30 Amps	24 VDC	260	10	85364100	463.00
		2067	PCN 2C 240A 30 Amps	240 VAC	4.7K	10	85364900	494.00

SR	PHOTO	SRO	PRODUCT / DESCRIPTION	COIL	COIL	PER BOX	HSN	UNIT MRP
NO.		NO.		VOLTAGE	Ohms (± 10%)	(In Nos.)	CODE	(In INR)
25			LPR30E : POWER RELAYS, SOLDERABLE, LUGS 30 Amps Resistive @ 24VDC / 250VAC (50,000 ops)					
		3903	LPR30E 1C 12D	12 VDC	120	20	85364100	245.00
		3904	LPR30E 1C 24D	24 VDC	480	20	85364100	245.00
		3905	LPR30E 1C 240A	240 VAC	9.5K	20	85364900	279.00
26			LPR30 / PCC : POWER RELAYS, PLUG-IN / SOLDERABLE, LUGS 30 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops)					
		3125	LPR30 / PCC 1NO 12D	12 VDC	120	10	85364100	272.00
		3126	LPR30 / PCC 1NO 24D	24 VDC	480	10	85364100	280.00
		3100	LPR30 / PCC 1C 12D	12 VDC	120	10	85364100	333.00
		3101	LPR30 / PCC 1C 24D	24 VDC	480	10	85364100	342.00
		3102	LPR30 / PCC 1C 240A	240 VAC	4.7K	10	85364900	374.00
		3130	LPR30 / PCC 2NO 12D	12 VDC	74	10	85364100	364.00
		3131	LPR30 / PCC 2NO 24D	24 VDC	260	10	85364100	371.00
		3103	LPR30 / PCC 2C 12D	12 VDC	74	10	85364100	512.00
		3104	LPR30 / PCC 2C 24D	24 VDC	260	10	85364100	515.00
		3105	LPR30 / PCC 2C 240A	240 VAC	4.7K	10	85364900	554.00
		3135	LPR30 / PCC 3NO 12D	12 VDC	74	10	85364100	457.00
		3136	LPR30 / PCC 3NO 24D	24 VDC	260	10	85364100	457.00
		3109	LPR30 / PCC 3C 12D	12 VDC	74	10	85364100	639.00
		3113	LPR30 / PCC 3C 24D	24 VDC	260	10	85364100	639.00
		3158	LPR30 / PCC 3C 240A	240 VAC	4.7K	10	85364900	649.00
27			LPR40E MB : POWER RELAYS PLUG-IN / LUGS TERMINALS 40 Amps Resistive @ 24VDC / 250VAC (50,000 ops)					
		3802	LPR40E 1C 12D MB	12 VDC	74	10	85364100	257.00
		3803	LPR40E 1C 24D MB	24 VDC	260	10	85364100	250.00
		3808	LPR40E 3NO 12D	12 VDC	74	10	85364100	373.00
28			LPR40 MB : POWER RELAYS PLUG-IN / SCREW TERMINALS 40 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops)					
		4800	LPR40 1C 12D MB	12 VDC	74	10	85364100	338.00
		4804	LPR40 1C 18D MB	18 VDC	150	10	85364100	395.00
		4801	LPR40 1C 24D MB	24 VDC	260	10	85364100	338.00
		4802	LPR40 1C 48D MB	48 VDC	1.2K	10	85364100	387.00
		4803	LPR40 1C 110D MB	110 VDC	5.5K	10	85364900	435.00
		4807	LPR40 1C 240A MB	240 VAC	4.7K	10	85364900	396.00
29			LPR40 / HP40 : POWER RELAYS, SCREW TERMINALS 40 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops)					
		3211	LPR40 1C 12D	12 VDC	74	10	85364100	338.00
		3214	LPR40 1C 18D	18 VDC	150	10	85364100	395.00
		3212	LPR40 1C 24D	24 VDC	260	10	85364100	338.00
		3216	LPR40 1C 48D	48 VDC	1.2K	10	85364100	387.00
		3215	LPR40 1C 110D	110 VDC	5.5K	10	85364900	435.00
		3213	LPR40 1C 240A	240 VAC	4.7K	10	85364900	396.00

SR	PHOTO	SRO	PRODUCT / DESCRIPTION	COIL	COIL	PER BOX	HSN	UNIT MRP
NO.		NO.		VOLTAGE	Ohms (± 10%)	(In Nos.)	CODE	(In INR)
30		LPR40 : POWER RELAYS PLUG-IN / LUGS TERMINALS 40 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops)						
		3250	LPR40 2C 12D	12 VDC	74	10	85364100	496.00
		3251	LPR40 2C 24D	24 VDC	260	10	85364100	486.00
		3255	LPR40 2C 240A	240 VAC	4.7K	10	85364900	508.00
		3275	LPR40 3C 12D	12 VDC	74	10	85364100	620.00
		3276	LPR40 3C 24D	24 VDC	260	10	85364100	608.00
		3277	LPR40 3C 48D	48 VDC	1.2K	10	85364100	648.00
		3280	LPR40 3C 240A	240 VAC	4.7K	10	85364900	628.00
31		LPR60 : POWER RELAYS, SCREW - LUGS TERMINALS 60 Amps Resistive @ 24VDC / 250VAC (1,00,000 ops)						
		3350	LPR60 1C 12D L	12 VDC	74	10	85364100	414.00
		3351	LPR60 1C 24D L	24 VDC	260	10	85364100	414.00
		3360	LPR60 1C 240A L	240 VAC	4.7k	10	85364900	495.00
		3353	LPR60 1C 12D T	12 VDC	74	10	85364100	414.00
		3354	LPR60 1C 24D T	24 VDC	260	10	85364100	414.00
		3355	LPR60 1C 240A T	240 VAC	4.7k	10	85364900	495.00
32		LPR80 : POWER RELAYS, SCREW - LUGS TERMINALS 80 Amps Resistive @ 24VDC / 250VAC (10,000 ops)						
		3926	LPR80 1C 12D	12 VDC	48	2	85364100	618.00
		3927	LPR80 1C 24D	24 VDC	192	2	85364100	618.00
		3928	LPR80 1C 240A	240 VAC	4.7k	2	85364900	752.00
33		LPR100 : POWER RELAYS, SCREW - LUGS TERMINALS 100 Amps Resistive @ 24VDC / 250VAC (10,000 ops)						
		3930	LPR100 1C 12D	12 VDC	48	1	85364100	756.00
		3931	LPR100 1C 24D	24 VDC	192	1	85364100	756.00
		3932	LPR100 1C 240A	240 VAC	4.7k	1	85364900	881.00
34		PAC 40 : SOLDERABLE / LUGS, AUTOMOTIVE TYPE RELAYS 40 Amps Resistive @ 14VDC (1,00,000 ops)						
		3800	PAC 40 1N/O 12D	12 VDC	90	25	85364100	167.00
35		PAC 80 : SOLDERABLE / LUGS, AUTOMOTIVE TYPE RELAYS 80 Amps Resistive @ 14VDC (1,00,000 ops)						
		3821	PAC 80 1N/O 12D	12 VDC	80	20	85364100	231.00
36		PLT : PCB MOUNT, 'T' TYPE RELAYS 20/30A Resistive @ 24VDC / 250VAC (1,00,000 ops)						
		3551	PLT 1A 12D (N/O-30A, N/C-20A)	12 VDC	160	20	85364100	59.00
		3553	PLT 1C 24D (N/O-30A, N/C-20A)	24 VDC	640	20	85364100	64.00
37		PLE : PCB MOUNT, 'T' TYPE RELAYS 30/40A Resistive @ 24VDC / 250VAC (1,00,000 ops)						
		3500	PLE 1C 12D (N/O-40A, N/C-30A)	12 VDC	160	20	85364100	92.00
		3502	PLE 1C 24D (N/O-40A, N/C-30A)	24 VDC	640	20	85364100	92.00
38		PLC : PCB MOUNT, 'T' TYPE (CUBE TYPE) RELAYS 30/40A Resistive @ 24VDC / 250VAC (1,00,000 ops)						
		3402	PLC 1C 24D (N/O-40A, N/C-30A)	24 VDC	660	20	85364100	93.00

SR	PHOTO	SRO	PRODUCT / DESCRIPTION	COIL	COIL	PER BOX	HSN	UNIT MRP
NO.		NO.		VOLTAGE	Ohms (± 10%)	(In Nos.)	CODE	(In INR)
39	DIP : PCB MOUNT, REED TYPE RELAYS (1,00,00,000 ops) (At Optimum Load Conditions)							
	601	DIP 1N/O 5D	5 VDC	200	20	85364100	128.00	
	602	DIP 1N/O 12D	12 VDC	500	20	85364100	126.00	
	603	DIP 1N/O 24D	24 VDC	2.1K	20	85364100	141.00	
	621	DIP 1C 5D	5 VDC	200	20	85364100	351.00	
	622	DIP 1C 12D	12 VDC	500	20	85364100	351.00	
	623	DIP 1C 24D	24 VDC	2.1K	20	85364100	351.00	
	606	DIP 2N/O 5D	5 VDC	100	20	85364100	171.00	
	607	DIP 2N/O 12D	12 VDC	275	20	85364100	186.00	
	608	DIP 2N/O 24D	24 VDC	1.1K	20	85364100	211.00	
	626	DIP 2C 5D	5 VDC	100	20	85364100	605.00	
	627	DIP 2C 12D	12 VDC	275	20	85364100	567.00	
	628	DIP 2C 24D	24 VDC	1.1K	20	85364100	605.00	
Note:- DIP : 10W, 0.5A, 200V FOR N/O & 3W,0.25A , 100V FOR C/O								
40	SIP : PCB MOUNT, REED TYPE RELAYS (1,00,00,000 ops) (At Optimum Load Conditions)							
	681	SIP 1A 05	5 VDC	500	20	85364100	90.00	
	685	SIP 1A 05P*	5 VDC	500	20	85364100	112.00	
	691	SIP 1A 05M**	5 VDC	500	20	85364100	102.00	
	692	SIP 1A 12M**	12 VDC	2K	20	85364100	105.00	
*P=Potted Version **M=Molded Version								
Note:- SIP : 10W, 0.5A, 200V FOR N/O.								
41	PROXIMITY SWITCHES 'RA-2' (10W, 0.5A, 100V); & MAGNET ASSEMBLY 'MA-2'							
	696	RA2			50	85365090	58.00	
	699	MA2			20	85365090	53.00	
	7056	RA2 & MA2			100	85365090	104.00	
SOCKETS & ACCESSORIES								
42	DIN RAIL MOUNT SOCKET (WITH SCREW TERMINAL) FOR MPC TYPE RELAYS							
	15094	MPCS 8 16A			50	85389000	48.00	
	15092	MPCS 11 12A			50	85389000	66.00	
	11002	Retaining Clip (MPC SPRING)			100	85389000	14.00	
43	DIN RAIL MOUNT SOCKET (WITH SCREW TERMINAL) FOR PMY TYPE SERIES RELAYS							
	11035	PMYS DR 8 12A			50	85389000	81.00	
	11043	PMYS DR 11 12A			50	85389000	104.00	
	15095	PMYS DR 14 10A			50	85389000	81.00	
	11039	Retaining Clip			100	85389000	8.00	
44	PCB MOUNT SOCKET FOR PMY TYPE SERIES RELAYS							
	11038	PMYS PCB 8 12A			40	85389000	36.00	
	11032	PMYS PCB 14 10A			40	85389000	37.00	
45	DIN RAIL MOUNT SOCKET (WITH SCREW TERMINAL) FOR PLY TYPE SERIES RELAYS							
	11041	PLYS DR 8 10A			50	85389000	98.00	
	11029	PLYS DR 14 10A			30	85389000	189.00	
46	DIN RAIL MOUNT SOCKET (WITH SCREW TERMINAL) FOR MPCN TYPE RELAYS							
	4912	MPCNS 5 12A (RSU-5 12A)			20	85389000	158.00	
	4911	MPCNS 8 10A			20	85389000	159.00	
	4913	MPCNS 5 V1 12A (RSU-5 12A)			20	85389000	119.00	
	4914	MPCNS 8 V1 10A			20	85389000	119.00	

Page 10 of 11

SR NO.	PHOTO	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL Ohms (± 10%)	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)
47		<u>DIN RAIL MOUNT SOCKET FOR PMCM SERIES RELAYS WITH MODULE & LED</u>						
		6091	PMCMS 5 12A (MS PMC 5)			20	85389000	183.00
		6092	PMCMS 8 16A (MS PMC 8)			20	85389000	203.00
48		<u>PCB MOUNT SOCKET FOR PMCM SERIES RELAYS</u>						
		11027	SPCB PMC 5 PIN, 1C			100	85389000	27.00
		11028	SPCB PMC 8 PIN, 2C			100	85389000	27.00
49		<u>DIN RAIL MOUNT SOCKET (WITH SCREW TERMINAL) FOR POWER RELAYS, FOR LPR30, PCC, LPR40 (2C & 3C) / HPCC</u>						
		11037	PRS S1 30A			20	85389000	182.00
50		<u>DIN RAIL MOUNT SOCKET MODULAR WITH LED & DIODE FOR SMP TYPE SERIES RELAYS</u>						
		11040	SMPS 6A			20	85389000	192.00
51		<u>DIN RAIL MOUNT SOCKET FOR PSR TYPE SERIES RELAYS</u>						
		8165	PSRS 6A SOCKET			10	85389000	802.00
Note :- Images are only for representaion purpose.								
TERMS & CONDITIONS : <ol style="list-style-type: none"> Unit MRP Price is inclusive of all Taxes etc. Payment : 100% Advance Prior to Dispatch with CD. Availability: Ex-Stock available, Subject to prior to sales, otherwise 3/4 weeks from the date of receipt of confirmed P.O. Delivery : F.O.R. P.O. should be in line with MOQ and /or in Multiple of MOQ. Customize relays can be developed as per client requirement. Any Techno Commercial Change/s is/are prerogative of manufacturer / management, of the company which can be without any notice. Prices are subject to change without any notice. This supercedes previous price lists. Any dispute, subject to Mumbai Jurisdiction. 								