



jainson

SINCE 1971

NATIONAL PRICE LIST

APRIL 2024

- CABLE TERMINAL ENDS
- CABLE GLANDS



Jainson

COPPER TUBULAR CRIMPING
TERMINAL SOCKETS

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1	2.5	5.2	319-05	7.03	1000
2	4	6.5	319-06	9.92	1000
3	6	6.5	319-07	10.80	1000
4	10	6.5	319-08	13.64	1000
5	16	6.5	319-09	18.17	500
6	25	6.5	319-10	30.91	300
7	35	6.5	319-11	36.07	300
8	35	8.2	319-12	36.07	300
9	50	6.5	319-13	46.14	200
10	50	8.2	319-14	46.14	200
11	50	10.2	319-15	46.14	200
12	70	8.2	319-16	82.60	100
13	70	10.2	319-17	82.60	100
14	70	12.7	319-18	82.60	100
15	95	10.2	319-19	114.90	100
16	95	12.7	319-20	114.90	100
17	120	10.2	319-21	159.37	50
18	120	12.7	319-22	159.37	50
19	120	16.2	319-23	159.37	50
20	150	10.2	319-24	220.31	50
21	150	12.7	319-25	220.31	50
22	150	16.2	319-26	220.31	50
23	185	12.7	319-27	326.26	25
24	185	16.2	319-28	326.26	25
25	225	16.2	319-231	446.80	25
26	240	16.2	319-29	457.68	20
27	240	20.3	319-30	457.68	20
28	300	16.2	319-31	661.32	15
29	300	20.3	319-32	661.32	15
30	400	20.3	319-33	919.85	10
31	500	20.3	319-34	1255.42	10
32	630	20.3	319-35	1736.61	5
33	800	-----	319-062	2869.18	4
34	1000	-----	319-076	5485.87	5

Jainson

COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(LONG BARREL)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
35	2.5	5.2	JEB-05	11.56	1000
36	4	6.5	JEB-06	15.70	1000
37	6	6.5	JEB-07	17.36	1000
38	10	6.5	JEB-08	21.64	1000
39	16	6.5	JEB-09	28.92	500
40	25	6.5	JEB-10	49.11	300

Jainson

COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(LONG BARREL)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
41	35	6.5	JEB-11	55.14	300
42	35	8.2	JEB-12	55.14	300
43	50	6.5	JEB-13	70.23	200
44	50	8.2	JEB-14	70.23	200
45	50	10.2	JEB-15	70.23	200
46	70	8.2	JEB-16	114.73	100
47	70	10.2	JEB-17	114.73	100
48	70	12.7	JEB-18	114.73	100
49	95	10.2	JEB-19	150.69	75
50	95	12.7	JEB-20	150.69	75
51	120	10.2	JEB-21	206.34	50
52	120	12.7	JEB-22	206.34	50
53	120	16.2	JEB-23	206.34	50
54	150	10.2	JEB-24	251.70	40
55	150	12.7	JEB-25	251.70	40
56	150	16.2	JEB-26	251.70	40
57	185	12.7	JEB-27	400.06	25
58	185	16.2	JEB-28	400.06	25
59	225	16.2	JEB-231	552.57	25
60	240	16.2	JEB-29	561.20	20
61	240	20.3	JEB-30	561.20	20
62	300	16.2	JEB-31	747.73	15
63	300	20.3	JEB-32	747.73	15
64	400	20.3	JEB-33	1105.80	10
65	500	20.3	JEB-34	1537.54	8
66	630	20.3	JEB-35	2152.55	5
67	800	-----	JEB-62	3376.43	5
68	1000	-----	JEB-76	6372.48	4

Jainson

COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS
(HEAVY DUTY)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
69	25	8.2	319-282	43.86	300
70	35	8.2	319-283	68.51	200
71	50	8.2	319-284	110.40	100
72	70	10.2	319-285	177.11	75
73	95	12.7	319-286	264.79	50
74	120	12.7	319-287	370.80	40
75	150	12.7	319-288	458.32	25
76	185	12.7	319-289	664.21	25
77	240	16.2	319-290	932.11	15
78	300	16.2	319-291	1160.96	10
79	400	20.3	319-292	1697.04	8

Jainson

COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(I C F)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
80	11-17	319-106	42.25	300
81	11-17	319-145	42.25	300
82	11-17	319-146	42.25	300
83	11-17	319-109	44.44	300
84	17-23	319-107	71.04	200
85	17-23	319-147	71.04	200
86	17-23	319-148	71.04	200
87	17-23	319-108	78.38	200
88	23-29	319-110	103.77	150
89	23-29	319-149	102.13	150
90	23-29	319-150	102.13	150
91	23-29	319-151	103.92	150
92	23-29	319-111	98.23	150
93	29-45	319-116	138.78	150
94	29-45	319-152	144.13	150
95	29-45	319-153	144.13	150
96	29-45	319-154	144.13	150
97	29-45	319-113	138.78	150
98	45-57	319-112	232.19	75
99	45-57	319-155	232.19	75
100	45-57	319-156	232.19	75
101	45-57	319-157	232.19	75
102	57-75	319-114	294.99	75
103	57-75	319-158	301.42	75
104	57-75	319-159	301.42	75
105	57-75	319-160	301.42	75
106	75-90	319-137	333.18	50
107	75-90	319-161	333.49	50
108	75-90	319-162	333.49	50
109	75-90	319-163	333.49	50
110	90-110	319-115	408.16	40
111	90-110	319-164	408.16	40
112	90-110	319-165	408.16	40
113	90-110	319-166	408.16	40
114	110-146	319-138	598.62	25
115	110-146	319-167	598.62	25
116	110-146	319-168	598.62	25
117	110-146	319-169	598.62	25
118	146-183	319-128	816.30	20
119	146-183	319-170	816.30	20
120	146-183	319-171	816.30	20
121	183-225	319-139	931.80	15
122	183-225	319-172	931.80	15
123	183-225	319-173	931.80	15
124	183-225	319-174	931.80	15
125	225-299	319-140	1316.67	10
126	225-299	319-175	1348.41	10
127	225-299	319-176	1330.28	10
128	299-366	319-141	1774.40	10

Jainson**COPPER TUBULAR CRIMPING
TERMINAL SOCKETS**

(IC F)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
129	299-366	319-177	1874.47	10
130	299-366	319-178	1874.47	10
131	366-437	319-142	2427.75	5
132	366-437	319-179	2572.87	5
133	366-437	319-180	2572.87	5

Jainson**COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS**

(D L W)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
134	133	319-36	522.16	40
135	133	319-37	522.16	40
136	133	319-38	416.68	40
137	133	319-39	425.89	40
138	133	319-40	522.16	40
139	133	319-41	446.50	40
140	270	319-42	991.67	15
141	270	319-43	1034.76	15
142	270	319-44	1076.28	15
143	400	319-45	1581.51	10
144	400	319-46	1581.51	10
145	133	319-47	485.86	40
146	270	319-48	1095.96	15
147	270	319-49	1141.16	15
148	400	319-50	1934.84	10
149	133	319-51	694.97	15

Jainson**COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS**

(C L W)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
150	150	319-54	699.58	40
151	120	319-55	539.68	50
152	25	319-56	58.44	200
153	3	319-65	13.45	500
154	3	319-66	13.45	500
155	3	319-67	13.45	500
156	10	319-68	47.04	200
157	10	319-69	47.04	200
158	120	319-70	534.76	50

Jainson**COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS**

(CLW)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
159	225	319-71	899.15	20
160	270	319-72	1470.19	15
161	475	319-73	2484.66	8
162	475	319-74	2870.58	8
163	475	319-75	2478.51	8
164	50	319-87	150.69	150
165	35	319-187	101.41	200
166	3	319-209	13.02	500
167	3	319-210	13.02	500
168	3	319-211	33.51	500
169	25	319-212	61.05	200
170	225	319-213	891.77	20
171	225	319-214	1070.43	10
172	270	319-215	1290.00	10
173	10	319-228	44.26	300
174	70	319-229	222.50	200
175	50	319-230	153.62	150

Jainson**COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS HEAVY DUTY**

(XLPE)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
176	1.5	5.2	319-538	11.04	1000
177	1.5	6.5	319-539	11.04	1000
178	2.5	4.2	319-388	11.90	1000
179	2.5	5.2	319-540	11.90	1000
180	2.5	6.5	319-541	11.90	1000
181	4	5.2	319-389	13.55	1000
182	4	6.5	319-543	13.55	1000
183	6	5.2	319-390	17.41	1000
184	6	6.5	319-544	17.41	1000
185	6	8.4	319-545	17.41	1000
186	10	6.5	319-353	20.32	1000
187	10	8.4	319-547	20.32	1000
188	16	6.5	319-354	25.90	500
189	16	8.4	319-549	25.90	500
190	25	6.5	319-355	39.58	300
191	25	8.4	319-551	39.58	300
192	25	10.5	319-552	39.58	300
193	35	6.5	319-542	55.65	300
194	35	8.4	319-356	55.65	300
195	35	10.5	319-554	55.65	300
196	50	8.4	319-357	87.48	150
197	50	10.5	319-556	87.48	150

Jainson**COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS (HEAVY DUTY)**

(XLPE)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
198	70	8.4	319-557	135.87	100
199	70	10.5	319-358	135.87	100
200	70	13	319-559	135.87	100
201	95	10.5	319-359	208.90	75
202	95	13	319-560	208.90	75
203	120	13	319-241	266.78	50
204	120	17	319-546	266.78	50
205	150	13	319-242	337.58	40
206	150	17	319-564	337.58	40
207	185	17	319-243	455.30	25
208	240	17	319-244	670.10	20
209	240	21	319-567	670.10	20
210	300	17	319-245	959.54	15
211	300	21	319-569	959.54	15
212	400	17	319-246	1544.06	10
213	400	21	319-571	1544.06	10
214	500	21	319-247	1953.68	8
215	550	21	319-573	2390.99	8
216	630	21	319-248	2765.37	4
217	800		319-599	4417.03	4
218	1000		319-590	6546.89	4

Jainson**COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS EXTENDED
PALM BLANKS**

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
219	50	319-466	142.23	100
220	70	319-467	216.03	100
221	95	319-468	308.43	50
222	120	319-469	405.46	40
223	150	319-470	529.69	40
224	185	319-471	678.05	25
225	240	319-472	997.55	20
226	300	319-473	1455.43	15
227	400	319-474	2283.24	10
228	500	319-475	3008.52	5
229	625	319-476	4301.11	5



Jainson

COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(LONG BARREL H. D.)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
230	2.5	4.2	JCXL-1	13.91	1000
231	4	4.2	JCXL-2	16.27	1000
232	6	4.2	JCXL-3	22.20	1000
233	10	6.4	JCXL-4	28.74	500
234	16	6.4	JCXL-5	33.97	500
235	25	6.4	JCXL-6	61.75	300
236	35	6.4	JCXL-7	80.20	300
237	50	7.8	JCXL-8	132.46	200
238	70	12.8	JCXL-9	189.71	100
239	95	12.8	JCXL-10	281.01	75
240	120	12.8	JCXL-11	331.88	50
241	150	13.0	JCXL-12	528.21	40
242	185	16.2	JCXL-13	626.84	25
243	240	16.2	JCXL-14	819.16	20
244	300	16.2	JCXL-15	1195.74	15
245	400	16.2	JCXL-16	1715.89	10
246	500	21.0	JCXL-17	2104.07	5
247	630	21.0	JCXL-18	2819.60	5
248	800	-----	JCXL-19	4505.22	4
249	1000	-----	JCXL-20	6728.50	4

Jainson

COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(45° & 90°) BEND TYPE

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
250	95	10.5	319-827	210.65	50
251	95	13.5	319-828	210.65	50
252	150	13.0	319-831	341.79	40
253	150	17.0	319-832	341.79	40
254	185	13.0	319-833	465.01	25
255	185	17.0	319-833A	465.01	25
256	240	17.0	319-834	683.49	20
257	240	21.0	319-835	683.49	20
258	300	17.0	319-836	973.72	15
259	300	21.0	319-837	973.72	15
260	400	17.0	319-838	1518.17	10

Jainson

COPPER TUBULAR TERMINAL
SOCKETS FOR XLPE CABLES
(DOUBLE HOLE)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
261	95	11.0	319-847	462.06	50
262	95	13.0	319-847A	452.35	50
263	120	11.0	319-848	549.12	40
264	120	13.0	319-848A	539.41	40
265	150	11.0	319-849	673.68	40
266	150	13.0	319-849A	663.95	40
267	185	13.0	319-850	790.74	25
268	185	17.0	319-850A	778.23	25
269	240	13.0	319-851	1127.97	20
270	240	17.0	319-851A	1116.26	20
271	300	13.0	319-852	1160.07	15
272	300	17.0	319-852A	1631.87	15
273	400	13.0	319-853	3182.99	10
274	400	17.0	319-853A	3161.59	10
275	400	14.0	319-437	3375.62	10
276	50	11	319-466DH	232.85	100
277	70	13	319-467DH	354.15	100
278	95	13	319-468DH	506.68	50
279	120	13	319-469DH	665.35	50
280	150	13	319-470DH	831.69	40
281	185	13	319-471DH	1044.29	25
282	240	13	319-472DH	1633.95	20
283	300	13	319-473DH	2328.92	15
284	400	13	319-474DH	3040.54	10
285	500	21	319-475DH	4010.84	5
286	400	14	134/RODH	2513.80	8
287	400	14	13213DH	1746.64	10
288	400	18	13374DH	1731.50	10
289	240	12	29271DH	1099.83	15
290	300	12	29313DH	1247.63	15

Jainson

COPPER CRIMPING
CABLE SOCKETS

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
291	400	33	13326	1354.75	10
292	120	6.5	319-469SP	493.13	50

Jainson

COPPER TUBULAR CRIMPING
TERMINAL SOCKETS LONG
BARREL (XLPE)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
293	35	6.5	319-542EB	73.63	300
294	35	8.4	319-356EB	71.79	300
295	35	10.5	319-554EB	75.47	300
296	50	8.4	319-357EB	130.32	150
297	50	10.2	319-556EB	122.96	150
298	95	10.5	319-359EB	224.57	75
299	95	13.0	319-560EB	214.81	75
300	120	13.0	319-241EB	441.78	50
301	150	13.0	319-242EB	469.39	40
302	185	12.0	319-243EB	598.24	25

Jainson

COPPER TUBULAR CRIMPING
TERMINAL SOCKETS (XLPE)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
303	70	17.0	319-559SP	216.77	75
304	400	13.0	319-436	1781.01	10
305	630	-----	319-438	5235.61	4

Jainson

SOLDERING TYPE COPPER
TUBULAR SOCKETS

ITEM NO.	AREA AMP	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
306	15	3.2	423-201	7.75	1000
307	30	5.1	423-202	11.25	1000
308	60	6.4	423-203	28.35	300
309	100	9.5	423-204	56.42	150
310	150	9.5	423-205	95.09	100
311	200	12.7	423-206	150.30	50
312	300	12.7	423-207	285.48	25
313	400	15.9	423-208	343.46	20
314	500	19.0	423-209	464.58	15
315	600	19.0	423-210	715.83	10
316	800	23.8	423-211	1305.33	8
317	1000	23.8	423-212	1931.31	4
318	1000	-----	423-295	3402.24	4



Jainson

SOLDERING TYPE COPPER
TUBULAR SOCKETS

HEAVY DUTY

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
319	15	5.1	219-6	13.68	1000
320	30	7.1	219-7	24.46	500
321	60	10.3	219-8	47.49	200
322	100	11.9	219-9	81.60	100
323	150	13.5	219-10	147.41	75
324	200	13.5	219-11	251.10	50
325	300	16.7	219-12	348.73	25
326	400	16.7	219-13	551.95	15
327	500	19.8	219-14	884.44	10

(AS PER TABLE 2-OF BS-91-1973)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
328	6	5.5	219-15	15.85	1000
329	16	6.6	219-16	31.72	500
330	25	9.0	219-17	54.32	200
331	35	9.0	219-18	73.08	200
332	70	11	219-23	214.13	75
333	95	14	219-24	301.70	50
334	120	14	219-25	514.91	25
335	185	14	219-26	858.89	20
336	240	18	219-27	1037.66	20
337	300	18	219-28	1439.02	15
338	500	22	219-29	2107.65	10
339	625	26	219-30	2932.23	10

Jainson

COPPER TUBULAR
TERMINAL ENDS
(OVAL DOUBLE HOLE)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
340	42	319-81	346.57	200
341	100	319-82	608.94	25
342	133	319-83	659.92	25



Jainson

COPPER TUBULAR
CRIMPING
IN-LINE CONNECTORS

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
343	1.5	58-450	5.02	1000
344	1.5	58-453	5.15	1000
345	2.5	58-451	5.47	1000
346	2.5	58-454	5.60	1000
347	4-6	58-452	7.73	1000
348	4-6	58-455	8.11	1000
349	10	58-456	11.31	1000
350	10	58-460	13.51	1000
351	16	58-461	27.64	400
352	25	58-484	36.99	300
353	25	58-486	80.45	300
354	35	58-485	52.88	200
355	35	58-487	108.20	200
356	50	58-480	160.74	100
357	70	58-478	119.02	75
358	70	58-481	238.02	75
359	95	58-482	336.94	50
360	2.5	58-466	5.31	1000
361	1.5	58-463 (I)	7.28	1000
362	2.5	58-464 (I)	8.67	1000
363	4-6	58-465 (I)	13.01	500
364	4-6	58-475 (I)	19.42	500
365	2.5	32-23	5.87	1000
366	4	32-3	7.82	1000
367	6	32-4	8.11	1000
368	16	32-6	12.99	500
369	25	32-7	31.23	400
370	35	32-8	44.22	300
371	50	32-9	68.12	200
372	70	32-10	103.25	100
373	95	32-11	139.57	100
374	120	32-12	194.45	50
375	150	32-13	250.38	50
376	185	32-14	313.77	40
377	225	32-20	431.24	25
378	240	32-15	454.11	25
379	300	32-16	678.84	20
380	400	32-17	1033.08	15
381	500	32-18	1351.05	10
382	625	32-19	1845.14	5
383	800	32-21	2871.72	4
384	1000	32-22	4173.13	4
385	25	32-24	31.72	300
386	35	32-25	47.42	200
387	50	32-26	71.89	150
388	70	32-27	128.51	100
389	95	32-28	188.99	75
390	120	32-29	226.94	50
391	150	32-30	326.90	25
392	300	32-33	969.66	10

Jainson

COPPER TUBULAR
CRIMPING
IN-LINE CONNECTORS

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
393	1.5	32-41	7.37	1000
394	800	32-42	3726.59	4
395	1000	32-43	5553.41	4
396	20	32-47	19.51	1000
397	70	32-51	115.47	100
398	95	32-52	171.55	75
399	120	32-53	205.18	50
400	150	32-54	290.72	40
401	185	32-55	392.83	25
402	240	32-56	601.11	20
403	300	32-57	827.59	15
404	400	32-58	1116.65	10
405	500	32-59	1605.62	5
406	550	32-60	1744.36	5
407	630	32-61	2205.60	4
408	185	32-31	448.99	25
409	240	32-32	685.86	25
410	400	32-34	1339.49	10
411	500	32-35	1968.19	10

Jainson

COPPER TUBULAR IN-LINE
CONNECTORS

(LONG BARREL)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
412	1.5	JBL-453	8.76	1000
413	2.5	JBL-23	11.37	1000
414	4.0	JBL-3	15.69	1000
415	6.0	JBL-4	15.86	1000
416	10	JBL-460	26.40	500
417	16	JBL-6	23.81	500
418	25	JBL-7	57.21	300
419	35	JBL-8	74.96	200
420	50	JBL-9	113.69	150
421	70	JBL-10	168.10	100
422	95	JBL-11	231.93	75
423	120	JBL-12	325.41	50
424	150	JBL-13	416.00	50
425	185	JBL-14	504.39	25
426	225	JBL-20	711.52	25
427	240	JBL-15	742.52	20
428	300	JBL-16	1121.33	15
429	400	JBL-17	1706.41	10
430	500	JBL-18	2215.45	8
431	630	JBL-19	3043.94	5
432	800	JBL-21	4873.39	4

Jainson

COPPER TUBULAR IN-LINE CONNECTORS (LONG BARREL)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
433	1000	JBL-22	7102.21	4
434	625	32-36	2525.82	5

Jainson

COPPER CRIMPING INLINE CONNECTORS



(HEAVY DUTY)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
435	1.5	JC-1.5	6.68	1000
436	2.5	JC-2.5	8.58	1000
437	4	JC-4	10.93	1000
438	6	JC-6	12.04	1000
439	10	JC-10	19.22	1000
440	16	JC-16	29.91	400
441	20	JC-20	42.43	200
442	25	JC-25	45.17	200
443	35	JC-35	57.25	150
444	50	JC-50	83.31	100
445	70	JC-70	120.21	75
446	95	JC-95	154.27	50
447	120	JC-120	264.71	40
448	150	JC-150	306.57	25
449	185	JC-185	421.65	25
450	240	JC-240	631.97	20
451	300	JC-300	952.64	10
452	400	JC-400	1280.62	8
453	500	JC-500	1808.23	5
454	550	JC-550	1923.13	4
455	630	JC-630	2043.22	4
456	800	JC-800	3437.26	4
457	1000	JC-1000	4884.87	4

Jainson

COPPER CRIMPING TYPE IN-LINE CONNECTORS



(LONG BARREL)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
458	2.5	JCXL-21	7.87	1000
459	4	JCXL-22	9.69	1000
460	6	JCXL-23	11.63	1000
461	10	JCXL-24	17.71	1000
462	16	JCXL-25	32.54	400

Jainson

COPPER CRIMPING TYPE IN-LINE CONNECTORS



(LONG BARREL)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
463	25	JCXL-26	64.18	300
464	35	JCXL-27	82.10	200
465	50	JCXL-28	127.37	150
466	70	JCXL-29	161.99	100
467	95	JCXL-30	225.85	75
468	120	JCXL-31	321.98	50
469	150	JCXL-32	447.72	40
470	185	JCXL-33	600.49	25
471	240	JCXL-34	791.11	20
472	300	JCXL-35	1163.54	15
473	400	JCXL-36	1634.39	10
474	500	JCXL-37	2132.44	5
475	630	JCXL-38	2955.19	5
476	800	JCXL-39	4933.56	4
477	1000	JCXL-40	6565.71	4

Jainson

COPPER CONNECTORS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
478	35	32-25 J40	50.90	300
479	16	461-J32	35.48	400
480	25	32-24-J23	27.78	300
481	35	32-25-J25	30.53	300
482	150	JTC-150	774.53	40
483	2.5	58-001	4.71	1000
484	2.5	58-002	6.25	1000
485	6.0	58-003	7.64	1000
486	16.0	58-004	9.18	500
487	50.0	58-005	65.74	200

Jainson

COPPER CONNECTOR



(T TYPE)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
488	150	JTC-150T	2392.01	25

Jainson

COPPER TUBULAR CRIMPING END SEALING FERRULES



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
489	0.5	58-508	1.07	5000
490	0.75	58-509	1.07	5000
491	1.0	58-510	1.07	5000
492	1.0	58-511	1.45	5000
493	1.5	58-512	1.45	3000
494	1.5	58-513	1.73	3000
495	2.5	58-514	1.45	2000
496	2.5	58-515	1.68	2000
497	4	58-516	1.45	1000
498	4	58-517	1.68	1000
499	6	58-518	1.68	1000
500	6	58-519	1.68	1000
501	6	58-520	1.90	1000
502	10	58-521	1.90	1000
503	10	58-522	2.08	1000
504	10	58-523	2.46	1000
505	16	58-524	2.22	1000
506	16	58-525	2.60	1000
507	16	58-526	2.98	1000

Jainson

COPPER TUBULAR CRIMPING IN-LINE CONNECTORS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
508	1.5	58-459	5.25	1000
509	4	58-495	4.57	1000
510	6	58-568	7.09	1000
511	10	58-569	8.54	1000
512	16	58-570	10.73	1000
513	25	58-571	13.49	500
514	35	58-500	14.52	400
515	50	58-572	20.21	300
516	70	58-497	21.13	150
517	95	58-573	27.11	150
518	120	58-574	33.56	100
519	150	58-575	36.61	100
520	185	58-496	83.26	50
521	240	58-578	290.75	25
522	16	58-457	15.46	1000
523	50	58-477	75.38	200
524	95	58-479	144.68	150
525	0.5	58-651	5.41	1000

Jainson

Keeping Electricity Firmly in its Place
CABLE TERMINAL ENDSS J METAL INDUSTRIES
AN ISO 9001-2015 CO.

Jainson

COPPER TUBULAR END
SEALING FERRULES

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
526	0.5	58-467	1.51	1000
527	0.75	58-468	1.51	1000
528	1.0	58-469	1.51	1000
529	1.0	58-470	2.08	1000
530	1.5	58-471	2.08	1000
531	1.5	58-472	2.38	1000
532	2.5	58-499	2.08	1000
533	2.5	58-502	2.37	1000
534	4	58-503	2.08	1000
535	4	58-504	2.37	1000
536	6	58-505	2.37	1000
537	6	58-506	2.37	1000
538	6	58-507	2.63	1000
539	10	58-549	2.63	500
540	10	58-550	2.63	500
541	10	58-551	3.08	500
542	16	58-552	3.08	500
543	16	58-553	3.08	500
544	16	58-554	3.08	500

Jainson

COPPER OPEN CLOSE TYPE
SOLDERING CABLE
TERMINAL ENDS

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
545	1.5	153-371	2.93	1000
546	1.5	153-345	2.37	1000
547	2.5	153-372	3.46	1000
548	2.5	153-344	3.12	1000
549	4	153-373	6.06	1000
550	6	153-374	7.57	1000
551	10	153-375	9.82	1000
552	16	153-376	16.86	500
553	25	153-377	31.81	300
554	35	153-378	39.63	200
555	50	153-379	69.79	150
556	70	153-380	108.68	75
557	95	153-381	195.74	50
558	120	153-382	251.21	50
559	150	153-383	336.20	40
560	185	153-384	502.67	25
561	225	153-385	616.06	20
562	240	153-386	745.85	15
563	300	153-387	952.10	10
564	400	153-388	1391.18	5
565	500	153-389	1633.65	5
566	625	153-390	1939.19	4

Jainson

COPPER RING TONGUE
TERMINAL ENDS

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
567	1.5	3.7	170489	3.11	1000
568	1.5	4.2	170499	3.11	1000
569	1.5	2.6	170009	3.72	1000
570	1.5	3.2	170019	3.57	1000
571	1.5	3.7	170029	3.57	1000
572	1.5	4.2	170039	3.11	1000
573	1.5	4.2	171549	3.57	1000
574	1.5	4.2	170049	3.20	1000
575	1.5	5.2	170059	3.20	1000
576	1.5	5.2	170069	4.01	1000
577	1.5	6.4	170079	3.87	1000
578	1.5	6.4	171069	4.51	1000
579	2.5	3.2	171079	3.74	1000
580	2.5	3.7	170089	3.57	1000
581	2.5	3.7	171089	3.74	1000
582	2.5	4.2	170099	3.20	1000
583	2.5	5.2	170109	3.20	1000
584	2.5	5.2	171099	3.83	1000
585	2.5	6.4	170119	3.44	1000
586	2.5	5.2	171109	5.43	1000
587	2.5	6.4	170129	5.30	1000
588	2.5	8.2	170139	5.43	1000
589	2.5	8.2	170149	6.53	1000
590	2.5	10.2	171519	7.84	1000
591	4-6	4.2	171559	6.11	1000
592	4-6	5.2	170509	6.11	1000
593	4-6	5.2	171579	15.09	1000
594	4-6	5.2	170169	7.22	1000
595	4-6	6.4	170179	6.81	1000
596	4-6	8.2	170189	7.22	1000
597	4-6	6.4	170199	8.32	1000
598	4-6	6.4	171159	9.66	1000
599	4-6	8.2	170209	9.54	1000
600	4-6	8.2	171169	11.78	1000
601	4-6	10.2	170239	11.23	1000
602	4-6	12.7	170249	10.69	1000
603	10	5.2	170259	8.69	1000
604	10	4.2	171199	10.18	1000
605	10	5.2	170269	8.01	1000
606	10	6.4	171209	9.42	1000
607	10	8.2	171219	12.57	500
608	10	10.2	171239	19.24	500
609	10	12.7	170289	17.45	500
610	16	5.2	171249	14.27	500
611	16	6.4	170299	15.78	500
612	16	8.2	170309	18.87	500
613	16	10.2	171289	25.31	500
614	16	12.7	170339	25.03	500
615	25	6.4	171569	35.53	300

Jainson

COPPER RING TONGUE
TERMINAL ENDS

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
616	25	8.2	170349	36.12	300
617	25	10.2	171319	47.56	300
618	25	10.2	171329	52.96	200
619	25	12.7	170379	53.88	200
620	35	6.4	171339	45.11	300
621	35	8.2	170389	42.28	300
622	35	8.2	171349	64.09	200
623	35	10.2	170399	59.15	200
624	35	10.2	171359	58.78	200
625	35	12.7	170409	57.19	200
626	50	8.2	171369	73.04	150
627	50	10.2	171379	81.11	150
628	50	12.7	170429	82.87	150
629	50	16.2	171399	93.01	100
630	70	10.2	171409	100.43	100
631	70	12.7	171419	98.82	100
632	70	16.2	171429	110.44	100
633	95	10.2	171449	136.78	75
634	95	12.7	170449	137.33	75
635	95	16.2	171459	156.31	75
636	120	12.7	171469	175.74	50
637	120	16.2	171479	195.01	50
638	120	20.3	171489	261.77	50
639	150	12.7	171499	382.26	25
640	150	16.2	170459	361.78	25
641	150	20.3	170469	387.46	25

Jainson

COPPER RING TONGUE
TERMINAL ENDS
(INSULATED)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
642	1.5	2.6	170539	6.24	1000
643	1.5	3.2	170549	4.84	1000
644	1.5	3.7	170559	4.84	1000
645	1.5	4.2	170569	4.51	1000
646	1.5	3.7	170589	4.51	1000
647	1.5	4.2	170599	4.51	1000
648	1.5	4.2	170619	4.86	1000
649	1.5	5.2	170629	4.86	1000
650	1.5	4.2	170639	4.95	1000
651	1.5	5.2	170659	5.41	1000
652	1.5	6.4	170669	5.21	1000
653	1.5	6.4	170679	5.71	1000
654	2.5	3.2	170689	4.88	1000
655	2.5	3.7	170699	4.88	1000

Jainson

**COPPER RING TONGUE
TERMINAL ENDS
(INSULATED)**



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
656	2.5	3.7	170709	5.34	1000
657	2.5	4.2	170719	4.84	1000
658	2.5	5.2	170729	4.84	1000
659	2.5	5.2	170739	5.52	1000
660	2.5	6.4	170749	5.26	1000
661	2.5	5.2	170759	7.01	1000
662	2.5	6.4	170769	6.90	1000
663	0.75	4.2	175919	7.55	1000
664	2.5	8.2	170779	6.55	1000
665	2.5	8.2	170799	7.47	1000
666	2.5	10.2	170819	8.71	1000
667	4-6	4.2	170839	7.79	500
668	4-6	5.2	170849	7.60	500
669	4-6	5.2	170869	8.54	500
670	4-6	5.2	170879	17.10	500
671	4-6	6.4	170899	8.78	500
672	4-6	8.2	170909	9.04	500
673	4-6	6.4	170929	10.16	500
674	4-6	6.4	170939	11.45	500
675	4-6	8.2	170949	11.14	500
676	4-6	8.2	170969	13.25	500
677	4-6	10.2	170999	12.92	500
678	4-6	12.7	171009	12.39	500

Jainson

**COPPER RING TONGUE
TERMINAL ENDS
(INSULATED)**



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
679	10	4.2	173899	16.79	500
680	10	5.2	173909	16.79	500
681	10	4.2	173919	15.90	500
682	10	5.2	173929	15.90	500
683	10	6.4	173939	18.13	500
684	10	8.2	173949	20.66	500
685	10	8.2	173959	29.71	500
686	10	10.2	173969	29.71	300
687	10	10.2	173979	26.55	300
688	10	12.7	173989	26.55	300
689	16	5.2	173999	25.43	300
690	16	5.2	174009	27.97	300
691	16	6.4	174019	27.97	300
692	16	6.4	174029	27.97	300
693	16	8.2	174039	27.97	300
694	16	9.7	174049	27.97	300
695	16	8.2	174059	40.53	200

Jainson

**COPPER RING TONGUE
TERMINAL ENDS
(INSULATED)**



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
696	16	10.2	174069	40.53	200
697	16	10.2	174079	35.44	200
698	16	12.7	174089	35.44	200
699	25	6.4	174099	48.63	100
700	25	8.2	174109	48.63	100
701	25	6.4	174119	49.58	100
702	25	8.2	174129	49.58	100
703	25	10.2	174139	49.58	100
704	25	6.4	174149	66.12	100
705	25	8.2	174159	66.12	100
706	25	10.2	174169	71.68	100
707	25	10.2	174179	75.69	100
708	25	12.7	174189	71.21	100
709	35	6.4	174199	61.50	100
710	35	8.2	174209	61.99	100
711	35	8.2	174219	89.66	100
712	35	10.2	174229	89.66	100
713	35	10.2	174239	90.28	100
714	35	12.7	174249	90.28	100
715	50	8.2	174259	89.04	75
716	50	10.2	174269	89.04	75
717	50	10.2	174279	91.55	75
718	50	10.2	174289	104.27	75
719	50	12.7	174299	104.27	75
720	50	16.2	174309	124.93	75
721	70	10.2	174319	130.35	50
722	70	12.7	174329	133.85	50
723	70	12.7	174339	127.17	50
724	70	16.2	174349	127.17	50

Jainson

**COPPER RING TONGUE
TERMINAL ENDS
(M. R.)**



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
725	1.5	2.6	174369	8.47	1000
726	1.5	3.2	174379	5.85	1000
727	1.5	3.7	174389	5.85	1000
728	1.5	4.2	174399	5.85	1000
729	1.5	3.7	174419	5.85	1000
730	1.5	4.2	174429	5.85	1000
731	1.5	4.2	174449	6.07	1000
732	1.5	5.2	174459	6.07	1000
733	1.5	4.2	174469	6.17	1000
734	1.5	5.2	174489	6.90	1000
735	1.5	6.4	174499	6.99	1000

Jainson

**COPPER RING TONGUE
TERMINAL ENDS
(M.R.)**



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
736	1.5	6.4	174509	7.20	1000
737	2.5	3.2	174519	6.90	1000
738	2.5	3.7	174529	6.59	1000
739	2.5	3.7	174539	7.14	1000
740	2.5	4.2	174549	6.31	1000
741	2.5	5.2	174559	6.31	1000
742	2.5	5.2	174569	6.79	1000
743	2.5	6.4	174579	6.63	1000
744	2.5	5.2	174589	8.76	1000
745	2.5	6.4	174599	8.63	1000
746	2.5	8.2	174609	8.76	1000
747	2.5	8.2	174629	8.56	1000
748	2.5	10.2	174649	10.82	1000
749	4-6	4.2	174669	10.79	500
750	4-6	5.2	174679	9.85	500
751	4-6	5.2	174699	10.92	500
752	4-6	5.2	174709	20.27	500
753	4-6	6.4	174729	10.82	500
754	4-6	8.2	174739	10.93	500
755	4-6	6.4	174759	12.50	500
756	4-6	6.4	174769	13.68	500
757	4-6	8.2	174779	13.68	500
758	4-6	8.2	174799	15.54	500
759	4-6	10.2	174829	15.96	500
760	4-6	12.7	174839	15.96	500
761	10	4.2	174849	22.09	300
762	10	5.2	174859	22.09	300
763	10	4.2	174869	21.06	300
764	10	5.2	174879	21.06	300
765	10	6.4	174889	23.71	300
766	10	8.2	174899	25.92	300
767	10	8.2	174909	35.64	300
768	10	10.2	174919	35.64	300
769	10	10.2	174929	32.27	300
770	10	12.7	174939	32.27	300
771	16	5.2	174949	32.27	200
772	16	5.2	174959	33.87	200
773	16	6.4	174969	33.87	200
774	16	6.4	174979	33.87	200
775	16	8.2	174989	33.87	200
776	16	9.7	174999	33.87	200
777	16	8.2	175009	47.42	200
778	16	10.2	175019	47.42	200
779	16	10.2	175029	41.84	200
780	16	12.7	175039	41.84	200

Jainson

Jainson COPPER RING TONGUE TERMINAL ENDS

(NON- STANDARD ITEMS)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
781	1.5	3.2	171539	3.98	1000
782	1.5	2.2	171039	4.03	1000
783	1.5	3.2	171049	4.71	1000
784	1.5	4.2	171059	5.17	1000
785	2.5	6.4	171119	8.58	1000
786	2.5	10.2	170159	8.15	1000
787	2.5	12.7	170479	9.28	1000
788	4-6	4.2	171129	8.49	1000
789	4-6	5.2	171139	8.36	1000
790	4-6	5.2	171149	9.92	1000
791	4-6	9.7	170219	11.28	1000
792	4-6	10.2	170229	13.23	1000
793	4-6	8.2	171179	12.39	1000
794	10	4.2	171189	9.92	1000
795	10	8.2	171229	20.08	500
796	10	10.2	170279	19.86	500
797	16	5.2	171259	17.97	500
798	16	6.4	171269	19.29	500
799	16	9.7	170319	19.86	500
800	16	8.2	171279	27.04	500
801	16	10.2	170329	26.19	500
802	25	8.2	170519	31.48	300
803	25	6.4	171299	35.40	300
804	25	10.2	170359	33.23	300
805	25	6.2	171309	43.72	300
806	25	8.2	170369	42.54	300
807	50	10.2	170419	74.35	150
808	50	10.2	171389	85.24	150
809	70	12.7	170439	104.39	100
810	95	10.2	171439	132.37	75
811	150	16.2	171509	433.73	25

Jainson COPPER RING TONGUE TERMINAL ENDS INSULATED

(NON-STANDARD ITEMS)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
812	1.5	2.2	170529	5.89	1000
813	1.5	3.2	170579	5.89	1000
814	1.5	3.2	170609	6.77	1000
815	1.5	4.2	170649	6.90	1000
816	2.5	6.4	170789	10.33	1000
817	2.5	10.2	170809	10.33	1000
818	2.5	12.7	170829	11.58	1000
819	4-6	4.2	170859	11.58	500
820	4-6	5.2	170889	12.96	500
821	4-6	5.2	170919	12.68	500
822	4-6	9.7	170959	16.35	500
823	4-6	10.2	170979	19.57	500
824	4-6	8.2	170989	18.13	500

Jainson COPPER RING TONGUE TERMINAL ENDS (M.R)

(NON-STANDARD ITEMS)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
825	1.5	2.2	174359	8.63	1000
826	1.5	3.2	174409	8.63	1000
827	1.5	3.2	174439	7.60	1000
828	1.5	4.2	174479	8.17	1000
829	2.5	6.4	174619	11.96	1000
830	2.5	10.2	174639	11.96	1000
831	2.5	12.7	174659	13.42	1000
832	4-6	4.2	174689	14.14	500
833	4-6	5.2	174719	15.83	500
834	4-6	5.2	174749	15.79	500
835	4-6	9.7	174789	16.93	500
836	4-6	10.2	174809	19.51	500
837	4-6	8.2	174819	21.24	500

Jainson COPPER RING TONGUE TERMINAL ENDS (M.R)

(NON-STANDARD ITEMS)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
838	4	8.3	180379	15.14	500
839	4	9.9	180389	15.14	500
840	2.5	4.0	180399	7.57	1000
841	4	8.3	180409	15.14	500

Jainson COPPER RING TONGUE TERMINAL ENDS (M.R)

(NON-STANDARD ITEMS)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
842	4	5.2	180419	12.60	500
843	4	6.7	180429	13.91	500
844	4	13.1	180439	18.43	500
845	2.5	8.3	180449	8.89	1000
846	4	4.4	180459	13.70	500
847	2.5	5.2	180469	8.42	1000
848	2.5	6.7	180479	9.10	1000
849	2.5	9.9	180489	8.88	1000
850	2.5	4.4	180499	8.04	1000
851	4-6	5.2	180509	13.74	500
852	4-6	5.2	180519	18.36	500
853	4-6	6.7	180529	16.27	500

Jainson COPPER RING TONGUE TERMINAL ENDS (BEND TYPE)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
854	1	5.0	JAB-1	11.64	1000
855	2.5	5.0	JAB-2.5	11.92	1000

Jainson COPPER RING TONGUE TERMINAL ENDS (60° & 90° BEND)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
856	1.5	3.2	173559	11.60	1000
857	10	6.4	173889	25.70	500
858	10	8.4	171739	75.69	500
859	10	10.5	180219	93.10	500
860	16	8.2	180229	114.26	300

PRODUCT RANGE OF Jainson GROUP

CABLE TERMINAL ENDS
 CRIMPING TOOLS
 CABLE GLANDS
 PLUG & SOCKET
 MAIN SWITCHES
 ROTARY SWITCHES
 CLIP ON TYPE TERMINALS
 BAKELITE STRIP CONNECTORS
 REVERSE FORWARD SWITCHES
 L.T. CONTROL SWITCHES
 LED LIGHTS
 WIRE STRIPPER WITH CUTTER
 BAKELITE FUSE FITTING
 ANTI-CORROSIVE COMPOUNDS
 LIMIT SWITCHES
 CAM SWITCHES



Jainson**COPPER RING TONGUE
SLOTTED LOCK HOLE
TERMINAL ENDS**

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
861	25	19	JRL-504A	98.25	150
862	50	23	JRL-504B	176.80	100

Jainson**COPPER RING TONGUE
TERMINAL ENDS
(DOUBLE HOLE)**

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
863	4-6	5.2	7157-DH	17.24	1000

Jainson**COPPER RING TONGUE
FORK TERMINAL ENDS
(“U” CUT)**

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
864	1.5	3.1	172359	4.61	1000
865	1.5	4.1	172369	5.06	1000
866	1.5	4.1	172379	5.06	1000
867	1.5	5.1	172389	5.51	1000
868	1.5	3.6	172409	4.61	1000
869	1.5	3.1	172419	4.61	1000
870	1.5	3.6	172449	4.61	1000
871	1.5	6.1	178619	5.51	1000
872	2.5	3.1	178629	5.06	1000
873	2.5	3.6	178639	5.06	1000
874	2.5	6.1	178649	5.42	1000
875	2.5	4.1	172399	5.53	1000
876	2.5	5.1	172429	5.53	1000
877	4-6	4.1	172439	8.42	1000
878	4-6	4.1	172459	9.83	1000
879	4-6	5.1	172469	9.83	1000
880	4-6	5.1	172479	11.38	1000
881	4-6	6.1	172489	11.38	1000
882	10	4.1	178659	11.38	1000
883	10	5.1	178669	11.36	1000
884	10	6.1	178679	12.61	1000
885	10	8.1	178689	14.74	1000
886	16	5.1	178699	17.90	500
887	16	6.1	178709	19.98	500
888	16	8.1	178719	19.98	500
889	16	8.1	178729	24.91	500

Jainson**COPPER RING TONGUE
TERMINAL ENDS
(“U” CUT INSULATED)**

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
890	1.5	3.1	178739	6.13	1000
891	1.5	3.6	178749	6.13	1000
892	1.5	3.1	178759	6.04	1000
893	1.5	3.6	178769	6.26	1000
894	1.5	4.1	178779	6.88	1000
895	1.5	4.1	178789	6.88	1000
896	1.5	5.1	178799	7.44	1000
897	1.5	6.1	178809	7.44	1000
898	2.5	3.1	178819	7.16	1000
899	2.5	3.6	178829	7.07	1000
900	2.5	4.1	178839	7.47	1000
901	2.5	5.1	178849	7.60	1000
902	2.5	6.1	178859	7.60	1000
903	4-6	4.1	178869	11.47	500
904	4-6	4.1	178879	13.88	500
905	4-6	5.1	178889	13.88	500
906	4-6	5.1	178899	15.06	500
907	4-6	6.1	178909	15.06	500
908	10	4.1	178919	16.40	500
909	10	5.1	178929	16.40	500
910	10	6.1	178939	17.69	500
911	10	8.1	178949	20.05	500
912	16	5.1	178959	23.54	300
913	16	6.1	178969	24.63	300
914	16	8.1	178979	24.63	300
915	16	8.1	178989	36.65	300

Jainson**COPPER RING TONGUE
TERMINAL ENDS
(“U” CUT M.R.)**

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
916	1.5	3.1	178999	8.17	1000
917	1.5	3.6	179009	8.17	1000
918	1.5	3.1	179019	8.17	1000
919	1.5	3.6	179029	8.17	1000
920	1.5	4.1	179039	9.20	1000
921	1.5	4.1	179049	9.20	1000
922	1.5	5.1	179059	9.20	1000
923	1.5	6.1	179069	9.96	1000
924	2.5	3.1	179079	9.96	1000
925	2.5	3.6	179089	9.96	1000
926	2.5	4.1	179099	10.12	1000
927	2.5	5.1	179109	10.12	1000
928	2.5	6.1	179119	10.12	1000
929	4-6	4.1	179129	14.97	500

Jainson**COPPER RING TONGUE
FORK TERMINAL ENDS
(“U” CUT M.R.)**

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
930	4-6	4.1	179139	17.03	500
931	4-6	5.1	179149	17.03	500
932	4-6	5.1	179159	18.55	500
933	4-6	6.1	179169	18.55	500
934	10	4.1	179179	21.70	300
935	10	5.1	179189	21.70	300
936	10	6.1	179199	22.73	300
937	10	8.1	179209	25.75	300
938	16	5.1	179219	31.07	200
939	16	6.1	179229	54.38	200
940	16	8.1	179239	55.79	200
941	16	8.1	179249	58.44	200

Jainson**COPPER FORK TYPE
TERMINAL ENDS**

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
942	1.0	3.5	FT-SPL	3.61	1000
943	1.5	3.0	180559	4.60	1000
944	1.5	5.1	172149	6.74	1000
945	1.5	3.5	172499	2.64	1000
946	1.5	3.1	172509	3.98	1000
947	2.5	3.5	172519	2.99	1000
948	2.5	5.1	172809	7.71	1000
949	4-6	3.1	172529	5.17	1000
950	4-6	3.5	172539	5.06	1000
951	10	6.5	172549	14.84	500
952	10	8.5	172559	14.52	500
953	16	4.4	101319	18.20	500
954	1.5	2.8	JFT-900	3.63	1000
955	2.5	4.1	185159	7.75	1000



Jainson

COPPER FORK TERMINAL ENDS
(INSULATED)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
956	1.0	3.5	FT-SPL(I)	4.88	1000
957	1.5	5.1	179259	8.03	1000
958	1.5	3.5	179269	3.59	1000
959	1.5	3.1	179279	5.34	1000
960	2.5	3.5	179289	4.22	1000
961	2.5	5.1	179299	8.58	1000
962	4-6	3.1	179309	7.05	500
963	4-6	3.5	179319	6.90	500
964	10	6.5	179329	17.63	300
965	10	8.2	179339	17.40	300

Jainson

COPPER FORK TERMINAL ENDS
(M.R.)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
966	1.0	3.5	FT-SPL(R)	5.76	1000
967	1.5	5.1	179349	9.77	1000
968	1.5	3.5	179359	5.01	1000
969	1.5	3.1	179369	6.41	1000
970	2.5	3.5	179379	5.37	1000
971	2.5	5.0	179389	9.50	1000
972	4-6	3.1	179399	8.93	500
973	4-6	3.5	179409	8.85	500
974	10	6.5	179419	23.58	200
975	10	8.2	179429	23.45	200

Jainson

COPPER FORK TYPE
TERMINAL ENDS

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
976	1.5	3.2	JFT-911	4.32	1000
977	1.5	3.7	JFT-912	4.15	1000
978	2.5	3.7	JFT-922	4.86	1000
979	4-6	5.2	JFT-940	8.06	1000
980	10	4.2	JFT-958	12.81	1000
981	1.0	4.2	JFT-908	6.88	1000
982	1.5	5.2	JFT-919	6.05	1000
983	4-6	6.4	JFT-943	11.09	1000
984	1.5	2.2	JFT-909	6.07	1000
985	1.5	5.2	JFT-918	4.34	1000

Jainson

COPPER FORK TYPE
TERMINAL ENDS

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
986	2.5	4.2	JFT-925	7.12	1000
987	2.5	5.2	JFT-926	7.12	1000
988	2.5	6.4	JFT-928	9.74	1000
989	2.5	12.7	JFT-938	12.10	1000
990	4-6	4.2	JFT-939	8.42	1000
991	4-6	8.2	JFT-948	12.14	1000
992	10	4.2	JFT-957	13.10	1000
993	10	5.2	JFT-959	12.64	1000
994	10	6.4	JFT-960	11.85	1000

Jainson

COPPER FORK TYPE
TERMINAL ENDS
(INSULATED)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
995	1.5	2.2	JFT-1009	5.80	1000
996	1.5	3.2	JFT-1011	5.46	1000
997	1.5	3.7	JFT-1012	5.46	1000
998	1.5	5.2	JFT-1018	6.16	1000
999	1.5	5.2	JFT-1019	7.12	1000
1000	2.5	3.7	JFT-1022	7.12	1000
1001	2.5	4.2	JFT-1025	8.67	1000
1002	2.5	5.2	JFT-1026	8.67	1000
1003	2.5	6.4	JFT-1028	11.02	1000
1004	2.5	12.7	JFT-1038	14.60	1000
1005	4-6	4.2	JFT-1039	11.74	500
1006	4-6	5.2	JFT-1040	11.74	500
1007	4-6	6.4	JFT-1043	14.09	500
1008	4-6	8.2	JFT-1048	15.62	500
1009	10	4.2	JFT-1057	18.97	500
1010	10	4.2	JFT-1058	19.87	500
1011	10	5.2	JFT-1059	19.51	500
1012	10	6.4	JFT-1060	19.51	500

Jainson

COPPER FORK TYPE
TERMINAL ENDS (M.R.)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1013	1.5	2.2	JFT-1109	7.26	1000
1014	1.5	3.2	JFT-1111	7.14	1000
1015	1.5	3.7	JFT-1112	8.02	1000

Jainson

COPPER FORK TYPE
TERMINAL ENDS
(M.R.)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1016	1.5	5.2	JFT-1118	8.89	1000
1017	1.5	5.2	JFT-1119	9.93	1000
1018	2.5	3.7	JFT-1122	8.22	1000
1019	2.5	4.2	JFT-1125	10.53	1000
1020	2.5	5.2	JFT-1126	12.43	1000
1021	2.5	6.4	JFT-1128	12.43	1000
1022	2.5	12.7	JFT-1138	16.74	1000
1023	4-6	4.2	JFT-1139	16.74	500
1024	4-6	5.2	JFT-1140	16.74	500
1025	4-6	6.4	JFT-1143	16.74	500
1026	4-6	8.2	JFT-1148	18.50	500
1027	10	4.2	JFT-1157	27.40	400
1028	10	4.2	JFT-1158	27.40	400
1029	10	5.2	JFT-1159	27.40	400
1030	10	6.4	JFT-1160	27.40	400

Jainson

COPPER FORK HOOK
TERMINAL ENDS

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1031	0.75	172799	6.92	1000
1032	1.5	172789	5.83	1000
1033	1.5	172659	5.83	1000
1034	1.5	172669	6.61	1000
1035	1.5	172569	6.61	1000
1036	1.5	172579	7.06	1000
1037	1.5	172709	8.20	1000
1038	1.5	172719	8.20	1000
1039	2.5	172589	8.20	1000
1040	2.5	172599	7.04	1000
1041	2.5	172609	7.12	1000
1042	2.5	172729	9.59	1000
1043	2.5	172739	9.59	1000
1044	4	172749	15.70	1000
1045	4	172759	15.70	1000
1046	4	172769	15.70	1000
1047	4	172779	15.70	1000
1048	4-6	172619	12.84	1000
1049	4-6	172629	12.84	1000
1050	4-6	172639	12.84	1000
1051	4-6	172689	10.95	1000
1052	4-6	172699	10.64	1000
1053	6	172649	12.84	1000
1054	6	172679	14.00	1000

Jainson

COPPER FORK HOOK TERMINAL ENDS (INSULATED)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1055	0.75	179439	8.06	1000
1056	1.5	179449	8.89	1000
1057	1.5	179459	7.71	1000
1058	1.5	179469	7.71	1000
1059	1.5	179479	7.71	1000
1060	1.5	179489	7.36	1000
1061	1.5	179499	9.44	1000
1062	1.5	179509	9.20	1000
1063	2.5	179519	9.66	1000
1064	2.5	179529	8.58	1000
1065	2.5	179539	8.58	1000
1066	2.5	179549	11.15	1000
1067	2.5	179559	11.15	1000
1068	4	179569	17.69	1000
1069	4-6	179609	14.60	500
1070	4-6	179639	14.34	500
1071	4-6	179649	12.61	500

Jainson

COPPER FORK HOOK TERMINAL ENDS (INSULATED)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1072	4	5.1	179579	18.19	500
1073	4	8.1	179599	17.08	500
1074	4-6	5.1	179619	14.69	500
1075	4-6	5.1	179629	14.69	500
1076	6	4.1	179659	15.83	500
1077	6	4.1	179669	16.47	500

Jainson

COPPER FORK HOOK TERMINAL ENDS (M.R.)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1078	0.75	179679	10.49	1000
1079	1.5	179689	9.74	1000
1080	1.5	179699	9.74	1000
1081	1.5	179709	10.42	1000
1082	1.5	179719	10.42	1000
1083	1.5	179729	10.42	1000
1084	1.5	179739	11.96	1000

Jainson

COPPER FORK HOOK TERMINAL ENDS (M.R.)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1085	1.5	179749	11.96	1000
1086	2.5	179759	12.66	1000
1087	2.5	179769	11.69	1000
1088	2.5	179779	11.69	1000
1089	2.5	179789	14.27	1000
1090	2.5	179799	14.27	1000
1091	4	179809	22.97	500
1092	4.6	179849	18.83	500
1093	4.6	179859	18.83	500
1094	4.6	179879	16.11	500
1095	6	179889	16.11	500

Jainson

COPPER FORK HOOK TERMINAL ENDS (M.R.)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1096	4	5.1	179819	22.44	500
1097	4	8.1	179829	22.44	500
1098	4	8.1	179839	20.67	500
1099	4.6	5.1	179869	17.95	500
1100	6	4.1	179899	21.35	500
1101	6	4.1	179909	21.68	500

Jainson

COPPER PIN TYPE TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1102	1.0	316-0	3.58	1000
1103	1.5	316-9	2.83	1000
1104	1.5	316-35	3.22	1000
1105	1.5	316-38	7.79	1000
1106	2.5	316-1	3.03	1000
1107	2.5	316-2	2.93	1000
1108	4	316-3	6.31	1000
1109	4	316-4	10.38	1000
1110	6	316-5	6.55	1000
1111	6	316-6	10.66	1000
1112	10	316-7	10.42	1000
1113	16	316-8	18.63	500
1114	2.5	316-10	5.05	1000

Jainson

COPPER PIN TYPE TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1115	2.5	316-11	5.05	1000
1116	4	316-12	9.42	1000
1117	4	316-13	9.88	1000
1118	6	316-14	10.62	1000
1119	6	316-15	10.62	1000
1120	10	316-16	15.49	1000
1121	25	316-125	48.02	300
1122	35	316-135	63.28	300
1123	50	316-150	81.12	150
1124	70	316-170	111.73	100
1125	95	316-195	156.90	100
1126	0.75	316-54	4.10	1000

Jainson

COPPER PIN TYPE TERMINAL ENDS (INSULATED)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1127	1.0	316-0 (I)	4.80	1000
1128	1.0	316-45 (I)	10.11	1000
1129	1.5	316-17	3.77	1000
1130	1.5	316-40	4.88	1000
1131	1.5	316-38 (I)	9.13	1000
1132	1.5	316-42 (I)	10.11	1000
1133	1.5	316-51 (I)	6.94	1000
1134	2.5	316-18	4.05	1000
1135	2.5	316-19	4.31	1000
1136	4	316-20	8.26	500
1137	4	316-21	16.62	500
1138	6	316-22	16.55	500
1139	6	316-23	16.62	500
1140	10	316-24	26.67	500
1141	16	316-25	35.64	400

Jainson

CABLE TERMINAL ENDS



Jainson

COPPER PIN TYPE
TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1142	1.0	316-0 (R)	6.06	1000
1143	1.5	316-26	5.19	1000
1144	2.5	316-27	5.50	1000
1145	2.5	316-28	5.32	1000
1146	4	316-29	10.29	500
1147	4	316-30	22.44	500
1148	6	316-31	23.01	500
1149	6	316-32	23.01	500
1150	0.75	316-54	5.52	1000
1151	2.5	316-52	13.68	1000
1152	10	316-33	31.64	400
1153	16	316-34	44.16	300
1154	1.5	316-35(R)	6.63	1000

Jainson

COPPER PIN TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1155	2.5	316-101	12.00	1000
1156	2.5	316-102	14.51	1000
1157	6	316-103	24.56	1000
1158	6	316-104	20.44	1000

Jainson

COPPER PIN TYPE
TERMINAL ENDS
(SPECIAL)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1159	16	316-105	34.03	500
1160	2.5	316-106	13.06	1000
1161	2.5	316- 2P2	10.39	1000
1162	2.5	T TYPE	10.88	1000
1163	4-6	T TYPE	13.26	1000

Jainson

COPPER PIN TYPE, FORK TYPE,
RING TONGUE TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1164	0.75	JSP-01	3.24	1000
1165	0.75	JSF-02	3.07	1000
1166	0.75	JSR-03	3.14	1000
1167	0.75	JSP-04	3.48	1000
1168	1	JSP-05	3.73	1000
1169	1.5	JSP-06	4.05	1000
1170	1	JSR-07	3.88	1000
1171	1	JSR-08	3.88	1000
1172	1	JSR-09	3.97	1000
1173	1	JSR-10	3.73	1000
1174	1	JSR-11	4.09	1000
1175	1	JSR-12	3.97	1000
1176	1	JSR-13	4.35	1000
1177	1	JSR-14	4.35	1000
1178	1	JSR-15	4.67	1000

Jainson

COPPER PIN TYPE, FORK TYPE,
RING TONGUE TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1179	0.75	JSP-01 (I)	5.28	1000
1180	0.75	JSF-02 (I)	5.13	1000
1181	0.75	JSR-03 (I)	5.13	1000
1182	0.75	JSP-04 (I)	5.28	1000
1183	1	JSP-05 (I)	5.92	1000
1184	1.5	JSP-06 (I)	6.06	1000
1185	1	JSR-07 (I)	5.92	1000
1186	1	JSR-08 (I)	5.92	1000
1187	1	JSR-09 (I)	5.92	1000
1188	1	JSR-10 (I)	5.43	1000
1189	1	JSR-11 (I)	6.06	1000
1190	1	JSR-12 (I)	5.92	1000
1191	1	JSR-13 (I)	6.53	1000
1192	1	JSR-14 (I)	6.45	1000
1193	1	JSR-15 (I)	6.96	1000

Jainson

COPPER PIN TYPE, FORK TYPE,
RING TONGUE TERMINAL ENDS
(M.R.)




ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1194	0.75	JSP-01 (R)	5.92	1000
1195	0.75	JSF-02 (R)	5.73	1000
1196	0.75	JSR-03 (R)	5.92	1000
1197	0.75	JSP-04 (R)	6.83	1000
1198	1	JSP-05 (R)	7.15	1000
1199	1.5	JSP-06 (R)	7.46	1000
1200	1	JSR-07 (R)	7.46	1000
1201	1	JSR-08 (R)	7.46	1000
1202	1	JSR-09 (R)	7.53	1000
1203	1	JSR-10 (R)	7.46	1000
1204	1	JSR-11 (R)	7.61	1000
1205	1	JSR-12 (R)	7.53	1000
1206	1	JSR-13 (R)	8.06	1000
1207	1	JSR-14 (R)	8.02	1000
1208	1	JSR-15 (R)	8.53	1000

Jainson

COPPER REDUCER TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1209	2.5	RPC-1	21.41	1000
1210	2.5	RPC-7	19.44	1000
1211	4	RPC-15	21.41	1000
1212	4	RPC-16	19.44	1000
1213	6	RPC-17	22.79	1000
1214	6	RPC-18	20.03	1000
1215	10	RPC-19	26.23	1000
1216	10	RPC-20	24.39	1000
1217	10	RPC-21	30.48	1000
1218	10	RPC-22	28.07	1000
1219	16	RPC-23	52.24	500
1220	16	RPC-24	52.24	500
1221	16	RPC-2	36.81	500
1222	25	RPC-25	60.33	400
1223	25	RPC-3	82.43	300
1224	35	RPC-4	80.31	300
1225	50	RPC-26	91.78	200
1226	50	RPC-5	199.89	100
1227	70	RPC-27	147.24	150
1228	70	RPC-6	184.75	100
1229	70	RPC-28	226.02	100
1230	95	RPC-29	214.90	75
1231	95	RPC-8	301.00	75
1232	95	RPC-31	200.48	100
1233	95	RPC-32	317.33	50



Jainson

COPPER REDUCER TYPE
TERMINAL ENDS

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1234	120	RPC-33	272.21	75
1235	120	RPC-34	270.11	50
1236	120	RPC-35	315.44	50
1237	120	RPC-36	422.22	50
1238	150	RPC-10	499.22	50
1239	150	RPC-37	387.46	50
1240	185	RPC-30	621.43	40
1241	185	RPC-38	516.61	50
1242	225	RPC-39	807.20	25
1243	225	RPC-46	1010.63	25
1244	225	RPC-42	991.25	25
1245	240	RPC-44	1033.22	25
1246	240	RPC-43	790.81	25
1247	300	RPC-45	994.47	20
1248	300	RPC-47	1048.63	20

Jainson

COPPER REDUCER TYPE
TERMINAL ENDS
(SPECIAL ITEMS)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1249	4	RPC-51	36.11	1000
1250	10	RPC-52	48.05	500
1251	16	RPC-53	71.66	500
1252	25	RPC-54	96.72	300
1253	35	RPC-55	125.67	200
1254	50	RPC-56	135.54	150
1255	2.5	RPC-57	21.37	1000
1256	10	RPC-58	33.87	600
1257	25	RPC-59	90.35	400
1258	35	RPC-60	80.10	400
1259	50	RPC-61	93.64	200
1260	400	RPC-101	1890.53	10

Jainson

ALUMINIUM CABLE SOCKETS

(CENTRAL PALM)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1261	70	JADC-25	29.38	100
1262	70	JADC-33	48.77	100
1263	120	JADC-26	56.88	50

Jainson

COPPER REDUCER TYPE
TERMINAL ENDS

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1264	1.5	JP-36	31.00	1000
1265	2.5	JP-37	28.92	1000
1266	4	JP-38	28.92	1000
1267	6	JP-39	30.68	1000
1268	10	JP-40	43.60	500
1269	10	JP-41	60.06	500
1270	16	JP-42	75.56	500
1271	25	JP-43	84.76	300
1272	35	JP-44	96.07	300
1273	50	JP-45	135.80	200
1274	70	JP-46	183.71	100

Jainson

REDUCER TYPE SOLDERING
TERMINAL ENDS

(Brass)



ITEM NO.	AREA Amps./mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1275	15	JE-40	29.36	1000
1276	30	JE-41	57.51	500
1277	60	JE-42	145.29	500
1278	100	JE-43	231.88	100
1279	150	JE-44	357.04	40
1280	200	JE-45	467.67	25
1281	300	JE-46	579.31	20
1282	50	JE-47	137.10	200
1283	70	JE-48	166.78	200
1284	150	JE-49	357.04	50
1285	50	JE-50	389.50	200
1286	300	JE-51	540.37	20
1287	300	JE-52	649.14	20
1288	300	JE-53	540.37	20
1289	400	JE-54	710.17	15

Jainson

ALUMINIUM REDUCER TYPE
TERMINAL ENDS

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1290	2.5	RPA-1	10.84	1000
1291	2.5	RPA-7	10.12	1000
1292	4	RPA-15	10.84	1000
1293	4	RPA-16	10.12	1000

Jainson

ALUMINIUM REDUCER TYPE
TERMINAL ENDS

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1294	6	RPA-17	12.30	1000
1295	6	RPA-18	10.18	1000
1296	10	RPA-19	13.36	1000
1297	10	RPA-20	12.30	1000
1298	10	RPA-21	15.03	1000
1299	10	RPA-22	14.55	1000
1300	16	RPA-23	28.16	500
1301	16	RPA-24	28.16	400
1302	16	RPA-2	18.81	500
1303	25	RPA-25	29.58	300
1304	25	RPA-3	38.91	300
1305	35	RPA-4	38.91	200
1306	50	RPA-26	44.83	150
1307	50	RPA-5	77.11	100
1308	70	RPA-27	67.75	100
1309	70	RPA-6	83.93	75
1310	70	RPA-28	103.78	75
1311	95	RPA-29	100.54	75
1312	95	RPA-8	134.92	75
1313	95	RPA-31	88.85	75
1314	95	RPA-32	146.54	75
1315	120	RPA-33	123.78	50
1316	120	RPA-34	123.78	50
1317	120	RPA-35	138.61	50
1318	120	RPA-36	190.43	50
1319	150	RPA-10	224.49	40
1320	150	RPA-37	179.77	50
1321	185	RPA-30	280.31	50
1322	185	RPA-38	227.08	40
1323	225	RPA-39	373.74	20
1324	225	RPA-46	530.45	20
1325	225	RPA-42	492.96	20
1326	240	RPA-44	481.85	20
1327	240	RPA-43	351.28	25
1328	300	RPA-45	449.43	15
1329	300	RPA-47	506.20	15

Jainson

ALUMINIUM REDUCER TYPE
TERMINAL ENDS

(SPECIAL)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1330	6	RPA-51	17.22	1000
1331	10	RPA-52	17.90	1000
1332	25	RPA-53	23.92	300
1333	50	RPA-54	75.75	200

Jainson

COPPER INSULATED FERRULES



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1334	0.5	58 - 508 L6 (I)	1.70	1000
1335	0.5	58 - 508 L8 (I)	2.01	1000
1336	0.5	58 - 508 L10 (I)	2.14	1000
1337	0.75	58 - 509 L6 (I)	2.01	1000
1338	0.75	58 - 509 L8 (I)	2.06	1000
1339	0.75	58 - 509 L10 (I)	2.33	1000
1340	0.75	58 - 509 L12 (I)	2.44	1000
1341	1.0	58 - 510 L6 (I)	2.14	1000
1342	1.0	58 - 510 L8 (I)	2.18	1000
1343	1.0	58 - 511 L10 (I)	2.33	1000
1344	1.0	58 - 511 L12 (I)	2.67	1000
1345	1.5	58 - 512 L8 (I)	2.18	1000
1346	1.5	58 - 513 L10 (I)	2.25	1000
1347	1.5	58 - 513 L18 (I)	3.90	1000
1348	2.5	58 - 514 L8 (I)	2.63	1000
1349	2.5	58 - 515 L12 (I)	2.95	1000
1350	2.5	58 - 515 L18 (I)	3.90	1000
1351	4	58 - 516 L10 (I)	2.95	1000
1352	4	58 - 517 L12 (I)	3.43	1000
1353	4	58 - 517 L18 (I)	4.56	1000
1354	6	58 - 518 L10 (I)	3.31	1000
1355	6	58 - 519 L12 (I)	3.78	1000
1356	6	58 - 520 L15 (I)	4.50	1000
1357	6	58 - 520 L18 (I)	4.84	1000
1358	10	58 - 521 L12 (I)	5.56	500
1359	10	58 - 522 L15 (I)	6.04	500
1360	10	58 - 523 L18 (I)	7.57	500
1361	16	58 - 524 L12 (I)	7.10	500
1362	16	58 - 525 L15 (I)	7.57	500
1363	16	58 - 526 L18 (I)	8.16	500
1364	25	58 - 527 L12 (I)	14.85	200
1365	25	58 - 527 L16 (I)	16.56	200
1366	25	58 - 527 L22 (I)	19.89	200
1367	35	58 - 528 L16 (I)	19.96	200
1368	35	58 - 528 L22 (I)	22.39	200
1369	35	58 - 528 L25 (I)	25.13	200
1370	50	58 - 529 L12 (I)	28.29	100
1371	50	58 - 529 L20 (I)	32.98	100
1372	50	58 - 529 L25 (I)	35.48	100
1373	70	58 - 530 L20 (I)	39.93	100
1374	70	58 - 530 L25 (I)	42.88	100
1375	95	58 - 531 L20 (I)	47.31	50
1376	95	58 - 531 L25 (I)	51.02	50

Jainson

COPPER TWIN INSULATED FERRULES



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1377	0.5	TW-508L8	5.19	1000
1378	0.75	TW-509L8	5.58	1000
1379	0.75	TW-509L10	5.98	1000
1380	1.0	TW-510L8	7.91	1000
1381	1.0	TW-511L10	8.16	1000
1382	1.5	TW-512L8	9.10	1000
1383	1.5	TW-513L12	9.46	1000
1384	2.5	TW-514L10	11.83	1000
1385	2.5	TW-515L12	12.26	1000
1386	4.0	TW-517L12	15.78	1000
1387	6.0	TW-520L14	17.56	500
1388	10.0	TW-522L14	19.32	500
1389	16.0	TW-525L14	21.76	500

Jainson

SNAP-ON TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1390	1.0	183689	5.38	1000
1391	183699	5.38	1000
1392	183709	5.38	1000
1393	1.5	183609	8.54	1000
1394	1.5	183619	10.71	1000
1395	1.5	183519	6.38	1000
1396	1.5	183519(I)	8.13	1000
1397	1.5	183529	8.94	1000
1398	1.5	183589	5.38	1000
1399	1.5	183599	7.32	1000
1400	1.5	183249	4.99	1000
1401	1.5	183259	6.65	1000
1402	1.5	183549	5.38	1000
1403	1.5	183559	6.77	1000
1404	1.5	181979	6.05	1000
1405	1.5	183369	5.26	1000
1406	1.5	183539	7.68	1000
1407	1.5	183569	5.38	1000
1408	1.5	183579	6.77	1000
1409	1.5	183629	7.19	1000
1410	1.5	183649	4.75	1000
1411	1.5	183679	17.76	1000
1412	1.5	186619	8.81	1000
1413	2.5	181789	9.75	1000
1414	1.5	182459	8.38	1000
1415	1.5	183319	9.03	1000
1416	2.5	183479	6.76	1000

Jainson

SNAP-ON TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1417	2.5	183479(I)	8.67	1000
1418	2.5	183489	9.72	1000
1419	2.5	183499	6.76	1000
1420	2.5	183509	9.72	1000
1421	2.5	183639	8.13	1000
1422	2.5	183659	11.38	1000
1423	2.5	183669	11.38	1000
1424	2.5	184739	12.88	1000
1425	2.5	184749	15.99	500
1426	2.5	184759	15.99	500
1427	2.5	184779	21.01	500
1428	182149	10.30	1000
1429	183469	11.52	1000
1430	1.2	186939	4.88	1000
1431	1.2	186949	3.79	1000
1432	1.2	186959	3.43	1000
1433	1.2	186979	2.31	1000
1434	4	184769(R)	12.73	500
1435	2.5	184769 I	10.50	500
1436	2.5	184769 PLAIN	9.01	1000

Jainson

SNAP-ON TERMINAL ENDS



ITEM NO.	AREA mm ²		jainson CAT. No.	PRICE EACH	STD PKG
1437	2.5		189609	6.77	1000
1438	2.5		189619	8.33	1000
1439	4		189629	17.70	1000
1440	1-2.5	6.3 X 0.8	119609	4.99	1000
1441	4-6	6.3 X 0.8	110119	6.92	1000
1442	0.5-1.25	6.3 X 0.8	119619	4.03	1000
1443	0.5-2	4.8 X 0.5	119659	3.07	1000
1444	0.5-2	4.8 X 0.5	119689	3.85	1000
1445	0.5-1.0	4.8 X 0.5	118609	3.85	1000
1446	0.5-1.5	6.3 X 0.8	119679	4.79	1000
1447	2.6	6.3 X 0.8	110129	5.83	1000
1448	0.5-2	4.8 X 0.5	119759	2.85	1000
1449	0.5-2	4.8 X 0.8	119789	3.40	1000
1450	0.25	2.8 X 0.5	118069	2.85	1000
1451	1-0	2.8 X 0.5	116969	5.02	1000
1452	1-0	2.8 X 0.8	116989	6.38	1000

Jainson
SNAP ON TABS

ITEM NO.	TAB SIZE	Jainson CAT. No.	PRICE EACH	STD PKG
1453	6.3	T- TOP I	9.14	1000
1454	C- CLIP II	2.19	1000



Jainson SNAP ON TYPE TABS

TYPE



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1455	1.5	150849 (VI)	8.63	1000
1456	2.5	150859 (VI)	8.83	1000
1457	6	150249 (VI)	10.35	1000
1458	...	150449 (IV)	5.78	1000
1459	...	150459 (IV)	6.50	1000
1460	1.2	150689 (I)	7.68	1000
1461	1.2	150729 (I)	7.68	1000
1462	1.5	150659 (VI)	8.27	1000
1463	2.0	150669 (VI)	8.27	1000
1464	2.0	150739 (I)	8.42	1000
1465	2.0	150769 (I)	10.75	1000
1466	150479 (IV)	6.74	1000
1467	150499 (II)	7.68	1000
1468	150509 (IV)	6.12	1000
1469	150799 (IV)	6.74	1000
1470	150819 (V)	5.29	1000
1471	2.5	151219 (I)	10.35	1000
1472	6	151059 (I)	11.80	1000
1473	1.2	150679 (I)	10.30	1000
1474	100019 (VI)	3.76	1000
1475	100029 (III)	3.76	1000
1476	100039 (VII)	4.61	1000
1477	100049 (V)	6.92	1000
1478	100059 (VI)	7.48	1000
1479	100069	7.68	1000
1480	150239	9.90	1000
1481	151019	12.19	1000
1482	150619	4.59	1000
1483	150519	6.12	1000
1484	150229	10.55	1000
1485	150349	9.03	1000
1486	6.3 X 0.8	100079	9.99	1000
1487	6.3 X 0.8	100089 IV	4.66	1000
1488	6.3 X 0.8	100099 IV	5.15	1000
1489	6.3 X 0.8	100109 IV	5.15	1000
1490	6.3 X 0.8	100119 II	6.50	1000
1491	6.3 X 0.8	110129 V	5.83	1000



SNAP ON TYPE TABS

Jainson BI-METAL CABLE LUGS

SUITABLE FOR 1.1 KV & ABOVE FOR R. CORE XLPE ALUMINIUM LT / HT CABLE



ITEM NO.	AL-CABLE SIZE Sq.mm-φE stud size	Jainson CAT. No.	PRICE EACH	STD PKG
1492	16Sq mm-M8 16Sq mm-M10	JB1-16M 8 JB1-16M 10	339.20	200
1493	25Sq mm-M8 25Sq mm-M10	JB1-25M 8 JB1-25M 10	358.40	200
1494	35Sq mm-M8 35Sq mm-M10	JB1-35M 8 JB1-35M 10	358.40	200
1495	50Sq mm-M8 50Sq mm-M10 50Sq mm-M12	JB1-50M 8 JB1-50M 10 JB1-50M 12	399.36	100
1496	70Sq mm-M8 70Sq mm-M10 70Sq mm-M12	JB1-70M 8 JB1-70M 10 JB1-70M 12	403.20	100
1497	95Sq mm-M8 95Sq mm-M10 95Sq mm-M12	JB1-95M 8 JB1-95M 10 JB1-95M 12	403.20	75
1498	120Sq mm-M10 120Sq mm-M12	JB1-120M 10 JB1-120M 12	665.60	50
1499	150Sq mm-M10 150Sq mm-M12	JB1-150M 10 JB1-150M 12	672.00	50
1500	185Sq mm-M10 185Sq mm-M12 185Sq mm-M16	JB1-185M 10 JB1-185M 12 JB1-185M 16	992.00	25
1501	240Sq mm-M10 240Sq mm-M12 240Sq mm-M16	JB1-240M 10 JB1-240M 12 JB1-240M 16	1011.20	25
1502	300Sq mm-M10 300Sq mm-M12 300Sq mm-M16	JB1-300M 10 JB1-300M 12 JB1-300M 16	1024.00	25
1503	400Sq mm-M12 400Sq mm-M14 400Sq mm-M16	JB1-400M 12 JB1-400M 14 JB1-400M 16	1228.80	20
1504	500Sq mm-M12 500Sq mm-M16 500Sq mm-M20	JB1-500M 12 JB1-500M 16 JB1-500M 20	4716.80	15
1505	630Sq mm-M12 630Sq mm-M16 630Sq mm-M20	JB1-630M 12 JB1-630M 16 JB1-630M 20	4883.20	15

Jainson CABLE TERMINAL ENDS

Product Range 0.5mm² To 1000mm²



Jainson

COMPRESSION TYPE
ALUMINIUM TUBULAR
TERMINAL FOR
ALUMINIUM
CONDUCTORS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1506	2.5	3.2	119-151	3.41	2000
1507	2.5	3.7	119-309	3.41	2000
1508	4	4.2	119-155	3.41	2000
1509	4	5.2	119-317	3.63	2000
1510	6	5.2	119-158	3.63	2000
1511	6	6.5	119-313	3.63	2000
1512	10	4.2	119-159	4.24	1000
1513	10	6.4	119-214	4.95	1000
1514	10	8.2	119-215	4.95	1000
1515	16	6.4	119-252	5.50	1000
1516	16	8.2	119-216	5.50	1000
1517	16	10.2	119-217	5.50	1000
1518	25	6.4	119-253	7.37	500
1519	25	8.2	119-218	7.37	500
1520	25	10.2	119-219	7.37	500
1521	25	12.7	119-220	7.37	500
1522	35	6.4	119-254	9.68	500
1523	35	8.2	119-221	9.68	500
1524	35	10.2	119-222	9.68	500
1525	50	8.2	119-255	14.52	250
1526	50	10.2	119-312	14.52	250
1527	50	12.7	119-224	14.52	250
1528	70	8.2	119-256	22.99	200
1529	70	10.2	119-225	22.99	200
1530	70	12.7	119-226	22.99	200
1531	95	10.2	119-227	26.02	150
1532	95	12.7	119-228	26.02	150
1533	95	16.2	119-229	26.02	150
1534	120	10.2	119-257	36.52	100
1535	120	12.7	119-230	36.52	100
1536	120	16.2	119-231	36.52	100
1537	150	10.2	119-258	48.40	80
1538	150	12.7	119-232	48.40	80
1539	150	16.2	119-233	48.40	80
1540	185	10.2	119-311	62.32	75
1541	185	12.7	119-234	62.32	75
1542	185	16.2	119-235	62.32	75
1543	225	12.7	119-320	82.28	40
1544	240	12.7	119-236	104.06	40
1545	240	16.2	119-237	104.06	40
1546	300	16.2	119-300	139.15	30
1547	300	20.3	119-259	139.15	30
1548	400	20.3	119-260	217.80	20
1549	500	20.3	119-296	297.00	15
1550	630	20.3	119-261	387.20	10
1551	800	W/E	119-318	605.00	4
1552	1000	W/E	119-319	1089.00	4

Jainson

ALUMINIUM TUBULAR
TERMINAL ENDS WITH
LONG BARREL FOR
ALUMINIUM CONDUCTORS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1553	2.5	3.2	119-551	4.24	2000
1554	2.5	3.7	119-509	4.24	2000
1555	4	4.2	119-555	4.24	2000
1556	4	5.1	119-517	4.84	2000
1557	6	5.2	119-558	4.84	2000
1558	6	6.4	119-513	4.84	2000
1559	10	4.2	119-514	6.05	800
1560	10	6.4	119-515	6.05	800
1561	16	6.4	119-552	7.26	800
1562	16	8.2	119-516	7.26	800
1563	16	10.2	119-617	7.26	800
1564	25	8.2	119-518	8.47	500
1565	25	10.2	119-519	8.47	500
1566	25	12.7	119-520	8.47	500
1567	35	8.2	119-521	12.10	400
1568	35	10.2	119-522	12.10	400
1569	50	8.2	119-655	18.70	200
1570	50	10.2	119-512	18.70	200
1571	50	12.7	119-524	18.70	200
1572	70	8.2	119-556	30.25	125
1573	70	10.2	119-525	30.25	125
1574	70	12.7	119-526	30.25	125
1575	95	10.2	119-527	33.28	100
1576	95	12.7	119-528	33.28	100
1577	95	16.2	119-529	33.28	100
1578	120	10.2	119-557	45.10	80
1579	120	12.7	119-530	45.10	80
1580	120	16.2	119-531	45.10	80
1581	150	10.2	119-658	61.60	60
1582	150	12.7	119-532	61.60	60
1583	150	16.2	119-533	61.60	60
1584	185	10.2	119-511	79.86	50
1585	185	12.7	119-534	79.86	50
1586	185	16.2	119-535	79.86	50
1587	225	12.7	119-620	115.50	30
1588	240	12.7	119-536	129.47	30
1589	240	16.2	119-537	129.47	30
1590	300	16.2	119-500	170.50	25
1591	300	20.3	119-559	170.50	25
1592	400	20.3	119-560	267.30	12
1593	500	20.3	119-596	387.20	10
1594	630	20.3	119-561	508.20	8
1595	800	119-618	794.20	4
1596	1000	119-619	1476.20	4

G. J METAL INDUSTRIES
MUMBAI -400 064
OFF.- 022- 28440464

Jainson

COMPRESSION TYPE
ALUMINIUM TUBULAR
IN-LINE CONNECTORS FOR
ALUMINIUM CONDUCTORS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1597	2.5	119-145	2.53	2000
1598	2.5	119-6	2.53	2000
1599	4	119-5	2.53	2000
1600	6	119-13	2.53	2000
1601	10	119-146	2.92	1000
1602	10	119-14	3.30	1000
1603	16	119-4	4.40	1000
1604	25	119-3	6.27	500
1605	35	119-2	8.14	500
1606	50	119-12	11.55	250
1607	70	119-1	21.78	200
1608	95	119-15	23.65	150
1609	120	119-9	31.46	100
1610	150	119-10	38.12	80
1611	185	119-11	52.03	75
1612	225	119-147	88.00	40
1613	240	119-16	86.90	40
1614	300	119-17	125.84	30
1615	400	119-18	193.60	20
1616	500	119-19	259.60	15
1617	625	119-20	335.50	10
1618	800	119-148	698.50	4
1619	1000	119-149	902.00	4

Jainson

ALUMINIUM TERMINALS
FOR ALUMINIUM XLPE
CONDUCTORS.



ITEM NO.	AREA mm ² - E	Jainson CAT. No.	PRICE EACH
1620	25 - 8	JAXL-17	12.71
1621	35 - 8	JAXL-18	17.33
1622	50 - 10	JAXL-19	27.72
1623	70 - 10	JAXL-20	36.91
1624	95 - 12	JAXL-21	57.31
1625	120 - 12	JAXL-22	73.21
1626	150 - 12	JAXL-23	105.99
1627	185 - 12	JAXL-24	140.36
1628	225 - 12	JAXL-25	174.24
1629	240 - 12	JAXL-26	193.60
1630	300 - 20	JAXL-27	253.00
1631	400 - 20	JAXL-28	402.60
1632	500 - 20	JAXL-29	559.90
1633	630 - 20	JAXL-30	800.80
1634	800 - 20	JAXL-31	1082.40
1635	1000 - 20	JAXL-32	2304.50

PRICE-LIST
2024
Jainson
CABLE GLANDS

Jainson

 SINGLE COMPRESSION SIEMENS TYPE
BRASS CABLE GLAND

Jainson

 SINGLE COMPRESSION SIEMENS TYPE
BRASS CABLE GLAND SIBG
(HEAVY DUTY)


ITEM NO.	Core Size sq. mm	mm	Inch	Jainson CAT. No.	PRICE EACH	STD PKG
1	1.5 X 2	10	3/8"	JC-3/8"	53.32	200
2	1.5 X 3	12	1/2"	JC-1/2"L	51.08	150
3	1.5 X 3	12	1/2"	JC-1/2"M	60.73	150
4	1.5 X 3	12	1/2"	JC-1/2"H	71.87	100
5	2.5 X 3	16	5/8"	JC-5/8"L	50.99	150
6	1.5 X 4			JC-5/8"M	67.47	150
7				JC-5/8"H	82.85	100
8	1.5 X 5,6,7			JC-3/4"L	62.22	100
9	2.5 X 4	19	3/4"	JC-3/4"M	76.95	100
10				JC-3/4"H	105.73	100
11	4 X 6			JC-7/8"L	78.03	100
12	6 X 4	22	7/8"	JC-7/8"M	90.01	100
13				JC-7/8"H	113.80	100
14	2.5 X 7,10,12			JC-1"L	96.83	50
15	10 X 4	25	1"	JC-1"M	112.72	50
16				JC-1"H	151.48	50
17				JC-1"SP	161.47	40
18	16 X 3,4	28	1 1/8"	JC-1 1/8"	213.42	50
19				JC-1 1/8"L	164.37	50
20	25 X 3,5,4			JC-1 1/4"	254.73	30
21	35 X 3,5,4	32	1 1/4"	JC-1 1/4"L	207.42	30
22	50 X 3,5,4	35	1 3/8"	JC-1 3/8"	322.65	35
23				JC-1 3/8"L	258.99	40
24	70 X 3,3,5			JC-1 1/2"	360.57	25
25	95 X 3	38	1 1/2"	JC-1 1/2"L	301.09	25
26	95 X 3,5			JC-1 3/4"	453.89	16
27	120 X 3,5	45	1 3/4"	JC-1 3/4"L	349.09	20
28	150 X 3,5			JC-2"	582.34	12
29	185 X 3	50	2"	JC-2"L	532.42	14
30	185 X 3,5	57	2 1/4"	JC-2 1/4"	672.01	12
31				JC-2 1/4"L	561.64	12
32	240 X 3,3,5	63	2 1/2"	JC-2 1/2"	806.37	7
33				JC-2 1/2"L	614.87	8
34	300 X 3,3,5	70	2 3/4"	JC-2 3/4"	925.70	6
35				JC-2 3/4"L	800.29	7
36	400 X 3	75	3"	JC-3"	1123.72	6
37				JC-3"L	944.31	6
38	400 X 3,5	82	3 1/4"	JC-3 1/4"	1244.87	5
39				JC-3 1/4"L	1047.54	5
40	500 X 3,5	88	3 1/2"	JC-3 1/2"	1940.97	3
41				JC-3 1/2L	1644.23	3
42	625 X 3,5	100	4"	JC-4"	2380.16	1
43	625 X 3,5	115	4 1/2"	JC-4 1/2"	3616.77	1

ITEM NO.	SUITABLE FOR CABLE OVERALL DIA			Jainson CAT. No.	PRICE EACH	STD PKG
	ABOVE	UPTO	NIPPLE			
44	9.0	12.0	1/2"	1612	96.62	150
45	9.0	16.0	5/8"	1616	135.24	100
46	10.0	16.0	3/4"	1619	147.24	100
47	14.0	20.0	3/4"	2119	175.33	60
48	14.0	20.0	1"	2125	189.33	40
49	20.0	26.0	1"	2925	276.56	30
50	24.0	29.0	1-1/4"	2932	319.26	30
51	24.0	29.0	1-1/2"	2938	319.26	20
52	31.0	37.0	1-1/2"	3638	496.16	12
53	42.0	45.0	2"	4251	771.33	12
54	44.0	50.0	2"	5451	876.99	8
55	44.0	50.0	2-1/2"	5463	901.69	8
56	54.0	60.0	2-1/2"	6063	1190.43	8
57	60.0	66.0	3"	6675	1354.19	4
58	70.0	77.0	3-1/4"	7882	1794.95	4
59	79.0	84.0	3-1/2"	8490	2589.93	2

Jainson

 SINGLE COMPRESSION SIEMENS TYPE
BRASS CABLE GLAND
(LONG NIPPLE)


ITEM NO.	Core Size sq. mm	mm	Jainson CAT. No.	PRICE EACH	STD PKG
60	1.5 X 3	12	JC-1/2"L.N.	81.58	150
61	2.5 X 3	15X4	JC-5/8"L.N.	84.36	150
62	1.5 X 5,6,7	25X4	JC-3/4"L.N.	113.93	100
63	4.0 X 6	6X4	JC-7/8"L.N.	122.45	100
64	2.5 X 7,10,12		JC-1"L.N.	162.46	50
65	10 X 4	25	JC-1"SP L.N.	183.16	75
66	16 X 3,4	28	JC-1 1/8"L.N.	233.42	50
67	25-35 X 3,5,4	32	JC-1 1/4"L.N.	286.48	30
68	50 X 3,5,4	35	JC-1 3/8"L.N.	366.31	30
69	70 X 3,3,5	38	JC-1 1/2"L.N.	452.93	25
70	95 X 3,5	120 X 3,5	JC-1 3/4"L.N.	479.20	16
71	150 X 3,5	50	JC-2"L.N.	599.48	12


YASH TRADING CO. MUMBAI -64

This Price-List cancels all our previous Price Lists.

Be Passionate & Bold, Always keep learning. You stop doing useful things if you don't learn. – SATYA NADELLA

Jainson**DOUBLE COMPRESSION FLAME
PROOF TYPE BRASS CABLE GLAND
(LIGHT DUTY)**

ITEM NO.	Core Size sq. mm	mm	Jainson CAT. No.	PRICE EACH	STD PKG
72	1.5 X 2	10	JPFL-3/8"	228.77	50
73	1.5 X 3	12	JPFL-1/2"	228.77	50
74	2.5 X 2 1.5 X 4	16	JPFL-5/8"	241.58	40
75	1.5 X 5,6,7 2.5 X 4	19	JPFL-3/4"	269.36	40
76	4 X 6 1.5 X 10	22	JPFL-7/8"	343.23	30
77	2.5 X 10,12 10 X 4	25	JPFL-1"	432.08	20
78	25 X 3.5 1.5 X 24	28	JPFL-1.1/8"	537.56	12
79	50-35 X 3.5	32	JPFL-1.1/4"	690.29	12
80	50 X 3.5,4	35	JPFL-1.3/8"	813.24	12
81	70-95 X 3	38	JPFL-1.1/2"	1008.07	9
82	95-120 X 3.5	45	JPFL-1.3/4"	1179.27	7
83	150 X 3.5 185 X 3	50	JPFL-2"	1503.03	7
84	185 X 3.5	57	JPFL-2.1/4"	1677.39	6
85	240 X 3.5	63	JPFL-2.1/2"	2324.59	2
86	300 X 3.5	70	JPFL-2.3/4"	2635.05	2
87	400 X 3,3.5	75	JPFL-3"	3415.18	2
88			JPFL-3.1/4"	4765.81	2
89	500 X 3.5	88	JPFL-3.1/2"	6165.36	2
90	625 X 3.5	100	JPFL-4"	8620.39	1

Jainson**DOUBLE COMPRESSION FLAME PROOF
BRASS CABLE GLAND**

ITEM NO.	SUITABLE FOR CABLE OVERALL DIA			Jainson CAT. No.	PRICE EACH	STD PKG
	ABOVE	UPTO	NIPPLE			
91	10.5	15.0	3/4"	JPF-01S	359.62	30
92	13.5	18.5	3/4"	JPF-01	401.13	25
93	13.5	18.5	1"	JPF-01A	456.70	25
94	14.0	20.0	1"	JPF-02	513.35	20
95	14.0	20.0	3/4"	JPF-02A	562.60	20
96	17.0	23.0	1"	JPF-03	568.50	20
97	20.0	26.0	1"	JPF-04	712.67	12
98	20.0	26.0	1.1/4"	JPF-04A	814.99	12
99	24.0	30.0	1.1/4"	JPF-05	881.21	12
100	24.0	30.0	1.1/2"	JPF-05A	1000.75	12
101	27.0	33.0	1.1/2"	JPF-06	1230.59	12
102	27.0	33.0	1.1/4"	JPF-06A	1353.79	12
103	30.0	37.0	1.1/2"	JPF-07	1422.09	10
104	35.0	41.0	2"	JPF-08	1759.33	7
105	40.0	46.0	2"	JPF-09	2001.49	7
106	46.0	52.0	2"	JPF-010	2302.63	6
107	46.0	52.0	2.1/2"	JPF-010A	2648.11	5
108	54.0	60.0	2.1/2"	JPF-011	3170.28	2
109	60.0	67.0	3"	JPF-012	3967.21	2
110	72.0	78.0	3.1/4"	JPF-013	4999.82	2
111	66.0	72.0	3"	JPF-013A	5749.75	2
112	78.0	84.0	3.1/2"	JPF-014	5903.48	2
113	88.0	94.0	4"	JPF-015	8667.80	1
114	98.0	105.0	4.1/2"	JPF-016	9849.07	1

Jainson**DOUBLE COMPRESSION WEATHER
PROOF BRASS CABLE GLAND
(HEAVY DUTY)**

ITEM NO.	SUITABLE FOR CABLE OVERALL DIA			Jainson CAT. No.	PRICE EACH	STD PKG
	ABOVE	UPTO	NIPPLE			
115	8.0	14.0	3/4"	JPW-001	232.18	50
116	10.5	15.0	3/4"	JPW-01S	316.78	30
117	13.5	18.5	3/4"	JPW-01	341.40	30
118	13.5	18.5	1"	JPW-01A	378.00	25
119	14.0	20.0	1"	JPW-02	453.37	20
120	14.0	20.0	3/4"	JPW-02A	463.19	20
121	17.0	23.0	1"	JPW-03	486.81	20
122	20.0	26.0	1"	JPW-04	621.91	12
123	20.0	26.0	1.1/4"	JPW-04A	715.41	12
124	24.0	30.0	1.1/4"	JPW-05	815.74	12
125	24.0	30.0	1.1/2"	JPW-05A	914.06	12
126	27.0	33.0	1.1/2"	JPW-06	1074.62	12
127	27.0	33.0	1.1/4"	JPW-06A	1127.44	12
128	30.0	37.0	1.1/2"	JPW-07	1281.42	10
129	35.0	41.0	2"	JPW-08	1502.28	7
130	40.0	46.0	2"	JPW-09	1672.57	7
131	46.0	52.0	2"	JPW-010	2002.32	6
132	46.0	52.0	2.1/2"	JPW-010A	2403.12	5
133	54.0	60.0	2.1/2"	JPW-011	2880.12	2
134	60.0	67.0	3"	JPW-012	3477.74	2
135	72.0	78.0	3.1/4"	JPW-013	4461.18	2
136	66.0	72.0	3"	JPW-013A	4670.65	2
137	78.0	84.0	3.1/2"	JPW-014	4965.96	2
138	88.0	94.0	4"	JPW-015	7249.29	1
139	98.0	105.0	4.1/2"	JPW-016	8755.65	1
140	88.0	105.0	4"	JPW-017	9061.12	1

Jainson**FLANGE TYPE BRASS CABLE GLAND**

ITEM NO.	Core Size sq. mm	mm	Jainson CAT. No.	PRICE EACH	STD PKG
141	1.5 X 2,3,4 2.5 X 2,3	16	JF 5	148.02	75
142	2.5 X 4 4-6 X 2,3,4	19	JF 4	203.33	50
143	10 X 2,3 6 X 4	22	JF 3	235.51	50
144	16 X 2,3,4 10 X 4	25	JF 2	320.22	40
145	25 X 2,3,3.5	28	JF 1SP	449.11	35
146	35 X 2,3,3.5	32	JF 1	422.06	35
147	50 X 3,3.5	35	JF 11	482.15	20
148	70 X 3.5 95 X 3	38	JF 0	491.03	20
149	70 X 3.5	38	JF 00	506.33	20
150	95 X 3.5 120 X 3	45	JF 38	617.83	16
151	150 X 3,3.5 120 X 3.5	45	JF 001	764.46	12
152	185 X 3,3.5	50	JF 002	820.72	12
153	225 X 3,3.5	57	JF 003	1006.40	8
154	300 X 3,3.5 240 X 3.5	63	JF 0033	1177.73	6
155	400 X 3.5	75	JF 004	1629.79	6
156	500 X 3.5	100	JF 005	2446.60	2

Jainson CABLE GLAND SELECTION CHART



CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYY (ARMOURED & UNARMOURED SINGLE CORE POWER CABLES) 650/1100V

			Armoured	Unarmoured	Armoured	Unarmoured	Armoured Unarmoured	Armoured Unarmoured	Armoured	Unarmoured	Armoured	Unarmoured	Armoured	Unarmoured
1 x 4	12.3	9.5	JPW-001	JPW-001	JPF-01S	JPF-01S	JPFL-3/8"	JF-5	JC-1/2"	JC-1/2"	1616	1616	1613	1609
1 x 6	12.8	10.0	JPW-001	JPW-001	JPF-01S	JPF-01S	JPFL-3/8"	JF-5	JC-5/8"	JC-1/2"	1616	1616	1613	1611
1 x 10	13.5	11.0	JPW-001	JPW-001	JPF-01S	JPF-01S	JPFL-1/2"	JF-5	JC-3/4"	JC-5/8"	1616,1619, 1619		1613	1611
1 x 16	15.5	12.5	JPW-01S	JPW-001	JPF-01S	JPF-01S	JPFL-1/2"	JF-5	JC-3/4"	JC-5/8"	1616,1619 1619		1615	1613
1 x 25	16.5	14.0	JPW-01S	JPW-001	JPF-01S	JPF-01S	JPFL-5/8"	JF-5	JC-7/8"	JC-3/4"	2119	1619	2116	1613
1 x 35	17.0	15.0	JPW-01	JPW-01S	JPF-01	JPF-01S	JPFL-5/8"	JF-5	JC-7/8"	JC-3/4"	2119	1619	2118	1615
1 x 50	18.5	16.5	JPW-01	JPW-01S	JPF-01	JPF-01S	JPFL-3/4"	JF-4	JC-1"	JC-3/4"	2125	1619	2118	1615
1 x 70	21.0	19.0	JPW-02	JPW-01	JPF-02	JPF-01	JPFL-7/8"	JF-3	JC-1"	JC-1"	2125	2125	2120	2118
1 x 95	23.0	21.0	JPW-03	JPW-02	JPF-03	JPF-02	JPFL-1"	JF-2	JC-1.1/8"	JC-1.1/8"	2925,2932 2125		2923	2120
1 x 120	25.0	23.0	JPW-04	JPW-03	JPF-04	JPF-03	JPFL-1.1/8"	JF-2	JC-1.1/8"	JC-1.1/8"	2925,2932 2925		2925	2923
1 x 150	26.0	24.5	JPW-04	JPW-04	JPF-04	JPF-04	JPFL-1.1/8"	JF-1	JC-1.1/8"	JC-1.1/4"	2925,2932 2925,2932		2925	2925
1 x 185	29.0	27.0	JPW-05	JPW-04	JPF-05	JPF-04	JPFL-1.1/4"	JF-1	JC-1.1/4"	JC-1.1/4"	2932	2925,2932	2929	2927
1 x 225	31.5	29.5	JPW-06	JPW-05	JPF-06	JPF-05	JPFL-1.1/4"	JF-11	JC-1.3/8"	JC-1.3/8"	3638	2932,2938	3631	2929
1 x 240	33.5	32.0	JPW-06	JPW-06	JPF-06	JPF-06	JPFL-1.3/8"	JF-11	JC-1.3/8"	JC-1.1/2"	3638	3638	3633	3633
1 x 300	36.0	39.0	JPW-07	JPW-07	JPF-07	JPF-07	JPFL-1.1/2"	JF-00	JC-1.1/2"	JC-1.3/4"	3638	3638	3637	3637
1 x 400	41.0	39.0	JPW-08	JPW-08	JPF-08	JPF-08	JPFL-1.3/4"	JF-38	JC-1.3/4"	JC-2"	4251	4251	4240	4240
1 x 500	43.0	42.0	JPW-09	JPW-09	JPF-09	JPF-09	JPFL-1.3/4"	JF-001	JC-2"	JC-2"	4251	4251	4242	4242
1 x 625	49.0	47.0	JPW-010	JPW-09	JPF-010	JPF-09	JPFL-2"	JF-002	JC-2.1/4"	JC-2"	5451	5451,5463	5448	5448
1 x 800	54.0	52.0	JPW-011	JPW-010	JPF-011	JPF-010	JPFL-2.1/4"	JF-003	JC-2.1/4"	JC-2.1/4"	6063	5463	6055	5450
1 x 1000	59.0	57.0	JPW-011	JPW-011	JPF-011	JPF-011	JPFL-2.1/2"	JF-003	JC-2.1/2"	JC-2.1/2"	6063	6063	6060	6060

AYWY (ARMOURED TWIN CORE POWER CABLES) 650/1100V

2 x 1.5	15.0	8.0	JPW-001	JPF-01S	JPFL-1/2"	JF-5	JC-1/2"	1616	1615
2 x 2.5	16.0	9.0	JPW-01S	JPF-01S	JPFL-1/2"	JF-5	JC-5/8"	1616,1619	1615
2 x 4	17.5	10.5	JPW-01	JPF-01	JPFL-5/8"	JF-4	JC-3/4"	1616,1619,	1615
2 x 6	18.5	11.5	JPW-01	JPF-01	JPFL-3/4"	JF-4	JC-7/8"	2119,2125	2118
2 x 10	20.5	14.0	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-1"	2119,2125	2120
2 x 16	22.5	16.5	JPW-03	JPF-03	JPFL-1"	JF-2	JC-1"	2125	2120
2 x 25	25.0	19.0	JPW-04	JPF-04	JPFL-1"	JF-1	JC-1.1/8"	2925,2932	2925
2 x 35	27.5	22.0	JPW-05	JPF-05	JPFL-1.1/8"	JF-1	JC-1.1/4"	2932,2938	2927
2 x 50	29.0	23.5	JPW-05	JPF-05	JPFL-1.1/4"	JF-11	JC-1.1/4"	2932,2938	2927
2 x 70	31.0	25.0	JPW-06	JPF-06	JPFL-1.1/4"	JF-11	JC-1.1/4"	2938	2929
2 x 95	33.0	27.0	JPW-06	JPF-06	JPFL-1.3/8"	JF-11	JC-1.3/8"	2938	2929
2 x 120	34.0	28.0	JPW-07	JPF-07	JPFL-1.3/8"	JF-11	JC-1.3/8"	3638	3633
2 x 150	38.0	32.0	JPW-08	JPF-08	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3637
2 x 185	41.0	35.0	JPW-08	JPF-08	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4242
2 x 240	46.0	40.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-002	JC-2"	5451	5446
2 x 300	51.0	43.0	JPW-010	JPF-010	JPFL-2"	JF-003	JC-2.1/4"	5463	5450
2 x 400	57.0	50.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6060

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYFY (ARMOURED THREE CORE POWER CABLES) 650/1100V

3 X 1.5	15.5	8.5	JPW-01S	JPF-01S	JPFL-1/2"	JF-5	JC-5/8"	1616, 1619	1615
3 X 2.5	17.0	10.5	JPW-01S	JPF-01S	JPFL-5/8"	JF-4	JC-3/4"	1616, 1619	1615
3 X 4	18.0	11.0	JPW-01	JPF-01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2116
3 X 6	19.5	12.5	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2119, 2125	2118
3 X 10	20.5	14.5	JPW-03	JPF-03	JPFL-1"	JF-3	JC-1"	2119, 2125	2120
3 X 16	23.5	18.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-2	JC-1-1/8"	2925, 2932	2923
3 X 25	23.5	18.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-2	JC-1-1/8"	2932, 2938	2923
3 X 35	25.5	20.0	JPW-04	JPF-04	JPFL-1-1/4"	JF-1	JC-1-1/8"	2932, 2938	2925
3 X 50	29.0	23.0	JPW-05	JPF-05	JPFL-1-3/8"	JF-1	JC-1-1/4"	2932, 2938	2929
3 X 70	33.0	27.0	JPW-06	JPF-06	JPFL-1-3/8"	JF-0	JC-1-3/8"	3638	3633
3 X 95	37.0	31.0	JPW-07	JPF-07	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
3 X 120	40.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240
3 X 150	44.0	38.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	4251	4242
3 X 185	49.0	42.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5448
3 X 225	54.0	47.0	JPW-011	JPF-011	JPFL-2-1/4"	JF-003	JC-2-1/4"	6063	6053
3 X 240	56.0	49.0	JPW-011	JPF-011	JPFL-2-1/4"	JF-003	JC-2-1/2"	6063	6055
3 X 300	62.0	54.0	JPW-012	JPF-012	JPFL-2-1/2"	JF-0033	JC-2-3/4"	6063	6060
3 X 400	68.0	60.0	JPW-012	JPF-012	JPFL-2-3/4"	JF-004	JC-3"	7882	7868
3 X 500	76.0	70.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874

AYFY (ARMOURED MULTI CORE POWER CABLES) 650/1100V

3.5 X 25/16	26.0	21.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-1	JC-1-1/8"	2925, 2932	2925
3.5 X 35/16	28.5	23.0	JPW-05	JPF-05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
3.5 X 50/25	32.0	26.0	JPW-06	JPF-06	JPFL-1-1/4"	JF-11	JC-1-3/8"	3638	3631
3.5 X 70/35	35.0	29.0	JPW-07	JPF-07	JPFL-1-3/8"	JF-0	JC-1-1/2"	3638	3635
3.5 X 95/50	40.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240
3.5 X 120/70	43.0	37.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	4251	4242
3.5 X 150/70	48.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3.5 X 185/95	52.0	45.0	JPW-010	JPF-010	JPFL-2-1/4"	JF-002	JC-2-1/4"	5463	5450
3.5 X 225/120	58.0	50.0	JPW-011	JPF-011	JPFL-2-1/2"	JF-003	JC-2-1/2"	6063	6058
3.5 X 240/120	61.0	53.0	JPW-012	JPF-012	JPFL-2-1/2"	JF-0033	JC-2-1/2"	6063	6060
3.5 X 300/150	66.0	58.0	JPW-012	JPF-012	JPFL-2-3/4"	JF-0033	JC-2-3/4"	6675	6664
3.5 X 400/185	74.0	65.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874
3.5 X 500/240	82.0	72.0	JPW-014	JPF-014	JPFL-3-1/2"	JF-005	JC-3-1/2"	8490	8482

AYWY & AYFY (ARMOURED FOUR CORE POWER CABLES) 650/1100V

4 X 1.5	16.5	10.0	JPW-01S	JPF-01S	JPFL-5/8"	JF-5	JC-3/4"	1616, 1619	1615
4 X 2.5	17.5	11.0	JPW-01	JPF-01	JPFL-3/4"	JF-4	JC-3/4"	1616, 1619	1615
4 X 4	19.5	13.0	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2119, 2125	2118
4 X 6	20.0	14.0	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2125	2120
4 X 10	21.5	16.0	JPW-03	JPF-03	JPFL-1"	JF-2	JC-1"	2125	2120
4 X 16	25.5	20.0	JPW-04	JPF-04	JPFL-1"	JF-1	JC-1-1/8"	2925, 2932	2925
4 X 25	26.0	21.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
4 X 35	28.5	23.0	JPW-05	JPF-05	JPFL-1-1/8"	JF-1	JC-1-3/8"	2938	2927
4 X 50	33.0	26.0	JPW-06	JPF-06	JPFL-1-3/8"	JF-11	JC-1-3/8"	2938	2929

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYWY & AYFY (ARMOURED FOUR CORE POWER CABLES) 650/1100V

4 X 70	37.0	30.0	JPW-07	JPF-07	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
4 X 95	42.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4242
4 X 120	45.0	36.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	5451	5446
4 X 150	50.0	43.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5463	5450
4 X 185	55.0	48.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2-1/4"	5463	5450
4 X 240	62.0	54.0	JPW-011	JPF-011	JPFL-2.1/2"	JF-0033	JC-2-1/2"	6063	6060
4 X 300	68.0	60.0	JPW-012	JPF-012	JPFL-2.3/4"	JF-004	JC-2-3/4"	6675	6664
4 X 400	76.0	70.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874

YWY & YFY (ARMOURED MULTI CORE CONTROL CABLES) 650/1100V

2 x 1.5	15.0	8.0	JPW-001	JPF -01S	JPFL-3/8"	JF-5	JC-1/2"	1616	1613
3 x 1.5	15.5	8.5	JPW-01S	JPF -01S	JPFL-1/2"	JF-5	JC-1/2"	1616, 1619	1615
4 x 1.5	16.5	9.5	JPW-01S	JPF -01S	JPFL-5/8"	JF-5	JC-5/8"	1616, 1619	1615
5 x 1.5	17.0	10.0	JPW-01S	JPF -01S	JPFL-5/8"	JF-4	JC-3/4"	1616, 1619	1615
6 x 1.5	18.0	11.0	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2118
7 x 1.5	18.0	11.0	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2118
10 x 1.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
12 x 1.5	20.5	14.0	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
14 x 1.5	21.0	15.0	JPW-03	JPF -03	JPFL-7/8"	JF-2	JC-1"	2125	2120
16 X 1.5	21.5	15.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
19 x 1.5	22.5	16.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
24 x 1.5	25.5	19.0	JPW-04	JPF -04	JPFL-1.1/8"	JF-1	JC-1-1/8"	2932, 2938	2925
27 x 1.5	26.0	19.0	JPW-04	JPF -04	JPFL-1.1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
30 x 1.5	27.0	21.5	JPW-05	JPF -05	JPFL-1.1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
37 x 1.5	29.0	23.0	JPW-05	JPF -05	JPFL-1.1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
44 x 1.5	33.0	26.0	JPW-06	JPF -06	JPFL-1.3/8"	JF-11	JC-1-3/8"	3638	3631
52 x 1.5	34.0	27.0	JPW-07	JPF -07	JPFL-1.3/8"	JF-0	JC-1-1/2"	3638	3633
61 x 1.5	36.0	29.0	JPW-07	JPF -07	JPFL-1.1/2"	JF-00	JC-1-1/2"	3638	3635

YWY & YFY (ARMOURED MULTI CORE CONTROL CABLES) 650/1100V

2 x 2.5	16.0	10.0	JPW-01S	JPF -01S	JPFL-1/2"	JF-5	JC-5/8"	1616, 1619	1615
3 x 2.5	17.0	11.0	JPW-01S	JPF -01S	JPFL-5/8"	JF-5	JC-5/8"	1616, 1619	1615
4 x 2.5	17.5	11.5	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	1616, 1619	1615
5 x 2.5	19.0	12.5	JPW-02	JPF -02	JPFL-7/8"	JF-4	JC-7/8"	2119, 2125	2118
6 x 2.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
7 x 2.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
10 x 2.5	22.0	16.5	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
12 x 2.5	22.5	17.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
14 x 2.5	23.5	17.0	JPW-04	JPF -04	JPFL-1"	JF-2	JC-1-1/8"	2925	2923
16 X 2.5	24.5	18.0	JPW-04	JPF -04	JPFL-1"	JF-2	JC-1-1/8"	2925, 2932	2923
19 x 2.5	25.5	19.0	JPW-04	JPF -04	JPFL-1-1/8"	JF-1	JC-1-1/8"	2932, 2938	2925
24 x 2.5	29.5	22.0	JPW-05	JPF -05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
27 x 2.5	30.0	23.0	JPW-05	JPF -05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2929
30 x 2.5	32.0	25.0	JPW-06	JPF -06	JPFL-1-1/4"	JF-11	JC-1-3/8"	3638	3631
37 x 2.5	34.0	28.0	JPW-07	JPF -07	JPFL-1-3/8"	JF-0	JC-1-1/2"	3638	3633
44 x 2.5	38.0	31.0	JPW-08	JPF -08	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
52 x 2.5	39.0	32.0	JPW-08	JPF -08	JPFL-1-1/2"	JF-38	JC-1-3/4"	4251	4238
61 x 2.5	42.0	35.0	JPW-09	JPF -09	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq. mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYFY (ARMOURED THREE CORE POWER CABLES) 1900 /3300V

3 X 25	29.0	21.0	JPW-05	JPF-05	JPFL-1.1/4"	JF-1	JC-1.1/4"	2932, 2938	2927
3 X 35	31.0	24.0	JPW-06	JPF-06	JPFL-1.1/4"	JF-11	JC-1.3/8"	2932, 2938	2929
3 X 50	34.0	26.0	JPW-07	JPF-07	JPFL-1.3/8"	JF-11	JC-1.1/2"	3638	3633
3 X 70	37.0	29.0	JPW-07	JPF-07	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3635
3 X 95	41.0	33.0	JPW-08	JPF-08	JPFL-1.3/4"	JF-38	JC-1.3/4"	4251	4238
3 X 120	44.0	35.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4242
3 X 150	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 185	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 225	55.0	46.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/4"	6063	6053
3 X 240	56.0	45.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6055
3 X 300	62.0	52.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6063	6060
3 X 400	69.0	59.0	JPW-013	JPF-013	JPFL-2.3/4"	JF-004	JC-3"	7882	7868
3 X 500	77.0	66.0	JPW-014	JPF-014	JPFL-3.1/4"	JF-005	JC-3.1/4"	7882	7877

AYFY (ARMOURED THREE CORE POWER CABLES) 3800/6600V

3 X 25	35.0	27.0	JPW-07	JPF-07	JPFL-1.3/8"	JF-0	JC-1.1/2"	3638	3635
3 X 35	37.0	29.0	JPW-07	JPF-07	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3635
3 X 50	40.0	32.0	JPW-08	JPF-08	JPFL-1.3/4"	JF-38	JC-1.3/4"	4251	4240
3 X 70	44.0	35.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4242
3 X 95	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 120	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 150	54.0	45.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/4"	6063	6053
3 X 185	57.0	48.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6058
3 X 225	61.0	51.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.1/2"	6063	6060
3 X 240	63.0	53.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6675	6662
3 X 300	67.0	57.0	JPW-012	JPF-012	JPFL-2.3/4"	JF-0033	JC-2.3/4"	7882	7870
3 X 400	73.0	63.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3"	7882	7874
3 X 500	79.0	68.0	JPW-014	JPF-014	JPFL-3.1/4"	JF-005	JC-3.1/4"	7882	7877

AYFY (ARMOURED THREE CORE POWER CABLES) 6600V(UE GRADE)

3 X 25	38.0	30.0	JPW-08	JPF-08	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3637
3 X 35	40.0	32.0	JPW-08	JPF-08	JPFL-1.1/2"	JF-38	JC-1.3/4"	4251	4240
3 X 50	43.0	34.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4240
3 X 70	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 95	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 120	52.0	43.0	JPW-010	JPF-010	JPFL-2.1/4"	JF-002	JC-2.1/4"	6063	6053
3 X 150	57.0	48.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6058
3 X 185	60.0	50.0	JPW-011	JPF-011	JPFL-2.1/2"	JF-0033	JC-2.1/2"	6063	6058
3 X 225	64.0	54.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6675	6662
3 X 240	66.0	56.0	JPW-012	JPF-012	JPFL-2.3/4"	JF-0033	JC-2.3/4"	6675	6664
3 X 300	71.0	61.0	JPW-013	JPF-013	JPFL-2.3/4"	JF-004	JC-2.3/4"	7882	7870
3 X 400	76.0	65.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3"	7882	7874
3 X 500	83.0	71.0	JPW-014	JPF-014	JPFL-3.1/2"	JF-005	JC-3.1/2"	8490	8482

**PRICES ARE SUBJECT TO CHANGE
WITHOUT PRIOR NOTICE.**

NOTE : For selection of Cable Glands please ask for our glands Dimensional catalogue.
Entire range of PVC shrouds, earth tag & reducer available.
WE MAKE SPECIAL TYPE OF GLANDS AS PER SAMPLE OR DRAWING.