SHREE MAHAVIR

ELECTRICALS

SHREE MAHAVIR ELECTRICALS

REGISTERED ADDRESS: 2205, 22ND FLOOR, MARATHON MONTE VISTA TOWER, P & T COLONY, PANDIT MADAN MOHAN MALVIYA ROAD, ASHA NAGAR, MULUND WEST, MUMBAI-400080.

OFFICE ADDRESS: 33, NAV NANDANVAN INDUSTRIAL ESTATE, ASHA NAGAR, MULUND WEST, MUMBAI-400080.

GST NO: 27AEZFS4173B1ZL

BANK DETAILS:

A/C NO: 50200083243192

BANK NAME: HDFC BANK

BRANCH: SAGAR GARDEN, MULUND WEST.

IFSC CODE: HDFC0003354

SALES TEAM

RISHABHA JAIN	9820349933
MAYANK JAIN	9167395175
AKSHAY JAIN	8356867397
SIDDHESH PAWAR	9819629641

SHREE MAHAVIR
ELECTRICALS

DISPATCH TEAM

SHRENIK JAIN	8850332605 / 9769649272
NAMDEV MALUSARE	9322854504 / 9594144041
SUMIT GADHIRE	8369303283
KRISHNA GHARAL	7977748088

ACCOUNTS DEPARTMENT

7710076103	7208483859

1. PLATED WIRE PULLER

SIZE	5 MTR	10 MTR	15 MTR	30 MTR
RATE	90	140	180	340

2. HEAVY S.S WIRE PULLER

SIZE	5 MTR	10 MTR	15 MTR	20 MTR	25 MTR	30 MTR
RATE	190	380	570	760	950	1140

3. CARBONISED STEEL WIRE – 990 / 3 KG

4. PIPE BENDING SPRING

SIZE	20 MM	25 MM
RATE	220	270

5. MCB CHANNEL PATTI (1 MTR) – 100/ PC

6. ALUMINIUM SADDLE PATTI (HEAVY DUTY) – 60/ PC

7. FIXIT CLIP SINGLE NAIL

SIZE	4 MM	5 MM	6 MM	7 MM	8 MM	9 MM
RATE	32	36	40	44	60	64
SIZE	10 MM	12 MM	14 MM	16 MM	20 MM	25 MM
RATE	74	88	154	168	190	230

8. FIXIT CLIP DOUBLE NAIL

SIZE	20 MM	25 MM	32 MM
RATE	170	240	370

9. HALOGEN BOX CASTING HEAVY DUTY

SIZE	500 W	1000 W
RATE	470	590

10. SUNLUX HALOGEN BOX WATERPROOF

SIZE	500 W	1000 W
RATE	1200	1400

SHREE MAHAVIR
ELECTRICALS

11. MARSHAL PVC WALL PLUG

SIZE	25 X 8	25 X 8 SPECIAL	25 X 10	35 X 8	35 X 10
RATE	332	376	500	500	600

12. PVC SLEEVE (30 MTR COIL)

SIZE	8 MM	10 MM	12 MM	16 MM	20 MM	25 MM
RATE	190	210	250	350	450	590

13. FLEXIBLE PIPE

SIZE	10 MM	16 MM	20 MM	25 MM	32 MM	40 MM	50 MM
RATE	7.60	5.75	7	10.90	15.40	23	32

14. PVC GLAND

SIZE	16 MM	20 MM	25 MM	32 MM	40 MM	50 MM
RATE	5	6.40	8.60	10.20	12.60	15

15. BLACK CONDUIT PIPE (3 MTR)

SIZE	20 MM	25 MM
RATE	46	58

16. HD BLACK CONDUIT PIPE (3 MTR)

SIZE	20 MM	25 MM
RATE	44	56

SHREE MAHAVIR
ELECTRICALS

17. ACRYLIC SHEET

SIZE	4 X 4	4 X 7	6 X 6	6 X 8	8 X 10	10 X 12	12 X 12	12 X 15
RATE	26	36	58	76	128	192	230	288

18. STREET LIGHT PIPE

SIZE	SMALL ROUND STAND	BIG ROUND STAND	BEND PIPE WITH CLAMP
RATE	180	220	330

ISI MULTI CORE FLEXIBLE CABLES

PRODUCTS	SKYCAB (90 MTR)	SITILINK (90 MTR)	ACPL (90 MTR)
0.50 X 2 CORE	-	-	1203
0.50 X 3 CORE	-	-	1668
0.50 X 4 CORE	-	-	2139
0.75 X 2 CORE	-	-	1599
0.75 X 3 CORE	-	-	2213
0.75 X 4 CORE	-	-	2691
1.00 X 2 CORE	1240	1654	1946
1.00 X 3 CORE	1739	2305	2756
1.00 X 4 CORE	-	-	3140
1.50 X 2 CORE	1775	2387	2843
1.50 X 3 CORE	2567	3440	4165
1.50 X 4 CORE	-	4481	5439
2.50 X 2 CORE	2693	3680	4423
2.50 X 3 CORE	3875	5204	6263
2.50 X 4 CORE	-	6994	8433
4.00 X 2 CORE	-	5882	6746
4.00 X 3 CORE	-	7899	9640
4.00 X 4 CORE	-	10225	12597
6.00 X 2 CORE	-	-	-
6.00 X 3 CORE	-	-	-
6.00 X 4 CORE	-	15678	18724

SHREE MAHAVIR
ELECTRICALS

ISI MULTI STRAND WIRES

PRODUCTS	ACPL (80 MTR)	ACPL (90 MTR)	EYCON (90 MTR)	SITILINK (80 MTR)
1.00	650	714	798	525
1.50	960	1066	1197	803
2.50	1510	1675	1869	1280
4.00	2284	2531	2908	1895
6.00	-	3931	-	-

Shree Mahavir Electricals
Shed no. 33, Nav Nandanvan Industrial Estate, Asha Nagar, Mulund West, Mumbai - 400080.
Tel: 8879289137, 9820349933, 9167395175

RONEX FLEXIBLE WIRES (50 YARD)		RONEX FLEXIBLE ROUND CABLE (50 YARD)	
23 X 36	202	23 X 36 / 2 CORE	431
40 X 36 SONY	276	-	
40 X 36 DISCO	400	40 X 36 / 2 CORE	615
40 X 36 HEAVY	650	40 X 36 / 3 CORE	960
XCAB FLAT CABLES		JUMPER WIRE	
TWIN PARALLEL	360	LIGHT (WHITE + RED) 50 YARD	163
WHITE FLAT	390	HEAVY (WHITE + GREEN) 50 YARD	262
1.50 X 2 CORE FLAT (100 YARD)	1942	WHITE + RED (250 YARD)	815
SPEAKER WIRES (50 YARD)		OXYGEN FREE SPEAKER WIRES (100 YARD)	
23 X 36 TCBC	400	0.50 MM	997
40 X 36 TCBC	619	1.00 MM	1512
		1.50 MM	2184
		2.50 MM	3158
TV CABLE		CAMERA WIRE (100 YARD)	
STARLINE RG – 6 (100 YARD)	721	3 + 1 STARLINE	1088
XCAB RG-6 (100 YARD)	832	4 + 1 STARLINE	1199
STARLINE (300YRD)	2184	4+ 1 XCAB	1388
LAN WIRE		TELEPHONE WIRE	
XCAB CAT – 6 (305 MTR)	5890	STARLINE (100 YARD)	388 PER PAIR

RONEX ALUMINIUM SERVICE WIRE (50 YARD)

4.00	6.00	8.00	10.00	12.00	14.00	16.00
325	450	520	625	750	930	1040

Jainson

METAL CLAD PLUGS, SOCKETS, CONDUIT BOXS WITH SCRAPING EARTH CONNECTIONS & A.C. BOX



PRICE - LIST EFFECTIVE FROM 1st MAY 2024



Jainson 10 Amps 250 V 2 POLE & SCRAPING EARTH

Sr. No.	DESCRIPTION	UNIT PRICE Rs.
1	10 Amp. Plug	139.00
2	10 Amp. Socket with Cap	149.00
3	10 Amp. Conduit Box	138.00

20 Amps 250 V 2 POLE & SCRAPING EARTH

1	20 Amp. Plug	161.00
2	20 Amp. Socket with Cap & Chain	185.00
3	20 Amp. Conduit Box	154.00

Jainson 20 Amps 440 V 3 POLE & SCRAPING EARTH

1	20 Amp. Plug	211.00
2	20 Amp. Socket with Cap & Chain	238.00
3	20 Amp. Conduit Box	193.00

Jainson 30 Amps 440 V 3 POLE & SCRAPING EARTH

1	30 Amp. Plug	414.00
2	30 Amp. Socket with Cap & Chain	422.00
3	30 Amp. Conduit Box	260.00

PRICE - LIST EFFECTIVE FROM 1st MAY 2024

M - TYPE



Jainson 20 Amps 250 V 2 POLE & SCRAPING EARTH		
1	20 Amp. Plug	130.00
2	20 Amp. Socket with Cap	145.00
3	20 Amp. Conduit Box	138.00

Jainson 20 Amps 440 V 3 POLE & SCRAPING EARTH		
1	20 Amp. Plug	212.00
2	20 Amp. Socket with Cap	224.00
3	20 Amp. Conduit Box	173.00

Jainson 30 Amps 440 V 3 POLE & SCRAPING EARTH		
1	30 Amp. Plug	399.00
2	30 Amp. Socket with Cap	402.00
3	30 Amp. Conduit Box	245.00

Jainson 20 Amps 250 V 2 POLE AC BOX		
1	20 Amp. Plug & Socket with CapAC Box Open Type	600.00
	20 Amps 440 V 3 POLE AC BOX	
2	20 Amp. Plug & Socket with Cap AC Box Open Type	1328.00
	30 Amps 440 V 3 POLE AC BOX	
3	30 Amp. Plug & Socket with Cap AC Box Open Type	1640.00



Jainson 20 Amps 250 V 2 POLE 2 Way AC BOX With Plug & Socket		
1	20 Amp. Plug & Socket with CapAC Box Open Type	1030.00
	20 Amps 440 V 2 POLE 3 Way AC BOX With Plug & Socket	
2	20 Amp. Plug & Socket with Cap AC Box Open Type	1560.00
	20 Amps 440 V 2 POLE 4 Way AC BOX With Plug & Socket	
3	30 Amp. Plug & Socket with Cap AC Box Open Type	1640.00

Jain Traders & Manufactures Mumbai - 400 068

- PRICES ARE EXCLUSIVE OF ALL TAXES & DUTIES
- WE RESERVE THE RIGHT TO CHANGE IN THE PRICE LIST
- ALL DISPUTES ARE SUBJECT TO MUMBAI JURISDICTION

Authorised Dealer

PRICE LIST

Effective From 1st MAY 2024

Jainson

IRON CLAD & SHEET METAL MAIN SWITCHES, KIT KAT FUSE, CHANGE OVER SWITCHES & BUS BAR CHAMBER

Jainson IRON CLAD MAIN SWITCHES



AMPS	TYPE	UNITE PRICE Rs.	UNITE CASE
32 Amp x 240 V.	I.C.D.P.	1500.00	12
16 Amp x 415 V.	I.C.T.P.	1800.00	18
32 Amp x 415 V.	I.C.T.P.	2500.00	12
63 Amp x 415 V.	I.C.T.P.	4800.00	6

Jainson SHEET METAL MAIN SWITCHES

AMPS	TYPE	UNITE PRICE Rs.	UNITE CASE
16 Amp x 240 V.	S.M.D.P.	750.00	15
32 Amp x 240 V.	S.M.D.P.	1250.00	12
63 Amp x 240 V.	S.M.D.P.	3360.00	8
16 Amp x 415 V.	S.M.T.P.	1400.00	16
32 Amp x 415 V.	S.M.T.P.	1950.00	16
63 Amp x 415 V.	S.M.T.P.	4100.00	8
100 Amp x 415 V.	S.M.T.P.	10700.00	2
200 Amp x 415 V.	S.M.T.P.	14800.00	1

Jainson CHANGE OVER SWITCHES



AMPS	UNITE PRICE Rs. EACH			UNITE CASE EACH
	2 POLE	3 POLE	4 POLE	
16 Amp x 415 V.	1375.00	1800.00	2200.00	6
32 Amp x 415 V.	1840.00	2300.00	2700.00	6
63 Amp x 415 V.	4155.00	6000.00	6400.00	6
100 Amp x 415 V.			10900.00	3
200 Amp x 415 V.			16000.00	1

Jainson (BUS BAR CHAIMBER) WITH COPPER STRIPS

SIZE	9X10X3	15X12X4	24X13X6	UNITE CASE
32 AMP	1980.00			6
63 AMP		3500.00		6
100 AMP		3650.00		6
200 AMP			7800.00	2
300 AMP			9600.00	2
400 AMP			11100.00	2

Jainson KIT-KAT FUSES



AMPS	TYPE	PRICE EACH
16 Amp x 240 V.	KIT KAT FUSE	48.00
16 Amp x 415 V.	KIT KAT FUSE	99.00
32 Amp x 415 V.	KIT KAT FUSE	190.00
63 Amp x 240 V.	KIT KAT FUSE	448.00
100 Amp x 415 V	KIT KAT FUSE	1010.00
200 Amp x 415 V.	KIT KAT FUSE	1568.00

Authorised Dealer

DOL MOTOR STARTER TYPE : JSP-1

The Motor Starters are designed to meet the stringent requirements of both industrial and agricultural applications. DOL Starters, automatic star delta starters, Manual Star Delta Starters and Reversing Starters are available as standard products mode.

RANGE :

Direct on line starters upto 100HP
Mini starters 1Φ upto 3HP
Mini starters 3Φ upto 10.0HP

SPECIFICATION :

Conforms to IEC:60947-4-1 / IS:13947-4-1

FEATURES :

Protection against overload & single phasing
Wide voltage band coils for agricultural application
Ambient temperature compensated (-5°C to 55°C)
Deep drawn sheet steel enclosure duly phosphatised and powder painted.

DOL MOTOR STARTERS TYPE : JSP-1

In Deep Drawn Sheet Steel Enclosure, Motor Rating AC-3 Duty, 3-PH, 50Hz.

MAX 3O MOTOR OUTOUT @ 415,AC HP	KW	RELAY RANGE 'A'
0.25 - 7.5	0.4 - 5.5	0.6 - 1.0 to 11 - 18
0.25 - 10	0.4 - 5.5	0.6 - 1.0 to 13 - 21

MINI MOTOR STARTERS TYPE : JSP-1

In Deep Drawn Sheet Steel Enclosure, Motor Rating AC-3 Duty, 3-PH.

MAX 3O MOTOR OUTOUT @ 415,AC HP	KW	RELAY RANGE 'A'
0.25 - 2	0.2 - 1.5	0.6 - 1.0 to 11 - 18
0.25 - 7.5	0.4 - 5.5	0.6 - 1.0 to 13 - 21

POWER CONTRACTOR TYPE: JSP1

4-Pole;Without Auxiliary Contacts. (Coil "V" : 220 / 240AC, 360 / 440V AC)

MAX 3O MOTOR OUTOUT @ 415,AC HP	KW	NOMINAL RATING @415V,50Hz
7.5	5.5	16A
10	7.5	20A

BIMETAL OVERLODE RELAYS TYPE: JSP1

RELAY RANGE 'A' 0.6 - 1.0 to 13 - 21

RELAY RANGE	PRICE LIST
2.5 AMP TO 4 AMP	2100
4 AMP TO 6.5 AMP	2100
6.5 AMP TO 10 AMP	2100
9 AMP TO 14 AMP	2280
11 AMP TO 18 AMP	2280
13 AMP TO 21 AMP	2500
STARTER RELAY	590
STARTER COIL	400
SINGLE PHASE SE	1420

PRICE LIST
Effective from
April 2022

Jainson
L. T. CONTROL SWITCHES
CAM OPERATED CONFORMING TO IS:4064:1978
FOR AC 3 DUTY FOR INDUCTION MOTORS

TYPE OF Switches	RATED CURRENT Amps.	NO.OF SWITCHING PACKETS	NO.OF POLE	OPEN EXECUTION		IN SHEET STEEL HOUSING	
				CAT. NO	UNIT PRICE Rs.	CAT. NO	UNIT PRICE Rs.
On-Off	25	1	2	J-25-01-2/25	355.00	J-25-01-2/25E	558.00
On-Off	25	2	3	J-25-02-3/25	526.00	J-25-02-3/25E	729.00
On-Off	25	2	4	J-25-02-4/25	553.00	J-25-02-4/25E	756.00
On-Off	25	3	6	J-25-03-6/25	721.00	J-25-03-6/25E	924.00
Reversing	25	3	3	J-25-R2	685.00	J-25-R2E	888.00
Reversing	32	3	3	J-25-R3	730.00	J-25-R3E	940.00
Star Delta	25	4	--	J-25-SD	843.00	J-25-SDE	1090.00
Star Delta Special	25	4	--	J-25-SD/4/SP	843.00	J-25-SD/4/SPE	1090.00
System Selector	16	3	--	J-25-SS	721.00	J-25-SSE	924.00
Reversing Pole Changing	16	6	--	J-25-RPC	1503.00	-----	----------
TWO SPEED POLE CHANGING							
1Separate Winding	16	3	--	J-25-2SW	721.00	J-25-2SWE	924.00
2Dahlander Winding	16	4	--	J-25-2DW	870.00	J-25-2DWE	1117.00
Phase - Selector	25	2	1Pole,3Way & Off	J-25-1PS	571.00	J-25-1PSE	774.00
Phase - Selector	25	3	3Pole,4Way & Off	J-25-3PS	730.00	J-25-3PSE	940.00
Change- Over	25	2	2	J-25-2CO	553.00	J-25-2COE	756.00
Change-Over	25	3	3	J-25-3CO	721.00	J-25-3COE	924.00
Change- Over	25	4	4	J-25-4CO	843.00	J-25-4COE	1090.00

PROGRAMME SWITCHES CAN BE SUPPLIED AS PER CUSTOMERS SPECIFICATION

SPARES AND ACCESSORIES

	UNIT PRICE Rs.
A.Sheet Steel Housing upto 3 Packets for 25 Amp. Switches	203.00
B.Sheet Steel Housing upto 3 Packets for 32 Amp. Switches	210.00
C.Sheet Steel Housing for 4 Packets	247.00
■ Bakelite Ball Handle	23.50
■ Indicating Dial with markings	19.00
■ Catching Lever for Drive Mechanism (2 Nos. Required per Switch)	17.50
■ Tension Spring for Drive Mechanism	13.00
■ Bakelite Contact Holder	60.00
■ Set of Contacts	(On Application)

VRINDA METAL INDUSTRIES. MUMBAI-400 064.
PRICES ARE EXCLUSIVE OF ALL TAXES & DUTIES
WE RESERVE THE RIGHT TO CHANGE IN THE PRICE LIST.
ALL DISPUTES ARE SUBJECT TO MUMBAI JURISDICTION
E-mail:vrindametal@yahoo.com Web : www.jainsongroup.co.in

Authorised Distributor/Dealer

ISO 9001-2008 CERTIFIED

Jainson

TRIPLE POLE

PRESSURE SWITCHES FOR AIR COMPRESSORS

PRESSURE SWITCHES FOR AIR COMPRESSORS

APPLICATION : Pressure switches, Types PS & PSV, are designed for automatically starting & stopping motors of Compressors & Psessurized water Plants.

TYPES PS : Type PS are triple pole Pressures switches without unloading valve.

TYPE PSV : Type PSV are Pressure switches Provided with an unloader valve which relives the Pressure over the Compressors piston when the electric motor stops. Hence, when the compressor restarts, there is no gauge Pressure on the Compressors piston and as a result the electric motor life & Compressors life increase.

HOW TO MOUNT : The Pressure switches are designed for fitting to the air receiver by means connection (1/2"BSP).

The stopping Pressure is set by turning the regulating nut (1) and starting Pressure, which depends on the differential, by turning the regulating screw (2).

ADJUSTMENT : Start the plant. when the stopping Pressure required is reached, turn the regulating nut (1) anti-clock wise until the plant stops.

If the plant stops before the Pressure required is reached, the nut should be turned clock wise.

Turning the regulating screw (2) anti-clock wise reduces the differential (increases the starting Pressure) While turning clock wise increases the Pressure) while turning it clock wise increases the differential Pressure.

TYPE PS

TYPE PSV

LINE DRAWING



CONNECTION DIAGRAMS



PRICE LIST CUM ORDERING AND TECHNICAL DATA FOR PRESSURE SWITCHES

PRICE LIST -01/03/22

TYPE	RANGE	RATE	DESCRIPTION
PSV-15X	7-15 Kg. (100 - 213 PSIG)	1185/-	With Relief Valve & without On / Off Knob
PS-15X	7-15 Kg. (100 - 213 PSIG)	1035/-	Without Relief Valve & On / Off Knob
PS-15B	7-15 Kg. (100 - 213 PSIG)	1085/-	Without Relief Valve but with On / Off Knob
PSV-15B	7-15 Kg. (100 - 213 PSIG)	1215/-	With Relief Valve & On / Off Knob
PS-4B	1 - 4 Kg. (14 - 60 PSIG)	1075/-	Without Relief Valve but With On / Off Knob

TYPE	RANGE	RATE	DESCRIPTION
PSV-9X	2.5 - 9.5 Kg. 35.5 - 135 PSIG	1185/-	With Relief Valve & without On / Off Knob
PS-9X	2.5 - 9.5 Kg. 35.5 - 135 PSIG	1035/-	Without Relief Valve & On / Off Knob
PS-9B	2.5 - 9.5 Kg. 35.5 - 135 PSIG	1085/-	Without Relief Valve but With On / Off Knob
PSV-9B	2.5 - 9.5 Kg. 35.5 - 135 PSIG	1215/-	With Relief Valve & On / Off Knob
PS-4X	1 - 4 Kg. (14 - 60 PSIG)	1025/-	Without Relief Valve & Without On / Off Knob

DESCRIPTION	RATE / PCS	STD. PACK
Daifarm	60/-	12 Nos.
Relief Valve	250/-	----------

DESCRIPTION	RATE / PCS	STD. PACK
Contact Block	525/-	25 Nos.
Connection Plate	150/-	----------

Manufactured By : SRAM INDUSTRIES, Mumbai - 4000 97 (India).

Email: jainson.vk@gmail.com

Jainson

Effective from **1st JUNE 2019**

Quality with trust

Jainson

C-Series
SP- (SINGLE POLE)

CODE	RATING	PKG. Pc	MRP
JI-01	6 A	12	143.00
JI-02	10 A	12	143.00
JI-03	16 A	12	143.00
JI-04	20 A	12	143.00
JI-05	25 A	12	143.00
JI-06	32 A	12	143.00
JI-07	40 A	12	190.00
JI-08	63 A	12	220.00

C-Series
SP- (DOUBLE POLE)

CODE	RATING	PKG. Pc	MRP
JI-09	6 A	6	385.00
JI-10	10 A	6	385.00
JI-11	16 A	6	385.00
JI-12	20 A	6	385.00
JI-13	25 A	6	385.00
JI-14	32 A	6	385.00
JI-15	40 A	6	425.00
JI-16	63 A	6	500.00

C-Series
TP- (TRIPPLE POLE)

CODE	RATING	PKG. Pc	MRP
JI-17	6 A	4	650.00
JI-18	10 A	4	650.00
JI-19	16 A	4	650.00
JI-20	20 A	4	650.00
JI-21	25 A	4	650.00
JI-22	32 A	4	650.00
JI-23	40 A	4	740.00
JI-24	63 A	4	820.00

C-Series
FP- (FOUR POLE)

CODE	RATING	PKG. Pc	MRP
JI-25	6 A	3	950.00
JI-26	10 A	3	950.00
JI-27	16 A	3	950.00
JI-28	20 A	3	950.00
JI-29	25 A	3	950.00
JI-30	32 A	3	950.00
JI-31	40 A	3	1050.00
JI-32	63 A	3	1150.00

Jainson

C-Series
SPN (Single Pole + Neutral)

CODE	RATING	PKG. Pc	MRP
JI-33	6 A	6	355.00
JI-34	10 A	6	355.00
JI-35	16 A	6	355.00
JI-36	20 A	6	355.00
JI-37	25 A	6	355.00
JI-38	32 A	6	355.00
JI-39	40 A	6	370.00
JI-40	63 A	6	470.00

C-Series
TPN (Tripple Pole + Neutral)

CODE	RATING	PKG. Pc	MRP
JI-41	6 A	3	780.00
JI-42	10 A	3	780.00
JI-43	16 A	3	780.00
JI-44	20 A	3	780.00
JI-45	25 A	3	780.00
JI-46	32 A	3	780.00
JI-47	40 A	3	850.00
JI-48	63 A	3	950.00

ISOLATER
DP- (DOUBLE POLE)

CODE	RATING	PKG. Pc	MRP
JI-49	40 A	6	300.00
JI-50	63 A	6	330.00
JI-51	100 A	6	480.00

ISOLATER
TP- (TRIPLE POLE)

CODE	RATING	PKG. Pc	MRP
JI-52	40 A	3	450.00
JI-53	60 A	3	520.00

ISOLATER
FP- (FOUR POLE)

CODE	RATING	PKG. Pc	MRP
JI-54	40 A	3	590.00
JI-55	63 A	3	660.00
JI-56	100 A	3	950.00

Jainson

DP- Earth Leakage Circuit Breaker (ELCB)

DP- (DOUBLE POLE) 30mA

CODE	RATING	PKG. Pc	MRP
JI-57	25 A	6	1747.00
JI-58	40 A	6	1747.00
JI-59	63 A	6	2103.00

DP- (DOUBLE POLE) 100/30mA

CODE	RATING	PKG. Pc	MRP
JI-60	25 A	6	1900.00
JI-61	40 A	6	1900.00
JI-62	63 A	6	2500.00

FP- Earth Leakage Circuit Breaker (ELCB)

FP- (FOUR POLE) 30mA

CODE	RATING	PKG. Pc	MRP
JI-63	25 A	3	2059.00
JI-64	40 A	3	2059.00
JI-65	63 A	3	2700.00

FP- (FOUR POLE) 100/300mA

CODE	RATING	PKG. Pc	MRP
JI-66	25 A	3	2200.00
JI-67	40 A	3	2200.00
JI-68	63 A	3	2800.00

Two Way Centre Off Changeover Switch

DO- (DOUBLE POLE)

CODE	RATING	PKG. Pc	MRP
JI-69	25 A	6	425.00
JI-70	40 A	6	425.00
JI-71	63 A	6	510.00

Two Way Centre Off Changeover Switch

FP- (FOUR POLE)

CODE	RATING	PKG. Pc	MRP
JI-72	25 A	3	950.00
JI-73	40 A	3	950.00
JI-74	63 A	3	1150.00

Jainson™ TOOLS

MADE IN INDIA, SINCE 1985

PRICE LIST June-2024

THE TOOL COMPANY

CUT Clean | **STRIP** Easy | **CRIMP** Right

Products Range: 0.1mm² To 1000mm²

Crimping Tools	Stripping Tools	Cutting Tools	Pliers	Mechanical Tools	Gear Powered Tools
Battery Powered Tools	Hydraulic Tools	Pneumatic Tools	Fastening Tools	Network & Telecom Tools
Din Rail Cutters	Anti Corrosive Compound	Tools Accessories

www.jainsontools.com

WELCOME TO JAINSON

Founded in **1985**, Jainson has embarked on a transformative journey, evolving from a pioneering manufacturer of high-quality crimping tools to becoming a globally recognized leader in the design, manufacturing, and marketing of tools. Today, our esteemed organization stands at the forefront of innovation, offering a comprehensive suite of products that encompasses a wide array of tools catering to various purposes, all under the trusted Jainson brand. Jainson is not just our name; it's a promise of quality, reliability, and innovation in the tool manufacturing industry. We are **"The Tool Company"**

OUR MISSION

It is to empower professionals by providing them with superior quality tools that enhance efficiency, precision, and safety. We leverage state-of-the-art technology and a deep understanding of our customers' needs to offer products that set the standard for reliability and performance. Our dedication to innovation and quality ensures that every Jainson product is an essential component of professional toolkits.

OUR VISION

Jainson aspires to be the global leader in quality and innovation within the tool manufacturing sector. Our vision is to continually broaden our product line and market presence, ensuring that professionals worldwide recognize Jainson as a hallmark of excellence. We are committed to maintaining our reputation as a reliable source for professional-grade tools, embodying the spirit of craftsmanship and innovation.

OUR CORE VALUES

Excellence

We relentlessly pursue excellence, delivering products and services that exceed the highest standards of quality and performance.

Innovation

Our drive for innovation keeps us at the cutting edge, constantly setting new benchmarks for functionality and design in the tools industry.

Integrity

Integrity is the cornerstone of our operations, ensuring we earn the trust of our customers, partners, and communities through ethical practices and transparency.

Sustainability

Committed to sustainability, we advocate for environmental stewardship, aiming to make a positive impact for future generations.

Accountability

We hold ourselves accountable for the impact of our actions on our customers, our communities, and the environment, striving always to make a positive difference.

Customer Satisfaction

Our customers are the focal point of our mission. We are dedicated to enriching their experience with exceptional service and unparalleled product quality.

OUR LEGACY AND FUTURE

Jainson has built a strong global presence over the years, supported by a robust distribution network and a commitment to customer service. As we look to the future, our focus remains on delivering high-caliber products that professionals across various industries can rely on. We are committed to furthering our legacy of excellence, innovation, and global leadership in the tool manufacturing sector.

ENGAGE WITH JAINSON

Explore our diverse range of products and join us in our journey towards creating a future defined by unparalleled quality, innovation, and customer satisfaction.

At Jainson, we are more than just a tools company; we are a partner in your professional success, dedicated to providing the tools you need to achieve excellence in every endeavor.

INDEX

1 Manual Crimping Tools 1-6

2 Manual Cutting & Stripping Tools 7-9

3 Pneumatic Crimping Tools 10

4 Hydraulic Crimping & Cutting Tools 11-14

5 Battery Powered Crimping & Cutting Tools 15-17

6 Din Rail Cutter & PVC Trunking Cutter 18

7 Fastening Tools For Cable Ties 18

8 Network / Telecom Tools 19

9 Pumps, Jacks, Accessories Anti Corrosive Compound, Die Sets 20-21

Jainson™ TOOLS

MANUAL CRIMPING TOOLS

NON- INSULATED TERMINAL CRIMPING TOOL

MRP: Rs.780/- **Capacity:** 0.5mm² to 6mm² **Weight:** 400grm.

VIRAT-6

(W Type Crimping)

- Hand Operated Light Weight Crimping Pliers fitted with Jaws, are designed to have close metal-to-metal contact between Wires Cable terminal ends.
- **VIRAT-6** Ratchet type Crimping Pliers suitable for Non-insulated Terminal Ends 0.5mm² to 6mm²
- All parts are made from special Alloy Steel duly Hardened & Tempered.

NON- INSULATED TERMINAL CRIMPING TOOL

MRP: Rs.960/- **Capacity:** 1.5mm² to 10mm² **Weight:** 525grm.

JOP-427

- Ratchet type Crimping Plier to crimp Cable Terminal End from 1.5 mm² to 10mm².
- This tool has unique interiocking device, the locked ratchet will not release itself till the crimping operation is completed to ensure crimping joints fool proof.
- All parts are made from special Alloy Steel duly Hardened & Tempered.

NON- INSULATED TERMINAL CRIMPING TOOL

MRP: Rs.800/- **Capacity:** 0.5mm² to 6mm² **Weight:** 400grm.

SUPER-6

'D' TYPE CRIMPING

- Hand Operated Light Weight Crimping Pliers fitted with Jaws, are designed to have close metal-to-metal contact between Wires and Cable terminal ends.
- SUPER-6 Ratchet type Crimping Pliers suitable for Non - insulated terminal end 0.5 mm² to 6mm² .
- All parts are made from special Alloy Steel duly Hardened & Tempered.

NON- INSULATED TERMINAL CRIMPING TOOL

MRP: Rs.1,030/- **Capacity:** 0.5mm² to 16mm² **Weight:** 700grm.

SAMRAT-16

- Hand Operated Havy duty Ratchet type Crimping Tools to crimp non-Insulated terminal end for 0.5mm² to 16mm² .
- Best Crimping result by precise Crimping Jaws and integral lock with self releasing Mechanism when correct pressure reached.
- All parts are made from special Alloy Steel duly Hardened & Tempered.

INSULATED TERMINAL CRIMPING TOOL

MRP: Rs.1,650/- **Capacity:** 1.5,2.5,4-6mm² **Weight:** 550grm.

TRISHUL (3 in 1)

- Hand Operated Light Weight Ratchet type Crimping plier to crimp pre Insulated cable Terminal Ends.
- Trishul is suitable for 3 in 1 pre insulated Cable Terminal Ends i.e. 1.5,2.5,4-6mm².
- The tool features an adjustment dial with six section to further enchance the quality of tools. This tool is designed as, push to release, and close to release.

END SEALING FERRULES CRIMPING TOOL

MRP: Rs.1,650/- **Capacity:** 0.5mm² to 6mm² **Weight:** 550grm.

CHETAK-6

- Ratchet type tool is specially designed to crimp ends sealing ferrules. of size 0.5mm² to 6mm².
- The tool features an adjustment dial with six section to further enchance the quality of tools. This tool is designed as, push to release, and close to release.
- The tools are with the features of High effectiveness and a long life.

END SEALING FERRULES CRIMPING TOOL

MRP: Rs.1,650/- **Capacity:** 10mm² to 16mm² **Weight:** 550grm.

CHETAK-16

- Ratchet tool is specially designed to crimp ends sealing ferrules. of size 10mm² to 16mm².
- The tool features an adjustment dial with six section to further enchance the quality of tools. This tool is designed as, push to release, and close to release.
- Specially made from alloy steel and all parts are Hardened & Tempered.

OPEN BARREL TAB CRIMPING TOOL

MRP: Rs.1,850/- **Capacity:** 0.5-1.0,1.1-2.5, 4-6mm² **Weight:** 550grm.

LUV-KUSH-6

- Hand operated Light Weight Ratchet type crimping plier to crimp open barrel tab Terminal ends with Capacity 0.5-1.0,1.1-2.5,4-6mm² .
- The tool features an adjustment dial with six section to further enchance the quality of tools. This tool is designed as, push to release, and close to release.
- Specially made from Alloy steel and all parts are Hardened & Tempered.

MANUAL CRIMPING TOOLS

INSULATED/NON INSULATED & END SEALING FERRULES CRIMPING TOOL

TRISHAKTI

- The tools is specially designed with precise crimping die sets without screw fixing.
- You can replace the die sets only by pushing ahead.
- Ideal crimping Tool for the connection of the power distributing cabinet.
- Provide -2 sets of dies at both side for using and storing easily.

MRP: Rs.3,600/- **Weight:** 650grm.

END SEALING FERRULES CRIMPING TOOL (4 SPOT CRIMPING)

CHAKRA-6

- Self Adjustable Crimping Pliers.
- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.25mm² to 6.0 mm²
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (4 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

MRP: Rs.750/- **Capacity:** 0.25mm² to 6mm² **Weight:** 400grm.

END SEALING FERRULES CRIMPING TOOL (4 SPOT CRIMPING)

CHAKRA-6 PRIME

- Self Adjustable Crimping Pliers.
- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.25mm² to 6.0 mm²
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (4 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

MRP: Rs.1,920/- **Capacity:** 0.25mm² to 6mm² **Weight:** 400grm.

END SEALING FERRULES CRIMPING TOOLS (6 SPOTS CRIMPING)

SPIDER-6

- Self Adjustable Crimping Pliers.
- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.25mm² to 6.0 mm²
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (6 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

MRP: Rs.990/- **Capacity:** 0.25mm² to 6mm² **Weight:** 400grm.

END SEALING FERRULES CRIMPING TOOLS (6 SPOTS CRIMPING)

SPIDER-6 PRIME

- Self Adjustable Crimping Pliers.
- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.25mm² to 6.0 mm²
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (6 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

MRP: Rs.2,620/- **Capacity:** 0.25mm² to 6mm² **Weight:** 400grm.

END SEALING FERRULES CRIMPING TOOLS (4 SPOTS CRIMPING)

CHAKRA-16

- Self Adjustable Crimping Pliers.
- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 4 mm² to 16 mm²
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (4 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

MRP: Rs.1,700/- **Capacity:** 4mm² to 16mm² **Weight:** 550grm.

END SEALING FERRULES CRIMPING TOOLS (4 SPOTS CRIMPING)

CHAKRA-16 PRIME

- Self Adjustable Crimping Pliers.
- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.08mm² to 16mm²
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (4 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

MRP: Rs.1,800/- **Capacity:** 0.08mm² to 16mm² **Weight:** 675grm.

END SEALING FERRULES CRIMPING TOOLS (6 SPOTS CRIMPING)

SPIDER-16 PRIME

- Self Adjustable Crimping Pliers.
- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.08mm² to 16 mm²
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (6 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

MRP: Rs.2,150/- **Capacity:** 0.08mm² to 16mm² **Weight:** 675grm.

MANUAL CRIMPING TOOLS

SOLAR TERMINAL CRIMPING TOOL

MC-4

MRP: Rs.1,100/- **Crimping range:** 2.5mm^2,4mm^2, 6mm^2 **Weight:** 450grm.

- MC 4 Male & Female Solar Connectors Crimping Tool
- The components of tool are made of special steel
- Precise crimping die and integral lock with self releasing mechanism ensure high quality crimping effect after crimping repeatedly
- Due to best handle grasping position, light and compact structure and handle design ensure perfect crimping effect

SOLAR TERMINAL CRIMPING TOOL

MC-4 PRIME

MRP: Rs.3,350/- **Crimping range:** 2.5mm^2,4mm^2, 6mm^2 **Weight:** 720grm.

- MC 4 Prime Crimping Tool adopts High Precision Rachet mechanism for complete crimps.
- MC 4 prime has 1.2 metric tons pressure at crimping force with minimum hand effort.
- EDM Crimping Jaw ensure an accurate crimping result.
- TPR+PP Handle material & ergonomically handle shape reducing the working fatigue.
- This tool is with features of high effectiveness and long life.

COAXIAL CRIMPING TOOL-RG55,58,59,62,5,6,21,140,141,142,143,210,212,222, 223,303,304,400, BELDEN 8279,8281,9231,9141

CX-01

MRP: Rs.1,100/- **Capacity:** 8.1,6.5,5.4,2.6,1.72mm **Weight:** 575grm.

- The components of the ratchet crimping tools are made of special steel.
- Designed according to human factors engineering, it can save energy when crimping.
- Precise crimping die sets and intergral lock with self releasing mechanism ensure high-quality crimping effect.
- Due to best handle grasping position, light and compact structure and handle design ensure perfect crimping effect

COAXIAL CRIMPING TOOL-RG58,59,62,8X,140,142,174,210,223,303,400, FIBER OPTIC, BELDEN 8279

CX-02

MRP: Rs.1,100/- **Capacity:** 6.5,5.4,3.25,2.0,1.72,1.0mm **Weight:** 575grm.

- The components of the ratchet crimping tools are made of special steel.
- Designed according to human factors engineering, it can save energy when crimping.
- Precise crimping die sets and integral lock with self releasing mechanism ensure high-quality crimping effect.
- Due to best handle grasping position, light and compact structure and handle design ensure perfect crimping effect

D-SUB TERMINAL CRIMPING TOOL-XH2.54/3.96,PH2.0,PX,KK254,JST,MOLEX, DUPONT,D-SUB TERMINAL

D-SUB



MRP: Rs.2,100/- **Capacity:** 0.08-0.5mm^2 **Weight:** 400grm.

- The components of the ratchet crimping tools are made of special steel.
- Designed according to human factors engineering, it can save energy when crimping.
- Precise crimping die sets and integral lock with self releasing mechanism ensure high-quality crimping effect.
- Due to best handle grasping position, light and compact structure and handle design ensure perfect crimping effect

7 IN 1 CRIMPING TOOL SET

INDRA

What's Included: * **Wire Stripper & Cutter - 1** * **Crimping Tool - 1** * **Crimping Die - 5** * **Kit Box**

This versatile tool set comes with a convenient Kit Box for seamless storage and portability. It finds its application across various industries including the electronic industry, automotive, and electric appliance repairing.

VERSATILE WIRE CRIMPER TOOL SET: Engineered to accommodate a wide array of terminals including, non-insulated, insulated, end sealing, open barrel, and Mc4.

CONSISTENT CRIMPING PERFORMANCE: Each crimp is executed with precision, thanks to the reliable ratchet mechanism, ensuring uniform and accurate results with every use.

ERGONOMIC DESIGN: Featuring a professional-grade crimping mechanism, this tool set enables effortless crimping, allowing for extended usage without causing hand fatigue.

COMPREHENSIVE INCLUSIONS: The set includes a precision Wire Stripper for efficient wire cutting and stripping, delivering professional-grade results effortlessly.

Match A & B marking on the tool with corresponding markings on die for proper alignment.

NON-INSULATED TERMINAL

Capacity: 0.5-10mm^2

END SEALING FERRULE

Capacity: 0.25-10mm^2

OPEN BARREL TAB TERMINAL

Capacity: 0.5-6mm^2

INSULATED TERMINAL

Capacity: 0.25-6mm^2

SOLAR MC4 TERMINAL



Capacity: 2.5,4,6mm^2

MRP: Rs.3,900/-

MANUAL CRIMPING TOOLS

● Innovative mechanical structure, it can saving 30% energy when crimping. ● Precise crimping die sets and integral lock with self releasing mechanism ensure high-quality crimping effect after crimping repeatedly. ● Due to best handle grasping position, light and compact structure and handle design ensure perfect crimping effect.

INSULATED TERMINAL CRIMPING TOOL **JN 008**

Capacity: 0.5mm² to 6mm² **Weight:** 575grm.
MRP: Rs.1,100/-

END SEALING FERRULES CRIMPING TOOL **JN 009**

Capacity: 0.5mm² to 6mm² **Weight:** 575grm.
MRP: Rs.1,100/-

END SEALING FERRULES CRIMPING TOOL **JN 010**

Capacity: 6mm²/10mm²/16mm² **Weight:** 575grm.
MRP: Rs.1,100/-

END SEALING FERRULES CRIMPING TOOL **JN 011**

Capacity: 0.25mm² to 6mm² **Weight:** 400grm.
MRP: Rs.1,100/-

OPEN BARREL TAB TERMINAL CRIMPING TOOL **JN 012**

Capacity: 0.5mm² to 6mm² **Weight:** 575grm.
MRP: Rs.1,100/-

END SEALING FERRULES CRIMPING TOOL **JN 014**

Capacity: 10mm²/16mm²/25mm²/35mm²
Weight: 575grm. **MRP:** Rs.1,150/-

● Precise crimping die sets and integral lock with self releasing mechanism ensure high-quality crimping effect after crimping repeatedly. ● Due to best handle grasping position, light and compact structure and handle design ensure perfect crimping effect

INSULATED TERMINAL CRIMPING TOOL **JN 004**

Capacity: 0.5mm² to 6mm² **Weight:** 450grm.
MRP: Rs.1,250/-

END SEALING FERRULES CRIMPING TOOL **JN 005**

Capacity: 0.5mm² to 6mm² **Weight:** 450grm.
MRP: Rs.1,250/-

● The components of the tool are made of special steel. ● Designed according to human factors engineering, it can save energy.

OPEN BARREL TAB TERMINAL (TAB 2.8,4.8,6.3) CRIMPING TOOL **JN 48B**

Capacity: 0.5mm²-1.5mm² **Weight:** 400grm.
MRP: Rs.1,150/-

END SEALING FERRULES CRIMPING TOOL **JN 006**

Capacity: 6mm²/10mm²/16mm² **Weight:** 450grm.
MRP: Rs.1,250/-

END SEALING FERRULES CRIMPING TOOL **JN 007**

Capacity: 10mm²/16mm²/25mm²/35mm²
Weight: 450grm. **MRP:** Rs.1,300/-

END SEALING FERRULES CRIMPING TOOL **JN 013**

Capacity: 0.25mm² to 6mm² **Weight:** 400grm.
MRP: Rs.1,150/-

● Saves energy compared to common crimping Tools. ● All the key parts of the energy saving crimping tools have been specially harden. The tools are with the features of high effectiveness and long using lifetime. ● Favorable balance of the barycenter, angle press top and handle shape design meeting human being engineering principle make the operation more easy and convenient.

INSULATED TERMINAL CRIMPING TOOL **JN 001**

Capacity: 0.5mm² to 6mm² **Weight:** 575grm.
MRP: Rs.1,450/-

END SEALING FERRULES CRIMPING TOOL **JN 002**

Capacity: 0.5mm² to 6mm² **Weight:** 575grm.
MRP: Rs.1,450/-

OPEN BARREL TAB TERMINAL CRIMPING TOOL **JN 003**

Capacity: 0.5mm² to 6mm² **Weight:** 575grm.
MRP: Rs.1,450/-

MANUAL CRIMPING TOOLS

MRP: Rs.1,650/- **Capacity:** 6mm² to 50mm² **Weight:** 1.600Kg.

(DIELESS)

VIKRANT-50

- ManualLy Operated dieless Light Weight Crimping tools, with rotating die of size 6mm² to 50mm².
- Press the handle till the two portions of the die set touch each other, There by ensuring perfect Crimping.
- To release the die set, open the moving handle at a right angle of 90°degree.
- All precision parts are Hardened & Tempered.

MRP: Rs.2,800/- **Capacity:** 16,25,35,50mm² **Weight:** 2.600Kg.

(HEAVY DUTY DIELESS)

ARJUN-50

- Heavy Duty easy to operate Dieless Crimping Tool to Crimp 16,25,35,50mm² aluminium & Copper tubular Terminal ends.
- ARJUN-50 is most convenient for crimping at remote place and in trenches too (i.e. for underground cable)
- All parts are made from EN-19 material which duly Hardened & Tempered.

MRP: Rs.1,850/- **Capacity:** 6mm² to 50mm² **Weight:** 1.67Kg.

(DIELESS HEXAGONAL TYPE)

DELTA-50B

- Compact dieless Crimping Tools to Crimp Aluminium & Copper tubular terminals ends upto 50mm².
- It is with the characteristics of long life. accurate bore diameter and good crimping effect.
- All parts are made from special Alloy Steel duly Hardened & Tempered.
- Most convenient for crimping at remote places and in trenches too.

MRP: Rs.5,450/- **Capacity:** 10mm² to 120mm² **Weight:** 4.3Kg.

(DIELESS HEXAGONAL TYPE)

DELTA-120B

- Compact dieless Crimping Tools to Crimp Aluminium & Copper tubular terminals ends upto 120mm.
- It is with the characteristics of long life. accurate bore diameter and good crimping effect.
- All parts are made from special Alloy Steel duly Hardened & Tempered.
- Most convenient for crimping at remote places and in trenches too.

MRP: Rs 5,450/- **Capacity:** 25mm² to 150mm² **Weight:** 4.3Kg.

(DIELESS HEXAGONAL TYPE)

DELTA-150B

- Compact dieless Crimping Tools to Crimp Aluminium & Copper tubular terminals ends upto 150mm.
- It is with the characteristics of long life. accurate bore diameter and good crimping effect.
- All parts are made from special Alloy Steel duly Hardened & Tempered.
- Most convenient for crimping at remote places and in trenches too.

MRP: Rs.2,800/- **Capacity:** Upto 50mm² **Weight:** 2.500Kg.

(HEAVY DUTY DIELESS 'W'PUNCH TYPE)

PLUTO-50

- Light Weight Dieless Crimping Tools to Crimp Aluminium & Copper tubular terminals ends upto 50 mm²
- All parts are made from special Alloy Steel duly Hardened & Tempered.
- Adujust to Jaw Diemeater according to the size of terminals.
- Length of the tools is 570 mm.



MRP: Rs.4,400/- **Capacity:** 10mm² to 95mm² **Weight:** 3.900Kg.

(HEAVY DUTY DIELESS PUNCH TYPE)

PLUTO-95

- Light Weight Dieless Crimping Tools to Crimp Aluminium & Copper tubular terminals ends upto 95 mm²
- All parts are made from special Alloy Steel duly Hardened & Tempered.
- Adujust to Jaw Diemeater according to the size of terminals.
- Length of the tools is 635 mm.

MRP: Rs.6,500/- **Capacity:** 10mm²-95mm² **Weight:** 3.600Kg.

(HEAVY DUTY DIELESS PUNCH TYPE)

AGNEE-95

- Heavy Duty Dieless Crimping Tools to Crimp Aluminium & copper tubular terminalends 10mm² to 95mm²
- It is provided with 520 mm long handles fitted with the tool to minimize pressure force.
- The diameter of the crimping mouth can be adjusted according to the size ofhe terminal.
- All parts are made from special Alloy Steel duly Hardened & Tempered.

MANUAL CRIMPING TOOLS

GRD-95

(Ring / Hexagonal Type Die)

- Hand Operated Heavy duty Crimping Tools with dies R-1 To R-10, (Except R-8) to crimp 10mm² to 95mm² aluminium & copper tubular terminal end.
- The tool has a detachable handle.
- The body of the Tools is made from special Alloy Steel.
- For the purpose of fixing the Equipment on the table, we have provided a stand and screw.
- Hand Operated Heavy duty Crimping Tools with Dies H-10 To H-95, to crimp 10mm² to 95mm² aluminium & copper tubular Terminal end.

RING TYPE DIES
Capacity : 10mm² to 95mm²
Weight : 5.400Kg.
Dies : R-1 to R-10 (9 Sets)
MRP : 6,400/- (Except R-8)

HEXAGONAL TYPE DIES
Capacity : 10mm² to 95mm²
Weight : 5.400Kg.
Dies : H-10 to H-95 (7 Sets)
MRP : 6,400/- (Except R-8)

GRD-185

(Ring / Hexagonal Type Die)

- Hand Operated Heavy duty Crimping Tools with Dies R-1 To R-11 Ring Type (Except R-8) and R-12 & R-13 Punchtype to crimp 10mm² to 185 mm² aluminium & Copper tubular terminal end.
- The tool has a detachable handle.
- The body of the Tool is made from special Alloy Steel.
- For the purpose of fixed the Equipment on the table, we have provided a stand and screw.

RING TYPE DIES
Capacity : 10mm² to 185mm²
Weight : 7.300Kg.
Dies : R-1 to R-13 (12 Sets)
MRP : 7,650/- (Except R-8)

HEXAGONAL TYPE DIES
Capacity : 10mm² to 185mm²
Weight : 7.300Kg.
Dies : H-10 to H-185 (10 Sets)
MRP : 7,650/- (Except R-8)

VISHAL-185

★"Provided dual gripper system in jaws & dies for perfect crimping"

(RING TYPE)

(HEXAGONAL TYPE)

MRP.: 7,000/-

RING TYPE DIES

- Hand Operated Mechanical crimping Tool with interchangeable Die sets R-1 to R-13, (Exceot R-8) to crimp 10mm² to185mm² aluminium and copper tubular Terminal ends.
- Provided with a Dual gripper system in Jaws and Dies for perfect crimping. It is must convenient for crimping at remote places and in trenches too (i.e. for underground cables)

Capacity : 10mm² to 185mm² Dies : R-1 to R-13 (12 Sets) (Except R-8) Weight : 7.100 Kg.

- Packed in Regzine Bag.

HEXAGONAL TYPE DIES

- Hand Operated Mechanical crimping Tool with interchangeable Die sets from H-10 to H-185 to crimp 10mm² to 185mm² aluminium and copper tubular ends.

Capacity : 10mm² to 185mm² **Dies :** H-10 to H-185 (10 Sets) **Weight :** 7.100 Kg.

SURYA-400

(Hexagonal Type Die)
PLIER TYPE

(HEXAGONAL TYPE)

MRP.: 13,400/-

- Hand Operated Heavy Duty Mechanical Cromping Tool provided with interchangeable Hex Pattern Die, suitable for 25mm² to 400 mm²
- It is most convenient for crimping at remote places and in trenches to (i.e. for underground cables)
- It is supplied with rubber moulded extension handles to increase Leverage and in turn reducing manual effort.
- The tool is packed in a very durable steel case.

Capacity : 25mm² to 400mm² **Dies :** H-25 to H-400 (11 Sets)
Weight : 7.300 Kg. **Packing :** Steel Case

SANGRAM-400

(Hexagonal Type Die)
GEAR POWERED

- Hand Operated Gear Powered light weight Compression Tool with Interchangeable Hex pattern Die to crimp aluminium Terminal end from 25mm² to 400mm² and copper terminal end from 25mm² to 300mm²
- It is a multi stroke crimping Tools with ratchet pin lock, rapid motion and has a maximum opening of 90°.
- It is most convenient for crimping at remote places and in trenches too (i.e. for underground cables).
- It develops a maximum pressure 100 kN. Packed in carrying Regzine Bag.

MRP.: 14,900/-

Aluminium Tubular : 25mm² to 400mm²
Copper Tubular : 25mm² to 300mm²

Capacity : 25mm² to 400mm² **Dies :** H-25 to H-400 (11 Sets) **Weight :** 5.800 Kg.

MANUAL CUTTING TOOLS

TIGER 22

- For cutting copper and aluminium conductors as well as multple stranded cables can be cut up to 25mm².
- Not suitable for steel wire and wire ropes
- Clean and smooth cut without crushing and deformation
- Double Edge type,tip edge is suitable for cutting cables inside of narrow space like a switchboard

MRP: Rs.325/- **Cutting range:** Up to 25mm² **Length:** 165mm **Weight:** 180grm.

TIGER 38

- For cutting copper and aluminium conductors as well as multple stranded cables can be cut up to 38mm.
- Not suitable for steel wire and wire ropes
- Clean and smooth cut without crushing and deformation
- Double Edge type,tip edge is suitable for cutting cables inside of narrow space like a switchboard

MRP: Rs.425/- **Cutting range:** Up to 38mm² **Length:** 210mm **Weight:** 300grm.

TIGER 35

- For cutting copper and aluminium conductors as well as multple stranded cables.
- Not suitable for steel wire and wire ropes
- Clean and smooth cut without crushing and deformation Favourable transmission ratio due to double lever BLADE high-grade chrome vanadium electric steel, forged, oil-hardened.

Cutting range: Up to 35mm²
MRP: Rs.625/- **Length:** 160mm **Weight:** 125grm.

TIGER 70(A)

- This cable cutter is with equipped with a spring and safety lock for easy storage
- For cutting copper and aluminium conductors as well as multple stranded cables can be cut up to 70mm².
- Not suitable for steel wire and wire ropes
- Clean and smooth cut without crushing and deformation

MRP: Rs.775/- **Cutting range:** Up to 70mm² **Length:** 215mm **Weight:** 325grm.

TIGER 70(B)

- This 10 inch wire cutter has good toughness, sharp cutting, high hardness, strong and durable.
- For cutting copper and aluminium conductors as well as multple stranded cables can be cut up to 70mm².
- Not suitable for steel wire and wire ropes
- Clean and smooth cut without crushing and deformation

MRP: Rs.625/- **Cutting range:** Up to 70mm² **Length:** 245mm **Weight:** 500grm.

TIGER -125

- For cutting copper and aluminium conductors as well as multple stranded cables.
- Not suitable for steel wire and wire ropes
- Favourable transmission ratio due to double lever
- Forged, oil-hardened, replacable blades
- Handles material steel.

MRP: Rs.1150/- **Cutting range:** Up to 125mm² **Length:** 385mm **Weight:** 750grm.

TIGER -250

- For cutting copper and aluminium conductors as well as multple stranded cables.
- Not suitable for steel wire and wire ropes
- Favourable transmission ratio due to double lever
- Forged, oil-hardened, replacable blades
- Handles material steel.

MRP: Rs.2300/- **Cutting range:** Up to250mm² **Length:** 560mm **Weight:** 1.200Kg.

TIGER -500

- For cutting copper and aluminium conductors as well as multple stranded cables.
- Not suitable for steel wire and wire ropes
- Favourable transmission ratio due to double lever
- Forged, oil-hardened, replacable blades
- Handles material steel.

MRP: Rs.3450/- **Cutting range:** Up to500mm² **Length:** 745mm **Weight:** 2.800Kg.

MANUAL CUTTING TOOLS

JAGUAR-30

Armored Cable ✗ | Cu-Al Cable ✗ | Prestressed steel wire ✓ | ACSR ✓ | Steel wire ropes ✗

For cutting off Prestressed steel wire which is smaller than 100mm^2 & for cutting off ACSR (Aluminium conductors cable Steel-Reinforced) which is smaller than 620mm^2

MRP: Rs.13,500/- **Weight:** 3.600Kg.

JAGUAR-50

Armored Cable ✗ | Cu-Al Cable ✗ | Prestressed steel wire ✓ | ACSR ✓ | Steel wire ropes ✗

For cutting off ACSR (Aluminium conductors cable Steel -Reinforced) which is smaller than 1440mm^2

MRP: Rs.20,000/- **Weight:** 4.00Kg.

JAGUAR-40

Armored Cable ✓ | Cu-Al Cable ✓ | Prestressed steel wire ✗ | ACSR ✗ | Steel wire ropes ✗

For cutting off Copper,Aluminium & Armoured cable which smaller than 300mm^2.

MRP: Rs.4,250/- **Weight:** 1.200Kg.

JAGUAR-52

Armored Cable ✓ | Cu-Al Cable ✓ | Prestressed steel wire ✗ | ACSR ✗ | Steel wire ropes ✗

For cutting off Copper,Aluminium & Armoured cable which smaller than 500mm^2.

MRP: Rs.8,750/- **Weight:** 3.200Kg.

JAGUAR-75

Armored Cable ✓ | Cu-Al Cable ✓ | Prestressed steel wire ✗ | ACSR ✗ | Steel wire ropes ✗

For cutting off Copper, Aluminium & Armoured cable which is smaller than 3 x 120mm^2 or Ø 75mm Also for cutting off 3600 pairs of communication cables.

MRP: Rs.10,500/- **Weight:** 3.700Kg.

JAGUAR-95

Armored Cable ✓ | Cu-Al Cable ✓ | Prestressed steel wire ✗ | ACSR ✗ | Steel wire ropes ✗



For cutting off Copper, Aluminium & Armoured cable which is smaller than 3 x 185mm^2 or Ø 95mm

MRP: Rs.14,000/- **Weight:** 5.200Kg.

JAGUAR-100

Armored Cable ✓ | Cu-Al Cable ✓ | Prestressed steel wire ✗ | ACSR ✗ | Steel wire ropes ✗



For cutting off Copper, Aluminium & Armoured cable which is smaller than 3 x 300mm^2 or Ø 100mm

MRP: Rs.26,000/- **Weight:** .6.500Kg.

JAGUAR-130

Armored Cable ✓ | Cu-Al Cable ✓ | Prestressed steel wire ✗ | ACSR ✗ | Steel wire ropes ✗



For cutting off Copper, Aluminium & Armoured cable which is smaller than Ø 130mm

MRP: Rs.32,500/- **Weight:** 9.300Kg.

JAGUAR-160

Armored Cable ✓ | Cu-Al Cable ✓ | Prestressed steel wire ✗ | ACSR ✗ | Steel wire ropes ✗

For cutting off Copper, Aluminium & Armoured cable which is smaller than Ø 160mm

MRP: Rs.38,000/- **Weight:** 11.5Kg.

MANUAL CUTTING & STRIPPING TOOLS

LION
AUTOMATIC WIRE STRIPPER



- 2 in 1 wire stripper and cutter
- Self adjusting mechanism, according to wire size which provides excellent wire stripping without damaging the conductor
- Lightweight, handy and with excellent durability
- During stripping, the wire is held firm by clamping jaws

MRP: Rs.365/- **Stripping:** 0.2mm² to 6.0mm² **Weight:** 210grm.

ZEBRA
Multi-functional AUTOMATIC WIRE STRIPPER

- Stripping diameter can be adjusted automatically for different wire cross section.
- Zebra wire stripper & cutter is easy stripping without any adjustment.
- Multifunction made of steel by special hardened with long lifetime.

MRP: Rs.690/- **Stripping:** 0.2mm² to 6mm² **Weight:** 300grm.

O5N

5" Small Wire Cutter/ Nipper With Internal Spring

MRP: Rs195/- **Weight:** 60grm.

PUMA CUTTER

MRP: Rs.310/- **Length:**170mm **Weight:** 130grm.

PUMA CUTTER & STRIPPER

MRP: Rs.325/- **Weight:** 130grm.
Stripping capacity:0.6-2.6mm²

PANTHER A-B
CABLE KNIFE

Length: 185mm **Weight:** 90grm.
MRP: Rs.600/-

Length: 180mm **Weight:** 75grm.
MRP: Rs.600/-

Blade made of stainless steel
Ergonomically designed safety handle, with transparent protective cap

PANTHER PRIME
CABLE KNIFE

- Efficiently strip round cables with our cable knife. Its design allows for precise circular cuts around the circumference and longitudinal cuts along the length, ensuring clean removal of outer insulation without damaging inner wires
- It is applicable for stripping circular PVC cable, rubber cable, silicon cable and teflon cable.

MRP: Rs.600/- **Stripping:** Ø8mm² to 28mm² **Length:** 138mm **Weight:** 150grm.

PANTHER MAX (PG-5)
CABLE KNIFE

- For removing all layers of insulation on cables with diameters of over 25mm.
- Suitable for longitudinal and circular cutting. Cutting depth can be adjusted from 0-5mm
- Replaceable blade (both side can used)
- Changing the blade: By removing the adjusting screw, the double-ended blade can be changed.

Adjust cutting depth | Put the tool vertically | Cutting vertically | Rotate the tool & cutting arround | Cutting finished



Communication Cable | MV Cable (PVC Constructed) | LV Cable (PVC Insulation) | MV Cable (PVC Insulation)

MRP: Rs.2,700/- **Stripping:** above Ø 25mm **Length:** 155mm **Weight:** 225grm.

PNEUMATIC CRIMPING TOOLS

VAAYU-10

The machine is driven by dual-action normal cylinder, which has advantages of high efficience and quality in crimping force and speed. The machine is fit for crimping many kinds of terminals. The die sets are interchangeable with our manual crimping tools. So we provide you all kinds of die sets for crimping.

Accessories
6 Nos die set .one foot air valve, two air pipes.

Choose the required die from the 6 dies provided with the tool.

Put the terminal in the jaw of the die and press the foot switch to crimp it

The dies can be changed by using the L-key after cutting of the air supply

MRP: Rs 23,000/-

Specification

Description	VAAYU-10
Output force	1.3 T
Applicable air pressure	0.6-0.8 MPa
Gross Weight	5.58Kg.
Net Weight	4.71Kg.

END SEALING FERRULES
For 0.25-10mm²

END SEALING FERRULES
For 10-35mm²

INSULATED TERMINAL
For 1-6mm²

SOLAR MC4 TERMINAL
For 2.5,4,6mm²

NON-INSULATED TERMINAL
For 0.5-10mm²

OPEN BARREL TAB TERMINAL
For 0.5-6mm²

VAAYU CHAKRA 6

Terminal Locating Board
With the positioning plate, the terminal can be inserted into the center position of the die precisely, so as to ensure the balance of the pressure on each side and improve the speed and quality of the crimping.

Adjust the size of the crimping interface according to the diameter of the crimping terminal. (In the positive direction, the diameter is increased; in the opposite direction, the diameter is decreased)

The traditional fixed mould is replaced by the square crimping mould, which may perform flexible crimping connection to end selling ferrules terminals.
Since the square can be adjusted steplessly, the crimping specification can be set freely within 0.08-10mm².
After crimping the terminals look beautiful in square without any flash edge.

The machine is driven by dual-action normal cylinder, which has advantages of high efficiency and quality in crimping force and speed.

Accessories: one foot air valve. two air pipes.

Specification

Description	VAAYU CHAKRA-6
Range of Application	0.08-10mm²
Output force	13.5 kN
Applicable air pressure	0.6-0.8 MPa
Gross Weight	5.82Kg.
Net Weight	5.49Kg.

MRP: Rs 28,000/-

HYDRAULIC CRIMPING TOOLS

With Hand Pump MRP: Rs. 34,500/- **With Foot Pump MRP:** Rs. 38,500/-

HEXAGONAL TYPE DIES

VARUN-400

- Hydraulic Compression Light Weight Heavy Duty Tools.
- Compact Design Tool with a two stage setting of high & low pressure for quick oil output.
- Compression Force - 16 Metric Tons.
- Maximum Stroke - 32 mm
- Operating Pressure - 10,000 PSI / 700 Kg. / cm^2
- Flip Top Head
- Made from alloy steel(EN19) and duly tempered and hardened for high durability and long life.
- Do not pump when dies are not in place.

Capacity : 25mm^2 to 400mm^2 **Dies :** H-25 to H-400(11 Sets)
Weight : 13.900 kg.

With Hand Pump MRP: Rs. 34,500/- **With Foot Pump MRP:** Rs. 38,500/-

HEXAGONAL TYPE DIES

BHOOMI-400

- Hydraulic Compression Light Weight Heavy Duty Tools.
- Compact Design Tool with a two stage setting of high & low pressure for quick oil output.
- Compression Force - 16 Metric Tons.
- Maximum Stroke - 24 mm
- Operating Pressure - 10,000 PSI / 700 Kg. / cm^2
- Made from alloy steel(EN19) and duly tempered and hardened for high durability and long life.
- Do not pump when dies are not in place.

Capacity : 25mm^2 to 400mm^2 **Dies :** H-25 to H-400(11 Sets)
Weight : 12.500 kg.

With Hand Pump MRP: Rs. 34,500/- **With Foot Pump MRP:** Rs. 38,500/-

HEXAGONAL TYPE DIES

SPICE-400

- Hydraulic Compression Light Weight Heavy Duty Tools.
- Compact Design Tool with a two stage setting of high & low pressure for quick oil output.
- Compression Force - 16 Metric Tons.
- Maximum Stroke - 24 mm
- Operating Pressure - 10,000 PSI / 700 Kg. / cm^2
- Made from alloy steel(EN19) and duly tempered and hardened for high durability and long life.
- Do not pump when dies are not in place.

Capacity : 25mm^2 to 400mm^2 **Dies :** H-25 to H-400(11 Sets)
Weight : 14.200 kg.

With Hand Pump MRP: Rs. 34,500/- **With Foot Pump MRP:** Rs. 38,500/-

HEXAGONAL TYPE DIES

DHANUSH-400

- Hydraulic Compression Light Weight Heavy Duty Tools.
- Compact Design Tool with a two stage setting of high & low pressure for quick oil output.
- Compression Force - 16 Metric Tons.
- Maximum Stroke - 24 mm
- Operating Pressure - 10,000 PSI / 700 Kg. / cm^2
- Made from alloy steel(EN19) and duly tempered and hardened for high durability and long life.
- Do not pump when dies are not in place.

Capacity : 25mm^2 to 400mm^2 **Dies :** H-25 to H-400(11 Sets)
Weight : 15.800 kg.

With Hand Pump MRP: Rs. 48,000/- **With Foot Pump MRP:** Rs. 52,000/-

HEXAGONAL TYPE DIES

TEJAS-630

- Heavy Duty Htdraulic Compression Tools.
- Compact Design Tool with a two stage setting of high & low pressure for quick oil output.
- Compression Force - 25 Metric Tons.
- Maximum Stroke - 22 mm
- Operating Pressure - 10,000 PSI / 700 Kg. / cm^2
- Flip Top Head
- Made from alloy steel(EN19) and duly tempered and hardened for high durability and long life.
- Do not pump when dies are not in place.

Capacity : 50mm^2 to 630mm^2 **Dies :** H-50 to H-630(11 Sets)
Weight : 17.900 kg.

HYDRAULIC CRIMPING & CUTTING TOOLS

HEXAGONAL TYPE DIES

PRITHVI-1000

- Heavy Duty Hydraulic Compression Tools.
- Two stage setting of high & low pressure for quick oil output.
- Maximum Pressure - 45 Metric Tons.
- Maximum Stroke - 22 mm
- Operating Pressure - 10,000 PSI / 700 Kg. / cm^2
- Made from alloy steel(EN19) and duly tempered and hardened for high durability and long life.
- Do not pump when dies are not in place.

With Hand Pump MRP. : 58,000/- **With Foot Pump MRP. :** 62,000/-

Capacity : $50mm^2$ to $1000mm^2$
Dies : H-50 to H-1000(13 Sets) **Weight :** 23.500 kg.

HEXAGONAL TYPE DIES

DHANUSH-1000

- Heavy Duty Hydraulic Compression Tools.
- Two stage setting of high & low pressure for quick oil output.
- Maximum Pressure - 30 Metric Tons.
- Maximum Stroke - 22 mm
- Operating Pressure - 10,000 PSI / 700 Kg. / cm^2
- Made from alloy steel(EN19) and duly tempered and hardened for high durability and long life.
- Do not pump when dies are not in place.

With Hand Pump MRP. : 54,000/- **With Foot Pump MRP. :** 58,000/-

Capacity : $50mm^2$ to $1000mm^2$
Dies : H-50 to H-10000(13 Sets) **Weight :** 19.000 kg.

MASTER-85KF

- Cuts Cu/Al cable and Armoured Cu/Al cable.
- Jaws slide open quickly to save time between cuts.
- Jaws are made of special steel and are duly hardened and tempered for long life and durability
- Lightweight and easy to use.
- Operated by hydraulic pump with rated pressure 700 bar. Output force(ton): 8.5
- **Cutting range:**
  Ø 85mm Cu/Al cable and Armoured Cu/Al cable.

With Hand Pump MRP.: 45,000/- **With Foot Pump MRP.:** 49,000/-

Total Weight : 15.650 Kg.

MANGAL-85

- Cuts Cu/Al cable and Armoured Cu/Al cable.
- Flip cutting head, easy for operation, more convenient.
- Jack is made of special steel and are duly hardened and tempered for long life and durability
- Lightweight and easy to use.
- Operated by hydraulic pump with rated pressure 700 bar.
- **Cutting range:**
  Ø 85mm Cu/Al cable and Armoured Cu/Al cable.

With Hand Pump MRP.: 36,000/- **With Foot Pump MRP.:** 40,000/-

Total Weight : 17.700 Kg.

HYDRAULIC CRIMPING TOOLS

HPCT-20A/HPCT-20B
RING TYPE DIES

HPCT-20A
RING TYPE DIES
Capacity : Up to 300mm²
Weight : 15.100Kg.
Dies : R-11 to R-16 (6 Sets)
MRP : 29,000/-

HPCT-20B
RING TYPE DIES
Capacity : Up to 400mm²
Weight : 15.100Kg.
Dies : R-11 to R-18 (8 Sets)
MRP : 30,500/-

HPCT-20
HEXAGONAL TYPE DIES

HPCT-20
HEXAGONAL TYPE DIES
Capacity : 50 to 400mm²
Weight : 15.100Kg.
Dies : H-50 to H-400 (9 Sets)
MRP : 31,500/-

HPCT-150A/HPCT-150B
RING TYPE DIES

HPCT-150A
RING TYPE DIES
Capacity : Up to 400mm²
Weight : 26.500Kg.
Dies : R-11 to R-18 (8 Sets)
MRP : 37,000/-

HPCT-150B
RING TYPE DIES
Capacity : Up to 400mm²
Weight : 26.500Kg.
Dies : R-11 to R-23,R-27, R-29.(15 Sets)
MRP : 49,500/-

HPCT-150A/HPCT-150B
HEXAGONAL TYPE DIES

HPCT-150A
HEXAGONAL TYPE DIES
Capacity : 50 to 400mm²
Weight : 26.500Kg.
Dies : H-50 to H-400 (9 Sets)
MRP : 39,500/-

HPCT-150B
HEXAGONAL TYPE DIES
Capacity : 50 to 1000mm²
Weight : 26.500Kg.
Dies : H-50 to H-1000 (13 Sets)
MRP : 49,500/-

SAGAR-400
FOOT OPERATED HYDRAULIC TOOL
HEXAGONAL TYPE DIES

- SAGAR-400 Foot Operated Hydraulic Tool is designed to Crimp Copper/Aluminium Cable Terminal Ends from 25mm² to 400mm²
- Crimping Jack and Hydraulic Pump connected with a 2 meter Hose pipe.
- Mechanism Provided in the pump controls the pressure developed while crimping the Terminal and the preset safety valve prevent excessive pressure.
- Mounted on a wheeled trolley.
- Packed in steel case.

MRP.: 33,000/-

Capacity : 25mm² to 400mm² **Dies** : H-25 to H-400(11Sets)
Weight : 17.500 Kg.

HYDRAULIC CRIMPING & CUTTING TOOLS

PRECAUTION

AAKASH-400 /AAKASH-500

HYDRAULIC DIELESS

AAKASH-400 & AAKASH-500 is a Dieless flip-top Hand Operated Hydraulic Crimping Tool with a universally rotating Crimping Head through 360°.It has a Hydraulic pump made from drawn alloy steel Rod fitted with an automatic "BLOW-OFF" Valve preset at 8500PSI. To prevent excessive pressure and ensure fool prof Crimping. A clear click sound is heard on completion of crimping of cable Terminal End.
An Extra feature is the novel presence of a specially designed CLASSIC handle to lock. The crimping jaws in any Predetermined position to avoid unnecessary strokes while Crimping the same size of Cable Terminal End. This tool is most ideal for Cable Terminal End as well as inline connectors ferrules. It is also most suitable for tension and non-tension jointing of both AAC ACSR conductor without the need for any separate steel sleeve for ACSR Conductors.

AAKASH-400
Capacity : Up to 400mm²
Weight : 5.800 kg. **MRP:** 22,500/-

AAKASH-500
Capacity : Up to 500mm²
Weight : 5.800 kg. **MRP:** 23,500/-

HEXAGONAL TYPE DIES — ASHOKA-400

Hand Operated Hydraulic Compression Light Weight, Compact Design tool, with a two stage setting of high & low pressure for quick oil output.
For use with interchangeable Die set 25mm² to 400mm²
Reliable, Positive Crimping mechanism incorporating calibrated pressure release valve (ENSURE CORRECT CRIMPING FORCE)
It has a Flip Flop Head
Compact light weight tool designed to accept industry standard hexagonal dies, reduces operator effort & ensures consistent Compression are made.
Dies are available for compressing conductors cable & coded ferrules.
Manufactured from High grade alloy steel.
Compression Force-16 metric tons.
Maximum stroke ASHOKA-400 - 32mm.
To start operating the tool tighten the Release valve & after compression is complete, loose the release valve..
It has an operating pressure at 10,000 PSI / 700Kg/cm²

Dies : H-25 to H-400 (11 Sets)

MRP.: 28,000/- **Capacity :** 25mm² to 400mm² **Weight :** 8.500Kg.

WARNING : Do not pump when dies are not in place.

HEXAGONAL TYPE DIES — SHAKTI-400

Hand Operated Hydraulic Compression Light Weight, Compact Design tool, with a two stage setting of high & low pressure for quick oil output.
For use output. For use with interchangeable Die set 25mm² to 400mm²
Reliable, Positive Crimping mechanism incorporating calibrated pressure release valve (ENSURE CORRECT CRIMPING FORCE)
SWIVEL" G" Type Head and Head part can rotate at 180°
Compact light weight tool designed to accept industry standard hexagonal dies, reduces operator effort & ensures consistent Compression are made.
Dies are available for compressing conductors cable & coded ferrules.
Manufactured from High grade alloy steel.
Compression Force-16 metric tons.
Maximum stroke SHAKTI-400 - 24mm.
To start operating the tool tighten the Release valve & after compression is complete, loose the release valve..
It has a has operating pressure at 10,000 PSI / 700Kg/cm²

Dies : H-25 to H-400 (11 Sets)

MRP.: 28,000/- **Capacity :** 25mm² to 400mm² **Weight :** 8.500Kg.

WARNING : Do not pump when dies are not in place.



HYDRAULIC CUTTING TOOL — MARS 85

Hand Operated Hydraulic Compression Light Weight, Compact Design tool with high user safety.
Manufactured from High grade alloy steel.
Flip top cutting head rotates 350°.
To start operating the tool tighten the Release valve & after compression is complete, loose the release valve.

Cutting range:
Ø 85mm Cu/Al cable and Armoured Cu/Al cable.

MRP:28,000/- **Weight:** 10.500kg.

PURE COPPER MOTOR STABLE PERFORMANCE

Durable power, low noise, high temperature resistance, and longer service life



Key features of Jupiter tools:

One trigger: All tools can be controlled by one trigger. These results in an easy handling.

Automatic Release/Retraction: The hydraulic unit incorporates an automatic retraction which returns the piston into it is starting position when the maximum operating pressure is reached

Micro computer control system: It automatically detects the pressure when in crimping with double safety protect.

Continuous Crimping: Enhances work efficiency with consistent performance.

LED Displays: Real-time information on both the tool and its charger, ensuring optimal operation and charging status.

Rotating Head: Adapts to any working condition, enabling easy access to tight spaces and awkward angles.

Specially Designed Suitcase: Organised and portable, making it easy to transport tools with minimal hassle.

High-Strength Alloy Chrome Plated Steel Dies: Durable and aesthetically pleasing, capable of withstanding rigorous use.

Temperature sensor: It makes the tool stop working automatically when the temperature over 60* C under long time working. The fault signal sounds it means the tool can't continue work until the temperature reduced to the normal.

BATTERY POWERED CRIMPING & CUTTING TOOLS

JUPITER-400
(with Continuous Crimping Function)

Crimping force	: 120kN
Crimping range	: 16-400mm²
Crimping Cycle	: 5s-8s (depends on the size of the cable)
Voltage	: 18v
Capacity	: 4.0 Ah
Weight	: approx. **N.W** 7kg **G.W** 15kg
Package	: Plastic box
Accessories	: Fast Charger with LED display : 1pc. Battery : 2pcs.
Dies.	: 16,25,35,50,70,95,120,150,185,240,300,400mm²

MRP: Rs.80,000/-

Warning: Do not use when dies are not in place.

JUPITER-630
(with Continuous Crimping Function)

Crimping force	: 250kN
Crimping range	: 16-630mm²
Crimping Cycle	: 5s - 8s (depends on the size of cable)
Voltage	: 18v
Capacity	: 4.0 Ah
Weight	: approx. **N.W**.7.5kg **G.W.** 19.5kg
Package	: Plastic box
Accessories	: Fast Charger with LED display : 1pc. Battery : 2pcs. .
Dies.:	16,25,35,50,70,95,120,150,185,240,300,400,500,630mm²

MRP: Rs.1,10,000/-

Warning: Do not use when dies are not in place.

JUPITER-85
(with Continuous Cutting Function)

Crimping force	: 120kN
Cutting range	: Ø 85mm (Cu/AL and armoured cable)
Voltage	: 18v
Capacity	: 4.0 Ah
Weight	: approx. **N.W**.7.5kg **G.W.** 13.5kg
Package	: Plastic box
Accessories	: Fast Charger with LED display : 1pc. Battery : 2pcs. .

MRP: Rs.95,000/-

JUPITER-400+85
(with Continuous Crimping/Cutting Function)

This is a 2 in 1 Cutting and Crimping tool. It merges cutting and crimping in a single, versatile tool, offering the best of both worlds with its interchangeable head feature. This multipurpose tool embodies the peak of innovation, designed for professionals seeking efficiency.

Crimping force	: 120kN
Crimping Range	: 16 - 400mm²
Crimping Cycle	: 5s-8s (depends on the size of cable)
Cutting range	: Ø 85mm (Cu/AL and armoured cable)
Voltage	: 18v **Capacity** : 4.0 Ah
Weight	: approx. N.W.11kg G.W. 19.5kg
Package	: Plastic box
Accessories	: Fast Charger with LED display : 1pc. Battery : 2pcs.
Dies.:	16,25,35,50,70,95,120,150,185,240,300,400mm²

MRP: Rs.1,15,000/-

Warning: Do not use when dies are not in place.

BATTERY POWERED CRIMPING TOOL

JUPITER-50X

Jupiter-50X Battery Powered Crimping Tool is vertical cold press clamping tool. It is a speedy, simple-to-use, safe crimping tool that can be adjusted for a variety of applications. Due to its highly controlled action, the tool also produces more accurate and consistent results than are possible using a hand-operated tool. We provide all-copper motor strong power, which can let you easily handle high-intensity work. A variety of replaceable dies can be selected and used according to the needs. Jupiter-50X gives excellent crimping results with minimum effort for cable lugs and connectors up to 50sqmm. This tool combines the benefits of manual crimping tools with the convenience of battery powered hydraulic crimping tools.

- Simple and safe: one-button operating concept for controlling all tool functions
- Electronic control with locking function monitors full closing of the dies
- Very low weight and high speed for maximum efficiency
- Simple and safe: automatic retraction when operation is complete
- Manual retract as required
- Powerful drive technology for fatigue proof operations
- Powerful 18 V Li-Ion battery with charge status display
- LED for work area illumination

Warning: Do not use when dies are not in place.



Max. Output force :	16kN	
Crimping Range :	0.5-50mm²	**END SEALING FERRULES**
	0.5-10mm²	**NON- INSULATED TERMINAL**
	0.5-6mm²	**OPEN BARREL TAB TERMINAL**
	0.5-6mm²	**INSULATED TERMINAL**
Battery :	18.v 2.0Ah Li-Ion	
Weight :	approx. 5.0kg	
Package :	Plastic box	
Accessories :	Battery : 2pcs. Charger : 1pc. Dies : 7pcs.	

MRP: Rs.65,000/-

ELECTRIC POWERED TOOLS



BIJLEE-400

- Electric Power Cable Crimping Tool Cu/Al TERMINAL Crimping Pliers Range 25-400mm²
- Plug-in hydraulic crimping pliers Tight and powerful crimping.
- Powerful Core Machine Compatibility.
- Anti overload / anti burning machine provides strong output power guarantee.
- Accurate line pressing Head can rotate 360°

This crimping tool does not have automatic release mechanism, it has to be done manually when both dies make contact.

Warning: Do not use when dies are not in place.

Voltage:	220V/50Hz
Output:	120 kN
Rated Power:	1100W
Load Power:	2200W
Weight:	approx. N.W. 9.5Kg. G.W.14.5kg
Package:	Plastic box.
Crimping Range :	25, 35, 50,70,95,120,150,185,240300,400mm².

MRP: Rs.62,500/-

DIN RAIL CUTTER & PVC TRUNKING CUTTER



JDRC

DIN RAIL CUTTER

- The new version of manual rail cutter has a dual scale ruler included, which allows you to quickly adjust the cutting length and easily cut rails to your desired sizes.
- Featuring 2-groove design. Come with long lever handle.
- This double groove rail cutter can precisely cut both steel & aluminum Din rails at a time with less effort.
- User-friendly Handle Design ,made of high-quality rubber, soft and comfortable tactile sensation.
- Sharp blade for smooth & fast cutting neat incision with no burrs.



MRP: Rs.7,000/-



Double Measuring Units

Two different units of measurement.: CM & INCH.
Minimum measuring range : 1/32 inch (0.1cm)

JPVC

PVC TRUNKING CUTTER

- The new version of PVC trunking cutter has a dual scale ruler included, which allows you to quickly adjust the cutting length and easily cut rails to your desired sizes.
- Made of high quality materials
- Labour-saving design for high work efficiency
- Sharp blade, neat cutting without burrs
- User-friendly Handle Design, made of high-quality rubber with soft and comfortable tactile sensation.

NOTE: This products can only used to cut open grooves of PVC materials and not any other material to avoid damage to blade.

- **CUTTING ANGLE 45° / 90°**
- **WEIGHT 4 Kg.**

MRP: Rs.10,000/-

FASTENING TOOLS FOR CABLE TIES

FTN 01

Pliers for Nylon Cable Ties

- Heavy duty use
- With safe stop to prevent from injury
- Comfortable hand force
- Applicable width 2.4-9mm
- Length 195mm ; Weight 250gm

MRP: Rs.775/-

FTN 02

Gun for Nylon cable ties

- For assembly line use
- Made by Aluminium Alloy
- For cable Tie from 2.4 to 4.8mm width
- Fasten and automatic cut ties with adjustable bundling pressure.
- Length 165mm ; Weight. 300gm

MRP: Rs.990/-

MRP: Rs.2,900/-

FTSS 01

For Stainless Steel cable ties

- For Cable Tie Thickness up to 0.3mm
- Made with Aluminium Alloy.
- Fasten and automatic cut ties with adjustable bundling pressure.
- Capacity :4.6-12mm
- Weight. 600gm

NETWORK / TELECOM TOOLS

JNT
3 in 1 Network Crimping Tool

Network crimping tool for 4P4C, 6P6C,8P8C modular plug, stripping round lan cable

MRP: Rs.325/-

JNT PLUS
2 in 1 Network Crimping Tool

Network crimping tool for6P6C, 8P8C modular plug, stripping round lan cable

MRP: Rs.425/-

JNT PLUS-R
2 in 1 Network Crimping Tool

Network crimping tool with ratchet for 6P6C,8P8C modular plug, stripping round lan cable

MRP: Rs.515/-

JNT PRIME
2 in 1 Network Crimping Tool

Network crimping tool with ratchet for 6P6C,8P8C Pass-Through modular plug, stripping lan cable

MRP: Rs.950/-

JPT
Punch Down Tool

MRP: Rs.200/-

JPT PLUS A
Punch Down Tool

MRP: Rs.515/-

JPT PLUS B
Punch Down Tool

MRP: Rs.425/-

JPT PRIME
Punch Down Tool

MRP: Rs.950/-

JCS A
Multi functional Coaxial & Lan Cable Stripper

MRP: Rs.275/-

JSC B
Multi functional Coaxial Cable Stripper

MRP: Rs.215/-

JCC A
Coaxial Compression Crimping Tool

MRP: Rs.390/- **Capacity: RG6/RG59**

CX 01
COAXIAL CRIMPING TOOL-RG55,58,59,62,5,6,21,140,141, 142,143,210,212,222, 223,303,304,400, BELDEN 8279,8281,9231,9141

MRP: Rs.1,100/- **Capacity:** 8.1,6.5,5.4,2.6,1.72mm **Weight:** 575grm.

CX 02
COAXIAL CRIMPING TOOL-RG58,59,62,8X,140,142,174, 210,223,303,400, FIBER OPTIC, BELDEN 8279

MRP: Rs.1,100/-**Capacity:** 6.5,5.4,3.25,2.0,1.72,1.0mm **Weight:** 575grm.

PUMP

HPCT-20/HPCT-150

MRP: Rs. 15,500/-

- Hand Operated Hydraulic pump is designed to Crimp Copper/Aluminium Cable Terminal Ends for **HPCT-20** up to 400mm² & **HPCT-150** up to 1000mm²
- To start operating the pump tighten the Release vale & after compression is complete, loose the release valve.
- Reliable, Positive Crimping mechanism incorporating calibrated.
- In non-working condition keep the release value loose.

SAGAR-400

MRP: Rs. 16,500/-

- Foot Operated Hydraulic pump is designed to Crimp Copper/Aluminium Cable Terminal Ends for 400mm²
- To start operating the pump tighten the Release vale & after compression is complete, loose the release valve.
- Mechanism provided in the pump controls the pressure developed while Crimping the Terminals & the preset safety valve prevents excess pressure.

BHOOMI-400, VARUN-400, SPICE-400, DHANUSH-400, TEJAS-630 PRITHVI-1000, DHANUSH-1000, MANGAL-85 & MASTER-85KF

HAND PUMP

MRP: Rs. 17,500/-

FOOT PUMP

MRP: Rs. 21,500/-

- Pump is Designed with two stage setting of high & low pressure for quick oil output.
- Manual operating type i.e. Hand & Foot.
- Working pressure 1000PSI i.e. 700kg/cm2.
- Mechanism provided in the pump controls the pressure developed while Crimping the Terminals & the preset safety valve prevents excess pressure.
- To start operating the pump tighten the Release vale & after compression is complete, loose the release valve.
- Oil displacement per stroke at low pressure stage is 13 cc & at high pressure stage 2.3cc
- Oil grade Hydrol 68
- Weight 12Kg.
- Volume (mm) Hand 730 x 180 x180. Foot 620 x 220 x280.
- Oil capacity Hand -1000/700 Foot - 600/350.

JACK

HPCT-20

MRP: Rs. 16,500/-

HPCT-150

MRP: Rs. 22,500/-

SAGAR-400

MRP: Rs. 18,500/-

SPICE-400

MRP: Rs. 19,500/-

VARUN-400

MRP: Rs. 19,500/-

BHOOMI-400

MRP: Rs. 19,500/-

DHANUSH-400

MRP: Rs. 19,500/-

TEJAS-630

MRP: Rs. 22,500/-

PRITHVI-1000

MRP: Rs. 30,500/-

DHANUSH-1000

MRP: Rs. 26,500/-

MANGAL-85

MRP: Rs. 21,000/-

MASTER-85KF

MRP: Rs. 34,000/-

HOSE PIPE

1/4" B.S.P
FOR HPCT-20/HPCT-150
SAGAR-400

Length: 2 meters **MRP:**1,600/-

MAKE:PARKER

BATTERY

Lithium-ion battery for Jupiter-400/ Jupiter-630/ Jupiter-85/Jupiter-400+85

MRP: Rs.6500/-

ACC -50

Anti Corrosive Compound for electrical joints

Anti Corrosive Compound for electrical joints
Prevents corrosion of electrical joints
Prevents ingress of moisture in electrical joints
Prevents oxidation of the surface of wire conductor
Useful for Aluminium to Aluminium or Aluminium to copper joints

MRP: Rs.55/- **Weight:** 50grm.

HOSE PIPE

3/8" B.S.P
FOR VARUN-400/BHOOMI-400
SPICE-400/DHANUSH-400/TEJAS-630
DHANUSH-1000/PRITHVI-1000
MASTER-85KF/MANGAL-85

Length: 2 meters **MRP:**3400/-

MAKE:PARKER

CHARGER

Fast Charger with LED Display for Jupiter-400/ Jupiter-630/ Jupiter-85/ Jupiter-400+85

MRP: Rs.7000/-

DIES

GRD-95/GRD-185
RING TYPE DIES

R-1,R-2,R-3.R-4,R-5,
R-6,R-7,R-9,R-10,R-11,
MRP: Rs.340/-Each

PUNCH TYPE DIES
R-12,R-13,
MRP: Rs.460/-Each

GRD-95/GRD-185
HEXAGONAL TYPE DIES

H-10,H-16,H-25,H-35
H-50,H-70,H-95
H-120,H-150,H-185
MRP: Rs.380/-Each

SURYA-400
HEXAGONAL TYPE DIES

H-25,H-35
H-50,H-70,H-95
H-120,H-150,H-185,
H-240,H-300,H-400.
MRP: Rs.680/-Each

SANGRAM-400
HEXAGONAL TYPE DIES

H-25,H-35
H-50,H-70,H-95
H-120,H-150,
H-185,H-240,
H-300,H-400.
MRP: Rs.890/-Each

VISHAL-185
RING TYPE DIES

R-1,R-2,R-3.R-4,R-5,
R-6,R-7,R-9,R-10,
R-11, R-12,R-13,
MRP: Rs.420/-Each

VISHAL-185
HEXAGONAL TYPE DIES

H-10,H-16,H-25,H-35
H-50,H-70,H-95
H-120,H-150,H-185
MRP: Rs.450/-Each

SAGAR-400
HEXAGONAL TYPE DIES

H-25,H-35
H-50,H-70,H-95
H-120,H-150,
H-185, H-240,
H-300, H-400.
MRP: Rs.1,080/-Each

BHOMI-400 & SHAKTI-400,SPICE-400
HEXAGONAL TYPE DIES

H-25,H-35,H-50,
H-70,H-95,H-120,
H-150,H-185,H-240,
H-300,H-400.
MRP: Rs.1250/-Each

HPCT-20
RING TYPE DIES

R-11, R-12,R-13,
R-14,R-15
MRP: Rs.1,300/-Each

R-16,R-17,R-18.
MRP: Rs.2,200/-Each

HPCT-20
HEXAGONAL TYPE DIES

H-50,H-70
,H-95, H-120,
H-150, H-185,
H-240,H-300,
MRP: Rs.1,350/-Each

H-400.
MRP: Rs.2,600/-Each

HPCT-150
RING TYPE DIES

R-4,R-5,R-6,R-7,
R-9,R-10, R-11,
R-12,R-13,R-14,
R-15,R-16,R-17
R-18
MRP: Rs.2,400/-Each

R-19,R-20,R-21
R-22,R-23,R-27,R-29.
MRP: Rs.2,750/-Each

HPCT-150
HEXAGONAL TYPE DIES

H-50,H-70
H-95, H-120,
H-150, H-185,
H-240,H-300,
H-400.
MRP: Rs.2,550/-Each

H-500,H-630,
H-800,H-1000.
MRP: Rs.3,500/-Each

ADOPTER BLOCK

ADOPTER BLOCK FOR
HPCT-150 TOOL
TO USE
GRD-95, HPCT-20 DIES
MRP: Rs.3,900/-Each

ASHOKA-400
HEXAGONAL TYPE DIES

H-25,H-35,H-50,
H-70,H-95,H-120,
H-150,H-185, H-240,
H-300, H-400.
MRP: Rs.1,400/-Each

VARUN-400
HEXAGONAL TYPE DIES

H-25,H-35
H-50,H-70,H-95
H-120,H-150,
H-185, H-240,
H-300, H-400.
MRP: Rs.1,400/-Each

DHANUSH-400
HEXAGONAL TYPE DIES

H-25,H-35,H-50,
H-70,H-95,H-120,
H-150,H-185,H-240,
H-300,H-400.
MRP: Rs.1,400/-Each

TEJAS-630
HEXAGONAL TYPE DIES

H-50,H-70,H-95
H-120,H-150,
H-185, H-240,
H-300, H-400,
H-500,H-630
MRP: Rs.2,500/-Each

DHANUSH-1000
HEXAGONAL TYPE DIES

H-50,H-70,H-95
H-120,H-150,H-185,
H-240,H-300, H-400,
H-500,H-630
H-800,H-1000.
MRP: Rs.3,400/-Each

PRITHVI-1000
HEXAGONAL TYPE DIES

H-50,H-70,H-95
H-120,H-150,H-185,
H-240,H-300, H-400,
H-500,H-630
H-800,H-1000.
MRP: Rs.3,400/-Each

SUITABLE DIE CHART

HEXAGONAL TYPE DIES

CRIMPING COPPER & ALUMINIUM TERMINAL ENDS, FITTED TO
GRD-95, GRD-185, VISHAL-185, SANGRAM-400, SURYA-400, SAGAR-400, HPCT-20, HPCT-150.BHOOMI-400, & VARUN-400, DHANUSH-400, DHANUSH-1000.

DIE REF.	CUS.SOCKET mm²	ALS.SOCKET mm²	DIE REF.	CUS.SOCKET mm²	ALS.SOCKET mm²
H-10	16	10	H-185	225/ 240	185
H-16	25	16	H-240	300	225/ 240
H-25	35	25	H-300	400	300
H-35	50	35	H-400	500	400
H-50	70	50	H-500	630	500
H-70	95	70	H-630	800	630
H-95	120	95	H-800	1000	800
H-120	150	120	H-1000	-------	1000
H-150	185	150	---------	-------	-------

RING TYPE DIES

CRIMPING COPPER & ALUMINIUM TERMINAL ENDS, FITTED TO
GRD-95, GRD-185, VISHAL-185,HPCT-20,HPCT-150.

DIE REF.	CUS.SOCKET mm²	ALS.SOCKET mm²	DIE REF.	CUS.SOCKET mm²	ALS.SOCKET mm²
R-1	10 CA	10 AA	R-14	240 CA	225 AA
R-2	16 CA	16 AA	R-15	300 CA	240 AA
R-3	25 CA	-------	R-16	--------	300 AA
R-4	35 CA	25 AA	R-17	400 CA	-------
R-5	-------	35 AA	R-18	500 CA	400 AA
R-6	50 CA	-------	R-19	625 CA	---------
R-7	70 CA	50 AA	R-20	--------	500 AA
R-9	95 CA	70 AA	R-21	--------	625 AA
R-10	120 CA	95 AA	R-22	1000 CA	--------
R-11	150 CA	120 AA	R-23	800 CA	--------
R-12	185 CA	150 AA	R-27	--------	800 AA
R-13	-------	185 AA	R-29	--------	1000 AA

Website: www.jainsontools.com

E-Pricelist/E-Catalogue

- In this Price List All Prices are (Incl. of all Taxes)
- We reserve the right of change in technology & to carry out the modification without prior notice.
- All disputes are subject to Mumbai jurisdiction.

G. J. METAL WORKS
Mumbai - INDIA
Email : jainsontools@gmail.com

Authorised Distributor

Jainson PRICE LIST FOR CABLE GLANDS IN PG & METRIC STANDARDS

CE RoHS COMPLIANT

Effective From : NOV - 2022

WHITE CABLE GLANDS

HSN CODE - 39174000

JPG-7

PG Thread Cable Glands

Catalogue No.	JPG-7	PRICE 4.30
Std. Packing	100	
Master Packing :	7000	

JPG-9

PG Thread Cable Glands

Catalogue No.	JPG-7	PRICE 5.30
Std. Packing	100	
Master Packing :	5000	

JPG-11

PG Thread Cable Glands

Catalogue No.	JPG-7	PRICE 6.80
Std. Packing	100	
Master Packing :	3500	

JPG-13.5

PG Thread Cable Glands

Catalogue No.	JPG-7	PRICE 7.35
Std. Packing	100	
Master Packing :	3500	

JPG-16

PG Thread Cable Glands

Catalogue No.	JPG-7	PRICE 9.00
Std. Packing	100	
Master Packing :	2500	

JPG-19

PG Thread Cable Glands

Catalogue No.	JPG-7	PRICE 12.60
Std. Packing	100	
Master Packing :	2000	

JPG-21

PG Thread Cable Glands

Catalogue No.	JPG-7	PRICE 13.90
Std. Packing	100	
Master Packing :	1400	

JPG-25

PG Thread Cable Glands

Catalogue No.	JPG-7	PRICE 16.50
Std. Packing	100	
Master Packing :	1200	

JPG-29

PG Thread Cable Glands

Catalogue No.	JPG-7	PRICE 24.00
Std. Packing	50	
Master Packing :	800	

JPG-36

PG Thread Cable Glands

Catalogue No.	JPG-7	PRICE 44.00
Std. Packing	25	
Master Packing :	450	

JPG-42

PG Thread Cable Glands

Catalogue No.	JPG-7	PRICE 58.00
Std. Packing	25	
Master Packing :	300	

JPG-48

PG Thread Cable Glands

Catalogue No.	JPG-7	PRICE 64.00
Std. Packing	20	
Master Packing :	280	

JPG-63

PG Thread Cable Glands

Catalogue No.	JPG-7	PRICE 120.00
Std. Packing	12	
Master Packing :	120	

MAY 2024
PRICE LIST

Jainson

SINCE 1971

DIN RAIL MOUNTING TERMINAL BLOCKS • BAKELITE STRIP CONNECTORS • PHOTOVOLTAIC SOLAR CONNECTORS

DISCONNECTING TYPE NEUTRAL LINKS • PANEL FAN FILTERS (AIR VENTS)

DIN RAIL MOUNTED TERMINAL BLOCKS
HIGH GRADE MELAMINE SERIES

STANDARD SCREW CLAMP TERMINAL BLOCKS

JCST 2.5
Wire Size : 0.5-4 sq.mm
Rating : 36A, 800V
Std. Colour - 15.50
Non-Std. Colour - 17.00
End Plate JEP/1 - 6.90
Partition JPP/1 - 16.00
Std. Packing : 200 Nos.

JCST 6
Wire Size : 1.5-6 sq.mm
Rating : 47A, 800V
Std. Colour - 18.00
Non-Std. Colour - 19.50
End Plate JEP/1 - 6.90
Partition JPP/1 - 16.00
Std. Packing : 200 Nos.

JCST 10
Wire Size : 1.5-10 sq.mm
Rating : 65A, 800V
Std. Colour - 24.00
Non-Std. Colour - 26.50
End Plate JEP/1 - 6.90
Partition JPP/1 - 16.00
Std. Packing : 200 Nos.

JCST 16
Wire Size : 6-16 sq.mm
Rating : 87A, 800V
Std. Colour - 38.00
Non-Std. Colour - 42.00
End Plate JEP/2 - 13.80
Partition JPP/2 - 24.00
Std. Packing : 100 Nos.

JCST 25
Wire Size : 10-25 sq.mm
Rating : 100A, 800V
Std. Colour - 54.00
Non-Std. Colour - 59.50
End Plate JEP/5 - 14.50
Partition JPP/5 - 22.00
Std. Packing : 100 Nos.

JCST 35
Wire Size : 10-35 sq.mm
Rating : 145A, 800V
Std. Colour - 96.00
Non-Std. Colour - 106.00
End Plate JEP/3 - 15.50
Partition JPP/3 - 32.00
Std. Packing : 50 Nos.

JST B3
Wire Size : 1.5-4 sq.mm
Rating : 32A, 800V
Std. Colour - 36.50
End Plate JSTEP-1 - 9.50
Partition JSTPP-1 - 13.00
Std. Packing : 100 Nos.

STUD TYPE TERMINAL BLOCKS

JST B4
Wire Size : 1.5-10 sq.mm
Rating : 57A, 800V
Std. Colour - 46.00
End Plate JSTEP-1 - 9.50
Partition JSTPP-1 - 13.00
Std. Packing : 100 Nos.

JST B5
Wire Size : 1.5-16 sq.mm
Rating : 76A, 800V
Std. Colour - 54.00
End Plate JSTEP-1 - 9.50
Partition JSTPP-1 - 13.00
Std. Packing : 100 Nos.

JST N4
Wire Size : 1.5-10 sq.mm
Rating : 45A, 800V
Std. Colour - 48.00
End Plate JSTEP-1 - 9.50
Partition JSTPP-1 - 13.00
Std. Packing : 100 Nos.

JST N5
Wire Size : 1.5-16 sq.mm
Rating : 76A, 800V
Std. Colour - 56.00
End Plate JSTEP-1 - 9.50
Partition JSTPP-1 - 13.00
Std. Packing : 100 Nos.

JST N6
Wire Size : 6-25 sq.mm
Std. Colour - 77.00
End Plate JSTEP-1 - 9.50
Partition JSTPP-1 - 13.00
Std. Packing : 100 Nos.

JSTRN 5
Wire Size : 6-16 sq.mm
Rating : 87A, 800V
Std. Colour - 78.00
End Plate JR EP-1 - 12.00
Std. Packing : 50 Nos.

JSTRN 6
Wire Size : 6-35 sq.mm
Rating : 145A, 800V
Std. Colour - 105.00
End Plate JR EP-1 - 12.00
Std. Packing : 50 Nos.

BUS BAR TERMINAL BLOCKS

JCST 35L
Wire Size : 16-50 sq.mm
Rating : 145A, 800V
Std. Colour - 175.00
End Plate
JCSTEP-4 - 36.00
Std. Packing : 10 Nos.

JCST 70L
Wire Size : 50-95 sq.mm
Rating : 250A, 1000V
Std. Colour - 280.00
End Plate
JCSTEP-4 - 36.00
Std. Packing : 10 Nos.

JCST 95L
Wire Size : 70-120 sq.mm
Rating : 300A, 1000V
Std. Colour - 340.00
End Plate
JCSTEP-4 - 36.00
Std. Packing : 10 Nos.

JCST 185L
Wire Size : 120-185 sq.mm
Rating : 450A, 1000V
Std. Colour - 600.00
End Plate
JCSTEP-4 - 36.00
Std. Packing : 10 Nos.

DISCONNECTING TYPE TERMINAL BLOCKS

JDTT M4
Wire Size : 1.5-6 sq.mm
Rating : 65A, 1100V
Std. Colour - 76.00
End Plate
JDTEP-1 - 15.00
Std. Packing : 50 Nos.

UNBREAKABLE STANDARD TERMINAL

JUT 4
Wire Size : 0.5-4 sq.mm
Rating : 36A, 800V
Std. Colour - 14.50
End Plate JEP/1 - 6.90
Partition JPP/1 - 16.00
Std. Packing : 200 Nos.

POLYAMIDE 6.6 SERIES

STANDARD SCREW CLAMP TERMINAL BLOCKS

JKUT 2.5
Wire Size : 0.5-2.5 sq.mm
Rating : 24A, 800V
Std. Colour - 9.40
Non-Std. Colour - 10.40
End Plate JUEP/01- 5.50
Std. Packing : 200 Nos.

JKUT 4
Wire Size : 0.5-4 sq.mm
Rating : 32A, 800V
Std. Colour - 11.80
Non-Std. Colour - 13.00
End Plate JUEP/02- 6.20
Std. Packing : 200 Nos.

JKUT 6
Wire Size : 1.5-6 sq.mm
Rating : 41A, 800V
Std. Colour - 16.40
Non-Std. Colour - 18.10
End Plate JUEP/02- 6.20
Std. Packing : 200 Nos.

JKUT 10
Wire Size : 1.5-10 sq.mm
Rating : 57A, 800V
Std. Colour - 21.00
Non-Std. Colour - 23.40
End Plate JUEP/02- 6.20
Std. Packing : 200 Nos.

JKUT 16
Wire Size : 2.5-16 sq.mm
Rating : 76A, 800V
Std. Colour - 37.00
Non-Std. Colour - 41.20
End Plate JUEP/03- 11.00
Std. Packing : 200 Nos.

JKUT 25
Wire Size : 6-25 sq.mm
Rating : 101A, 800V
Std. Colour - 58.00
Non-Std. Colour - 63.80
End Plate JUEP/04- 11.50
Std. Packing : 100 Nos.

JKUT 35
Wire Size : 10-35 sq.mm
Rating : 125A, 800V
Std. Colour - 82.00
Non-Std. Colour - 90.20
End Plate JUEP/05- 12.00
Std. Packing : 50 Nos.

DIN RAIL MOUNTED TERMINAL BLOCKS

STUD TYPE TERMINAL BLOCKS



JKST B3
Wire Size : 0.5-6 sq.mm
Rating : 41A, 1100V
Std. Colour - 32.00
End Plate
JKSTEP-1 - 9.50
Std. Packing : 100 Nos.

JKST B4
Wire Size : 1.5-10 sq.mm
Rating : 57A, 1100V
Std. Colour - 42.00
End Plate
JKSTEP-2 - 9.50
Std. Packing : 100 Nos.

JKST B5
Wire Size : 1.5-16 sq.mm
Rating : 76A, 1100V
Std. Colour - 48.00
End Plate
JKSTEP-2 - 9.50
Std. Packing : 100 Nos.

JKST N4
Wire Size : 1.5-10 sq.mm
Rating : 57A, 1100V
Std. Colour - 42.50
End Plate
JKSTEP-2 - 9.50
Std. Packing : 100 Nos.



JKST N5
Wire Size : 1.5-16 sq.mm
Rating : 76A, 1100V
Std. Colour - 47.00
End Plate
JKSTEP-2 - 9.50
Std. Packing : 100 Nos.

BUS BAR TERMINAL BLOCKS

JKBB 35L
Wire Size : 16-50 sq.mm
Rating : 150A, 1000V
Std. Colour - 142.00
Non-Std. Colour - 154.00
End Plate
JKBBEP-1- 32.00
Std. Packing : 10 Nos.

JKBB 70L
Wire Size : 16-70 sq.mm
Rating : 192A, 1000V
Std. Colour - 270.00
Non-Std. Colour - 290.00
End Plate
JKBBEP-1- 32.00
Std. Packing : 10 Nos.

JKBB 95L
Wire Size : 70-120 sq.mm
Rating : 300A, 1000V
Std. Colour - 310.00
Non-Std. Colour - 340.00
End Plate
JKBBEP-1- 32.00
Std. Packing : 10 Nos.

FUSE TERMINAL BLOCKS



JUDF 4
Wire Size : 0.5-4 sq.mm
Rating : 6.3A, 800V
Without Fuse - 41.50
Double Fuse - 54.00
Std. Packing : 100 Nos.

JUDF 4AD
Wire Size : 0.5-4 sq.mm
Rating : 6.3A, 800V
Std. Colour - 61.00
Suitable for : 6-60V
110-240V
Std. Packing : 100 Nos.

DOUBLE DECK TERMINALS



JKUDD 4
Wire Size : 0.5-1.5 sq.mm
Rating : 24A, 800V
Std. Colour - 30.00
End Plate
JKUDDEP - 11.00
Std. Packing : 100 Nos.

DISCONNECTING TYPE TERMINALS BLOCKS



JKDTT M4
Wire Size : 1.5-6 sq.mm
Rating : 41A, 1100V
Std. Colour - 62.00
End Plate
JKDT EP-1 - 13.50
Std. Packing : 50 Nos.

END CLAMP / STOPPER

JUEC 101
Suitable for Din Rail
32 mm & 35 mm
Std. Colour - 10.00
Std. Packing : 50 Nos.
Master Packing :
5000 Nos.

JUEC 102
Suitable for Din Rail
35 mm
Std. Colour - 9.00
Std. Packing : 50 Nos.
Master Packing :
5000 Nos.

Notes :

BAKELITE STRIP CONNECTORS

15 Amps. / 500V OPEN TYPE CONNECTORS BAKELITE (PF)

JO-15

Cat. No .	Way	Std. Pkg.	Price Each
JO 1502	2 way	100	15.00
JO 1503	3 way	75	19.00
JO 1504	4 way	50	22.00
JO 1505	5 way	50	26.50
JO 1506	6 way	50	30.00
JO 1508	8 way	25	39.00
JO 1510	10 way	25	49.50
JO 1512	12 way	25	53.50

30 Amps. / 500V OPEN TYPE CONNECTORS BAKELITE (PF)

JO-30

JO 3002	2 way	45	24.00
JO 3003	3 way	30	32.50
JO 3004	4 way	30	38.50
JO 3005	5 way	30	54.50
JO 3006	6 way	15	58.00
JO 3008	8 way	15	71.50
JO 3010	10 way	15	87.00
JO 3012	12 way	15	99.00
JO 3012 C/Set	12way	15	105.00

BAKELITE STRIP CONNECTORS

CE RoHS COMPLIANT

60 Amps. / 500V OPEN TYPE CONNECTORS BAKELITE (PF)



JO-60

Cat. No .	Way	Std. Pkg.	Price Each
JO 6002	2 way	12	51.50
JO 6003	3 way	12	67.50
JO 6004	4 way	6	87.00
JO 6006	6 way	6	127.00
JO 6008	8 way	6	187.00
JO 6010	10 way	6	236.50
JO 6012	12 way	6	260.00

100 Amps. / 500V ADD ON TYPE TERMINAL & END PLATE BAKELITE (PF)

JAB

JAB 100	Single	16	87.00
JAE 100	Single	25	17.00
JO 10003	3 Way	6	245.00
JO 10004	4 Way	6	288.00

30 Amps. / 500V CLOSE TYPE RIGID CONNECTORS BAKELITE (PF)

JR 30



JR 3002	2 way	50	28.00
JR 3003	3 way	30	36.50
JR 3004	4 way	30	45.50
JR 3005	5 way	30	56.50
JR 3006	6 way	30	67.00
JR 3008	8 way	20	94.00
JR 3012	12 way	15	115.00

60 Amps. / 500V CLOSE TYPE RIGID CONNECTORS BAKELITE (PF)

JR 60

JR 6002	2 Way	12	87.00
JR 6003	3 Way	6	133.00
JR 6004	4 Way	6	157.00
JR 6006	6 Way	6	235.00

5 / 10 / 15 / 30 Amp. 500V CLOSE TYPE CONNECTORS BAKELITE (PF)

JC



Cat. No.	Rating	Way	Std. Pkg.	Price Each
JC 05	5 Amp	12 way	25	49.00
JC 10	10 Amp	12 way	25	55.50
JC 15	15 Amp	12 way	25	70.00
JC 30	30 Amp	12 way	15	125.50

5 / 10 / 15 Amp. 500V CLOSE TYPE CONNECTORS (PVC)

JC

Cat. No.	Rating	Way	Std. Pkg.	Price Each
JC 05 (PVC)	5 Amp	12 way	25	49.00
JC 10 (PVC)	10 Amp	12 way	25	55.50
JC 15 (PVC)	15 Amp	12 way	25	70.00
JC 30 (PVC)	30 Amp	12 way	15	125.50

5/10/15/30A./500V CLOSE TYPE CONNECTORS DULY CUT AND VARNISHED BAKELITE (PF)

JC



NOTE :
2 to 10 way connectors are cut from 12 way moulding then grind & varnished on both side.

WAYS	10 AMPS Price Each	15 AMPS Price Each	30 AMPS Price Each
2	10.00	12.50	22.00
3	15.00	18.00	33.00
4	20.00	24.00	44.00
5	24.50	31.00	55.00
6	28.50	37.00	66.00
8	38.50	49.50	88.00
10	48.50	61.50	110.00

DISCONNECTING TYPE NEUTRAL LINKS BASE MOUNTING

JNL

Cat. No.	Rating	Standard Packing	Price Each
JNL 16/32 (ECO)	16 Amp	60 Nos.	28.50
JNL 16/32 (HD)	32 Amp	60 Nos.	42.00
JNL 63	63 Amp	30 Nos.	100.00
JNL 100	100 Amp	20 Nos.	151.00

DISCONNECTING TYPE NEUTRAL LINKS CHANNEL MOUNTING

JKNL

Cat. No.	Rating	Standard Packing	Price Each
JKNL 32	16/32 Amp	50 Nos.	37.50
JKNL 63	63 Amp	50 Nos.	95.00

PUSH FIT CONNECTORS

JKNL

Contact Material : Phosphor Bronze

Cat. No.	Rating	Standard Packing	Price Each
JPC 0502	5 Amp / 250 V	500 Nos.	7.50
JPC 0503	5 Amp / 250 V	500 Nos.	9.50

PHOTOVOLTAIC SOLAR CONNECTORS

JMC 4

Cat. No.	Rating	Standard Packing	Price Each
JMC 4 / 1000V	30 Amp / 1000V DC	100 Nos.	77.00
JMC 4 / 1500V	30 Amp / 1500V DC	100 Nos.	95.00
MASTER PACK : 1000 NOS.			

IP68 WATERPROOF CONNECTOR

2 Pin

3 Pin

PRICE ON REQUEST

PUSH FIT CONNECTORS

UNDER DEVELOPMENT

Notes :

INTERCONNECTING ACCESSORIES FOR TERMINAL BLOCKS

1) Permanent Shorting Links

(JPSL 2.5-6-10 Available upto 20 Way on Request)

Suitable For		Way	Cat. No.	Std.Pkg.	Price Each
JCST 2.5	JKUT 2.5/4	2Way	JPSL/1	100	3.50
	JKUT 2.5	3 Way	JPSL/6 (m)	100	5.50
	JKUT 2.5	4 Way	JPSL/11(m)	100	7.20
	JKUT 2.5	10Way	JPSL/10(m)	100	18.00
JCST 2.5	JKUT 4	3Way	JPSL/6	100	5.40
JCST 2.5	JKUT 4	4Way	JPSL/11	100	7.20
JCST 2.5	JKUT 4	6Way	JPSL/14	100	11.00
JCST 2.5	JKUT 4	10Way	JPSL/10	100	18.00
JCST 6	JKUT 6	2Way	JPSL/2	100	3.60
JCST 6	JKUT 6	3Way	JPSL/7	100	5.40
JCST 6	JKUT 6	4Way	JPSL/12	100	7.20
JCST 10	JKUT 10	2Way	JPSL/3	100	4.80
JCST 10	JKUT 10	3Way	JPSL/8	100	7.20
JCST 10	JKUT 10	4Way	JPSL/13	100	9.60
JCST 16	JKUT 16	2Way	JPSL/4	100	6.00
JCST 25	JKUT 25	2Way	JPSL/25	100	6.00
JCST 35		2Way	JPSL/5	100	7.20

2) Short Shorting Stud with screw for Permanent Shorting

JCST 2.5 / 6	JKUT 4 / 6	JSPS / 1	100	5.40
JCST 10 / 16 / 25	JKUT10/16/25	JSPS / 2	100	7.80
JCST 35	JKUT 35	JSPS / 3	100	12.00

3) Removable Shorting Links for Temporary Shorting

JCST 2.5	JKUT 4	JRSL / 1	100	3.60
JCST 6	JKUT 6	JRSL / 2	100	4.20
JCST 10	JKUT 10	JRSL / 3	100	5.40
JCST 16	JKUT 16	JRSL / 4	100	6.00
JCST 25	JKUT 25	JRSL /25	100	6.00
JCST 35	JKUT 35	JRSL / 5	100	7.20

4) Short Sleeve for quick Permanent Shorting with short fixing screw

	JKUT 2.5	JSS/1(m)	100	4.80
JCST 2.5 / 6	JKUT 4 / 6	JSS / 1	100	4.80
JCST 10 / 16 / 25	JKUT10/16/25	JSS / 2	100	7.20
JCST 35	JKUT 35	JSS / 3	100	11.40

5) Long Shorting Stud with screw for Temporary Shorting

JCST 2.5 / 6	JKUT 4 / 6	JLTS / 1	100	7.20
JCST 10 / 16 / 25	JKUT10/16/25	JLTS / 2	100	8.40
JCST 35	JKUT 35	JLTS / 3	100	12.60

6) Long Sleeve for Quick Temporary Shorting with Long fixing screw

	JKUT 2.5	JLS/1(m)	100	6.00
JCST 2.5 / 6	JKUT 4 / 6	JLS / 1	100	6.60
JCST 10 / 16 / 25	JKUT10/16/25	JLS / 2	100	7.80
JCST 35	JKUT 35	JLS / 3	100	12.00

7) Shorting Links for JST B4 / B5 & JDTT M4

Removable shorting links	2 Way	JSBR / 2	100	17.40
	3 Way	JSBR / 3	50	25.80
	4 Way	JSBR / 4	25	34.80
Permanent shorting links	2 Way	JSBP / 2	100	17.40
	3 Way	JSBP / 3	50	25.80
	4 Way	JSBP / 4	25	34.80

8) Shorting Links for JST N4 / N5 / N6

Removable shorting links	2 Way	JSNR / 2	100	17.40
	3 Way	JSNR / 3	50	25.80
	4 Way	JSNR / 4	25	34.80
Permanent shorting links	2 Way	JSNP / 2	100	17.40
	3 Way	JSNP / 3	50	25.80
	4 Way	JSNP / 4	25	34.80

PRE ASSEMBLED SHORTING LINK WITH SHORT SLEEVE & FIXING SCREW

1) Permanent Shorting Links

Suitable For		Way	Cat. No.	Std.Pkg.	Price Each
	JKUT 2.5	2 Way	JPSL/1(m)	100	13.00
	JKUT 2.5	3 Way	JPSL/6(m)	50	20.00
	JKUT 2.5	4 Way	JPSL/11(m)	50	26.00
	JKUT 2.5	10Way	JPSL/10(m)	10	65.00
JCST 2.5	JKUT 4	2 Way	JPSL /1	100	13.00
JCST 2.5	JKUT 4	3Way	JPSL /6	50	20.00
JCST 2.5	JKUT 4	4Way	JPSL /11	50	26.00
JCST 2.5	JKUT 4	6Way	JPSL /14	50	40.00
JCST 2.5	JKUT 4	10Way	JPSL /10	10	65.00
JCST 6	JKUT 6	2Way	JPSL /2	100	14.00
JCST 6	JKUT 6	3Way	JPSL /7	50	22.00
JCST 6	JKUT 6	4Way	JPSL /12	50	29.00
JCST 10	JKUT 10	2Way	JPSL /3	100	15.60
JCST 10	JKUT 10	3Way	JPSL /8	50	24.00
JCST 10	JKUT 10	4Way	JPSL /13	50	31.00
JCST 16	JKUT 16	2Way	JPSL /4	100	21.00
JCST 25	JKUT 25	2Way	JPSL /25	100	21.00
JCST 35		2Way	JPSL /5	100	24.00

2) Removable Shorting Links for Temporary Shorting

JCST 2.5	JKUT 4	-------	JRSL / 1	100	10.00
JCST 6	JKUT 6	------	JRSL / 2	100	11.00
JCST 10	JKUT 10	------	JRSL / 3	100	13.00
JCST 16	JKUT 16	------	JRSL / 4	100	15.00
JCST 25	JKUT 25	------	JRSL /25	100	15.00
JCST 35	JKUT 35	------	JRSL / 5	100	19.00

MOUNTING ACCESSORIES

Description	Size H x W x T	Suitable for	Type	Std.Pkg.	Cat. No.	Price Each
I) M.S. Mounting Channel Zinc Passivated cut to desired size (C Plain Type)	32.0 X 15.0 X 1.5	Clip on type & Nylon type	DIN 32	50 mtr.	JMC / 1	187.00 (Per mtr.)

II) M.S. Mounting Channel Zinc Passivated cut to desired size (C Slotted Type)	32.0 X 15.0 X 1.5	Clip on type & Nylon type	DIN 32	50 mtr.	JMC / 1	187.00 (Per mtr.)

III) M.S. Mounting Channel Zinc Passivated cut to desired size (MCB Plain Type)	35.0 X 7.3 X 1.0	Nylon type	DIN 35	100 mtr.	JMC / 2	110.00 (Per mtr.)

IV) M.S. Mounting Channel Zinc Passivated cut to desired size (MCB Slotted Type)	35.0 X 7.3 X 1.0	Nylon type	DIN 35	100 mtr.	JMC / 2	110.00 (Per mtr.)

V) M.S. Mounting Channel Zinc Passivated cut to desired size (Micro Plain Type)	15.0 X 5.0 X 1.0	Micro type	DIN 15	100 mtr.	JMC / 3	83.00 (Per mtr.)

VI) M.S. Mounting Channel Zinc Passivated cut to desired size (Micro Slotted Type)	15.0 X 5.0 X 1.0	Micro type	DIN 15	100 mtr.	JMC / 3	83.00 (Per mtr.)

I) M.S. End Clamp Zinc Passivated with fixing screw	25.0 X 22.5 X 11.5	DIN 32		100	JEC / 1	3.55

II) M.S. End Clamp Zinc Passivated with fixing screw	39.5 X 27.0 X 16.0	DIN 35		100	JEC / 2	8.00

Jainson

MANUFACTURED BY :

SHREE GADIA ENGINEERING WORKS

Dahisar (East), Mumbai - 400 068.
Customer Care No.: 022-40107524 / +91 9833023333
Email : jainson_gadia@yahoo.com / nayan.gadia@jainsongroup.co.in
Website : www.jainsonconnectors.com / www.jainsongroup.co.in

- Prices are exclusive of all Taxes and Duties.
- We reserve the right of change in technology & to carry out the modification without prior notice.
- All disputes are subject to Mumbai jurisdiction.

Mfgrs. of TERMINALS, CONNECTORS AND CABLE GLANDS

PRICE LIST WITH EFFECT FROM 24th APRIL 2024

Fixwell™

We Believe in Quality

FIXWELL COPPER TUBE TERMINALS (MEDIUM DUTY)

Mm2	CAT No.	PRICE EACH	PKG.	Mm2	CAT No.	PRICE EACH	PKG.
2.5-5	FCUS-05	6.90	2000	120-12	FCUS-22	137.20	40
4.0-6	FCUS-06	9.90	1000	120-16	FCUS-23	137.20	40
6.0-6	FCUS-07	10.80	500	150-10	FCUS-24	199.80	30
10-6	FCUS-08	13.80	500	150-12	FCUS-25	199.80	30
16-6	FCUS-09	18.00	500	150-16	FCUS-26	199.80	30
25-6	FCUS-10	30.10	200	185-12	FCUS-27	297.50	25
35-8	FCUS-12	32.50	150	185-16	FCUS-28	297.50	25
50-8	FCUS-14	43.00	125	240-16	FCUS-29	400.00	15
50-10	FCUS-15	43.00	125	240-20	FCUS-30	400.00	15
70-8	FCUS-16	74.30	70	300-16	FCUS-31	601.00	14
70-10	FCUS-17	74.30	70	300-20	FCUS-32	601.00	14
70-12	FCUS-18	74.30	70	400-20	FCUS-33	820.00	8
95-10	FCUS-19	102.88	60	500-20	FCUS-34	1100.00	5
95-12	FCUS-20	102.88	60	630-20	FCUS-35	1520.00	5
120-10	FCUS-21	137.20	40	800	FCUS-62	2530.00	

FIXWELL COPPER TUBE TERMINALS HEAVY DUTY (LONG BARREL)

Mm2	CAT No.	PRICE EACH	PKG.	Mm2	CAT No.	PRICE EACH	PKG.
25-8	FCUS-282	34.50	200	150-12	FCUS-288	393.00	20
35-8	FCUS-283	55.20	150	185-12	FCUS-289	570.00	20
50-8	FCUS-284	92.50	100	240-16	FCUS-290	799.00	10
70-10	FCUS-285	143.00	50	300-16	FCUS-291	1050.00	8
95-12	FCUS-286	224.00	50	400-20	FCUS-292	1590.00	5
120-12	FCUS-287	320.00	30				

FIXWELL RING TERMINALS (INSULATED)

Mm2	CAT No.	PRICE EACH	PKG.	Mm2	CAT No.	PRICE EACH	PKG.
1.5-3.5	FRSI-7055	4.40	1000	2.5-10	FRSI-7081	8.30	500
1.5-4	FRSI-7056	4.40	1000	4.6-4	FRSI-7083	6.90	500
1.5-4	FRSI-7061	3.50	1000	4.6-5	FRSI-7084	6.90	500
1.5-5	FRSI-7062	3.50	1000	4.6-5	FRSI-7086	8.30	500
1.5-6	FRSI-7066	5.40	1000	4.6-6	FRSI-7089	8.00	500
2.5-4	FRSI-7071	4.60	1000	4.6-8	FRSI-7090	8.00	500
2.5-5	FRSI-7072	4.60	1000	4.6-6	FRSI-7092	9.30	500
2.5-5	FRSI-7073	4.80	1000	4.6-8	FRSI-7094	10.00	500
2.5-6	FRSI-7074	4.80	1000	4.5-10	FRSI-7099	11.45	250
2.5-8	FRSI-7077	5.90	500	4.6-12	FRSI-7100	11.45	250

FIXWELL PIN TERMINALS (INSULATED)

Mm2	CAT No.	PRICE EACH	PKG.	Mm2	CAT No.	PRICE EACH	PKG.
1.5	FCPI-17	3.43	1000	4.0	FCPI-20	6.86	500
1.5F	FCPI-40	3.43	1000	6.0	FCPI-22	9.44	500
2.5	FCPI-18	3.43	1000	10	FCPI-24	12.20	250
2.5F	FCPI-19	3.43	1000	16	FCPI-25	22.00	250

FIXWELL FORK TERMINALS (INSULATED)

Mm2	CAT No.	PRICE EACH	PKG.	Mm2	CAT No.	PRICE EACH	PKG.
1.5-3.5	FRSI-7926	3.30	1000	4.6-3	FRSI-7930	6.30	500
2.5-3.5	FRSI-7928	3.85	1000	4.6-3.5	FRSI-7931	6.30	500

FIXWELL COPPER INLINE CONNECTORS

Mm2	CAT No.	PRICE EACH	PKG.
1.5	FEH-453	3.72	2000
2.5	FEH-454	4.58	2000
4.0	FCB-3	6.58	2000
4.6	FEH-455	7.70	2000
6.0	FCB-4	8.58	1000
10	FEH-460	12.15	1000
16	FCB-6	13.72	500
25	FCB-24	32.60	200
35	FCB-25	44.50	150
50	FCB-26	67.20	100
70	FCB-51	114.30	50
95	FCB-52	148.00	50
120	FCB-53	175.00	40
150	FCB-54	248.00	30
185	FCB-55	340.00	20
240	FCB-56	522.00	15
300	FCB-57	743.00	14
400	FCB-58	1095.00	8
500	FCB-59	1600.00	5
630	FCB-61	2370.00	5

FIXWELL COPPER REDUCER TERMINALS

Mm2	CAT No.	PRICE EACH	PKG.
2.5	FWPC-07	20.80	200
4	FWPC-16	20.80	200
6	FWPC-18	20.80	100
10	FWPC-20	23.80	100
10	FWPC-22	29.00	100
16	FWPC-02	38.00	100
25	FWPC-25	62.00	100
35	FWPC-04	81.00	100
50	FWPC-26	91.00	100
70	FWPC-27	140.00	50
95	FWPC-29	204.00	50
120	FWPC-35	285.00	30
150	FWPC-37	348.00	20
185	FWPC-38	458.00	20
240	FWPC-43	720.00	10
300	FWPC-45	910.00	10
400	FWPC-101	2050.00	10

FIXWELL SNAP-ON TERMINALS

Mm2	CAT No.	PRICE EACH	PKG.
1.5	8351	2.90	200
2.5	8347	2.90	200
4	OPEN	2.90	200

FIXWELL RING TERMINALS (NON-INSULATED)

Mm2	CAT No.	PRICE EACH	PKG.	Mm2	CAT No.	PRICE EACH	PKG.
1.5-3	FRS-7001	3.05	2000	16-5	FRS-7124	15.43	500
1.5-3.5	FRS-7002	3.05	2000	16-6	FRS-7029	14.00	500
1.5-4	FRS-7003	3.05	2000	16-8	FRS-7030	17.15	250
1.5-4	FRS-7004	3.15	2000	16-8	FRS-7127	17.15	250
1.5-5	FRS-7005	3.15	2000	16-10	FRS-7032	21.43	250
1.5-5	FRS-7154	3.15	2000	16-10	FRS-7128	21.43	250
1.5-5	FRS-7006	3.45	2000	16-12	FRS-7033	21.43	250
1.5-6	FRS-7007	3.45	2000	25-6	FRS-7156	31.00	200
2.5-3.5	FRS-7008	3.15	2000	25-8	FRS-7034	31.43	200
2.5-4	FRS-7009	3.15	2000	25-10	FRS-7035	31.43	200
2.5-5	FRS-7010	3.15	2000	25-10	FRS-7132	45.72	150
2.5-5	FRS-7109	3.30	2000	25-12	FRS-7037	45.72	150
2.5-6	FRS-7011	3.30	2000	35-6	FRS-7133	40.00	150
2.5-5	FRS-7110	4.48	2000	35-8	FRS-7038	40.00	150
2.5-6	FRS-7012	4.48	2000	35-8	FRS-7134	42.00	150
2.5-8	FRS-7013	4.48	1000	35-10	FRS-7039	42.00	150
2.5-8	FRS-7014	6.87	1000	35-10	FRS-7135	48.60	150
2.5-10	FRS-7015	6.87	1000	35-12	FRS-7040	48.60	150
2.5-10	FRS-7151	7.43	1000	50-8	FRS-7136	59.00	100
2.5-12	FRS-7047	7.43	1000	50-10	FRS-7137	61.00	100
4.6-4	FRS-7155	5.58	2000	50-12	FRS-7042	65.80	100
4.6-5	FRS-7050	5.58	2000	50-16	FRS-7139	84.00	100
4.6-5	FRS-7016	6.60		70-10	FRS-7140	85.80	80
4.6-6	FRS-7017	5.72	1000	70-12	FRS-7141	85.80	80
4.6-8	FRS-7018	5.72	1000	70-16	FRS-7142	99.00	80
4.6-6	FRS-7019	7.72	1000	95-10	FRS-7144	120.00	60
4.6-8	FRS-7020	8.87	750	95-12	FRS-7044	120.00	60
4.6-10	FRS-7023	9.72	500	95-16	FRS-7145	135.00	60
4.6-12	FRS-7024	9.72	500	120-12	FRS-7146	154.40	40
10-5	FRS-7025	8.30	1000	120-16	FRS-7147	190.00	40
10-5	FRS-7026	8.30	1000	120-20	FRS-7148	220.00	40
10-10	FRS-7027	14.50	500	150-12	FRS-7149	328.00	30
10-6	FRS-7120	8.29	500	150-16	FRS-7045	328.00	30
10-8	FRS-7121	10.58	500	150-20	FRS-7046	328.00	30
10-10	FRS-7123	15.43	250				
10-12	FRS-7028	15.43	250				

FIXWELL FORK TERMINALS (NON-INSULATED)

Mm2	CAT No.	PRICE EACH	PKG.	Mm2	CAT No.	PRICE EACH	PKG.
1	FRS-7247	2.90	2000	4.6-3.5	FRS-7253	4.58	2000
1.5-3.5	FRS-7249	2.50	2000	10	FRS-7867	14.00	500
2.5-3.5	FRS-7251	2.87	2000	16	FRS-7870	21.00	500
4.6-3	FRS-7252	4.58	2000				

FIXWELL PIN TERMINALS (NON-INSULATED)

Mm2	CAT No.	PRICE EACH	PKG.	Mm2	CAT No.	PRICE EACH	PKG.
1	FCP-44	3.10	2000	10	FCP-7	8.60	1000
1.5	FCP-9	2.87	2000	16	FCP-8	16.88	500
1.5F	FCP-35	2.87	2000	25	FCP-86	31.40	200
2.5	FCP-1	2.87	2000	35	FCP-87	42.90	150
2.5F	FCP-2	2.87	2000	50	FCP-88	62.90	100
4.0	FCP-3	5.50	2000	70	FCP-89	88.60	80
6.0	FCP-5	5.50	2000	95	FCP-90	114.30	60

FIXWELL ALUMINIUM TUBE TERMINALS (MEDIUM DUTY)

Mm2	CAT No.	PRICE EACH	PKG.	Mm2	CAT No.	PRICE EACH	PKG.
10-6	FALS-214	4.28	200	120-10	FALS-257	33.17	30
10-8	FALS-215	4.28	200	120-12	FALS-230	33.17	30
16-8	FALS-216	5.72	100	120-16	FALS-231	33.17	30
16-10	FALS-217	5.72	100	150-10	FALS-258	43.00	20
25-8	FALS-218	8.00	100	150-12	FALS-232	43.00	20
25-10	FALS-219	8.00	100	150-16	FALS-233	43.00	20
25-12	FALS-220	8.00	100	185-10	FALS-311	55.00	20
35-8	FALS-221	9.72	100	185-12	FALS-234	55.00	20
35-10	FALS-222	9.72	100	185-16	FALS-235	55.00	20
50-8	FALS-255	14.00	100	240-12	FALS-236	92.00	10
50-10	FALS-312	14.00	100	240-16	FALS-237	92.00	10
50-12	FALS-224	14.00	100	300-16	FALS-300	123.00	10
70-8	FALS-256	22.88	50	300-20	FALS-259	123.00	10
70-10	FALS-225	22.88	50	400-20	FALS-260	186.00	5
70-12	FALS-226	22.88	50	500-20	FALS-296	290.00	5
95-10	FALS-227	23.44	50	630-20	FALS-261	370.00	5
95-12	FALS-228	23.44	50	800	FALS-318	600.00	5
95-16	FALS-229	23.44	50				

FIXWELL ALUMINIUM LONG BARREL

Mm2	CAT No.	PRICE EACH	PKG.	Mm2	CAT No.	PRICE EACH	PKG.
16-6	FALS-552	7.00	100	120-10	FALS-557	44.00	30
16-8	FALS-516	7.00	100	120-12	FALS-530	44.00	30
16-10	FALS-517	7.00	100	120-16	FALS-531	44.00	30
25-8	FALS-518	8.10	100	150-10	FALS-558	56.00	20
25-10	FALS-519	8.10	100	150-12	FALS-532	56.00	20
25-12	FALS-520	8.10	100	150-16	FALS-533	56.00	20
35-8	FALS-521	13.00	100	185-10	FALS-511	72.00	20
35-10	FALS-522	13.00	100	185-12	FALS-534	72.00	20
50-8	FALS-555	18.00	100	185-16	FALS-535	72.00	20
50-10	FALS-512	18.00	100	240-12	FALS-536	115.00	10
50-12	FALS-524	18.00	100	240-16	FALS-537	115.00	10
70-8	FALS-556	28.00	50	300-16	FALS-500	165.00	10
70-10	FALS-525	28.00	50	300-20	FALS-559	165.00	10
70-12	FALS-526	28.00	50	400-20	FALS-560	238.00	5
95-10	FALS-527	30.00	50	500-20	FALS-596	370.00	5
95-12	FALS-528	30.00	50	630-20	FALS-561	495.00	5
95-16	FALS-529	30.00	50	800	FALS-518	720.00	5

FIXWELL ALUMINIUM INLINE CONNECTORS

Mm2	CAT No.	PRICE EACH	PKG.
10	FALS-14	3.20	200
16	FALS-4	4.30	200
25	FALS-3	4.90	100
35	FALS-2	6.60	100
50	FALS-12	11.00	100
70	FALS-1	19.00	50
95	FALS-15	22.00	50
120	FALS-9	28.00	30
150	FALS-10	37.00	20
185	FALS-11	48.00	10
240	FALS-16	76.00	10
300	FALS-17	110.00	5
400	FALS-18	170.00	5
500	FALS-19	260.00	5
630	FALS-20	320.00	5

FIXWELL SIEMENS TYPE CABLE GLANDS

Square mm X Core	Inch	mm	Single Compression Medium Duty Siemens Type Price Each	PKG.	No.	Double Compression Flame Proof Type Price Each	PKG.
1.5 x 2	3/8"	10	46.00	200	1/2"	180.00	56
1.5 x 2	1/2 "	12	46.00	180	1/2"	180.00	56
2.5 x 2	5/8"	16	46.00	180	5/8"	180.00	56
1.5 x 4-5-6-7 2.5 x 4	3/4"	19	55.00	120	(01)	194.00	44
4 x 4 4 x 3 4 x 6	7/8"	22	72.00	120	(02)	311.00	36
2.5 x 7 - 10 & 12 10 x 4	1"	25	81.00	120	(03)	330.00	26
16 x 3 & 4	1 1/8"	28	137.00	120	(04)	415.00	22
25 x 3 ½ & 4 35 x 3 ½ & 4	1 1/4"	32	158.00	120	(05)	502.00	12
50 x 3 ½ & 4	1 3/8"	35	199.00	120	(06)	770.00	12
70 x 3 ½ & 95 x 3	1 1/2"	38	214.00	120	(07)	855.00	10
95 x 3 ½ 120 x 3 ½	1 3/4"	45	288.00	120	(09)	1170.00	5
150 x 3 ½ & 185 x 3	2"	50	360.00	120	(010)	1380.00	5
185 x 3 ½	2 1/4"	57	455.00	120	(011)	1650.00	4
240 x 3 & 3 ½	2 1/2"	63	560.00	120	(011)	2050.00	2
300 x 3 & 3 ½	2 3/4"	70	725.00	120	(012)	2280.00	2
400 x 3	3"	75	775.00	120	(013)	3100.00	1
400 x 3 ½	3 1/4"	82	823.00	120	(014)	3450.00	1
500 x 3 ½	3 1/2"	88	1335.00	120			

FIXWELL FLANGE TYPE CABLE GLANDS

Core x Square mm	No.	Price Each	PKG.
2-3-4 x 1.5 2-3 x 2.5	5	140.00	60
4 x 2.5 2-3-4 x 4 2-3 x 6	4	167.00	45
2-3 x 10 4 x 6	3	180.00	40
2-3-4 x 16 4 x 10	2	230.00	25
3-3 1/2 x 25 3-3 1/2 x 35	1	298.00	20
3-3 1/2 x 50	11	350.00	20
3 1/2 x 70	0	430.00	16
3 1/2 x 70	00	450.00	16
3 1/2 x 95	38	560.00	16
3-3 1/2 x 120 3 1/2 x 150	001	575.00	10
3-3 1/2 x 185	002	670.00	8
3-3 1/2 x 225	003	800.00	5
3-3 1/2 x 240 3 1/2 x 300	0033	940.00	5
3 1/2 x 400	004	1260.00	5
3 1/2 x 500	005	2280.00	

FIXWELL ALUMINIUM REDUCER TERMINALS

Mm2	CAT No.	PRICE EACH	PKG.
2.5	FAWP-7	9.60	200
4	FAWP-16	9.60	200
6	FAWP-18	9.60	200
10	FAWP-20	10.80	200
10	FAWP-22	10.80	200
16	FAWP-2	14.80	200
25	FAWP-25	24.00	100
35	FAWP-4	32.00	100
50	FAWP-26	36.00	100
70	FAWP-27	53.00	50
95	FAWP-29	81.00	50
120	FAWP-35	110.00	30
150	FAWP-37	140.00	20
185	FAWP-38	185.00	20
240	FAWP-43	280.00	10
300	FAWP-45	348.00	10

HSN CODE

Cable Lugs	85369090
Cable Glands	85389000

Fixwell™ We Believe in Quality — Lugs & Glands | dowell's® | Fixwell™ Cable Ties | Jainson Crimping Tools | Tara® Connectors

Terms & Condition :

1) Payment - COD
2) All Rates Are F.O.R Mumbai
3) Disputes Are Subject To Mumbai Jurisdiction Only.
4) Prices Are Subject To Change Without Prior Notice.
5) GST Extra As Applicable
6) This Price List Cancels All Our Previous Price Lists.

Authorised Dealer :

EPOXY / DMC / BAKELITE INSULATOR

EPOXY DMC INSULATORS

HEIGHT/ DIAMETER IN MM	INSERT	PRICE
25 X 25	M6	14.00
30 X 30	M6	14.00
30 X 30	M8	16.00
40 X 40	M8	25.00
40 X 40	M10	30.00
50 X 50	M10	42.00
60 X 50	M12	76.00
70 X 50	M12	80.00
80 X 55	M12	110.00

POWER BLOCK CONNECTORS

SIZE	PRICE
60A 3WAY	44.00
60A 4WAY	50.00
100A 3WAY	90.00
100A 4WAY	110.00
200A 4WAY	260.00

MEDIUM VOLTAGE INSULATORS

SIZE	KV	PRICE
65 X 130	11	500.00
75 x 130	11	560.00
55 X 65	2.2	220.00
60 X 75	3.3	260.00
60 X 90	6.6	340.00

SP TYPE SUPPORT

SIZE	PRICE
SP 30	12.00
SP 35	26.00
SP 55	90.00
SP 65	120.00

SIZE	PRICE
SP 30	16.00

"L" BUSBAR SUPPORT

SIZE	PRICE
L 60	22.00
L 85	26.00
L 105	30.00
L 125	36.00
L 150	42.00
L 175	64.00

FINGER TYPE SUPPORT

SIZE	6MM	10MM	12MM
1 GROUVE	24.00	24.00	24.00
2 GROUVE	26.00	26.00	26.00
3 GROUVE	44.00	52.00	52.00
4 GROUVE	65.00	65.00	65.00
5 GROUVE	65.00		
6 GROUVE	65.00		
8 GROUVE	80.00		

EPOXY DC CLAMP INSULATOR

SIZE	PRICE
25 X 3	26.00
25 X 6	26.00
32 X 3	32.00
32 X 6	34.00
40 X 3	32.00
40 X 6	34.00
50 X 3	44.00
50 X 6	44.00

JG JiGO POWER TO PERFORM

22.5 CONTROLLING DEVICES TEKNIC TYPE

CAT NOS	DESCRIPTION		COLOURS	PRICE (220V)	24V 110V
JG-BA	FLUSH KNOB		R,G,Y,W,BL, BLACK	46.00	——-
JG-BC	MUSHROOM HEAD		RED,GREEN	70.00	——-
JG-BS542	MUSHROOM STAY PUT		RED,GREEN	80.00	——-
JG-BR	MUSHROOM BIG HEAD JUMBO		RED,GREEN	100.00	——-
JG-BS142	MUSHROOM KEY LOCKABLE		RED	150.00	——-
JG-BD21	2 POSITION SELECTOR		BLACK	70.00	——-
JG-BD33	3 POSITION SELECTOR		BLACK	70.00	——-
JG-BD41	2P SELECTOR SPRING RETURN		BLACK	80.00	——-
JG-BD53	3P SELECTOR SPRING RETURN		BLACK	80.00	——-
JG-BL83	TWIN ACTUATOR		R,G	140.00	——-
JG-BL84	TWIN LUMINOUS ACTUATOR		R,G	180.00	200.00
JG-BG21	KEY SELECTOR 2 POS.		BLACK	140.00	——-
JG-BG33	KEY SELECTOR 3 POS.		BLACK	140.00	——-
JG-EH	BARREL PUSH BUTTON		R,G,Y,W,BL, BLACK	30.00	——-
JG-BW	LUMINOUS FLUSH KNOB LED		R,G,A,BL	130.00	140.00
JG-BK2	LUMINOUS SELECTOR KNOB LED 2POS		R,G,A,BL	180.00	200.00
JG-BK3	LUMINOUS SELECTOR KNOB LED 3POS		R,G,A,BL	220.00	240.00
JG-LA38	LUMINOUS PUSH TO OFF FLUSH KNOB LED		R,G,A,BL	260.00	300.00
ZBE-101	CONTACT BLOCK 1NO		GREEN	24.00	——-
ZBE-102	CONTACT BLOCK 1NC		RED	24.00	——-

22.5 CONTROLLING DEVICES HARMONY TYPE

JG-AA	22.5 PUSH BUTTON HARMONY		R,G,A,BL	80.00	
JG-AC	22.5 MUSHROOM HARMONY		R,G	150.00	
JG-AS	22.5 MUSHROOM STAYPUT		R,G	150.00	
JG-AD	22.5 2POS / 2POS SELECTOR			100.00	
JG-AD	22.5 3POS / 3POS SELECTOR			100.00	
JG-AW3	22.5 ILLUMINATED PUSH BUTTON		R,G,A,BL	210.00	230.00

JG JiGO POWER TO PERFORM

CAT	DESCRIPTION		COLOURS	PRICE (220V)	24V 110V
JG-AD22	LED INDICATOR 22.5MM REGULAR (GREY BODY)		R,Y	32.00	40.00
JG-AD22	LED INDICATOR 22.5MM REGULAR (GREY BODY)		G,B,W	36.00	42.00
JG-AD22	LED INDICATOR 22.5MM GOLDEN SERIES (WHITE BODY)		R,Y,B, G,W	52.00	60.00
JG-AD22V	LED INDICATOR 22.5M WITH VOLT INDICATION		R,Y,G,B	170.00	
JG-AD22A	LED INDICATOR 22.5M WITH AMP INDICATION		R,Y,G,B	350.00	
JG-AD22H	LED INDICATOR 22.5M WITH HZ INDICATION		R,Y,G,B	170.00	
JG-AD22 A + V	LED INDICATOR 22.5M VOLT + AMP INDICATION		R,Y,G,B	400.00	
JG-AD22J	LED INDICATOR WITH BUZZER 22.5MM		R,Y,G,B	120.00	140.00
JG-AD16	LED INDICATOR 16 MM		R,Y	40.00	44.00
JG-AD16	LED INDICATOR 16 MM		G,B,W	44.00	46.00
JG-PA JG-CS	INDUSTRIAL JOY STICK (MONOLEVER)		22.5 2 POS 22.5 4 POS 30 2 POS 30 4 POS	350.00 350.00 900.00 1150.00	——-
JG-PA JG-CS	INDUSTRIAL JOY STICK SPRING RETUN (MONOLEVER)		22.5 2 POS 22.5 4 POS 30 2 POS 30 4 POS	400.00 450.00 900.00 1150.00	——-
	EMERGENCY PLATE			20.00	
	PROTECTIVE COVER			70.00	
	DOOR SWITCH			100.00	

PUSH BUTTON 16MM/ ROCKER SWITCH

JG-FU16	PUSH BUTTON 16MM WITH LIGHT MOMENTARY		R,Y,B,G	140.00	150.00
JG-FU16	PUSH BUTTON 16MM WITHOUT LIGHT LATCHABLE		R,Y,B,G	120.00	130.00
JG-FU16	PUSH BUTTON 16MM WITH LIGHT LATCHABLE		R,Y,B,G	160.00	170.00
JG-TA16	EMERGENCY 16MM		RED	200.00	——-
JG-TA16	2POS SELECTOR 16MM		BLACK	200.00	——-
JG-TA16	3POS SELECTOR 16MM		BLACK	200.00	——-
JG-TA16	2POS KEY SELECTOR 16MM		BLACK	260.00	——-
JG-TA16	3POS KEY SELECTOR 16MM		BLACK	260.00	——-
JG-KCD	ROCKER SWITCH		RED,YELLOW	30.00	32.00
JG-KCD	ROCKER SWITCH		GREEN BLUE	32.00	34.00
	FLUSH KNOB PVC COVER		NETURAL	16.00	

HEAVY DUTY MULTI PIN CONNECTOR 16A 415V

CAT	PIN SIZE	TYPE	BOTTOM OPEN	BOTTOM CLOSE
HE004	4 PIN	TOP ENTRY	750.00	750.00
HE006	6 PIN	SIDE ENTRY	1000.00	1200.00
HE006	6 PIN	TOP ENTRY	1100.00	
HE010	10 PIN	SIDE ENTRY	1200.00	1350.00
HE010	10 PIN	TOP ENTRY	1350.00	
HE016	16 PIN	SIDE ENTRY	1600.00	1800.00
HE016	16 PIN	TOP ENTRY	1800.00	2000.00
HE024	24 PIN	SIDE ENTRY	1900.00	2200.00
HE024	24 PIN	TOP ENTRY	2100.00	2200.00
HE032	32 PIN	SIDE ENTRY	3400.00	4300.00
HE032	32 PIN	TOP ENTRY	4200.00	
HE048	48 PIN	SIDE ENTRY	4400.00	5700.00
HE048	48 PIN	TOP ENTRY	5500.00	
HE064	64 PIN	SIDE ENTRY	7500.00	

DUST PROOF MULTI PIN CONNECTOR

PIN	BOTTOM OPEN	BOTTOM CLOSE
6	1500.00	
10	1800.00	2700.00
16	2250.00	3300.00
24	2625.00	3750.00

35A/415V MULTI PIN CONNECTOR

PIN	BOTTOM OPEN	BOTTOM CLOSE
4	2025.00	2325.00
6	2550.00	3750.00
12	5100.00	7500.00

HEAVY DUTY SLIM TYPE

CAT	PIN SIZE	TYPE	PRICE
HA10	10PIN	BOTTOM OPEN	1650.00
HA16	16PIN	BOTTOM OPEN	1950.00
HEE32	32PIN	BOTTOM OPEN	4425.00
HEE32	32PIN	BOTTOM CLOSED	5625.00

HEAVY DUTY 80A & 16A

TYPE	PRICE
6PIN (80A 4P+16A 2PIN)	4500.00
8PIN (80A 8PIN)	9000.00
12PIN (80A4PIN+16A 8PIN)	6750.00

METAL ROUND MILTRY CONNECTORS

SIZE	PIN	MILTRY COLOUR	STEEL COLOUR
20MM	2/3/4/5/7 PIN	300.00	900.00
20MM	8/10/12		1050.00
28MM	4/7 PIN	480.00	
28MM	8/10/12 PIN		1500.00
28MM	16 PIN		1800.00
32MM	12/14 PIN	1050.00	
48MM	20/26 PIN	1050.00	
55MM	30/35 PIN	1500.00	

LED TOWER LIGHT SINGLE VOLTAGE 50MM

TYPE	PRICE WITHOUT BUZZER	PRICE WITH BUZZER
1 TIER LED 220V/24V/12V/110V	750.00	800.00
2 TIER LED 220V/24V/12V/110V	1100.00	1200.00
3 TIER LED 220V/24V/12V/110V	1350.00	1400.00
4 TIER LED 220V/24V/12V/110V	1700.00	1750.00
5 TIER LED220V/24V/12V/110V	1900.00	2000.00

LED TOWER LIGHT MULTI VOLTAGE 50MM

TYPE	PRICE WITHOUT BUZZER	PRICE WITH BUZZER
1 TIER LED 24V-220V	900.00	950.00
2 TIER LED 24V-220V	1150.00	1250.00
3 TIER LED 24V-220V	1450.00	1500.00
4 TIER LED 24V-220V	1750.00	1800.00
5 TIER LED24V-220V	1950.00	2050.00

LED TOWER LIGHT SINGLE VOLTAGE 45MM MINI

TYPE	PRICE WITHOUT BUZZER	PRICE WITH BUZZER
1 TIER LED 220V/24V/12V/110V	700.00	900.00
2 TIER LED 220V/24V/12V/110V	900.00	1100.00
3 TIER LED 220V/24V/12V/110V	1000.00	1300.00
4 TIER LED 220V/24V/12V/110V	1300.00	1600.00
5 TIER LED220V/24V/12V/110V	1600.00	1800.00

LED REVOLVING LAMP

TYPE	MODEL NO	PRICE
REVOLVING 12V TO 220V WITH BUZZER	LTE1103J	700.00
REVOLVING 12V TO 220V W/O BUZZER	LTE1103	650.00
SOLAR REVOLVING W/O BUZZ-ER	JG-TYN	900.00
REVOLVING WITH MAGNET	5088J	1400.00
REVOLVING WITH MAGNET BUZZER	5088	1450.00
FLASHING/STROBE 220V MINI	N3072	800.00
RECTANGLE REVOLVING LIGHT	5088J	700.00

JG JiGO POWER TO PERFORM

PEDENT PUSH BUTTON STATIONS

TYPE	PRICE
COB-61 2WAY	190.00
COB-62 4WAY	280.00
COB-63 6WAY	380.00
COB-64 8WAY	480.00
COB-61A 2WAY WITH ON OFF	290.00
COB-62A 4WAY WITH ON OFF	380.00
COB-63A 6WAY WITH ON OFF	480.00
COB-64A 8WAY WITH ON OFF	600.00

PEDENT PUSH BUTTON STATIONS IP-67

	TYPE	PRICE
XAC-271	2 WAY PBS	980.00
XAC-471	4 WAY PBS	1350.00
XAC-671	6 WAY PBS	1650.00
XAC-871	8 WAY PBS	2100.00
XAC-2713	2 WAY PBS + STAYPUT	1000.00
XAC-4713	4 WAY PBS + STAYPUT	1300.00
XAC-6713	6 WAY PBS + STAYPUT	1650.00
XAC-8713	8 WAY PBS + STAYPUT	2100.00

COB21-E	STAYPUT WITH ROCKER UP & DOWN	900.00
TY-3	STAYPUT WITH 2 PUSH BUT-TON	1650.00

WIRE LESS CRANE SWITCH

CAT NO	TYPE	PRICE
F21-E1B	6 PUSH BUTTON WITH START AND STOP	6500
F23-BB (S)	10 PUSH BUTTON WITH START AND STOP	10400
F23-A++	10 PUSH BUTTON WITH START AND STOP	10400

PEDENT P.B.S. DOUBLE SPEED IP-67

	TYPE	PRICE
XAC-2913	2 WAY PBS + STAYPUT	1500.00
XAC-4913	4 WAY PBS + STAYPUT	2200.00
XAC-6913	6 WAY PBS + STAYPUT	3000.00
XAC-8913	8 WAY PBS + STAYPUT	3750.00

INDUSTRIAL BUZZER & SIREN

DESCRIPTION	PRICE
MS 190-SIREN 220V/12V/24V	700.00
MS290-SIREN 220V METAL	1100.00
MS290-SIREN 12/24V DC	1200.00
MS390-SIREN 220V AC	3300.00
MS490-SIREN 220V AC	7800.00
PS 30 BUZZER	300.00
PS 80 BUZZER	360.00

PANELCOOLING FAN

SIZE	MM	12V DC	24V DC	110V AC	220V AC
3”	80 X 80 X 25	130.00	130.00	——-	450.00
3 1/2”	92 X 92 X 25	150.00	150.00	——-	450.00
3 1/2”	92 X 92 X 38	——	——	——	500.00
4”	120 X 120 X 38	450.00	450.00	450.00	450.00
4” ECONOMY	120 X 120 X 38				380.00
6” ROUND	172 X 163 X 51	-----	——	1000.00	900.00
6” OVAL	172 X 150 X 51	-----	1500.00	1000.00	900.00
6” SQUARE & ROUND	170 X 170 X 51	-----	——	1000.00	900.00
6” SQUARE BOTH SIDE	150 X 150 X 50	——	——	1000.00	900.00
8”ROUND	220 X 220 X 60	-----	-----	-----	1700.00
8”SQUARE & ROUND	220 X 220 X 60	-----	-----	-----	1700.00
8” SQUARE BOTH SIDE	200 X 200 X 60	-----	-----	-----	1700.00

SIZE	PRICE
4”	28.00
6”	56.00
8”	100.00

FAN JAALI

TIMERS & HOUR METER

S	TYPE	PRICE
1	FRONTIER TYPE TM-619H-2 4PIN	900.00
2	FRONTIER TYPE TM-619-2 5PIN	1000.00
3	JIGO ANALOG TIME SWITCH FM-1 QUARTZ	1400.00
4	H3CR-8A TIMER	1500.00
5	SUL 181H TIMER	1600.00
6	HOUR METER	520.00

IP44

JIGO INDUSTRIAL PLUG & SOCKETS

RATING	CAT NOS	PLUG	CAT NOS	SOCKET STRAIGHT	CAT NOS	WALL SOCKET	CAT NOS	PLUG REVERSE	SOCKET ANGULAR
16A 2PIN	012	140.00	212	160.00	112	160.00			
16A 3PIN	013	100.00	213	130.00	113	140.00	513	300.00	180.00
16A 4PIN	014	170.00	214	200.00	114	220.00			
16A 5PIN	015	170.00	215	200.00	115	200.00	524	400.00	
32A 3PIN	023	190.00	223	210.00	123	220.00	523	450.00	
32A 4PIN	024	280.00	224	300.00	124	300.00			
32A 5PIN	025	240.00	225	250.00	125	260.00	525	600.00	350.00
63A 3PIN	033	900.00	233	1000.00	133	1200.00			
63A 5PIN	035	1000.00	235	1000.00	135	1200.00	535	3200.00	

IP67

INDUSTRIAL PLUG & SOCKETS

RATING	CAT NOS	PLUG	CAT NOS	SOCKET STRAIGHT	CAT NOS	SOCKE WALL
16A 2PIN	0122	260.00	2122	340.00	1122	260.00
16A 3PIN	0132	260.00	2132	300.00	1132	420.00
16A 4PIN	0142	480.00	2142	530.00	1142	660.00
16A 5PIN	0152	550.00	2152	600.00	1152	660.00
32A 3PIN	0232	450.00	2232	660.00	1232	800.00
32A 5PIN	0252	520.00	2252	620.00	1252	750.00
63A 3PIN	0332	1800.00	2332	2400.00	1332	2700.00
63A 5PIN	0352	1950.00	2352	2400.00	1352	2700.00
125A 3PIN	043	3600.00	243	4000.00	143	4200.00
125A 5PIN	045	4000.00	245	4200.00	145	4400.00

AMP RATING	2WAY	3WAY	3WAY IP67
16A 3PIN	700.00	650.00	1900.00
16A 5PIN		1400.00	
32A 3PIN		1600.00	
32A 5PIN		2000.00	

ECONOMY PLUG SOCKET IP-44

RATING	CAT NOS	PRICE
16A 3PIN PLUG	013	76.00
16A 3PIN COUPLER	213	100.00
16A 3PIN WALL	113	120.00
16A 5PIN PLUG	015	160.00
16A 5PIN COUPLER	215	170.00
16A 5PIN WALL	115	190.00
32A 3PIN PLUG	023	160.00
32A 3PIN COUPLER	223	170.00
32A 3PIN WALL	123	190.00
32A 5PIN PLUG	025	190.00
32A 5PIN COUPLER	225	210.00
32A 5PIN WALL	125	220.00
16A 3PIN SPLITTER	1013	480.00

JiGO
POWER TO PERFORM

MINI MICRO SWITCH

TYPE	IMAGE	PRICE
V15-1C25		50.00
V151-1C25		56.00
V152-1C25		56.00
V153-1C25		56.00
V155-1C25		60.00
V156-1C25		60.00
V157--1C25		60.00

(D4MC) MICRO SWITCH

TYPE	IMAGE	PRICE
D4MC 1000 XZ-7120		320.00
D4MC 1020 XZ-7140		320.00
D4MC 2000 XZ-7121		320.00
D4MC 2020 XZ-7141		320.00
D4MC 5000 XZ-7310		360.00
D4MC 5020 XZ-7311		380.00
D4MC 5040 XZ-7312		380.00

MICRO SWITCH HEAVY

TYPE	IMAGE	PRICE
TZ-6004		1300
TZ-6001		1200
TZ-6101		1300
TZ-6002		1200

(OMRON) MICRO SWITCH

TYPE	IMAGE	PRICE
Z-15 GB		240.00
Z-15GW-B		240.00
Z-15GW-2B		240.00
Z-15GW-21B		240.00
Z-15GW-22B		240.00
Z-15GDB		240.00
Z-15G-QB		300.00
Z-15GQ-22B Z-15GQ-21B (VERTICAL)		340.00
Z-15GS-B		270.00
Z-15GW 2277-B		340.00

FOOT SWITCHES

TYPE		CAT	PRICE
SMALL PLASTIC		FS 1	140.00
SMALL METAL		FS 1	220.00
SMALL ALU		FS 2	290.00
SMALL HEAVY ALU		FS 3	380.00
FOOT SWITCH WITH GUARD		SMFP-1 LT-4	960.00
FOOT SWITCH WITHOUT GUARD		LT-3	900.00
FOOT SWITCH WITH GUARD		LTH 1/6	1875.00
TWIN FOOT SWITCH WITH GUARD		YDT-15 YDT-16	3300.00 3600.00

JiGO POWER TO PERFORM

LIMIT SWITCH

TYPE	IMAGE	PRICE
8104		550.00
8107		550.00
8108		550.00
8111		500.00
8112		500.00
8122		500.00
8166		550.00
8167		550.00
8169		550.00

TYPE	IMAGE	PRICE
9101		500.00
9102		500.00
9103		500.00
9104		500.00
9108		500.00
9110		500.00
9105		500.00
9203		800.00
9204		800.00
9310 ZINC OUTER		600.00

TYPE	IMAGE	PRICE
TZ - 3102		1800
TZ - 3112		1800
TZ - 3104		1800
TZ - 3101		1800
TZ - 3111		1800
TZ 3108		1800
SAFETY SWITCH WITH PIN		1300

CAT →	XCK M121	XCK M102	XCK M110	XCK M115	XCK M141	XCK L
PRICE →	1000.00	1000.00	1000.00	1000.00	1000.00	1000.00

CAT →	WLD	WLD2	WLCA2	WLCA12	WLCA32	WLNJ
PRICE →	1100.00	1100.00	1200.00	1200.00	1250.00	1100.00

JiGO
POWER TO PERFORM

RELAY 5 RESISTIVE @ 24V DC/240V AC

S N	TYPE	COIL VOL	PRICE	BASE
1.	MK2P	12,24,110/220-AC/DC	240.00	31.00
2.	MK3P	12,24,110/220-AC/DC	240.00	50.00
3.	MY2	12,24,110/220-AC/DC	140.00	42.00
4.	MY3	12,24,110/220-AC/DC	140.00	55.00
5.	MY4	12,24,110/220-AC/DC	140.00	55.00
6.	LY2	12,24,110/220-AC/DC	200.00	60.00
7.	LY3	12,24,110/220-AC/DC	300.00	100.00
8.	LY4	12,24,110/220-AC/DC	400.00	100.00
9.	G2R1	12,24V DC	140.00	150.00
10	G2R1	220V AC	230.00	150.00
11	G2R2	12,24V DC	180.00	170.00
12	G2R2	220V AC	270.00	170.00

SOLID STATE RELAY(SSR)

SINGLE PHASE SSR

	SINGLE PHASE INP 3-32VDC TO OUT 90-480VAC DA	SINGLE PHASE INP 70-280VAC TO OUT 90-480VAC AA	SINGLE PHASE INP 3-32VDC TO OUT 5-220VDC DD
10A	365.00	465.00	600.00
16A	365.00	465.00	700.00
25A	420.00	510.00	770.00
40A	430.00	540.00	900.00
50A	1000.00	1150.00	1100.00
60A	1050.00	1200.00	1350.00
80A	1450.00	1700.00	1550.00
90A	1500.00	1750.00	1900.00
120A	1600.00		

THREE PHASE SSR

	3PHASE INP 3-32VDC TO OUT 90-480VAC DA	3PHASE INP 70-280VAC TO OUT 90-480VAC AA
16A	1900.00	1900.00
25A	1900.00	1900.00
40A	2200.00	2300.00
50A	3600.00	3850.00
60A	3700.00	3850.00
80A		6000.00
90A	5500.00	——
100A	5500.00	——
120A	6200.00	7200.00

BOLT MODULE SSR

AMP	DC TO AC
150A	3100.00
200A	3800.00
250A	5000.00
300A	5200.00
400A	6700.00

HEAT SRINK

SINGLE PHASE	170.00
THREE PHASE	500.00

SWITCH MODE POWER SUPPLY (SMPS)

24V

MODEL TYPE	AMPS INPUT 110-220VAC OUTPUT 24V DC	PRICE
JG-MS-25	1.1A/24V	810.00
JG-S-50	2.1A/24V	1150.00
JG-S-120	5A/24V	1630.00
JG-S-145	6A/24V	1850.00
JG-S-150	6.5A/24V	2250.00
JG-S-250	10A/24V	2550.00
JG-S-350	14.5A/2V	3100.00
JG-S-500	20A/24V	5600.00
JG-S-600	25A/24V	6800.00
JG-S-1000	40A/24V	28000.00

12V

MODEL TYPE	AMPS INPUT 110-220VAC OUTPUT 12V DC	PRICE
JG-MS-15	1.1A/12V	770.00
JG-MS-25	2.1A/12V	800.00
JG-S-60	5A/12V	1260.00
JG-S-75	6.1A/12V	1300.00
JG-S-120	10A/12V	1700.00
JG-S-175	14.5A/12V	2500.00
JG-S-240	20A/12V	2800.00
JG-S-360	30A/12V	3950.00

DIN RAIL MOUNTING

TYPE	AMPS INPUT 110-220VAC OUTPUT 24V DC	PRICE
DR-25	1.1A/24V	1680.00
DR-60	2.5A/24V	1800.00
DR-120	5A/24V	3400.00
DR-240	10A/24V	6700.00

5V

MODEL TYPE	AMPS INPUT 110 -220VAC OUTPUT 5V DC	PRICE
MD-5-5	1A5V	670.00
MD-10-5	2A5V	700.00
MS-15-5	3A5V	850.00
MS-20-5	4A5V	875.00
MS-25-5	5A5V	910.00
MS-35-5	7A5V	910.00
MS-40-5	8A5V	1300.00
MS-50-5	10A5V	1300.00
MS-60-5	12A5V	1375.00
MS-75-5	15A5V	1375.00
MS-100-5	20A5V	1700.00
MS-120-5	24A5V	1700.00
MS-150-5	30A5V	2050.00

48V

MODEL TYPE	AMPS INPUT 110-220VAC OUTPUT 48V DC	PRICE
S-100	2.1A 48V	2030.00
S-200	4.2A 48V	2700.00
S-500	10A 48V	8400.00

SLIM BODY LRS TYPE

MODEL TYPE	AMPS INPUT 110-220VAC OUTPUT 24V DC	PRICE
LRS-35-24	1.5A 24V	1120.00
LRS-50-24	2.1A 24V	1120.00
LRS-100-24	5A 24V	1570.00
LRS-145-24	6.25A 24V	1900.00
LRS-240-24	10A 24V	3100.00
LRS-350-24	14.5A 24V	3400.00

MULTI VOLTAGE SMPS

MODEL TYPE	AMPS INPUT 110-220VAC OUTPUT 24V DC + 12V	PRICE
D-30	1.1A /12V +1.1A/24V	1200.00
D-75	2.1A /12V +2.1A/24V	1900.00
D-200	5A /12V +5A/24V	3300.00
D-250	6.1A /12V +6.1A/24V	3600.00
D-350	10A /12V +10A/24V	4700.00

WATER PROOF CONNECTORS

CAT NO	AMP	PIN	STRAIGHT	CAT NO	PANEL MOUNT
SP17D-2	10A	2 PIN	420.00	SP17H-2	370.00
SP17D-3	10A	3 PIN	480.00	SP17H-3	420.00
SP17D-4	5A	4 PIN	500.00	SP17H-4	420.00
SP17D-5	5A	5 PIN	510.00	SP17H-5	450.00
SP17D-7	5A	7 PIN	575.00	SP17H-7	510.00
SP17D-9	5A	9 PIN	650.00	SP17H-9	580.00

1/2 POLE AC CONTACTOR

CAT NO	DESCRIPTION	PRICE
JG-01P	1 POLE AC CONTACTOR	500.00
JG-02P	2 POLE AC CONTACTOR	550.00



3 POLE/4POLE ON/OFF ISOLATER WITH ENCLOSURE

CAT NO	DESCRIPTION	PRICE
JG--20/3	20AMP 3POLE	960.00
JG-- 32/3	32AMP 3POLE	1300.00
JG-- 40/3	40AMP 3POLE	1650.00
JG– 63/3	63AMP 3POLE	1750.00
JG--32/4	32AMP 4POLE	1450.00
JG--40/4	40AMP 4POLE	1850.00
JG--63/4	63AMP 4POLE	2000.00



CYLINDRICAL FUSE & BASES

SIZE	PRICE	BASE	PRICE
8 X 31	16.00		
10 X 38	20.00	10 X 38 BASE 1 POLE	120.00
		10 X 38 BASE 3 POLE	300.00
14 X 51	50.00	14 X 51 BASE 1 POLE	250.00
		14 X 51 BASE 3 POLE	750.00
22 X 58	100.00	22 X 58 BASE 1 POLE	600.00

FUSE PULLER	280.00

BOTTLE TYPE FUSE

RO21	2A-25A	BOTTLE TYPE	50.00
RO22	35A-63A	BOTTLE TYPE	60.00

PROXIMITY SWITCHES INDUCTIVE

TYPE	CAT NO	SENSING DISTANCE	PNP NO/NC	NPN NO/NC	AC NO/NC
M-3	GI03	1MM	3450.00	——-	——-
M-4	GI04	1MM	800.00	800.00	——-
M-5	GI05	1MM	750.00	750.00	——-
M-6	GI06	1MM	750.00	750.00	750.00
M-8	GI08	1MM	400.00	400.00	400.00
M12	GI12	2MM	300.00	300.00	300.00
M18	GI18	5MM	300.00	300.00	300.00
M-30	GI30	10MM	550.00	550.00	550.00

RECTANGULAR TYPE

SIZE	CAT NO	PNP NO	NPN NO
18 X 8 X 36	SN-04	300.00	300.00
17 X 17 X 28	PS-05	320.00	320.00
17 X 17 X 35	PL-05	320.00	320.00
17 X 17 X 28	TL-Q5	350.00	350.00

PHOTO ELECTRIC TYPE

CYLIN-DER	TYPE	PNP NO/NC	NPN NO/NC
M-12	DEFUSE NO+NC	600.00	600.00
M-18	DEFUSE NO+NC	650.00	650.00
M-12	THROUGH BEAM	800.00	800.00
M-18	THROUGH BEAM	900.00	900.00

AC PULLING SOLENOID COIL

SIZE IN KG	PRICE	SIZE IN KG	PRICE	SIZE IN KG	PRICE
0.5 KG	700.00	2.0 KG	1050.00	5.0 KG	2050.00
1.0 KG	880.00	3.0 KG	1800.00	6.0 KG	4200.00
1.5 KG	930.00	4.0 KG	2050.00	7.0 KG	4800.00

IP-67 BOXES

CAT NO	DESCRIPTION	PRICE
1802	16A 3PIN 3SOCKET, 1PLUG, 4M MCB IP-67	4500.00
56CB4N A	16A3P SOCKET, INDICATOR 4M MCB BOX	3300.00
56CB8N A	32A5P SOCKET, INDICATOR 4M MCB BOX	4200.00

SURGE PROTECTION DEVICE SPD

TYPE	CAT	PRICE
AC40 2POLE 420V	C402P	900.00
AC40 4POLE 420V	C404P	1500.00
DC 2POLE 1000V	PV10002P	1200.00
DC 3POLE 1000V	PV10003P	2000.00

MC-4 CONNECTOR

SOLAR CONNECTOR MALE FEMALE PAIR	LP-60.00

INDUSTRIAL CABLE DRUM

PVC REEL WITH 16A REGULAR SOCKET, ELCB AND INDICATOR

METAL REEL WITH 16A 3PIN WALL SOCK-ET WITH ELCB

METAL REEL WITH 32A 5 SOCKET WITH ELCB

END CORD TERMINALS (INSULATED FERRULS)

SN	SIZE MM	LENGTH	STD COLOUR	SINGLE CORD	DOUBLE CORD (TWIN)
1.	.50	L8	WHITE	.35	.80
2.	.50	L10	WHITE	.45	1.00
3.	.50	L12	WHITE	.60	1.50
4.	.75	L8	GREY	.40	.90
5.	.75	L10	GREY	.45	1.00
6.	.75	L12	GREY	.70	1.50
7.	1.00	L8	RED	.45	1.00
8.	1.00	L10	RED	.50	1.20
9.	1.00	L12	RED	.80	1.60
10.	1.50	L8	BLACK	.60	1.10
11.	1.50	L10	BLACK	.70	1.40
12.	1.50	L12	BLACK	.80	1.70
13.	2.50	L8	BLUE	.65	1.30
14.	2.50	L10	BLUE	.75	1.70
15.	2.50	L12	BLUE	1.10	2.00
16.	4.00	L9	GREY	1.00	2.00
17.	4.00	L12	GREY	1.20	2.10
18.	6.00	L10	GREEN	1.30	3.00
19.	6.00	L12	GREEN	1.60	3.50
20.	10.00	L12	BROWN	2.00	6.00
21.	16.00	L12	IVORY	2.50	7.00
22.	25.00	L22	BLACK	7.00	
23.	35.00	L25	RED	8.50	
24.	50.00	L25	GREEN	14.00	

PRICE LIST

Effective from

JUNE2024

ELETTRO®

Built For The Challenge

CE ROHS IP54 IP55 IP65 IP67

ELETTRO®

Built For The Challenge

Elettro: Your Reliable Source for Electrical Panel Accessories

Introduction:-Elettro is a reputable brand in the electrical industry, specializing in the production of a diverse range of high-quality electrical panel accessories. With a commitment to innovation, reliability, and customer satisfaction, Elettro has established itself as a leading provider of essential components for electrical panels. The company's website, https://www.elettro.in serves as a comprehensive platform where customers can explore their extensive product catalog and access valuable information and resources.

Product Range: -**Elettro** offers an impressive array of electrical panel accessories that cater to the needs of various industries and applications. Their product range includes air vents, junction boxes, flexible conduit pipes, cable ties and much more. From miniature components for compact panels to heavy-duty accessories for industrial setups, Elettro ensures that their offerings meet the highest standards of quality, performance, and safety.

Quality and Reliability:- **Elettro** quality and reliability are at the core of their operations. The company employs rigorous quality control measures throughout the manufacturing process to ensure that every product that leaves their facility meets stringent industry standards. By utilizing cutting-edge technology, superior materials, and advanced testing methods, Elettro guarantees the durability and performance of their electrical panel accessories, ensuring they can withstand demanding environments and provide reliable electricalconnections.

Innovation and Customization:- **Elettro** understands the importance of staying ahead in a rapidly evolving industry. With a team of skilled engineers and designers, the company continuously innovates to develop new and improved products that meet the evolving needs of their customers. Furthermore, Elettro offers customization options, allowing clients to tailor their electrical panel accessories to specific requirements. This commitment to innovation and customization sets Elettro apart as a trusted partner for clients seeking specialized solutions.

Conclusion:- **Elettro** is a leading brand in the electrical industry, renowned for its extensive range of-high quality electrical panel accessories. With a commitment to quality, reliability, and innovation, the company has become a trusted partner for clients across diverse sectors. Whether you need components for residential, commercial, or industrial applications, Elettro's comprehensive product catalog and dedication to customer satisfaction make them the go-to choice for all your electrical panel accessory needs.

OUR COMMITMENT

- Quality **Assurance.**
- Product **Innovation.**
- Complete **Solutions.**
- Price **Guarantee.**
- Service **Support.**
- Instant **Delivery.**

SELF LOCKING PA 66 CABLE TIES

CE ROHS HSN CODE: 39235090



Note:
- Price For Black Colour Cable Ties Will be 2.5% Additional
- Price For Coloured Cable Ties Will be 15% Additional
- Price For Weather Proof UV Cable Ties Will be 25% Additional
- Payment Terms 15 Days Credit From the Date of Invoice



Cat. No.	Nominal Overall Length		Strap Width		Max Bundle Cable Dia.		Thick-ness	Min Loop Tensile Strength		M.R.P. Rs.	Std. Pkg.	Std. Pkg. (PCS/PAC)
	d1 mm	inch	d2 mm	inch	mm	inch	mm	kgf	lbs	PER/PAC	PIECES/ PAC	CTN/PAC
ET 100 X 1.8	100	4.0	1.8	0.07	20	0.79	0.7	0.7	16	-------	100	600
ET 100 X 1.8	100	4.0	1.8	0.07	20	0.79	0.7	0.7	16	-------	1000	60
ET 100 X 2.5	100	4.0	2.5	0.10	20	0.79	0.9	0.8	18	44.00	100	600
ET 100 X 2.5	100	4.0	2.5	0.10	20	0.79	0.9	0.8	18	385.00	1000	60
ET 150 X 2.5	150	6.0	2.5	0.10	35	1.38	1.2	8	18	63.00	100	400
ET 150 X 3.6	150	6.0	3.6	0.14	35	1.38	1.2	18	40	100.00	100	300
ET 200 X 3.6	200	8.0	3.6	0.14	45	1.77	1.2	18	40	125.00	100	200
ET 200 X 4.8	200	8.0	4.8	0.19	45	1.77	1.3	23	50	180.00	100	150
ET 200 X 7.6	200	8.0	7.6	0.30	45	1.77	1.4	36	80	-------	100	80
ET 250 X 3.6	250	10.0	3.6	0.14	65	2.56	1.2	18	40	165.00	100	150
ET 250 X 4.8	250	10.0	4.8	0.19	60	2.36	1.3	23	50	215.00	100	150
ET 300 X 3.6	300	12.0	3.6	0.14	75	2.95	1.2	18	40	198.00	100	150
ET 300 X 4.8	300	12.0	4.8	0.19	75	2.95	1.3	23	50	285.00	100	150
ET 300 X 7.6	300	12.0	7.6	0.30	75	2.95	1.4	54.4	120	575.00	100	60
ET 350 X 4.8	350	14.0	4.8	0.19	90	3.60	1.3	23	50	320.00	100	120
ET 400 X 4.8	400	16.0	4.8	0.19	105	4.20	1.3	23	50	390.00	100	90
ET 450 X 4.8	450	18.0	4.8	0.19	115	4.53	1.3	23	50	450.00	100	60
ET 400 X 7.6	400	16.0	7.6	0.30	100	3.93	1.4	54.4	120	-------	100	60
ET 450 X 7.6	450	18.0	7.6	0.30	115	4.60	1.4	54.4	120	-------	100	----
ET 550 X 7.6	550	22.0	7.6	0.30	145	5.80	1.4	54.4	120	-------	100	-----
ET 600 X 7.6	600	23.63	7.6	0.30	148	6.00	1.4	54.4	120	-------	100	-----
ET 650 X 7.6	650	26.0	7.6	0.30	180	7.20	1.4	54.4	120	-------	100	-----
ET 750 X 7.6	750	30.0	7.6	0.30	220	8.80	1.4	54.4	120	-------	100	-----
ET 920 X 9.0	920	36.8	9.0	0.35	255	10.20	1.55	80.0	175	-------	100	-----

Technical Details	
• Material	PA 66 UL Certified 94V-2
• Operating Temp	-10°C to 130°C
• Oxygen Index	25% - 28%
• Smoke Density	Flaming 35 No Flaming 13

● Prices are on Request.

TAG TYPE SERIES

HSN CODE: 39235090

Cat. No.	d1mm	inch	d2mm	inch	mm	inch	mm	kgf	lbs	M.R.P. Rs. PerPacked	CTN Packed	Pieces Packed
ET-T 100 X 2.5	100	4	2.5	0.10	20	0.79	0.9	8	18	100.00	400	100
										950.00	40	1000

SELF ADHESIVE TIE MOUNT

HSN CODE: 39269099

Cat. No.	Size	M.R.P. Rs. Per Packet	Std. Pkg.
ETHD-19	19mm x 19mm	225.00	100 Nos
ETHD-25	25mm x 25mm	330.00	100 Nos
ETHD-40	40mm x 40mm	510.00	100 Nos

Colour shade : White 3M gumming sticker on request.

SCREW TYPE TIE MOUNT

HSN CODE: 39269099

Cat. No.	Size (mm)	Mounting Method (mm)	For max. Cable Tie Width (mm)	M.R.P. Rs. Per/ Pc.	Std. Pkg.
ET 4 (PA)	22.5 x 16 x 9.8	6mm Screw	8.5	2.70	100 Nos

S.S. 304/316 ROLLER BALL 4.6mm CABLE TIES

CE ROHS HSN CODE 73269060

Cat. No.	Nominal Overall Length		Strap Width		Max. Diameter Single Loop		Thick-ness	Min Loop Tensile Strength		Std. Pkg. (Pcs/Pac)
	mm	inch	mm	inch	mm	inch	mm	kgf	lbs	PIECES/ PAC
ET-ST 100 X 4.6	100	4	4.6	0.18	27	1.1	0.25	68	150	100
ET-ST 150 X 4.6	150	6	4.6	0.18	43	1.7	0.25	68	150	100
ET-ST 200 X 4.6	200	8	4.6	0.18	59	2.3	0.25	68	150	100
ET-ST 260 X 4.6	260	10	4.6	0.18	75	3.0	0.25	68	150	100
ET-ST 300 X 4.6	300	12	4.6	0.18	86	3.4	0.25	68	150	100
ET-ST 360 X 4.6	360	14.40	4.6	0.18	97	3.95	0.25	68	150	100
ET-ST 400 X 4.6	400	16	4.6	0.18	118	4.60	0.25	68	150	100
ET-ST 520 X 4.6	520	20.80	4.6	0.18	140	5.72	0.25	68	150	100
ET-ST 620 X 4.6	620	24.8	4.6	0.18	167	6.82	0.25	68	150	100
ET-ST 680 X 4.6	680	27.20	4.6	0.18	183	7.48	0.25	68	150	100
ET-ST 840 X 4.6	840	33.60	4.6	0.18	227	9.25	0.25	68	150	100
ET-ST 1000 X 4.6	1000	40	4.6	0.18	270	11.0	0.25	68	150	100

● Prices are on Request.

S.S. 304/316 ROLLER BALL 7.9mm CABLE TIES

CE ROHS HSN CODE 73269060

Cat. No.	Nominal Overall Length		Strap Width		Max. Diameter Single Loop		Thick-ness	Min Loop Tensile Strength		Std. Pkg. (Pcs/Pac)
	mm	inch	mm	inch	mm	inch	mm	kgf	lbs	PIECES/ PAC
ET-ST 100 X 7.9	100	4	7.9	0.32	27	1.1	0.25	136	300	100
ET-ST 150 X 7.9	150	6	7.9	0.32	43	1.7	0.25	136	300	100
ET-ST 200 X 7.9	200	8	7.9	0.32	59	2.3	0.25	136	300	100
ET-ST 260 X 7.9	260	10	7.9	0.32	75	3.0	0.25	136	300	100
ET-ST 300 X 7.9	300	12	7.9	0.32	86	3.4	0.25	136	300	100
ET-ST 360 X 7.9	360	14.40	7.9	0.32	97	3.95	0.25	136	300	100
ET-ST 400 X 7.9	400	16	7.9	0.32	118	4.60	0.25	136	300	100
ET-ST 520 X 7.9	520	20.80	7.9	0.32	140	5.72	0.25	136	300	100
ET-ST 620 X 7.9	620	24.8	7.9	0.32	167	6.82	0.25	136	300	100
ET-ST 680 X 7.9	680	27.20	7.9	0.32	183	7.48	0.25	136	300	100
ET-ST 840 X 7.9	840	33.60	7.9	0.32	227	9.25	0.25	136	300	100
ET-ST 1000 X 7.9	1000	40	7.9	0.32	270	11.0	0.25	136	300	100

● Prices are on Request.

AIR- VENT

(VALUE & ECONOMIC SERIES)

CE ROHS HSN CODE: 84213100

Cat. No.	Size	M.R.P. Rs.	Std.Pkg.
ETAV-01	130mmX130mm (SCREW FIT)	54.00	300 Nos
ETAV-01 VP	130mmX130mm(SCREW FIT) **(VP-10 Nos.)**	480.00	30 Packs
ETAV-02	147mmX147mm (SNAP FIT)	81.00	200 Nos
ETAV-02 VP	147mmX147mm (SNAP FIT) **(VP-10 Nos.)**	755.00	24 Packs
ETAV-03	184mmX184mm (SCREW FIT)	157.00	150 Nos
ETAV-03 VP	184mmX184mm (SCREW FIT) **(VP-10 Nos)**	1325.00	16 Packs
ETAV-04	203mmX203mm (SNAP FIT)	190.00	100 Nos
ETAV-04 VP	203mmX203mm (SNAP FIT) **(VP-10 Nos.)**	1750.00	12 Packs
ETAV-05	238mmX238mm (SCREW FIT)	280.00	60 Nos
ETAV-05 VP	238mmX238mm (SCREW FIT) **(VP-5 Nos.)**	1300.00	12 Packs
ETAV-06	255mmX255mm (SNAP FIT)	350.00	60 Nos
ETAV-06 VP	255mmX255mm (SNAP FIT) **(VP-5 Nos.)**	1670.00	12 Packs
ETAV-09	325mmX325mm (SNAP FIT)	615.00	25 Nos
ETAV-10	117mmx117mm (SNAP FIT)	75.00	150 Nos
ETAV-11	90mmX90mm (SCREW FIT)	55.00	200 Nos
ETAV-204/DT	204mmX204mm (DOOM TYPE)	275.00	50 Nos
ETAV-255/DT	255mmX255mm (DOOM TYPE)	435.00	50 Nos
ETAD-285	285mmX285mm (SCREW FIT) **(ADAPTOR)**	140.00	50 Nos

Colour Shade- RAL7035 /RAL7032
COLOUR ON REQUEST RAL 9005(BLACK)

AIR- VENT (OVAL DESIGN)

(PREMIUM SERIES)

CE ROHS HSN CODE: 84213100

Cat. No.	Size	M.R.P. Rs.	Std.Pkg.
ETAV-130/4	130mm x 130mm (SCREW FIT)	60.00	300 Nos
ETAV-150/SF-4	150mm x 150mm (SNAP FIT)	95.00	200 Nos
ETAV-184/6	184mm x 184mm (SCREW FIIT)	180.00	150 Nos
ETAV-204/SF-4/6	204mm x 204mm (SNAP FIT)	205.00	100 Nos
ETAV-238/8	238mm x 238mm (SCREW FIT)	300.00	60 Nos
ETAV-255/SF-6/8	255mm x 255mm (SNAP FIT)	375.00	60 Nos

Colour Shade- RAL7035 COLOUR ON REQUEST RAL 9005(BLACK)

AIR- VENT (OVAL DESIGN)

(WITH E.P.D.M GASKETING)

CE ROHS IP54 IP55 HSN CODE: 84213100

Cat. No.	Size	M.R.P.	Std.Pkg.
ETAV-150/SF-4 EG	150mm x 150mm	130.00	150 Nos
ETAV-204/SF-4/6 EG	204mm x 204mm	270.00	100 Nos
ETAV-255/SF-6/8EG	255mm x 255mm	430.00	50 Nos
ETAV-117/SF-3/3.5EG	117mm x 117mm	95.00	150 Nos
ETAV-204/DT-1EG	204mm x 204mm (Doom Type)	320.00	50 Nos
ETAV-255/DT-1EG	255mm x 255mm (Doom Type)	480.00	50 Nos

Colour Shade- RAL7035 COLOUR ON REQUEST RAL 9005(BLACK)

JUNCTION BOX

HSN CODE: 85359040

JUNCTION BOX W/O Connector IP-65

Cat. No.	Size	M.R.P. Rs.	Std.Pkg.
ET - 9020	88mm x 88mm x 53mm	150.00	150 Nos
ET - 9040	98mm x 98mm x 61mm	165.00	150 Nos
ET - 9060	139mm x 119mm x 70mm	255.00	50 Nos
ET - 9100	167mm x 125mm x 82mm	375.00	30 Nos
ET - 9250	200mm x 160mm x 98mm	665.00	30 Nos
ET - 9350	260mm x 210mm x 117mm	1340.00	10Nos

JUNCTION BOX With Brass Connector IP-65

Cat. No.	Size	M.R.P. Rs.	Std.Pkg.
ET - 9020E	88mm x 88mm x 53mm (2.5 Sq.mm)	190.00	150 Nos
ET - 9040E	98mm x 98mm x 61mm (4/6 Sq.mm)	210.00	150 Nos
ET - 9060E	139mm x 119mm x 70mm (10 Sq.mm)	320.00	50 Nos
ET - 9100E	167mm x 125mm x 82mm (16 Sq.mm)	715.00	30 Nos
ET - 9250E	200mm x 160mm x 98mm (16 Sq.mm)	1140.00	30 Nos
ET - 9350E	260mm x 210mm x 117mm (25 Sq.mm)	1700.00	10Nos

Colour Shade - RAL-7035 Material: A.B.S.

HSN CODE: 85359040

Colour Shade - RAL-7035 Material: A.B.S.

Cat. No.	Size	Without Groumet M.R.P.Rs.	Transparent M.R.P. Rs.	Std.Pkg.
ET - 10107	100mm x 100mm x 70mm	86.00	132.00	200 Nos
ET - 15117	150mm x 110mm x 70mm	145.00	193.00	75 Nos
ET - 15157	150mm x 150mm x 70mm	170.00	220.00	75Nos
ET - 20107	200mm x 100mm x 70mm	173.00	231.00	50 Nos
ET - 20168	200mm x 155mm x 80mm	225.00	285.00	50 Nos
ET - 26208	255mm x 200mm x 80mm	325.00	440.00	30 Nos
ET - 302512	300mm x 250mm x 120mm	650.00	1000.00	20 Nos
ET - 302515	300mm x 250mm x 150mm	720.00	1100.00	10 Nos
ET - 403512	400mm x 350mm x 120mm	1500.00	1800.00	7 Nos

HSN CODE: 85359040

Cat No.	Size	With Gourmet M.R.P. Rs.	Transparent M.R.P. Rs.	Std. Pkg.
ET-6001	110mmX110mmX110mm	250.00	300.00	50 Nos
ET-6002	155mmX115mmX110mm	310.00	375.00	50 Nos



Colour Shade - RAL-7035 Material: A.B.S.

DISTRIBUTION BOX

CE ROHS IP65 HSN CODE: 85359040

Cat. No.	Size	M.R.P. Rs.	Std.Pkg.
ETDB -02 (2Way)	120mm x 53mm	175.00	150 Nos
ETDB -05 (5Way)	159mm x 119mm	235.00	150 Nos
ETDB -08 (8Way)	201mm x 153mm	410.00	50 Nos
ETDB -12 (12Way)	167mm x 125mm	760.00	30 Nos
ETDB -18 (18Way)	360mm x 194mm	1650.00	30 Nos
ETDB -24 (24Way)	357mm x 271mm	2000.00	30 Nos

Colour Shade - RAL-7035 Material: A.B.S.

CAMERA BOX

CE ROHS HSN CODE: 85359040

Cat. No.	Size	M.R.P. Rs.	Std. Pack
ETCB-01	100mmx100mmx70mm	57.00	200 NOS
ETCB-02	100mmx100mmx50mm	30.00	360 NOS

Colour Shade - White Material: P.P.

FAN FINGER GUARD

CE ROHS HSN CODE: 84149090

Colour Shade - Black Screw Fit Material: A.B.S.

Cat. No.	Size	M.R.P. Rs.	Std.Pkg.
ETFG-01	4″ Square (120mm x 120mm)	11.00	500 Nos
ETFG-02	6″ Oval (172mm x 150mm)	21.00	300 Nos
ETFG-03	6″ Square (172mm x 172mm)	21.00	300 Nos
ETFG-04	8″ Round (200 Ømm)	35.00	300 Nos
ETFG-05	8″ Square (220mm x 220mm)	35.00	300 Nos
ETFG-06	3″ Square (80mm x 80mm)	9.50	500 Nos
ETFG-07	3.5″ Square (92mm x 92mm)	10.00	500Nos

METAL FAN FINGER GUARD

CE ROHS HSN CODE 84149040

● Prices are on Request.

Cat. No.	Size	Std.Pkg.
ETMG-01	4″ Square (1.6 Thk -8 Ring)	1000 Nos
ETMG-02	6″ Oval (1.6 Thk -7 Ring)	400 Nos
ETMG-03	6″ Square (1.6 Thk -8 Ring)	200 Nos
ETMG-04	8″ Oval (1.6 Thk -11 Ring)	200 Nos
ETMG-05	8″ Square (1.6 Thk -11 Ring)	200 Nos
ETMG-08	10″ Square(1.6 Thk -14 Ring)	100 Nos
ETMG-06	3″ Square(1.6 Thk -6 Ring)	1000 Nos
ETMG-07	3.5″ Square(1.6 Thk -8 Ring)	1000 Nos



Colour Shade - Crome plated Screw Fit Material: M.S.

POLYAMIDE FLEXIBLE CONDUIT & SLITTED CONDUIT

HSN CODE 39172190



DIMENSION DRAWING & TECHNICAL DETAILS

POLYAMIDE FLEXIBLE PIPE



POLYAMIDE FLEXIBLE SLITTED PIPE

Technical Details :

Material	Polyamide 6
Flexural Strength	950 kg / cm²
Flexural Modulus	26,000 kg / cm²
Tensile Strength	700 kg / cm²
Impact Strength	25 kg / cm²
Temperature Range	-40°C to +105°C Continuous, +150°C Short Term
Resistant	Alcohol, Benzol, Greases, Mineral Oil, Diesel Fuel, Sea Water, Petrol, etc.
Protection Class	IP 67
Approvals	CE ROHS

Cat. No.	Conduit Gland Size	I.D. d1 (mm)	O.D. d2 (mm)	Bending Radius R (mm) + 10%	M.R.P. Rs.	Std.Pkg. mtr.
ETP-10	ETG-7	6.4	10.0	20	20.00	1000
ETP-13.5	ETG-9	9.6	13.0	30	24.00	1000
ETP-16	ETG-11	11.8	15.8	40	32.00	500
ETP-18.5	ETG-13.5	14.3	18.5	42	37.00	500
ETP-22	ETG-16	15.9	21.2	45	45.00	500
ETP-28	ETG-21	21.7	28.5	55	69.00	300
ETP-34	ETG-29	27.8	34.5	60	90.00	250
ETP-42	ETG-36	36.0	42.5	65	135.00	125
ETP-54	ETG-48	48.3	54.5	80	250.00	100

P.P. FLEXIBLE CONDUIT

HSN CODE 39172190

● Prices are on Request.

Cat. No. Black	Cat. No. White	Size	Maximum O.d.(mm)	Maximum I. D.(mm)	Tolerance On O.d.(mm)	Std.Pkg. mtr.
ET-PP-10	ET-PP-10	PG-10	10.0	7.0	-0.1	1000
ET-PP-16	ET-PP-16	PG-16	16.0	10.7	-0.3	500
ET-PP-20	ET-PP-20	PG-20	20.0	14.1	-0.3	500
ET-PP-25	ET-PP-25	PG-25	25.0	18.3	-0.4	500
ET-PP-32	ET-PP-32	PG-32	32.0	24.3	-0.4	250
ET-PP-40	ET-PP-40	PG-40	40.0	31.2	-0.4	125
ET-PP-50	ET-PP-50	PG-50	50.0	39.6	-0.5	100

POLYAMIDE FLEXIBLE CONDUIT CLAMP

HSN CODE 39172190

Material	Polyamide 6
Temperature Range	-40°C to +105°C Continuous, +150°C Short Term
Resistant	Alcohol, Benzol, Greases, Mineral Oil, Diesel Fuel, Sea Water, Petrol, etc.
Approvals	CE ROHS



Cat. No.	Clamp Size	A mm	A 1 mm	B mm	B1 mm	D mm	D 1 mm	H mm CTC	H1 mm CTC	R1 mm	M.R.P. Rs.	Std.Pkg.
ETC-7	ETP-10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ETC-9	ETP-13.5	24.00	18.00	10.00	28.00	23.00	26.00	-----	20.00	10.00	15.00	100
ETC-11	ETP-16	28.00	22.00	14.00	32.00	24.00	28.00	-----	24.00	14.00	17.00	100
ETC-13.5	ETP-18.5	30.00	25.00	14.00	34.00	25.00	30.00	-----	24.00	15.00	18.00	100
ETC-16	ETP-22	34.00	28.00	14.00	34.00	22.00	34.00	-----	26.00	20.00	19.00	100
ETC-21	ETP-28	39.00	39.00	14.00	38.00	40.00	44.00	-----	27.00	25.00	22.00	50
ETC-29	ETP-34	45.00	45.00	14.00	38.00	44.00	50.00	36.00	27.00	33.00	38.00	50
ETC-36	ETP-42	55.00	55.00	14.00	41.00	53.50	59.00	37.00	27.00	40.50	43.00	25
ETC-48	ETP-54	70.00	70.00	14.00	41.00	65.00	73.00	57.00	27.00	48.00	60.00	25

POLYAMIDE CONDUIT GLAND

CE ROHS HSN CODE 39172190



Technical Details :

Material Polyamide 6 Temperature Range -40°C to +105°C Continuous, +150°C Short Term	Resistant Alcohol, Benzol, Greases, Mineral Oil, Diesel Fuel, Sea Water, Petrol, etc.

● Prices are on Request.

Cat. No.	Conduit Size	(AG) mm	(AG) mm Thread Lenght	(GL)mm	(H) mm	Std.Pkg.
ETG-7	ETP-10	12.3	6.5	11.5	18.0	100 Nos
ETG-9	ETP-13.5	15.0	10.0	11.5	19.0	100 Nos
ETG-11	ETP-16	18.4	12.5	12.0	23.0	100 Nos
ETG-13.5	ETP-18.5	20.2	14.3	12.0	12.0	100 Nos
ETG-16	ETP-22	22.3	17.0	13.0	27.0	100 Nos
ETG-21	ETP-28	28.0	23.0	13.0	33.0	50 Nos
ETG-29	ETP-34	36.7	29.0	15.0	35.0	25 Nos
ETG-36	ETP-42	46.7	36.0	15.0	38.5	20 Nos
ETG-48	ETP-54	59.0	53.0	16.0	39.0	10 Nos

POLYAMIDE FLEXIBLE CONDUIT METRIC GLANDS

CE ROHS HSN CODE 39172190

Technical Details :

Material Polyamide 6 Temperature Range -40°C to +105°C Continuous, +150°C Short Term	Resistant Alcohol, Benzol, Greases, Mineral Oil, Diesel Fuel, Sea Water, Petrol, etc.

● Prices are on Request.

Cat. No.	Conduit Gland Size	Inner Diameter D1 (mm)	Outer Diameter D2 (mm)	Std.Pkg.
ETMG-16	ETG-7	6.4	10.0	100 Nos
ETMG-20 M-20 (M-15.8)	ETG-9	9.6	13.0	100 Nos
ETMG-20 M-20 (M-21.2)	ETG-11	11.8	15.8	100 Nos
ETMG-25 M-25 (M-21.2)	ETG-13.5	14.3	18.5	100 Nos
ETMG-32 M-32	ETG-16	15.9	21.2	50 Nos
ETMG-40 M-40	ETG-21	21.7	28.5	50 Nos
ETMG-50 M-50	ETG-29	27.8	34.5	50 Nos
ETMG-63 M-63	ETG-36	36.0	42.5	50 Nos

POLYAMIDE FLEXIBLE CONDUIT 90°ELBOW GLANDS

HSN CODE 39172190

● Prices are on Request.



Cat. No.	Thread (PG)	Conduit Pipe Entry AD (mm)	Threads TL (mm)	Std.Pkg.
ETEG-7	PG 7	10.0	10.0	100 Nos
ETEG-9	PG 9	13.0	10.0	100 Nos
ETEG-11	PG 11	15.8	10.0	100 Nos
ETEG-13.5	PG 13.5	18.5	11.0	100 Nos
ETEG-16	PG 16	21.2	12.0	50 Nos
ETEG-21	PG 21	28.5	12.0	50 Nos
ETEG-29	PG 29	34.5	12.0	50 Nos
ETEG-36	PG 36	42.5	12.0	50 Nos
ETEG-48	PG 48	54.5	14.0	50 Nos

SELECTION CHART FOR CONDUIT GLAND/CLAMP

CONDUIT PIPE CAT. NO.	CONDUIT GLAND CAT. NO.	CONDUIT CLAMP CAT. NO.
ETP-10	ETG-7	ETC-7
ETP-13.5	ETG-9	ETC-9
ETP-16	ETG-11	ETC-11

CONDUIT PIPE CAT. NO.	CONDUIT GLAND CAT. NO.	CONDUIT CLAMP CAT. NO.
ETP-18.5	ETG-13.5	ETC-13.5
ETP-22	ETG-16	ETC-16
ETP-28	ETG-21	ETC-21

CONDUIT PIPE CAT. NO.	CONDUIT GLAND CAT. NO.	CONDUIT CLAMP CAT. NO.
ETP-34	ETG-29	ETG-29
ETP-42	ETG-36	ETG-36
ETP-54	ETG-48	ETG-48

TOGGLE SWITCHES

CE ROHS HSN CODE: 85361010

6A/10A /15A 250AC SINGLE & DOUBLE POLE

Cat. No.	Description	Rating	M.R.P Rs.	Std.Pkg
ETS-601	SPST ON- OFF	6A	75.00	30 NOS
ETS-602	SPDT ON ON	6A	82.00	30 NOS
ETS-603	SPDT ON-OFF-ON	6A CENTRE OFF	82.00	30 NOS
ETS-606	DPST ON-OFF	6A	92.00	30 NOS
ETS-607	DPDT ON ON	6A	102.00	30 NOS
ETS-608	DPDT ON-OFF-ON	6A CENTRE OFF	102.00	30 NOS
ETS-1001	SPST ON- OFF	10A	80.00	30 NOS
ETS-1002	SPDT ON ON	10A	86.00	30 NOS
ETS-1003	SPDT ON-OFF-ON	10A CENTRE OFF	86.00	30 NOS
ETS-1006	DPST ON-OFF	10A	95.00	30 NOS
ETS-1007	DPDT ON ON	10A	103.00	30 NOS
ETS-1008	DPDT ON-OFF-ON	10A CENTRE OFF	103.00	30 NOS
ETS-1501	SPST ON- OFF	15A	92.00	30 NOS
ETS-1502	SPDT ON ON	15A	100.00	30 NOS
ETS-1503	SPDT ON-OFF-ON	15A CENTRE OFF	100.00	30 NOS
ETS-1506	DPST ON-OFF	15A	112.00	30 NOS
ETS-1507	DPDT ON ON	15A	125.00	30 NOS
ETS-1508	DPDT ON-OFF-ON	15A CENTRE OFF	125.00	30 NOS

SINGLE POLE UNSEALED



DOUBLE POLE UNSEALED



Electrical and Mechanical Specifications

- Housing material : Polybutylene Terephthalate (PBT)
- Rated and uninterrupted current : 6A,10 A,15A, & 20A
- Rated operating frequency : 50 Hz/60 Hz
- Rated operating voltage : 250 V. AC
- Ambient temperature : -10°C to 55°C
- Rated impulse voltage : 1.5 Kv for one minute

PANEL DOOR SWITCHES

Electrical and Mechanical Specifications

- Operations : Push-to-ON and Push-to-OFF
- Rated operating voltage : 250 V. AC
- Ambient temperature : -10°C to 55°C
- Rated impulse voltage : 1.5 Kv for one minute
- Contact resistance : <20 milli Ω
- Operating force: 0.8 kg (Max)
- Housing Material : (ABS) plastic
- Rated & uninterrupted current : 2A and 5A
- Rated operating frequency : 50 Hz/60 Hz
- Insulation resistance : >20 Mega Ω
- Mounting : M14 Brass and Aluminium Nuts
- Housing Shade : White, Black and Grey.
- Mechanical Life : 50,000 operations

Cat. No.	Colour	M.R.P. Rs.	Std.Pkg.
ETDS-01	White & Black	44.00	1000 Nos

PUSH BUTTON STATION

CE ROHS HSN CODE: 85359090

Colour shade BLACK & Top White — Material: A.B.S.

Cat. No.	Size	Item	M.R.P. Rs.	Std.Pkg.
ETPB-01	73mm x 73mm x68mm	1Way	53.00	200 Nos
ETPB-02	113mm x 73mm x68mm	2Way	68.00	150 Nos
ETPB-03	153mm x 73mm x68mm	3Way	88.00	100 Nos
ETPB-04	192mm x 73mm x68mm	4Way	106.00	80 Nos
ETPB-06	252mm x 73mm x68mm	6Way	185.00	50 Nos

DOCUMENT HOLDER

HSN CODE: 39261019

With adhesive Double sided tape

Cat. No.	Size	M.R.P. Rs.	Std.Pkg.
ETDH-01	188mm x 185mm x 20mm Deep	65.00	100 Nos
ETDH-02	258mm x 235mm x 35 Deep (A-4 Size)	125.00	50 Nos
ETDH-03	282mm x 236mm x 17 Deep (A-4 Size)	115.00	100 Nos

ETDH-01 ETDH-02 ETDH-03

Colour Shade - RAL-7035 Screw Fit Material: A.B.S.

OTHER ACCESSORIES

HSN CODE: 39269099

ETPL-06

ETPL-07

ETPL-07-1

ETPL-09



ETSL-01
GRAY / BLACK Colour

ETBL-01

Sr. No.	Cat. No.	Size	M.R.P. Rs.	Std. Pack
1	ETPL-06	135mm x 25mm x 40mm (115mm CTC)	30.00	500 Nos
2	ETPL-07	94mm x 42mm x 17mm (94mm)	20.00	1000 Nos
3	ETPL-07-1	109mm x 51mm x 25mm (109mm)	33.00	500 Nos
4	ETPL-09	96mm x 9Ø mm x 25mm (90mm)	10.00	500 Nos
5	ETSL-01	45mm x 28mm x 15mm	13.00	2000 Nos
6	ETBL-01	Ø22.5mm Thrd. x 18mm H. Blanker	6.00	2000 Nos
7	ETLP-01	(25 X11) Ø 22.2mm Legend Plate	------	2000 Nos
8	ETLP-02	(25 X18) Ø 22.2mm Legend Plate	------	2000 Nos
9	ETHL-01	(50mm x 70mm) with ss pin	79.00	500 Nos
10	ETEC-101	END CLAMP / STOPPER	10.00	2500 Nos

● Prices are on Request.

ETLP-01

ETLP-02

ETHL-01
GRAY / BLACK Colour

ETEC-101
Suitable for
Din Rail 35mm

SELF ADHESIVE GASKET TAPE

HSN CODE: 39199020

INDUSTRIAL FOAM GASKET TAPE

PRODUCT SPECIFICATIONS

- Self Life : 1 Years
- Adhesive Side : Single Side
- Peeling Strength : >550gms / 25mm
- Material : EVA FOAM
- Tape Type : Single Side Gasket Type
- Adhesive Type : Pressure Sensitive
- Colour : Black

● Prices are on Request.

PRODUCT SPECIFICATIONS

- Use commonly in sealing Industrial electrical panels, compartments with application even in Bus & Truck body, these Tape most commonly use EVA Foam as the substrate and are coated with an Acrylic Adhesive , Commonly Available in Black Colour .
- **Thickness : 3mm, 5mm & 6mm ,**
- **Widths : 12mm to 100mm.**

STD PACKING	
Thickness	2mm & 3mm
Length	10Mtr Per Roll
Width	Qty. Per Ctn.
12mm	300 Rolls
15mm	240Rolls
20mm	180 Rolls
25mm	144 Rolls
30mm	120 Rolls
40mm	90 Rolls
50mm	72 Rolls

STD PACKING	
Thickness	4,5 & 6mm
Length	10Mtr Per Roll
Width	Qty. Per Ctn.
12mm	180 Rolls
15mm	160 Rolls
20mm	120 Rolls
25mm	96 Rolls
30mm	80 Rolls
40mm	60 Rolls
50mm	48 Rolls

STD PACKING	
Thickness	8mm & 10mm
Length	5Mtr Per Roll
Width	Qty. Per Ctn.
12mm	180 Rolls
15mm	160 Rolls
20mm	120 Rolls
25mm	96 Rolls
30mm	80 Rolls
40mm	60 Rolls
50mm	48 Rolls

White Eva Foam Also Avaible as per Request Kindly note
Price will be High By 7.5% on the above Prices

ELETTRO®

Built For The Challenge

Authorised Dealer

Manufacture by :
K.N. Elettro Industries Pvt. Ltd.
Factory:Daman,-396210.
Web.: www.elettro.in

VABS
Quality | Trust | Integrity

SHREE MAHAVIR
ELECTRICALS

PRICE LIST

Effective Date: 25/05/2024

B TYPE			C TYPE			
SIZE	RATE	STD.PACK	SIZE	RATE	STD.PACK	STD.PACK
H X W	Rs./Mtr	Mtrs/Box	H X W	Rs./Mtr	2 Mtr	1 Mtr
15 X 15	46.00	200	25 X 25	65.00	100	100
25 X 25	63.00	100	30 X 25	73.00	100	100
30 X 25	66.00	100	40 X 25	83.00	100	100
45 X 25	91.00	100	40 X 40	111.00	80	100
45 X 45	114.00	80	45 X 25	92.00	70	100
60 X 25	105.00	100	45 X 45	120.00	50	80
60 X 45	129.00	80	60 X 25	110.00	60	100
60 X 60	155.00	60	60 X 40	125.00	60	80
75 X 25	153.00	60	60 X 45	135.00	60	80
75 X 45	158.00	50	60 X 60	159.00	50	60
75 X 60	174.00	40	60 X 80	219.00	30	40
75 X 75	251.00	35	80 X 25	144.00	50	80
100 X 75	298.00	25	80 X 40	170.00	50	50
100 X 100	442.00	20	80 X 60	221.00	30	40
			80 X 80	278.00	30	35
			80 X 100	335.00	16	30
			100 X 25	214.00	60	50
			100 X 40	223.00	36	50
			100 X 60	296.00	24	40
			100 X 80	350.00	16	30
			100 X 100	472.00	16	20

VABS
Quality | Trust | Integrity

SHREE MAHAVIR
ELECTRICALS

Effective Date: 25/05/2024

A TYPE			TOP COVER PRICE LIST *(A&B)*		
SIZE	**RATE**	**STD.PACK**	**SR.NO**	**SIZE**	**RS/MTR**
H X W	Rs./Mtr	Mtrs/Box	1	25 MM	42.00
15 X 15	46.00	200	2	30 MM	43..00
25 X 25	73.00	140	3	45 MM	56.00
30 X 25	77.00	130	4	60 MM	84.00
45 X 25	112.00	130	5	75 MM	102.00
45 X 45	146.00	80	6	100 MM	117.00
45 X 60	161.00	60			
60 X 25	140.00	100	**TYPE C**		
60 X 45	147.00	60	**SR.NO**	**SIZE**	**RS/MTR**
60 X 60	193.00	50	1	25 MM	41.00
75 X 25	151.00	60	2	40 MM	55.00
75 X 60	249.00	40	3	60 MM	84.00
75 X 75	300.00	35	4	80 MM	102.00
100 X 100	513.00	20	5	100 MM	120.00

SHREE MAHAVIR ELECTRICALS

- Gala no 33, Nav Nandanvan Industrial Estate, Near Gold's Gym, Mulund West, Mumbai – 400080.
- 98203 49933 / 91673 95175
- smele999@gmail.com

Tested & Certified by

PRICE LIST

COPPER BONDED CHEMICAL EARTHING ROD (CBR)

Code	PRODUCT & SPECIFICATION	PRICE
LE-C1410	CBR 14mm X 1 meter	585
LE-C1420	CBR 14mm X 2 meters	1110
LE-C1430	CBR 14mm X 3 meters	1650
LE-C1710	CBR 17.2mm X 1 meter	690
LE-C1720	CBR 17.2mm X 2 meters	1260
LE-C1730	CBR 17.2mm X 3 meters	1800
LE-C2510	CBR 25mm X 1 meter	1380
LE-C2520	CBR 25mm X 2 meters	2760
LE-C2530	CBR 25mm X 3 meters	4050
LE-C3210	CBR 32mm X 1 meter	2040
LE-C3220	CBR 32mm X 2 meters	4050
LE-C3230	CBR 32mm X 3 meters	5850

COPPER BONDED CHEMICAL EARTHING ELECTRODE (CB)

Code	PRODUCT & SPECIFICATION	PRICE
LE-C4810	CB 48mm X 1meter	4050
LE-C4820	CB 48mm X 2meters	2400
LE-C4830	CB 48mm X 3meters	3450
LE-C7610	CB 76mm X 1meter	2100
LE-C7620	CB 76mm X 2meters	3750
LE-C7630	CB 76mm X 3meters	5400

LATH GI CHEMICAL EARTHING ELECTRODE (GI)

Code	PRODUCT & SPECIFICATION	PRICE
LE-G4810	GI 48mm X 1meter	1170
LE-G4820	GI 48mm X 2meters	2070
LE-G4830	GI 48mm X 3meters	2970
LE-G7610	GI 76mm X 1meter	1500
LE-G7620	GI 76mm X 2meters	2700
LE-G7630	GI 76mm X 3meters	3900

LATH PREMIUM BACKFILL COMPOUND (BFC)

Code	PRODUCT & SPECIFICATION	PRICE
LE-BFC15	BACK FILL COMPOUND - 15 Kgs	360
LE-BFC25	BACK FILL COMPOUND - 25 Kgs	585

LATH EARTH PIT COVERS (EPC)

Code	PRODUCT & SPECIFICATION	PRICE
LE-EPC06	MINI ROUND 6"	330
LE-EPC07	MINI ROUND PRO 7"	450
LE-EPC10	JUMBO ROUND 10"	780
LE-EPC12	SQUARE 300x300mm	1140

LATH CONVENTIONAL LIGHTNING ARRESTOR (LA)

Code	PRODUCT & SPECIFICATION	PRICE
LE-CLA14	CB LA 14MM 1M LENGTH, 4 SPIKES & PVC BASE	1050
LE-CLA17	CB LA 17MM 1M LENGTH, 5 SPIKES & BASE PLATE	1650

Terms & Conditions

- Price : Please confirm before placing the order due to volatility in metal prices.
- Taxes : GST @ 18% applicable
- Quantity : Minimum 10 Pieces
- Payment : 30 days

SHREE MAHAVIR ELECTRICALS

SHREE MAHAVIR
ELECTRICALS

33, NAVNANDANVAN INDUSTRIAL ESTATE,
ASHA NAGAR, MULUND WEST, MUMBAI- 400080.

CONTACT: 9820349933 / 9167395175

PRICE-LIST FOR PERFORATED CABLE TRAYS & TRUNKING

w.e.f. 1st Jan. 2024

STANDARD LENGTH :
2.5 METERS, APPROX 8 FEET

Perforated Type

Cable Tray

Cable Duct
Channel / Plain Type

Cable Duct
Multi Compartment

Coupler Plates

Perforated Hoz. / Ver. Bend

Perforated Tee / Cross

F.R.P./S.S./ALU./ Wire Mesh
CABLE TRAYS Also Available

- Floor Junction Boxes available
- GI Earthings Stripp available
- Sintex / National FRP Junction Boxes / Meter Boxes
- Cast Aluminum Junction Box Push Button Station

(A) M.S. / G.I. / HOTDEEPGI / POWDER COATED / PERFORATED TYPE CABLE TRAYS — *RATE PER METER*

Size in MM. WIDTH	18 SWG (APP. 1.20 MM) HEIGHT 25MM	18 SWG (APP. 1.20 MM) HEIGHT 50MM	18 SWG COVER HEIGHT 15MM	16 SWG (APP. 1.50 MM) HEIGHT 25MM	16 SWG (APP. 1.50 MM) HEIGHT 50MM	16 SWG (APP. 1.50 MM) HEIGHT 75MM	14 SWG (APP. 2.00 MM) HEIGHT 25MM	14 SWG (APP. 2.00 MM) HEIGHT 50MM	14 SWG (APP. 2.00 MM) HEIGHT 75MM
50 x 15 H	80	----	----	----	----	----	----	----	----
50	100	150	85	132	198	264	160	240	320
75	125	175	110	165	231	297	200	280	360
100	150	200	135	195	264	330	240	320	400
150	200	250	185	264	330	396	320	400	480
200	250	300	235	330	396	462	400	480	560
250	300	350	285	396	462	528	480	560	640
300	350	400	335	462	528	594	560	640	730
400	450	500	435	594	660	726	720	800	880
450	500	550	485	660	726	792	800	880	960
500	550	600	535	726	792	858	880	960	1040
600	650	700	635	858	924	990	1040	1120	1200
750	----	----	----	----	1122	1188	----	1360	1440
1000	----	----	----	----	----	----	----	1760	1840

(B) FLOOR TRUNKING / DUCT / RACEWAY / — *RATE PER METER*

Size in MM. WIDTH	18 SWG (APP. 1.20 MM.) BASE HEIGHT 40MM	18 SWG (APP. 1.20 MM.) BASE HEIGHT 50MM	18 SWG COVER COIIAR 15MM	16 SWG (APP. 1.50 MM.) BASE HEIGHT 40MM	16 SWG (APP. 1.50 MM.) BASE HEIGHT 50MM	16 SWG COVER COIIAR 15MM	14 SWG (APP. 2.00 MM.) BASE HEIGHT 40MM	14 SWG (APP. 2.00 MM.) BASE HEIGHT 50MM	14 SWG COVER COIIAR 15MM
50	130	150	85	172	198	112	208	240	136
75	155	175	110	205	231	145	248	280	176
100	180	200	135	238	264	178	288	320	216
150	230	250	185	304	330	244	368	400	296
200	280	300	235	370	396	310	448	480	376
250	330	350	285	436	462	376	528	560	456
300	380	400	335	502	528	442	608	640	536
400	440	500	435	581	660	574	768	800	696
Partition	60*	65*	----	80*	90*	----	90*	100*	----
Inside Lips	30*	30*	----	40*	40*	----	48*	48*	----

* Net Price

(1) Coupler Plates with Hardware For 25 / 50 MM Height Cable Trays / Duct : 20 / 30 x 200 mm = 16/-* per piece

(2) Coupler Plates with Hardware Suitable For 75 / 100 MM Height Cable Trays / Duct : 70 x 200 mm = 30/-* per piece

GI & Hotdip Earthing Strip



Copper Earthing Strip

Terms & Conditions :

1. Subject to Mumbai Jurisdiction.
2. GST or Any Other Taxes will be charged extra as applicable.
3. Rates are Ex-Rabale Works-Navi Mumbai
4. Delivery : Ex-stock / within 3 to 5 days.
5. This cancels all our previous price lists.
6. This price list is subject to change without prior notice.

AnyScanner

GI FLOOR BOX

4 X 4	112
6 X 6	150
8 X 8	180
10 X 10	262
12 X 12	312
14 X 14	512
16 X 16	688
18 X 18	812
24 X 24	1500

GI FLOOR BOX COVER

5 X 5	88
7 X 7	106
9 X 9	176
11 X 11	258
13 X 13	350
15 X 15	476
17 X 17	612
19 X 19	762
25 X 25	1326

GI SPACER / GI FLAT BARS

SIZE	1 WAY	2 WAY	3 WAY	4 WAY	5 WAY	6WAY
1/2 "	3.05	6.10	9.30	12.60	16.35	21.00
5/8"	3.55	7.10	10.80	14.80	19.60	24.50
3/4 "	3.55	7.10	10.80	14.80	19.60	24.50
1"	4.00	8.00	12.30	16.60	22.00	27.75
1 ¼"	5.40	10.80	16.60	22.50	-	-
1 ½"	6.50	13.20	19.90	27.00	-	-
2"	8.40	17.30	25.70	35.20	-	-

GI SPACER SCREW: 92/- PKT (200 NOS)

SHREE RAMAYAN ELECTRICALS

Nizwa®

Electrical Solutions

ENJOY THE
Lighting
EXPERIENCE
WITH A
DIFFERENCE



Price List Cum Catalogue 2020-21

Nizwa®

Electrical Solutions

MCB BOX W/O BUS BAR N/L

CODE	TYPE	PRICE PER PC	PKG
001	1 WAY	125.00	1
002	2 WAY	125.00	1
003	3 WAY	150.00	1
004	4 WAY	150.00	1

A/C BOX EMPTY

CODE	TYPE	PRICE PER PC	PKG
005	A/C BOX	175.00	1
006	SOCKET BOX	140.00	1
007	20 TP SOCKET	140.00	1
008	30 TP SOCKET	140.00	1

BIG A/C BOX EMPTY

CODE	TYPE	PRICE PER PC	PKG
009	20 TP AC BOX	225.00	1
010	30 TP AC BOX	225.00	1

BIG 4 WAY MCB BOX EMPTY

CODE	TYPE	PRICE PER PC	PKG
011	5 X 10	300.00	1
012	6 X 12	375.00	1

SPN WHITE LINE

CODE	TYPE	PRICE PER PC	PKG
013	2 X 4 WAY	400.00	1
014	6 X 8 WAY	540.00	1
015	10 X 12 WAY	700.00	1
016	16 X 18	925.00	1

SPN SINGLE DOOR

CODE	TYPE	PRICE PER PC	PKG
017	4 WAY	237.00	1
018	6 WAY	257.00	1
019	8 WAY	297.00	1
020	10 WAY	320.00	1
021	12 WAY	392.00	1
022	16 WAY	523.00	1

SPN DOUBLE DOOR

CODE	TYPE	PRICE PER PC	PKG
023			
024	6 WAY	585.00	1
025	8 WAY	673.00	1
026	10 WAY	780.00	1
027	12 WAY	866.00	1
028	16 WAY	998.00	1

TPN SINGLE DOOR

CODE	TYPE	PRICE PER PC	PKG
029	4 WAY	865.00	1
030	6 WAY	1070.00	1
031	8 WAY	1140.00	1
032	12 WAY	1470.00	1

TPN DOUBLE DOOR

CODE	TYPE	PRICE PER PC	PKG
033	4 WAY	1308.00	1
034	6 WAY	1525.00	1
035	8 WAY	1818.00	1
036	12 WAY	2496.00	1

AC BOX EMPTY WITH PLUG SOCKET

CODE	TYPE	PRICE PER PC	PKG
037	A/C Box with Plug Socket	535.00	1
038	Double A/C Box	550.00	1
039	Triple A/C Box	700.00	1
040	Four A/C Box	900.00	1

MCCB BOX

CODE	TYPE	PRICE PER PC	PKG
041	7 x 12		1
042	7 x 14		1
043	10 x 16		1

DISTRIBUTION BOARDS

PROD. CODE	NO. OF WAYS	M.R.P. ₹	STD./MST. PKG.
SPN DISTRIBUTION BOARD - DOUBLE DOOR (METAL)			
913 101	4 Way (2+2)	1070.00	01/30
913 102	6 Way (2+4)	1200.00	01/24
913 103	8 Way (2+6)	1344.00	01/24
913 106	10 Way (2+8)	1500.00	01/20
913 104	12 Way (2+10)	1650.00	01/16
913 105	16 Way (2+14)	1980.00	01/12

PROD. CODE	NO. OF WAYS	M.R.P. ₹	STD./MST. PKG.
TPN DISTRIBUTION BOARD - DOUBLE DOOR (METAL)			
915 101	4 Way (4+12)	3200.00	01/07
915 102	6 Way (6+18)	3920.00	01/05
915 103	8 Way (8+24)	4470.00	01/05
915 104	12 Way (12+36)	6363.00	01/03

PROD. CODE	NO. OF WAYS	M.R.P. ₹	STD./MST. PKG.
MCB ENCLOSURE FITTED WITH DIN RAIL			
917 101	02/03 Way	284.00	01/114
917 102	04 Way	326.00	01/96

PROD. CODE	NO. OF WAYS	M.R.P. ₹	STD./MST. PKG.
New **MCB ENCLOSURE FITTED WITH DIN RAIL (PLASTIC)**			
917 103	01/02 Way	75.00	10/240
917 104	03/04 Way	110.00	05/80

Protection from Rust & Corrosion

Earth Terminal

Neutral Link

Surface Mounting

Busbar

CRCA

RM National®

FRP / SMC / JUNCTION BOX / METER BOX / FRP CABLE TRAY



Its Never too Late for Right Chance

Scanned by CamScanner

Code : **MB 2525**
Size : **250 x 250 x 150 mm**
: **Single Phase Meter Box**
HSN Code : **8538**

Code : **MB 2520**
Size : **250 x 200 x 150 mm**
: **Single Phase Meter Box**
HSN Code : **8538**

Code : **MB 4030**
Size : **400 x 300 x 200 mm**
: **3 Phase Meter Box**
HSN Code : **8538**

- **FRP Pole Boxes Test Results**
- **Anti-Pollution :** Conducted for Acids, Alkalis, Sulphate Chlorides and Nitrates. Chemecal attacks showed no deterioration.
- **Insulation Resistance :** At 500 V DC withstood at 16 x 10 mega ohms.
- Rain / Moisture : Withstood at 60 x 10 mega ohm.
- **Water Absorption :** After 24 hours, absorption of water was a negligible 0.15% when the specification requirement is 0.5%.
- **High Voltage :** Withstood application of 2500 V AC rms 50 HZ for 1 minute.
  Impact : Withstood 10 chemical blows to various points of distribution box.
- **Heat :** At 125C ± 2° C (Direct Heat) the expansion of the box was 1.6 mm, when specification requirement is 2 mm.
- **Temperature Rise :** In the fully conected mode the operational temperature rise was only 2° C at rated current 16A for 10 hours, when specification requirement is 15° C

Scanned by CamScanner

CHANDAN ELECTROTECH PVT. LTD.

STREET LIGHT POLE BOX

DIOS DS 1512 - 06 X 05 X 04 inch SIZE: 150 X 125 X 100 mm	DIOS DS 2520 - 10 X 085 X 04 inch SIZE: 250 X 200 X 100 mm	DIOS DS 3020 - 12 X 08 X 05 inch SIZE: 300 X 200 X 125 mm

FITTINGS	TF – Terminal Fuse, TM – Terminal MCB Chanel, OM – Only MCB Chanel, EM – Empty

DISTRIBUTION / METER BOX

DIOS DSJB 2522 - 10 X 09 X 05 inch SIZE: 250 X 220 X 120 mm	DIOS DSJB 2522-D - 10 X 09 X 06 inch SIZE: 250 X 220 X 160 mm	DIOS DSJB 3020 - 12 X 08 X 04 inch SIZE: 300 X 200 X 105 mm
		DIOS DSJB 2218 - 09 X 07 X 04 inch SIZE: 220 X 180 X 100 mm COMING IN 2023 DIOS DSJB 4537 - 18 X 15 X 08 inch SIZE: 450 X 375 X 200 mm
DIOS DSJB 3525 - 14 X 10 X 06 inch SIZE: 350 X 250 X 140 mm	DIOS DSJB 4030 - 16 X 12 X 08 inch SIZE: 400 X 300 X 200 mm	

DIOS DSJB 5040 - 20 X 16 X 08 inch SIZE: 500 X 400 X 200 mm	DIOS DSMB 2522 - 10 X 09 X 05 inch SIZE: 250 X 220 X 120 mm	DIOS DSMB 3525 - 14 X 10 X 06 inch SIZE: 350 X 250 X 140 mm
DIOS DSMB 4030 - 16 X 12 X 08 inch SIZE: 400 X 300 X 200 mm	DSMB 4030 D/G - 16 X 12 X 08 inch SIZE: 400 X 300 X 200 mm	DIOS DSMB 5040 - 20 X 16 X 08 inch SIZE: 500 X 400 X 200 mm
DIOS DSMB 5628 - 22 X 11 X 06 inch SIZE: 560 X 280 X 150 mm	NIGHT GLOW EFFECT BALL AND DOME	CONNECTOR PLATES FOR OCTAGONAL POLES AND 4 WAY TERMINAL PLATE

Weather-proof HT-6 way used for 6 MCB fitting or 4-switch socket and more combinations with LED indication.

PVC industrial socket boxes

2 way empty	₹250
3 way empty	₹315
4 way empty	₹400
6 way empty	₹625
2 way with 16A socket	₹450
3 way with 16A socket	₹615
4 way with 16A socket	₹800
6 way with 16A socket	₹1225
2 way with 32A socket	₹600
3 way with 32A socket	₹840
4 way with 32A socket	₹1200
6 way with 32A socket	₹1675

DISTRIBUTION BOX

HT SERIES - DISTRIBUTION BOX

Panel is the ABS material for the engineering, high strength, never change color, the transparent material is PC.

Cover push-type opening and closing

Face covering of the distribution box adopts the push-type opening and closing mode, the face mask can be opened by

pressing lightly, the self-locking positioning hinge structure is provided when opening.

Wiring design of the power distribution box

The guide rail support plate can be lifted to the highest movable point, it is no longer limited by the narrow space when installing the wire. To install easily, the switch of the distribution box is set up with the wire groove and wire pipe exit-holes, which are easy to use for a variety of wire grooves and wire pipes.

Model	Dimensions		
	L(mm)	W (mm)	H (mm)
JG-HT-2P	57	124	70
JG-HT-5P	119	159	90
JG-HT-12P	255	198	108
JG-HT-18P	363	198	108
JG-HT-24P	363	280	108

56CB SERIES MCB BOX

Model	Specification
JG-56CB4N	4 Way Mcb Box With Indicator
JG-56CB8N	8 Way Mcb Box With Indicator
JG-56CB4N A	4 Way Mcb Box With Indicator and 15A 3 Pin Socket
JG-56CB8N A	8 Way Mcb Box With Indicator and 32A 5 Pin Socket

CRIMPING TOOLS - FOR CABLE LUGS

JG-YQK300

- It is applied to overthead distribution and press connection for copper terminals and sleeve of underground cable.
- Hexagonal mould is adopted to ensure tight press connection, good electric conduction and non-easy shedding.

Range of application	10-185mm^2 (Al Terminal)
	16-300mm^2 (Cu Terminal)
Crimping force	8ton
Stroke	16mm
Standard	16,25,35,50,70,95,120,150,185,240,300mm^2
Weight	6.4Kg
Packaging Size	755x130x230mm
Package	Plastic case

JG-FYQ-400

Range of application	50-400mm^2
Crimping force	16ton
Stroke	20mm
Standard	50,70,95,120,150,185,240,300 400mm^2
Weight	9Kg
Packaging Size	355x90x155mm
Package	Steel case

Respected Sir & Madam, **Date-29.08.2022**

"ELETTRO" brand quality product, further in connection with the same please find enclosed herewith our Price List dated 15.03.22 for your kind perusal. Our Terms &Conditions for sale are as follow.

PRICE LIST EFFICETIVE FROM 1ST SEP. 2022

NO.	GASKET SIZE	MTR.IN ROLL	PRICE PER ROLL	STD.PACKING
1)	3MMx10MM BLACK	10 Mtr. Roll	36.00	300 ROLL
2)	3MMx15MM BLACK	10 Mtr. Roll	53.00	240 ROLL
3)	3MMx20MM BLACK	10 Mtr. Roll	70.00	180ROLL
4)	3MMx25MM BLACK	10 Mtr. Roll	89.00	144 ROLL
5)	3MMx30MM BLACK	10 Mtr. Roll	106.00	120 ROLL
6)	3MMx40MM BLACK	10 Mtr. Roll	140.00	90 ROLL
7)	3MMx50MM BLACK	10 Mtr. Roll	174.00	72 ROLL
8)	3MMx60MM BLACK	10 Mtr. Roll	210.00	--
9)	3MMx80MM BLACK	10 Mtr. Roll	278.00	--
10)	3MMx100MM BLACK	10 Mtr. Roll	345.00	--
11)	5MMx15MM BLACK	10 Mtr. Roll	74.00	150 ROLL
12)	5MMx20MM BLACK	10 Mtr. Roll	99.00	120 ROLL
13)	5MMx25MM BLACK	10 Mtr. Roll	124.00	96 ROLL
14)	5MMx30MM BLACK	10 Mtr. Roll	148.00	100ROLL
15)	5MMx40MM BLACK	10 Mtr. Roll	198.00	60 ROLL
16)	5MMx50MM BLACK	10 Mtr. Roll	244.00	80 ROLL
17)	5MMx60MM BLACK	10 Mtr. Roll	292.00	--
18)	5MMx80MM BLACK	10 Mtr. Roll	390.00	--
19)	5MMx100MM BLACK	10 Mtr. Roll	488.00	--
20)	2MMX25MM WHITE	10 Mtr. Roll	75.00	--
21)	2MMX15MM WHITE	10 Mtr. Roll	45.00	--

DISCOUNT- AS PER SAME ..

PAYMENT TERMS –AS APPLICABLE

TAXES-18% GST

PRICES –EX.DAMAN FACTORY

Your Cooperation will be highly appreciated

REGARDS
M/S.JAINSON CABINET ACCESSORIES.

Authorized sign.