

**SALZER ELECTRONICS LIMITED**  
**LIST PRICE W.E.F 10<sup>TH</sup> JAN 2024**

**I. FR PVC Insulated Single Core Unsheathed with Multistrand bare Copper Conductor**  
Voltage Grade 1.1kV(1100V), Conforming to IS:694-1990

| <b>FR PVC Insulated House Wires 90 Mtr</b> |             |         |              |                         |             |
|--|-------------|---------|--------------|-------------------------|-------------|
| Current Carrying                           | Code        | Size in | Construction | List Price in Rs./ Coil | Std Packing |
| Capacity in A                              |             | Sq.mm   |              |                         |             |
| 7  | SHR0007P*A0 | 0.75    | 24/0.20      | 1270                    | 20          |
| 11   | SHR0010P*A0 | 1.00    | 14/0.30      | 1669                    | 16          |
| 14   | SHR0015P*A0 | 1.50    | 22/0.30      | 2510                    | 10          |
| 19   | SHR0025P*A0 | 2.50    | 36/0.30      | 3986                    | 8           |
| 26   | SHR0040P*A0 | 4.00    | 56/0.30      | 5864                    | 5           |
| 31   | SHR0060P*A0 | 6.00    | 84/0.30      | 8806                    | 4           |
| 45   | SHR0100P*A0 | 10.00   | 80/0.40      | 15384                   | 1           |
| 60   | SHR0160P*A0 | 16.00   | 126/0.40     | 24075                   | 1           |

| <b>FR PVC Insulated House Wires 180 Mtr</b> |             |         |              |                         |             |
|---|-------------|---------|--------------|-------------------------|-------------|
| Current Carrying                            | Code        | Size in | Construction | List Price in Rs./ Coil | Std Packing |
| Capacity in A                               |             | Sq.mm   |              |                         |             |
| 11  | SHR0010P*AJ | 1.00    | 14/0.30      | 3390                    | 8           |
| 14  | SHR0015P*AJ | 1.50    | 22/0.30      | 4972                    | 6           |
| 19  | SHR0025P*AJ | 2.50    | 36/0.30      | 7928                    | 4           |
| 26  | SHR0040P*AJ | 4.00    | 56/0.30      | 11673                   | 3           |
| 31  | SHR0060P*AJ | 6.00    | 84/0.30      | 17508                   | 2           |

Colour of Insulation : Red, Yellow, Blue, Green, Black, Grey & White

\* - Color of Insulation

A - Red, B- Yellow, C-Blue, D- Green , E- Black , F- Grey, T-White

**SALZER ELECTRONICS LIMITED**  
**LIST PRICE W.E.F 10<sup>TH</sup> JAN 2024**

**II. FLAME RETARDENT LOW SMOKE (FRLSH) PVC Insulated Single Core Unsheathed with Multistrand bare Copper Conductor**

Voltage Grade 1.1kV(1100V), Conforming to IS:694-1990

| <b>FRLSH PVC Insulated House Wires 90 Mtr</b> |             |                |                     |                                |                    |
|---|-------------|----------------|---------------------|--------------------------------|--------------------|
| <b>Current Carrying</b>                       | <b>Code</b> | <b>Size in</b> | <b>Construction</b> | <b>List Price in Rs./ Coil</b> | <b>Std Packing</b> |
| <b>Capacity in A</b>                          |             | <b>Sq.mm</b>   |                     |                                |                    |
| 11  | SHR0010S*A0 | 1.00           | 14/0.30             | 1836                           | 16                 |
| 14  | SHR0015S*A0 | 1.50           | 22/0.30             | 2683                           | 10                 |
| 19  | SHR0025S*A0 | 2.50           | 36/0.30             | 4225                           | 8                  |
| 26  | SHR0040P*A0 | 4.00           | 56/0.30             | 6204                           | 5                  |
| 31  | SHR0060S*A0 | 6.00           | 84/0.30             | 9224                           | 4                  |
| 45  | SHR0100S*A0 | 10.00          | 80/0.40             | 16145                          | 1                  |
| 60  | SHR0160S*A0 | 16.00          | 126/0.40            | 25259                          | 1                  |

| <b>FRLSH PVC Insulated House Wires 180 Mtr</b> |             |                |                     |                                |                    |
|--|-------------|----------------|---------------------|--------------------------------|--------------------|
| <b>Current Carrying</b>                        | <b>Code</b> | <b>Size in</b> | <b>Construction</b> | <b>List Price in Rs./ Coil</b> | <b>Std Packing</b> |
| <b>Capacity in A</b>                           |             | <b>Sq.mm</b>   |                     |                                |                    |
| 11   | SHR0010S*AJ | 1.00           | 14/0.30             | 3612                           | 8                  |
| 14   | SHR0015S*AJ | 1.50           | 22/0.30             | 5275                           | 6                  |
| 19   | SHR0025S*AJ | 2.50           | 36/0.30             | 8294                           | 4                  |
| 26   | SHR0040S*AJ | 4.00           | 56/0.30             | 12214                          | 3                  |
| 31   | SHR0060S*AJ | 6.00           | 84/0.30             | 18203                          | 2                  |

AS per IS : 3961

\* - Color of Insulation

A - Red, B- Yellow, C-Blue, D- Green , E- Black , F- Grey, T-White

GST : @18% extra as applicable

**SALZER ELECTRONICS LIMITED**  
**LIST PRICE W.E.F 10<sup>TH</sup> JAN 2024**

| <b>Halogen Free Insulated House Wire 100 Mtr</b> |             |                |                     |                                |                    |
|--|-------------|----------------|---------------------|--------------------------------|--------------------|
| <b>Current Carrying</b>                          | <b>Code</b> | <b>Size in</b> | <b>Construction</b> | <b>List Price in Rs./ Coil</b> | <b>Std Packing</b> |
| <b>Capacity in A</b>                             |             | <b>Sq.mm</b>   |                     |                                |                    |
| 4  | SZR0005P*A0 | 0.50           | 16/0.30             | 1294                           | 20                 |
| 7  | SZR0007P*A0 | 0.75           | 24/0.30             | 1755                           | 20                 |
| 11   | SZR0010P*A0 | 1.00           | 14/0.30             | 2119                           | 16                 |
| 14   | SZR0015P*A0 | 1.50           | 22/0.30             | 3145                           | 10                 |
| 19   | SZR0025P*A0 | 2.50           | 36/0.30             | 5001                           | 8                  |
| 26   | SZR0040P*A0 | 4.00           | 56/0.30             | 7426                           | 5                  |
| 31   | SZR0060P*A0 | 6.00           | 84/0.30             | 10970                          | 4                  |
| 45   | SZR0100P*A0 | 10.00          | 80/0.40             | 19012                          | 1                  |
| 60   | SZR0100P*A0 | 16.00          | 126/0.40            | 29253                          | 1                  |

| <b>Single core FR PVC Insulated Flexi Cables -100 Mtr</b> |             |             |                     |                             |                    |
|---|-------------|-------------|---------------------|-----------------------------|--------------------|
| <b>Current Carrying</b>                                   | <b>Code</b> | <b>Size</b> | <b>Construction</b> | <b>List Price Rs./ Coil</b> | <b>Std Packing</b> |
| 4   | SFR0005P*A0 | 0.5         | 16/0.20             | 1070                        | 24                 |
| 7   | SFR0007P*A0 | 0.75        | 24/0.20             | 1483                        | 24                 |
| 1   | SFR0010P*A0 | 1           | 32/0.20             | 1874                        | 16                 |
| 1.5   | SFR0015P*A0 | 1.5         | 30/0.25             | 2677                        | 10                 |
| 2.5   | SFR0025P*A0 | 2.5         | 50/0.25             | 4400                        | 8                  |
| 4   | SFR0040P*A0 | 4           | 56/0.30             | 6965                        | 5                  |
| 6   | SFR0060P*A0 | 6           | 84/0.30             | 10397                       | 4                  |
| 10  | SFR0100P*A0 | 10          | 80/0.40             | 17904                       | 1                  |
| 16  | SFR0160P*A0 | 16          | 126/0.40            | 27671                       | 1                  |
| 25  | SFR0250P*A0 | 25          | 196/0.40            | 44251                       | 1                  |
| 35  | SFR0350P*A0 | 35          | 276/0.40            | 62587                       | 1                  |
| 50  | SFR0500P*A0 | 50          | 396/0.40            | 90244                       | 1                  |
| 70  | SFR0700P*A0 | 70          | 354/0.50            | 124969                      | 1                  |
| 95  | SFR0950P*A0 | 95          | 484/0.50            | 162415                      | 1                  |
| 120   | SFR1200P*A0 | 120         | 608/0.50            | 205346                      | 1                  |
| 150   | SFR1500P*A0 | 150         | 750/0.50            | 256929                      | 1                  |
| 185   | SFR1850P*A0 | 185         | 925/0.50            | 318878                      | 1                  |
| 240   | SFR2400P*A0 | 240         | 1210/0.50           | 435752                      | 1                  |
| 300   | SFR3000P*A0 | 300         | 1527/0.50           | 545458                      | 1                  |
| 400   | SFR4000P*A0 | 400         | 2036/0.50           | 722156                      | 1                  |

**SALZER ELECTRONICS LIMITED**  
**LIST PRICE W.E.F 10<sup>TH</sup> JAN 2024**

| <b>Two Core FR PVC Insulated Flexi Cables -100 Mtr</b> |                              |              |             |               |
|--|------------------------------|--------------|-------------|---------------|
| Sq.mm  | As per IS3961 current rating | Construction | Code        | 100 Mtr/ Unit |
| 0.5  | 4                            | 16/0.20      | SFR0005P*B0 | 3205          |
| 0.75   | 7                            | 24/0.20      | SFR0007P*B0 | 3995          |
| 1  | 11                           | 32/0.20      | SFR0010P*B0 | 4976          |
| 1.5  | 14                           | 30/0.25      | SFR0015P*B0 | 6801          |
| 2.5  | 19                           | 50/0.25      | SFR0025P*B0 | 10838         |
| 4  | 26                           | 56/0.25      | SFR0040P*B0 | 16359         |
| 6  | 33                           | 84/0.30      | SFR0060P*B0 | 23980         |
| 10   | 45                           | 80/0.40      | SFR0100P*B0 | 41363         |

| <b>Three Core FR PVC Insulated Flexi Cables -100 Mtr</b> |                              |              |             |               |
|--|------------------------------|--------------|-------------|---------------|
| Sq.mm  | As per IS3961 current rating | Construction | Code        | 100 Mtr/ Unit |
| 0.5  | 4                            | 16/0.20      | SFR0005P*C0 | 4335          |
| 0.75   | 7                            | 24/0.20      | SFR0007P*C0 | 5531          |
| 1  | 11                           | 32/0.20      | SFR0010P*C0 | 6835          |
| 1.5  | 14                           | 30/0.25      | SFR0015P*C0 | 9301          |
| 2.5  | 19                           | 50/0.25      | SFR0025P*C0 | 14997         |
| 4  | 26                           | 56/0.25      | SFR0040P*C0 | 23099         |
| 6  | 33                           | 84/0.30      | SFR0060P*C0 | 34331         |
| 10   | 45                           | 80/0.40      | SFR0100P*C0 | 59545         |
| 16   | 60                           | 16/0.20      | SFR0160P*C0 | 91780         |

| <b>Four Core FR PVC Insulated Flexi Cables -100 Mtr</b> |                              |              |             |               |
|---|------------------------------|--------------|-------------|---------------|
| Sq.mm   | As per IS3961 current rating | Construction | Code        | 100 Mtr/ Unit |
| 0.5   | 4                            | 16/0.20      | SFR0005P*D0 | 5356          |
| 0.75  | 7                            | 24/0.20      | SFR0007P*D0 | 7122          |
| 1   | 11                           | 32/0.20      | SFR0010P*D0 | 8865          |
| 1.5   | 14                           | 30/0.25      | SFR0015P*D0 | 12497         |
| 2.5   | 19                           | 50/0.25      | SFR0025P*D0 | 20384         |
| 4   | 26                           | 56/0.25      | SFR0040P*D0 | 30205         |
| 6   | 33                           | 84/0.30      | SFR0060P*D0 | 45480         |
| 10  | 45                           | 80/0.40      | SFR0100P*D0 | 78362         |
| 16  | 60                           | 16/0.20      | SFR0160P*D0 | 121537        |

Replace \* with color code |A-Red|B-Yellow|C-Blue|  
D- Green|E-Black|F-Grey|T-White

**SALZER ELECTRONICS LIMITED  
LIST PRICE W.E.F 10<sup>TH</sup> JAN 2024**

| <b>Single Core FRLS PVC Insulated Flexi Cables -100 Mtr</b> |             |             |                     |                             |                    |
|---|-------------|-------------|---------------------|-----------------------------|--------------------|
| <b>Current Carrying</b>                                     | <b>Code</b> | <b>Size</b> | <b>Construction</b> | <b>List Price Rs./ Coil</b> | <b>Std Packing</b> |
| 4   | SFR0005S*A0 | 0.5         | 16/0.20             | 1158                        | 24                 |
| 7   | SFR0007S*A0 | 0.75        | 24/0.20             | 1613                        | 24                 |
| 1   | SFR0010S*A0 | 1           | 32/0.20             | 2027                        | 16                 |
| 1.5   | SFR0015S*A0 | 1.5         | 30/0.25             | 2882                        | 10                 |
| 2.5   | SFR0025S*A0 | 2.5         | 50/0.25             | 4717                        | 8                  |
| 4   | SFR0040S*A0 | 4           | 56/0.30             | 7455                        | 5                  |
| 6   | SFR0060S*A0 | 6           | 84/0.30             | 11081                       | 4                  |
| 10  | SFR0100S*A0 | 10          | 80/0.40             | 19060                       | 1                  |
| 16  | SFR0160S*A0 | 16          | 126/0.40            | 29463                       | 1                  |
| 25  | SFR0250S*A0 | 25          | 196/0.40            | 47116                       | 1                  |
| 35  | SFR0350S*A0 | 35          | 276/0.40            | 66637                       | 1                  |
| 50  | SFR0500S*A0 | 50          | 396/0.40            | 96075                       | 1                  |
| 70  | SFR0700S*A0 | 70          | 354/0.50            | 133062                      | 1                  |
| 95  | SFR0950S*A0 | 95          | 484/0.50            | 172849                      | 1                  |
| 120   | SFR1200S*A0 | 120         | 608/0.50            | 218639                      | 1                  |
| 150   | SFR1500S*A0 | 150         | 750/0.50            | 273557                      | 1                  |
| 185   | SFR1850S*A0 | 185         | 925/0.50            | 339523                      | 1                  |
| 240   | SFR2400S*A0 | 240         | 1210/0.50           | 463964                      | 1                  |
| 300   | SFR3000S*A0 | 300         | 1527/0.50           | 580772                      | 1                  |
| 400   | SFR4000S*A0 | 400         | 2036/0.50           | 779865                      | 1                  |

Replace \* with color code |A-Red|B-Yellow|C-Blue|  
D- Green|E-Black|F-Grey|T-White

**SALZER ELECTRONICS LIMITED  
LIST PRICE W.E.F 10<sup>TH</sup> JAN 2024**

| CCTV CABLE |                |            |         |           |
|------------|----------------|------------|---------|-----------|
| Category   | Description    | Code       | Size    | Rate/Coil |
| CCTV CABLE | 3+1 CCTV Cable | CCTV3*1WHG | 90 Mtr  | 3446      |
| CCTV CABLE | 3+1 CCTV Cable | CCTV3*1WHH | 180 Mtr | 6830      |
|            |                |            |         |           |
| CCTV CABLE | 4+1 CCTV Cable | CCTV4*1WHG | 90 Mtr  | 4183      |
| CCTV CABLE | 4+1 CCTV Cable | CCTV4*1WHH | 180 Mtr | 8232      |

| LAN CABLES   |                               |                          |              |           |
|--------------|-------------------------------|--------------------------|--------------|-----------|
| Category     | Description                   | Std Pack/Pkg Type        | Code         | Rate/Coil |
|              |                               |                          |              |           |
| Cat 5e-24AWG | Solid Cable 4 Pair UTP Cat 5e | 305 Mtr Tangle Free Coil | SE24UTP BL A | 12953     |
| Cat 5e-24AWG | Solid Cable 4 Pair UTP Cat 5e | 305 Mtr Reel in Box      | SE24UTP BL B | 13311     |
| Cat 5e-24AWG | Solid Cable 4 Pair UTP Cat 5e | 100 Mtrs in Coil         | SE24UTP BL C | 4718      |
|              |                               |                          |              |           |
| Cat6-24AWG   | Solid Cable 4 Pair UTP Cat 6  | 305 Mtr Tangle Free Coil | S624UTP BL A | 13823     |
| Cat6-24AWG   | Solid Cable 4 Pair UTP Cat 6  | 305 Mtr Reel in Box      | S624UTP BL B | 14130     |
| Cat6-24AWG   | Solid Cable 4 Pair UTP Cat 6  | 100 Mtrs in Coil         | S624UTP BL C | 4464      |
|              |                               |                          |              |           |
| Cat6-23AWG   | Solid Cable 4 Pair UTP Cat 6  | 305 Mtr Tangle Free Coil | S623UTP BL A | 15052     |
| Cat6-23AWG   | Solid Cable 4 Pair UTP Cat 6  | 305 Mtr Reel in Box      | S623UTP BL B | 15359     |
| Cat6-23AWG   | Solid Cable 4 Pair UTP Cat 6  | 100 Mtrs in Coil         | S623UTP BL C | 4864      |

**Lan Cable Standard Color : Blue**  
**Other colors can be supplied - MOQ 3000 Mtrs**

GST : @18% extra as applicable

\*\*\*\*\*