


Price List With Effect From 15/04/2022



**TARGET**

**Trusted Name in Indication Industry**

# TARGET



## Electronic Hooter

96mm x 96mm (Variable Tone)

**Housing :** Acrylonitrile Butadiene Styrene (Black/Red)

**Audible Range :** 100 db Approx. (at 1 Meter )

**Mounting :** Flush/Base/Wall

**Tone :** Black Cabinet-Intermittent / Red Cabinet-Siren

**Input Voltage :** 12V/24/30V/48V / 110V DC,110V/230V AC

### Tone: Intermittent

Description	Model No.	Price
Flush Mounting	96-EHS	1140
Base Mounting	96-EHS-B	1210
Wall Mounting	96-EHS-W	1210
Potential Free Contact	96-EHP	1140
With 5mm LED	96-EHL	1215
With Volume Control	96-EHV	1360
With Volume & LED	96-EHVL	1420
With Acceptance	96-EHA	2080
With Volume & Acceptance	96-EHVA	2290



### Tone: Siren

Description	Model No.	Price
Flush Mounting	96-EHS-S3	1260
Base Mounting	96-EHS-S3-B	1330
Wall Mounting	96-EHS-S3-W	1330
With Volume Control	96-EHV-S3	1455



### Tone: Musical

Description	Model No.	Price
Flush Mounting	96-EHM	1260
Base Mounting	96-EHM-B	1330
Wall Mounting	96-EHM-W	1330
With Volume Control	96-EHMV	1480

### Universal Input Voltage

Tone	Voltage	Model No.	Price
Intermittent	24V to 250V AC/DC	96-EHU	1770
Siren	24V to 250V AC/DC	96-EHU-S3	1890

# TARGET



## Electronic Hooter 72mm x 72mm (Selectable Tone )

**Housing :** Acrylonitrile Butadiene Styrene (Black/Red)  
**Audible range :** 90 db Approx. (at 1 Meter )  
**Mounting :** Flush/Base/Wall  
**Tone :** Black Cabinet-Intermittent /Red Cabinet-Siren  
**Input Voltage :** 12V/24V DC,110V/230V AC

### Tone: Intermittent

Description	Model No.	Price
Flush Mounting	72-EHS	1100
Base Mounting	72-EHS-B	1100
Wall Mounting	72-EHS-W	1100

### Tone: Siren

Description	Model No.	Price
Flush Mounting	72-EHS-S3	1180
Base Mounting	72-EHS-S3-B	1180
Wall Mounting	72-EHS-S3-W	1180



## Electronic Hooter 144mm x 144mm (Variable Tone )

**Housing :** Acrylonitrile Butadiene Styrene ( Gray)  
**Audible range:** 107 db Approx. (at 1 Meter )  
**Mounting :** Flush/Base  
**Tone :** Intermittent /Siren  
**Input Voltage :** 12V/24V/30V/48/110V DC,110V/230V AC

### Tone: Intermittent

Description	Model No.	Price
Electronic Hooter with 10mm LED	144-EHL	3930
With Acceptance	144-EHA	4250
Potential Free Contact	144-EHP	3930

### Tone: Siren

Description	Model No.	Price
Electronic Hooter with 10mm LED	144-EHL-S3	3400




## Electronic Circuit with Detachable Speaker

**Housing :** Acrylonitrile Butadiene Styrene  
**Cabinet Size :** 113mm X 113mm  
**Tone :** Black Cabinet-Intermittent / Red Cabinet-Siren  
**Speaker :** P.A or Target  
**Input Voltage :** 12V/24V/30V/48V / 110V DC,110V /230V AC

### Tone: Intermittent

Description	Model No.	Price
113mm x 113mm	DEH	3535
96mm Speaker	Economy	1410

# TARGET



## Electronic Hooter / Siren (Hivol)

**Housing :** M. S. with Powder Coating

**Cabinet Size :** 213 mm x 137mm

**Tone :** Intermittent / Siren

**Audible Rang :** 113db Approx. (at 1 Meter)

**Input Voltage :** 12V/24/30V/48V DC,110V/230V AC

Description	Tone	Model No.	Price
213mm x 137mm	Intermittent	HVH	6315
213mm x 137mm	Siren	HVS	6420

\*please Confirm the size



## Electronic Buzzer

**48mm X 48mm**

**Housing :** Acrylonitrile Butadiene Styrene (Black)

**Audible Range :** 85 db Approx. (at 1Feet )

**Mounting :** Flush/Base/Wall

**Tone :** Intermittent

**Input Voltage :** 12V/24V/30V/48V/ 110V DC,110V/230V AC

### Tone Intrmittent

Description	Model No.	Price
Flush Mounting	48-EBS	850
Base Mounting	48-EBB	850
Wall Mounting	48-EBW	850



## Tower Light (LED) Steady + Flasher + Buzzer

**Housing :** Acrylonitrile Butadiene Styrene  
**Lens :** Styrene Acrylonitrile  
**Lens Colour :** Red,Amber,Green,Blue,White  
**Audible Range :** 70 db Approx.(at 1 feet)  
**Input Voltage :** 12V/24V DC,110V /230V AC

Steady		
Stock	Model No.	Price
1	1-LTSS	2340
2	2-LTSS	2760
3	3-LTSS	3155
4	4-LTSS	3980
5	5-LTSS	4720

Steady + Buzzer		
Stock	Model No.	Price
1	1-LTSSB	2800
2	2-LTSSB	3220
3	3-LTSSB	3640
4	4-LTSSB	4435
5	5-LTSSB	5190

Steady+ Flasher		
Stock	Model No.	Price
1	1-LTS	2460
2	2-LTS	2920
3	3-LTS	3320
4	4-LTS	4065
5	5-LTS	4800

Steady + Flasher+Buzzer		
Stock	Model No.	Price
1	1-LTSB	2920
2	2-LTSB	3380
3	3-LTSB	3780
4	4-LTSB	4565
5	5-LTSB	5270

\* For Blue & White Lens Colour Charge will be Rs. 450 Extra.

## Mounting Rod(SS)

Description	Price
150mm	600
300mm	750

HSN Code-72



## Revolving Light with or without Buzzer ( LED )

**Housing :** Acrylonitrile Butadiene Styrene  
**Lens :** Polycarbonate  
**Lens Colour :** Red,Amber,Green,White,Blue(Blue LED with Clear Lens)  
**Audible Range :** 70 db Approx.(at 1 feet)  
**Input Voltage :** 12V/24V DC,110V /230V AC

Revolving	Model No.	Lens Colour	Price
LED	LR	Red,Amber,Green	3475
LED	LR	White,Blue	4120
LED	LRB	Red,Amber,Green	3805
LED	LRB	White,Blue	4440



## Flasher with or without Buzzer (LED)

**Housing :** Acrylonitrile Butadiene Styrene  
**Lens :** Styrene Acrylonitrile  
**Lens Colour :** Red, Amber, Green,Blue,White  
**Audible Range :** 70 db Approx.(at 1 feet)  
**Input Voltage :** 12V/24V/48V DC,110V /230V AC

Flasher	Model No.	Lens Colour	Price
LED	CFL	Red,Amber,Green	1725
LED	CFL	White,Blue	2040
LED	CFLB	Red,Amber,Green	2075
LED	CFLB	White,Blue	2390


# TARGET



## 22.5mm Indicating Lamp with or without Buzzer

**Housing :** Acrylonitrile Butadiene Styrene  
**Lens Colour :** Red, Amber, Green, Blue, White  
**Audible Range :** 70 db Approx. (at 1 feet)  
**Input Voltage :** 12V/24V DC/110V/220V AC or DC

Description	Model No.	Price
Buzzer	RB	395
Steady Lamp	SR	198
Flasher Lamp	FR	565
Steady Lamp + Buzzer	SRB	630
Flasher Lamp + Buzzer	FRB	630



## Busbar Indication

**Housing :** M. S. with Powder Coating  
**Lens Base Housing :** Acrylonitrile Butadiene Styrene  
**Lens :** Styrene Acrylonitrile  
**Lens Colour :** Red, Amber, Blue  
**Input Voltage :** 230V AC

Tone: Siren		
Description	Model No.	Price
Busbar Indication	BI	5505



## Electronic Hooter with Tower Light

**Housing :** Acrylonitrile Butadine Styrene  
**Base Patti :** M.S. Powder Coating  
**Audible Range :** 100 db Approx. (at 1 Meter )  
**Mounting :** Base/Wall  
**Tone :** Black Cabinet- Intermittent / Red Cabinet- Siren  
**Lens :** Styrene Acrylonitrile  
**Lens Colour :** Red, Amber, Green, Blue, White  
**Input Voltage :** 12V /24V DC/110V/230V AC

Tone: Siren	
Model No	Price
96-EHS-1-LTS	3605
96-EHS-2-LTS	4065
96-EHS-3-LTS	4455

*\*Please Specify Hooter with Flasher or Steady*



## Electronic Hooter with Revolving Light Hooter/ Revolving

**Housing :** Acrylonitrile Butadine Styrene  
**Audible Range :** 100 db Approx. (at 1 Meter )  
**Mounting :** Base/Wall  
**Tone :** Black Cabinet- Intermittent / Red Cabinet- Siren  
**Lens :** Polycarbonate  
**Lens Colour :** Red, Amber, Green, White, Blue (Blue LED with Clear Lens)  
**Revolving :** LED Version  
**Input Voltage :** 12V/24VDC, 110V/230V AC

Revolving	Tone	Caninet Colour	Model No.	Price
LED	Intermittent	Black	96-EHS-LR	4640
LED	Intermittent	Black	96-EHA-LR	5560
LED	Intermittent	Black	96-EHV-LR	4830
LED	Intermittent	Black	96-EHVA-LR	5825
LED	Siren	Red	96-EHS-S3-LR	4720



### Electronic Hooter with Revolving Light Hooter/ Revolving

**Housing :** Acrylonitrile Butadine Styrene (Gray)  
**Audible Range :** 107 db Approx. (at 1 Meter )  
**Mounting :** Base  
**Tone :** Intermittent/Siren  
**Lens :** Polycarbonate  
**Lens Colour :** Red,Amber,Green,White,Blue(Blue LED with Clear Lens)  
**Revolving :** LED Version  
**Input Voltage :** 12V/24V DC,110V/230V AC

**Hooter Size:144mm x 144mm**

Revolving	Tone	Model No.	Price
LED	Intermittent	144-EHS-LR	7385
LED	Intermittent	144-EHA-LR	8000
LED	Siren	144-EHS-S3-LR	7540



### Electronic Hooter with Flasher Hooter/Flasher

**Housing :** Acrylonitrile Butadine Styrene  
**Audible Range :** 100 db Approx. (at 1 Meter )  
**Mounting :** Base/Wall  
**Tone :** Black Cabinet- Intermittent / Red Cabinet- Siren  
**Lens :** Styrene Acrylonitrile  
**Lens Colour :** Red,Amber,Green,White,Blue  
**Input Voltage :** 12V/24V/30V/48V/ DC,110V/230V AC

**Hooter Size:96mm x 96mm**

Flasher	Housing Color	Model No.	Price
LED	Black	96-EHS-CFLL	2910
LED	Black	96-EHA-CFLL	3850
LED	Black	96-EHV-CFLL	3125
LED	Black	96-EHVA-CFLL	4075
LED	Red	96-EHS-S3-CFLL	3020



### Electronic Hooter with Flasher Hooter/Flasher

**Housing :** Acrylonitrile Butadine Styrene (Gray)  
**Audible Range :** 107 db Approx. (at 1 Meter )  
**Mounting :** Base  
**Tone :** Intermittent / Siren  
**Lens :** Styrene Acrylonitrile  
**Lens Colour :** Red,Amber,Green,White,Blue  
**Input Voltage :** 12V/24V/30V/48V/ DC,110V/230V AC

**Hooter Size: 144mm x 144mm**

Flasher	Tone	Model No.	Price
LED	Intermittent	144-EHS-CFLL	5505
LED	Intermittent	144-EHV-CFLL	5875
LED	Intermittent	144-EHA-CFLL	6000
LED	Siren	144-EHS-S3-CFLL	5665

Standard Voltage	12	24	48	110	230
For AC	A1	A2	A3	A4	A5
For DC	D1	D2	D3	D4	

Add Suffix to above model



Marketed by:

## **TARGET ELECTRICALS**

124, Anand Raj Industrial Premises,  
Sonapur Lane, Behind Asian Paints,  
Bhandup (West), Mumbai - 400 078.  
Mobile : 81044 22522  
Landline : 022-4960 1146  
E-mail : [nktarget@gmail.com](mailto:nktarget@gmail.com)  
Website : [www.targetel.net](http://www.targetel.net)

### **Terms & Conditions**

- \*This price list Supersedes all previous price list.
- \*Order once placed shall not cancelled.
- \*Delivery period: Two weeks after receipts of the your purchase order.
- \*Delivery: Price are Ex-Mumbai office.
- \*Packing & forwarding, Freight changes will be extra.
- \*Insurance shall be buyer's responsibility.
- \*Goods once sold shall not be taken back or replaced.
- \*Price & Terms are subject to change without prior notice.
- \*Payment Terms: 100% against proforma invoice.
- \*Subject to Mumbai jurisdiction only.
- \*All rights reserve to change in Design, Model, Dimension & price are with us.
- \*Warranty: Our products are warranted for one year from billing date for any manufacturing defect.
- \*The obligation under this warranty is limited to only repairing or replacing the product at our own discretion.
- \*The warranty shall not be applicable to any other than manufacturing defect, failure, damage, accident, negligence, misapplication, alteration, attempt, to repair, service or modification in any ways.