

# SYMBOL OF QUALITY

Pioneers in Solderless Terminals,  
Crimping Tools & Cable Glands



House of Designers & Makers of Terminals,  
Tools & Cable Glands Since 1961

**National Price List June, 2024**



PRICE LIST

CONTENTS

|  |         |
|--|---------|
| ABOUT DOWELL'S   | 1       |
| DOWELL'S PRODUCT CATEGORY                                | 2       |
| CONNECTORS FOR 2C, 3C, 3.5C, 4C SECTOR SHAPED CONDUCTORS | 3 - 7   |
| Copper Sector Lugs - Long Barrel                         | 5       |
| Copper Sector Lugs - Long Barrel                         | 6       |
| Copper & Aluminium connectors                            | 6       |
| Aluminium Sector Lugs- Long Barrel                       | 7       |
| Aluminium Sector Lugs- Short Barrel                      | 7       |
| COPPER SERIES  | 8 - 11  |
| Copper Tube Terminals Medium Duty                        | 8       |
| Copper Tube Terminals Heavy Duty Long Barrel             | 8       |
| Copper Tube Terminals Heavy Duty BS 4579                 | 8       |
| Copper Tube Terminals Extended Palm ( Blank)             | 8       |
| Copper Reducer Terminals                                 |         |
| Copper Tublar Terminals Long Barrel                      | 9       |
| Copper Tube Terminals Heavy Duty In- line Connectors     | 9       |
| Copper Tube Terminals Heavy Duty In- line Connectors     | 9       |
| Copper DIN Type Terminals                                | 10      |
| Copper Tube Terminals ICF Series                         | 10      |
| Copper Tube Light Duty In- line Connectors               | 10      |
| ALUMINIUM SERIES   | 11 - 12 |
| Aluminium Tube Terminals                                 | 11      |
| Aluminium Tube Terminals Long Barrel                     | 11      |
| Aluminium Terminals for Al. XLPE Condctors               | 11      |
| Aluminium Tube Terminals Two Holes                       | 11      |
| Aluminium Reducer Terminals                              | 12      |
| Aluminium In- line Connectors                            | 12      |
| Aluminium In- line Connectors for Al. XLPE Condctors     | 12      |
| BI-METTALIC SERIES                                       | 13      |
| Bi-Mettalic Connectors ( Friction Welded)                | 13      |
| Bi-Mettalic Terminals ( Friction Welded)                 | 13      |
| Aluminium Alloy Tublar Bi-Mettalic Terminals             | 13      |

PRICE LIST

CONTENTS

COPPER RING, PIN & FORK TERMINALS

14 - 16

|   |    |
|---|----|
| Pin Terminals non- insulated                  | 14 |
| Pin Terminals Double Grip ( Pre -insulated )  | 14 |
| Pin Terminals Double Grip ( Pre -insulated )  | 14 |
| End Sealing Ferrules non- insulated           | 14 |
| Non- insulated Ring Terminals                 | 14 |
| Ring Terminals insulated                      | 15 |
| Ring Terminals Double Grip ( Pre -insulated ) | 15 |
| Fork Terminals non- insulated                 | 15 |
| Fork Terminals Insulated                      | 15 |
| Fork Terminals Pre- insulated                 | 15 |
| Snap on Terminals                             | 15 |
| End Sealing Ferrules Insulated                | 16 |
| Copper Twin Type Lugs                         | 16 |

COPPER GLANDS

17- 20

|  |    |
|--|----|
| Double Compression Armoured weather and Frame Proof Brass Cable Glands | 17 |
| DC Type Medium Duty Armoured Brass Cable Glands                        | 18 |
| Double Compression Un- Armoured Brass Cable Glands                     | 18 |
| Single Compression & SIBG Brass Cable Glands                           | 19 |
| Brass PG Gland   | 19 |
| Nylon PG Gland   | 19 |
| Flange Type Cable Glands   | 19 |
| Earth Tag & LSF/ LSZH Shroud   | 20 |

TOOLS & ACCESSORIES

21 - 22

|                               |    |
|-------------------------------|----|
| Hand Operated Crimping Tools  | 21 |
| Hydraulic Crimping Tools      | 21 |
| Corrosion Inhibiting Compound | 21 |
| Jack for SYD/ SYT/ SYE        | 22 |
| Crimping JIGS                 | 22 |

## COMPANY PROFILE

---

Dowells is proud of being Pioneer & market leader in Terminal Technology with its accumulated experience in the line of manufacturing of cable Terminals, Connectors, Cable Glands, Crimping system & Accessories since 1961.

At present, Company is a subsidiary of Polycab India Ltd., India's leading Cables & Wires company with a glorious track record of over 4 decades having their manufacturing facilities at Halol, Daman, Nashik & Roorkee in India, and this subsidiary company i.e M/S. Dowells Cable Accessories Pvt Ltd have set up their manufacturing plant at Halol in Gujarat state having a measuring area of 1,00,000 Sq. ft with in - house manufacturing facilities where more than 2500 line items with production capacity of 5000 metric tons per annum with an aim to serve world best technology in cable and termination

### OUR MISSION


---

we will create a great place to work by inspiring our people to continuously innovate and bring greater value to our customers and environment, there by enhancing stakeholder value.

### OUR VISION

---

Enhance and strengthen our leadership position in wires and cables, Continue to invest in technology to improve operational efficiencies, customer satisfaction, and sales and strengthen brand recognition.



## CABLE GLANDS



DOWELL's electrical armoured and unarmoured cable glands are designed for usage in including oil and gas, petrochemical, construction, pharmaceutical, transportation, solar and mining to name a few. Electrical cable glands can be used with a range of cable types, including armoured and unarmoured and are available in nickel plated brass, stainless steel, polyamide.

## CONNECTORS & SHEET TERMINALS



DOWELL's is a pioneer in designing and manufacturing Solderless Electrical tubular connectors. These Connectors are crimped on to a conductor, to facilitate a termination or a straight connection with utmost reliability. These are designed with optimum ductility which is an absolute necessity for connectors that will have to withstand the severe deformation arising when compressed or crimped during the installation. The connectors are available in both aluminium, copper (Electrolytically tin plated to prevent oxidation), Bimetallic and Friction welded (CU to Al). Sheet metal terminals are also available as Ring, Pin & Fork terminals.

## TOOLS & ACCESSORIES



The extensive list of tools and accessories are developed to offer the best equipment for crimping and preparing the connectors. Matched to DOWELL'S connectors and dies for best performance and conformity.

## CONNECTORS FOR 2C,3C,3.5C, 4C SECTOR SHAPED CONDUCTORS



Designed primarily for solid or stranded sector shape conductors for all angular arrangement of 2C,3C,3.5C or 4C cables. Precision fit on the sector conductor, allows for perfect and reliable connection. This eliminated the process of rounding of the conductors for fitment during crimping in case of round connectors. This design also gives an optimum crimping quality with sector shaped dies, making it more reliable and trusted connection.

## FEATURES

- Reduces contact Resistance > 10%
- Drastic Reduction in hot spots when compared with circular connector for the same applications
- Improved conductivity
- Increase in the contact surface area



## COPPER SECTOR LUGS - LONG BARREL



| SIZE<br>(SQ - MM) | E-BOLT<br>HOLE | DOWELL 'S CATALOGUE NO. |          |          |          | PRICE<br>(₹) | STD<br>PKG. |
|-------------------|----------------|-------------------------|----------|----------|----------|--------------|-------------|
|                   |                | 2 CORE                  | 3 CORE   | 3.5 CORE | 4 CORE   |              |             |
| 25                | 8.4            | CUS-2001                | CUS-3001 | CUS-3501 | CUS-4001 | 67.15        | 25          |
| 25                | 10.5           | CUS-2002                | CUS-3002 | CUS-3502 | CUS-4002 | 67.15        | 25          |
| 25                | 13             | CUS-2003                | CUS-3003 | CUS-3503 | CUS-4003 | 67.15        | 25          |
| 35                | 8.4            | CUS-2004                | CUS-3004 | CUS-3504 | CUS-4004 | 106.04       | 25          |
| 35                | 10.5           | CUS-2005                | CUS-3005 | CUS-3505 | CUS-4005 | 106.04       | 25          |
| 50                | 8.4            | CUS-2006                | CUS-3006 | CUS-3506 | CUS-4006 | 151.66       | 25          |
| 50                | 10.5           | CUS-2007                | CUS-3007 | CUS-3507 | CUS-4007 | 151.66       | 25          |
| 50                | 13             | CUS-2008                | CUS-3008 | CUS-3508 | CUS-4008 | 151.66       | 25          |
| 70                | 8.4            | CUS-2009                | CUS-3009 | CUS-3509 | CUS-4009 | 244.27       | 15          |
| 70                | 10.5           | CUS-2010                | CUS-3010 | CUS-3510 | CUS-4010 | 244.27       | 15          |
| 70                | 13             | CUS-2011                | CUS-3011 | CUS-3511 | CUS-4011 | 244.27       | 15          |
| 95                | 10.5           | CUS-2012                | CUS-3012 | CUS-3512 | CUS-4012 | 302.14       | 10          |
| 95                | 13             | CUS-2013                | CUS-3013 | CUS-3513 | CUS-4013 | 302.14       | 10          |
| 95                | 17             | CUS-2014                | CUS-3014 | CUS-3514 | CUS-4014 | 302.14       | 10          |
| 120               | 10.5           | CUS-2015                | CUS-3015 | CUS-3515 | CUS-4015 | 415.59       | 10          |
| 120               | 13             | CUS-2016                | CUS-3016 | CUS-3516 | CUS-4016 | 415.59       | 10          |
| 120               | 17             | CUS-2017                | CUS-3017 | CUS-3517 | CUS-4017 | 415.59       | 10          |
| 150               | 10.5           | CUS-2018                | CUS-3018 | CUS-3518 | CUS-4018 | 526.73       | 15          |
| 150               | 13             | CUS-2019                | CUS-3019 | CUS-3519 | CUS-4019 | 526.73       | 15          |
| 150               | 17             | CUS-2020                | CUS-3020 | CUS-3520 | CUS-4020 | 526.73       | 15          |
| 185               | 10.5           | CUS-2021                | CUS-3021 | CUS-3521 | CUS-4021 | 661.01       | 10          |
| 185               | 13             | CUS-2022                | CUS-3022 | CUS-3522 | CUS-4022 | 661.01       | 10          |
| 185               | 17             | CUS-2023                | CUS-3023 | CUS-3523 | CUS-4023 | 661.01       | 10          |
| 240               | 13             | CUS-2024                | CUS-3024 | CUS-3524 | CUS-4024 | 1,010.61     | 10          |
| 240               | 17             | CUS-2025                | CUS-3025 | CUS-3525 | CUS-4025 | 1,010.61     | 10          |
| 300               | 17             | CUS-2026                | CUS-3026 | CUS-3526 | CUS-4026 | 1,264.13     | 10          |
| 300               | 20.3           | CUS-2027                | CUS-3027 | CUS-3527 | CUS-4027 | 1,264.13     | 10          |
| 400               | 20.3           | CUS-2028                | CUS-3028 | CUS-3528 | CUS-4028 | 1,787.38     | 8           |
| 500               | 21             | CUS-2029                | CUS-3029 | CUS-3529 | CUS-4029 | 2,102.25     | 5           |
| 630               | 21             | CUS-2030                | CUS-3030 | CUS-3530 | CUS-4030 | 3,155.70     | 5           |

## COPPER SECTOR LUGS – SHORT BARREL



| SIZE<br>(SQ - MM) | E-BOLT<br>HOLE | DOWELL 'S CATALOGUE NO. |          |          |          | PRICE<br>(₹) | STD<br>PKG. |
|-------------------|----------------|-------------------------|----------|----------|----------|--------------|-------------|
|                   |                | 2 CORE                  | 3 CORE   | 3.5 CORE | 4 CORE   |              |             |
| 25                | 8.4            | CUS-2101                | CUS-3101 | CUS-3601 | CUS-4101 | 47.00        | 25          |
| 25                | 10.5           | CUS-2102                | CUS-3102 | CUS-3602 | CUS-4102 | 47.00        | 25          |
| 25                | 13             | CUS-2103                | CUS-3103 | CUS-3603 | CUS-4103 | 47.00        | 25          |
| 35                | 8.4            | CUS-2104                | CUS-3104 | CUS-3604 | CUS-4104 | 68.31        | 25          |
| 35                | 10.5           | CUS-2105                | CUS-3105 | CUS-3605 | CUS-4105 | 68.31        | 25          |
| 50                | 8.4            | CUS-2106                | CUS-3106 | CUS-3606 | CUS-4106 | 106.04       | 25          |
| 50                | 10.5           | CUS-2107                | CUS-3107 | CUS-3607 | CUS-4107 | 106.04       | 25          |
| 50                | 13             | CUS-2108                | CUS-3108 | CUS-3608 | CUS-4108 | 106.04       | 25          |
| 70                | 8.4            | CUS-2109                | CUS-3109 | CUS-3609 | CUS-4109 | 169.02       | 15          |
| 70                | 10.5           | CUS-2110                | CUS-3110 | CUS-3610 | CUS-4110 | 169.02       | 15          |
| 70                | 13             | CUS-2111                | CUS-3111 | CUS-3611 | CUS-4111 | 169.02       | 15          |
| 95                | 10.5           | CUS-2112                | CUS-3112 | CUS-3612 | CUS-4112 | 207.22       | 10          |
| 95                | 13             | CUS-2113                | CUS-3113 | CUS-3613 | CUS-4113 | 207.22       | 10          |
| 95                | 17             | CUS-2114                | CUS-3114 | CUS-3614 | CUS-4114 | 207.22       | 10          |
| 120               | 10.5           | CUS-2115                | CUS-3115 | CUS-3615 | CUS-4115 | 309.09       | 10          |
| 120               | 13             | CUS-2116                | CUS-3116 | CUS-3616 | CUS-4116 | 309.09       | 10          |
| 120               | 17             | CUS-2117                | CUS-3117 | CUS-3617 | CUS-4117 | 309.09       | 10          |
| 150               | 10.5           | CUS-2118                | CUS-3118 | CUS-3618 | CUS-4118 | 388.97       | 15          |
| 150               | 13             | CUS-2119                | CUS-3119 | CUS-3619 | CUS-4119 | 388.97       | 15          |
| 150               | 17             | CUS-2120                | CUS-3120 | CUS-3620 | CUS-4120 | 388.97       | 15          |
| 185               | 10.5           | CUS-2121                | CUS-3121 | CUS-3621 | CUS-4121 | 500.10       | 10          |
| 185               | 13             | CUS-2122                | CUS-3122 | CUS-3622 | CUS-4122 | 500.10       | 10          |
| 185               | 17             | CUS-2123                | CUS-3123 | CUS-3623 | CUS-4123 | 500.10       | 10          |
| 240               | 13             | CUS-2124                | CUS-3124 | CUS-3624 | CUS-4124 | 788.34       | 10          |
| 240               | 17             | CUS-2125                | CUS-3125 | CUS-3625 | CUS-4125 | 788.34       | 10          |
| 300               | 17             | CUS-2126                | CUS-3126 | CUS-3626 | CUS-4126 | 1,008.30     | 10          |
| 300               | 20.3           | CUS-2127                | CUS-3127 | CUS-3627 | CUS-4127 | 1,008.30     | 10          |
| 400               | 20.3           | CUS-2128                | CUS-3128 | CUS-3628 | CUS-4128 | 1,495.66     | 8           |
| 500               | 21             | CUS-2129                | CUS-3129 | CUS-3629 | CUS-4129 | 1,735.29     | 5           |
| 630               | 21             | CUS-2130                | CUS-3130 | CUS-3630 | CUS-4130 | 2,602.35     | 5           |



## COPPER SECTOR CONNECTORS



| SIZE<br>(sq - mm) | DOWELL'S CATALOGUE NO. |           |             |           | PRICE<br>(₹) | STD<br>PKG. |
|-------------------|------------------------|-----------|-------------|-----------|--------------|-------------|
|                   | 2 CORE                 | 3 CORE    | 3.5 CORE    | 4 CORE    |              |             |
| 25                | 2S-CB-25               | 3S-CB-25  | 3.5S-CB-25  | 4S-CB-25  | 31.73        | 50          |
| 35                | 2S-CB-35               | 3S-CB-35  | 3.5S-CB-35  | 4S-CB-35  | 49.44        | 50          |
| 50                | 2S-CB-50               | 3S-CB-50  | 3.5S-CB-50  | 4S-CB-50  | 81.16        | 50          |
| 70                | 2S-CB-70               | 3S-CB-70  | 3.5S-CB-70  | 4S-CB-70  | 138.92       | 50          |
| 95                | 2S-CB-95               | 3S-CB-95  | 3.5S-CB-95  | 4S-CB-95  | 203.75       | 25          |
| 120               | 2S-CB-120              | 3S-CB-120 | 3.5S-CB-120 | 4S-CB-120 | 278.99       | 20          |
| 150               | 2S-CB-150              | 3S-CB-150 | 3.5S-CB-150 | 4S-CB-150 | 375.08       | 25          |
| 185               | 2S-CB-185              | 3S-CB-185 | 3.5S-CB-185 | 4S-CB-185 | 496.62       | 25          |
| 240               | 2S-CB-240              | 3S-CB-240 | 3.5S-CB-240 | 4S-CB-240 | 769.82       | 20          |
| 300               | 2S-CB-300              | 3S-CB-300 | 3.5S-CB-300 | 4S-CB-300 | 1,069.65     | 10          |
| 400               | 2S-CB-400              | 3S-CB-400 | 3.5S-CB-400 | 4S-CB-400 | 1,641.52     | 8           |
| 500               | 2S-CB-500              | 3S-CB-500 | 3.5S-CB-500 | 4S-CB-500 | 1,881.14     | 5           |
| 630               | 2S-CB-630              | 3S-CB-630 | 3.5S-CB-630 | 4S-CB-630 | 2,576.88     | 5           |

## ALUMINIUM SECTOR CONNECTORS



| SIZE<br>(sq - mm) | DOWELL'S CATALOGUE NO. |           |             |           | PRICE<br>(₹) | STD<br>PKG. |
|-------------------|------------------------|-----------|-------------|-----------|--------------|-------------|
|                   | 2 CORE                 | 3 CORE    | 3.5 CORE    | 4 CORE    |              |             |
| 25                | 2S-ALS-1               | 3S-ALS-1  | 3.5S-ALS-1  | 4S-ALS-1  | 5.67         | 100         |
| 35                | 2S-ALS-2               | 3S-ALS-2  | 3.5S-ALS-2  | 4S-ALS-2  | 8.46         | 100         |
| 50                | 2S-ALS-3               | 3S-ALS-3  | 3.5S-ALS-3  | 4S-ALS-3  | 13.78        | 100         |
| 70                | 2S-ALS-4               | 3S-ALS-4  | 3.5S-ALS-4  | 4S-ALS-4  | 24.31        | 100         |
| 95                | 2S-ALS-5               | 3S-ALS-5  | 3.5S-ALS-5  | 4S-ALS-5  | 35.32        | 50          |
| 120               | 2S-ALS-6               | 3S-ALS-6  | 3.5S-ALS-6  | 4S-ALS-6  | 49.09        | 35          |
| 150               | 2S-ALS-7               | 3S-ALS-7  | 3.5S-ALS-7  | 4S-ALS-7  | 66.80        | 50          |
| 185               | 2S-ALS-8               | 3S-ALS-8  | 3.5S-ALS-8  | 4S-ALS-8  | 86.60        | 40          |
| 240               | 2S-ALS-9               | 3S-ALS-9  | 3.5S-ALS-9  | 4S-ALS-9  | 137.76       | 20          |
| 300               | 2S-ALS-10              | 3S-ALS-10 | 3.5S-ALS-10 | 4S-ALS-10 | 187.55       | 15          |
| 400               | 2S-ALS-11              | 3S-ALS-11 | 3.5S-ALS-11 | 4S-ALS-11 | 289.42       | 10          |
| 500               | 2S-ALS-19              | 3S-ALS-19 | 3.5S-ALS-19 | 4S-ALS-19 | 282.47       | 5           |
| 630               | 2S-ALS-20              | 3S-ALS-20 | 3.5S-ALS-20 | 4S-ALS-20 | 373.92       | 5           |

## ALUMINIUM SECTOR LUGS - LONG BARREL



| SIZE<br>(sq - mm) | E-BOLT<br>HOLE | DOWELL 'S CATALOGUE NO. |            |              |            | PRICE<br>(₹) | STD<br>PKG. |
|-------------------|----------------|-------------------------|------------|--------------|------------|--------------|-------------|
|                   |                | 2 CORE                  | 3 CORE     | 3.5 CORE     | 4 CORE     |              |             |
| 25                | 8.4            | 2S-ALS-518              | 3S-ALS-518 | 3.5S-ALS-518 | 4S-ALS-518 | 9.84         | 50          |
| 25                | 10.5           | 2S-ALS-519              | 3S-ALS-519 | 3.5S-ALS-519 | 4S-ALS-519 | 9.84         | 50          |
| 25                | 13             | 2S-ALS-520              | 3S-ALS-520 | 3.5S-ALS-520 | 4S-ALS-520 | 9.84         | 50          |
| 35                | 8.4            | 2S-ALS-521              | 3S-ALS-521 | 3.5S-ALS-521 | 4S-ALS-521 | 15.51        | 50          |
| 35                | 10.5           | 2S-ALS-522              | 3S-ALS-522 | 3.5S-ALS-522 | 4S-ALS-522 | 15.51        | 50          |
| 50                | 8.4            | 2S-ALS-655              | 3S-ALS-655 | 3.5S-ALS-655 | 4S-ALS-655 | 22.70        | 50          |
| 50                | 10.5           | 2S-ALS-512              | 3S-ALS-512 | 3.5S-ALS-512 | 4S-ALS-512 | 22.70        | 50          |
| 50                | 13             | 2S-ALS-524              | 3S-ALS-524 | 3.5S-ALS-524 | 4S-ALS-524 | 22.70        | 50          |
| 70                | 8.4            | 2S-ALS-556              | 3S-ALS-556 | 3.5S-ALS-556 | 4S-ALS-556 | 33.69        | 30          |
| 70                | 10.5           | 2S-ALS-525              | 3S-ALS-525 | 3.5S-ALS-525 | 4S-ALS-525 | 33.69        | 30          |
| 70                | 13             | 2S-ALS-526              | 3S-ALS-526 | 3.5S-ALS-526 | 4S-ALS-526 | 33.69        | 30          |
| 95                | 10.5           | 2S-ALS-527              | 3S-ALS-527 | 3.5S-ALS-527 | 4S-ALS-527 | 40.29        | 20          |
| 95                | 13             | 2S-ALS-528              | 3S-ALS-528 | 3.5S-ALS-528 | 4S-ALS-528 | 40.29        | 20          |
| 95                | 17             | 2S-ALS-529              | 3S-ALS-529 | 3.5S-ALS-529 | 4S-ALS-529 | 40.29        | 20          |
| 120               | 10.5           | 2S-ALS-557              | 3S-ALS-557 | 3.5S-ALS-557 | 4S-ALS-557 | 56.26        | 20          |
| 120               | 13             | 2S-ALS-530              | 3S-ALS-530 | 3.5S-ALS-530 | 4S-ALS-530 | 56.26        | 20          |
| 120               | 17             | 2S-ALS-531              | 3S-ALS-531 | 3.5S-ALS-531 | 4S-ALS-531 | 56.26        | 20          |
| 150               | 10.5           | 2S-ALS-658              | 3S-ALS-658 | 3.5S-ALS-658 | 4S-ALS-658 | 71.66        | 25          |
| 150               | 13             | 2S-ALS-532              | 3S-ALS-532 | 3.5S-ALS-532 | 4S-ALS-532 | 71.66        | 25          |
| 150               | 17             | 2S-ALS-533              | 3S-ALS-533 | 3.5S-ALS-533 | 4S-ALS-533 | 71.66        | 25          |
| 185               | 10.5           | 2S-ALS-511              | 3S-ALS-511 | 3.5S-ALS-511 | 4S-ALS-511 | 90.42        | 20          |
| 185               | 13             | 2S-ALS-534              | 3S-ALS-534 | 3.5S-ALS-534 | 4S-ALS-534 | 90.42        | 20          |
| 185               | 17             | 2S-ALS-535              | 3S-ALS-535 | 3.5S-ALS-535 | 4S-ALS-535 | 90.42        | 20          |
| 240               | 13             | 2S-ALS-536              | 3S-ALS-536 | 3.5S-ALS-536 | 4S-ALS-536 | 138.92       | 15          |
| 240               | 17             | 2S-ALS-537              | 3S-ALS-537 | 3.5S-ALS-537 | 4S-ALS-537 | 138.92       | 15          |
| 300               | 17             | 2S-ALS-500              | 3S-ALS-500 | 3.5S-ALS-500 | 4S-ALS-500 | 172.49       | 10          |
| 300               | 20.3           | 2S-ALS-559              | 3S-ALS-559 | 3.5S-ALS-559 | 4S-ALS-559 | 172.49       | 10          |
| 400               | 20.3           | 2S-ALS-560              | 3S-ALS-560 | 3.5S-ALS-560 | 4S-ALS-560 | 243.11       | 8           |
| 500               | 20.3           | 2S-ALS-596              | 3S-ALS-596 | 3.5S-ALS-596 | 4S-ALS-596 | 380.86       | 5           |
| 630               | 20.3           | 2S-ALS-561              | 3S-ALS-561 | 3.5S-ALS-561 | 4S-ALS-561 | 498.94       | 5           |

## ALUMINIUM SECTOR LUGS - SHORT BARREL



| SIZE<br>(SQ - MM) | E-BOLT<br>HOLE | DOWELL 'S CATALOGUE NO. |            |              |            | PRICE<br>(₹) | STD<br>PKG. |
|-------------------|----------------|-------------------------|------------|--------------|------------|--------------|-------------|
|                   |                | 2 CORE                  | 3 CORE     | 3.5 CORE     | 4 CORE     |              |             |
| 25                | 8.4            | 2S-ALS-218              | 3S-ALS-218 | 3.5S-ALS-218 | 4S-ALS-218 | 7.19         | 50          |
| 25                | 10.5           | 2S-ALS-219              | 3S-ALS-219 | 3.5S-ALS-219 | 4S-ALS-219 | 7.19         | 50          |
| 25                | 13             | 2S-ALS-220              | 3S-ALS-220 | 3.5S-ALS-220 | 4S-ALS-220 | 7.19         | 50          |
| 35                | 8.4            | 2S-ALS-221              | 3S-ALS-221 | 3.5S-ALS-221 | 4S-ALS-221 | 9.84         | 50          |
| 35                | 10.5           | 2S-ALS-222              | 3S-ALS-222 | 3.5S-ALS-222 | 4S-ALS-222 | 9.84         | 50          |
| 50                | 8.4            | 2S-ALS-255              | 3S-ALS-255 | 3.5S-ALS-255 | 4S-ALS-255 | 15.51        | 50          |
| 50                | 10.5           | 2S-ALS-312              | 3S-ALS-312 | 3.5S-ALS-312 | 4S-ALS-312 | 15.51        | 50          |
| 50                | 13             | 2S-ALS-224              | 3S-ALS-224 | 3.5S-ALS-224 | 4S-ALS-224 | 15.51        | 50          |
| 70                | 8.4            | 2S-ALS-256              | 3S-ALS-256 | 3.5S-ALS-256 | 4S-ALS-256 | 24.31        | 30          |
| 70                | 10.5           | 2S-ALS-225              | 3S-ALS-225 | 3.5S-ALS-225 | 4S-ALS-225 | 24.31        | 30          |
| 70                | 13             | 2S-ALS-226              | 3S-ALS-226 | 3.5S-ALS-226 | 4S-ALS-226 | 24.31        | 30          |
| 95                | 10.5           | 2S-ALS-227              | 3S-ALS-227 | 3.5S-ALS-227 | 4S-ALS-227 | 30.34        | 20          |
| 95                | 13             | 2S-ALS-228              | 3S-ALS-228 | 3.5S-ALS-228 | 4S-ALS-228 | 30.34        | 20          |
| 95                | 17             | 2S-ALS-229              | 3S-ALS-229 | 3.5S-ALS-229 | 4S-ALS-229 | 30.34        | 20          |
| 120               | 10.5           | 2S-ALS-257              | 3S-ALS-257 | 3.5S-ALS-257 | 4S-ALS-257 | 44.12        | 20          |
| 120               | 13             | 2S-ALS-230              | 3S-ALS-230 | 3.5S-ALS-230 | 4S-ALS-230 | 44.12        | 20          |
| 120               | 17             | 2S-ALS-231              | 3S-ALS-231 | 3.5S-ALS-231 | 4S-ALS-231 | 44.12        | 20          |
| 150               | 10.5           | 2S-ALS-258              | 3S-ALS-258 | 3.5S-ALS-258 | 4S-ALS-258 | 55.11        | 25          |
| 150               | 13             | 2S-ALS-232              | 3S-ALS-232 | 3.5S-ALS-232 | 4S-ALS-232 | 55.11        | 25          |
| 150               | 17             | 2S-ALS-233              | 3S-ALS-233 | 3.5S-ALS-233 | 4S-ALS-233 | 55.11        | 25          |
| 185               | 10.5           | 2S-ALS-131              | 3S-ALS-131 | 3.5S-ALS-131 | 4S-ALS-131 | 70.04        | 20          |
| 185               | 13             | 2S-ALS-234              | 3S-ALS-234 | 3.5S-ALS-234 | 4S-ALS-234 | 70.04        | 20          |
| 185               | 17             | 2S-ALS-235              | 3S-ALS-235 | 3.5S-ALS-235 | 4S-ALS-235 | 70.04        | 20          |
| 240               | 13             | 2S-ALS-236              | 3S-ALS-236 | 3.5S-ALS-236 | 4S-ALS-236 | 110.21       | 15          |
| 240               | 17             | 2S-ALS-237              | 3S-ALS-237 | 3.5S-ALS-237 | 4S-ALS-237 | 110.21       | 15          |
| 300               | 17             | 2S-ALS-300              | 3S-ALS-300 | 3.5S-ALS-300 | 4S-ALS-300 | 140.07       | 10          |
| 300               | 20.3           | 2S-ALS-259              | 3S-ALS-259 | 3.5S-ALS-259 | 4S-ALS-259 | 140.07       | 10          |
| 400               | 20.3           | 2S-ALS-260              | 3S-ALS-260 | 3.5S-ALS-260 | 4S-ALS-260 | 210.70       | 8           |
| 500               | 20.3           | 2S-ALS-296              | 3S-ALS-296 | 3.5S-ALS-296 | 4S-ALS-296 | 314.88       | 5           |
| 630               | 20.3           | 2S-ALS-261              | 3S-ALS-261 | 3.5S-ALS-261 | 4S-ALS-261 | 420.23       | 5           |

## COPPER SERIES

Designed for excellent performance, copper series products, is guaranteed by high quality raw materials for making safe, reliable, and long-lasting electrical connections upto 36kV



| COPPER TUBE TERMINAL MEDIUM DUTY |          |           |
|----------------------------------|----------|-----------|
| mm <sup>2</sup> -E               | CAT. NO. | PRICE (₹) |
| 2.5-5                            | CUS-05   | 7.30      |
| 4-6                              | CUS-06   | 10.42     |
| 6-6                              | CUS-07   | 11.34     |
| 10-6                             | CUS-08   | 14.59     |
| 16-6                             | CUS-09   | 18.99     |
| 25-6                             | CUS-10   | 31.73     |
| 35-6                             | CUS-11   | 34.27     |
| 35-8                             | CUS-12   | 34.27     |
| 50-6                             | CUS-13   | 45.73     |
| 50-8                             | CUS-14   | 45.73     |
| 50-10                            | CUS-15   | 45.73     |
| 70-8                             | CUS-16   | 79.88     |
| 70-10                            | CUS-17   | 79.88     |
| 70-12                            | CUS-18   | 79.88     |
| 95-10                            | CUS-19   | 113.46    |
| 95-12                            | CUS-20   | 108.83    |
| 120-10                           | CUS-21   | 145.87    |
| 120-12                           | CUS-22   | 145.87    |
| 120-16                           | CUS-23   | 145.87    |
| 150-10                           | CUS-24   | 214.16    |
| 150-12                           | CUS-25   | 211.85    |
| 150-16                           | CUS-26   | 207.22    |
| 185-12                           | CUS-27   | 319.51    |
| 185-16                           | CUS-28   | 312.57    |
| 225-16                           | CUS-231  | 378.55    |
| 240-16                           | CUS-29   | 428.33    |
| 240-20                           | CUS-30   | 428.33    |
| 300-16                           | CUS-31   | 636.70    |
| 300-20                           | CUS-32   | 629.75    |
| 400-20                           | CUS-33   | 867.06    |
| 500-20                           | CUS-34   | 1,158.78  |
| 630-20                           | CUS-35   | 1,624.16  |
| 800                              | CUS-062  | 2,674.12  |
| 1000                             | CUS-076  | 5,901.58  |

| COPPER TUBE TERMINAL HEAVY DUTY LONG BARREL |          |           |
|---|----------|-----------|
| mm <sup>2</sup> -E                          | CAT. NO. | PRICE (₹) |
| 25-8  | CUS-282  | 36.59     |
| 35-8  | CUS-283  | 58.58     |
| 50-8  | CUS-284  | 97.59     |
| 70-10                                       | CUS-285  | 150.50    |
| 95-12                                       | CUS-286  | 236.16    |
| 120-12                                      | CUS-287  | 336.88    |
| 150-12                                      | CUS-288  | 414.44    |
| 185-12                                      | CUS-289  | 600.81    |
| 240-16                                      | CUS-290  | 842.76    |
| 300-16                                      | CUS-291  | 1,111.32  |
| 400-20                                      | CUS-292  | 1,694.77  |
| 500-21                                      | CUS-293  | 3,008.67  |
| 630-21                                      | CUS-294  | 4,008.86  |



| COPPER TUBE TERMINAL EXTENDED PALM (BLANK) |          |           |
|--|----------|-----------|
| mm <sup>2</sup> -E                         | CAT. NO. | PRICE (₹) |
| 50   | CUS-466  | 125.03    |
| 70   | CUS-467  | 207.22    |
| 95   | CUS-468  | 296.36    |
| 120  | CUS-469  | 356.55    |
| 150  | CUS-470  | 467.69    |
| 185  | CUS-471  | 693.42    |
| 240  | CUS-472  | 1,023.35  |
| 300  | CUS-473  | 1,480.61  |
| 400  | CUS-474  | 2,562.99  |
| 500  | CUS-475  | 3,074.66  |
| 630  | CUS-476  | 4,735.85  |

| COPPER TUBE TERMINAL HEAVY DUTY BS-4579 |          |           |
|---|----------|-----------|
| mm <sup>2</sup> -E                      | CAT. NO. | PRICE (₹) |
| 1.5-5                                   | CUS-538  | 9.15      |
| 1.5-6                                   | CUS-539  | 9.50      |
| 2.5-4                                   | CUS-388  | 9.50      |
| 2.5-5                                   | CUS-540  | 9.96      |
| 2.5-6                                   | CUS-541  | 9.96      |
| 4-5                                     | CUS-389  | 12.16     |
| 4-6                                     | CUS-543  | 12.16     |
| 6-5                                     | CUS-390  | 14.59     |
| 6-6                                     | CUS-544  | 14.59     |
| 6-8                                     | CUS-545  | 14.59     |
| 10-6                                    | CUS-353  | 15.28     |
| 10-8                                    | CUS-547  | 16.45     |
| 16-8                                    | CUS-549  | 22.00     |
| 16-6                                    | CUS-354  | 20.72     |
| 20-8                                    | CUS-550  | 23.27     |
| 25-6                                    | CUS-355  | 33.57     |
| 25-8                                    | CUS-551  | 33.57     |
| 25-10                                   | CUS-552  | 33.57     |
| 35-8                                    | CUS-356  | 43.87     |
| 35-6                                    | CUS-542  | 43.87     |
| 35-10                                   | CUS-554  | 45.73     |
| 50-8                                    | CUS-357  | 72.01     |
| 50-10                                   | CUS-556  | 72.01     |
| 70-10                                   | CUS-358  | 119.24    |
| 70-8                                    | CUS-557  | 119.24    |
| 70-13                                   | CUS-559  | 119.24    |
| 95-10                                   | CUS-359  | 166.70    |
| 95-13                                   | CUS-561  | 166.70    |
| 120-17                                  | CUS-546  | 226.90    |
| 120-13                                  | CUS-241  | 226.90    |
| 150-13                                  | CUS-242  | 296.36    |
| 150-17                                  | CUS-564  | 274.36    |
| 185-17                                  | CUS-243  | 388.97    |
| 240-17                                  | CUS-244  | 575.34    |
| 240-21                                  | CUS-567  | 575.34    |
| 300-17                                  | CUS-245  | 836.97    |
| 300-21                                  | CUS-569  | 836.97    |
| 400-17                                  | CUS-246  | 1,317.39  |
| 400-21                                  | CUS-571  | 1,345.17  |
| 500-21                                  | CUS-247  | 1,796.64  |
| 550-21                                  | CUS-573  | 2,200.65  |
| 630-21                                  | CUS-248  | 2,694.96  |
| 800                                     | CUS-599  | 4,683.76  |
| 1000                                    | CUS-590  | 6,663.29  |



| COPPER REDUCER TERMINAL |          |           |
|-------------------------|----------|-----------|
| mm <sup>2</sup>         | CAT. NO. | PRICE (₹) |
| 2.5                     | WPC-01   | 23.27     |
| 2.5                     | WPC-07   | 22.00     |
| 4                       | WPC-15   | 23.27     |
| 4                       | WPC-16   | 22.00     |
| 6                       | WPC-17   | 23.73     |
| 6                       | WPC-18   | 22.00     |
| 10                      | WPC-19   | 28.13     |
| 10                      | WPC-20   | 25.12     |
| 10                      | WPC-21   | 33.57     |
| 10                      | WPC-22   | 30.57     |
| 16                      | WPC-23   | 56.73     |
| 16                      | WPC-24   | 56.73     |
| 16                      | WPC-02   | 40.87     |
| 25                      | WPC-25   | 65.87     |
| 25                      | WPC-03   | 87.18     |
| 35                      | WPC-04   | 86.02     |
| 50                      | WPC-26   | 96.32     |
| 50                      | WPC-05   | 226.90    |
| 70                      | WPC-27   | 149.34    |
| 70                      | WPC-6    | 226.90    |
| 70                      | WPC-28   | 223.42    |
| 95                      | WPC-29   | 215.33    |
| 95                      | WPC-08   | 302.14    |
| 95                      | WPC-31   | 200.27    |
| 95                      | WPC-32   | 317.20    |
| 120                     | WPC-33   | 261.63    |
| 120                     | WPC-34   | 260.47    |
| 120                     | WPC-35   | 302.14    |
| 120                     | WPC-36   | 406.33    |
| 150                     | WPC-10   | 474.64    |
| 150                     | WPC-37   | 369.29    |
| 185                     | WPC-30   | 603.12    |
| 185                     | WPC-38   | 485.05    |
| 225                     | WPC-39   | 792.98    |
| 225                     | WPC-46   | 1,090.49  |
| 225                     | WPC-42   | 1,007.14  |
| 240                     | WPC-44   | 1,038.39  |
| 240                     | WPC-43   | 759.41    |
| 300                     | WPC-45   | 961.99    |
| 300                     | WPC-47   | 1,026.82  |
| 400                     | WPC-101  | 2,172.86  |

| COPPER TUBULAR TERMINALS LONG BARREL |          |           |
|--------------------------------------|----------|-----------|
| mm <sup>2</sup>                      | CAT. NO. | PRICE (₹) |
| 2.5-5                                | CEB-05   | 10.88     |
| 4-6                                  | CEB-06   | 15.28     |
| 6-6                                  | CEB-07   | 16.45     |
| 10-6                                 | CEB-08   | 20.72     |
| 16-6                                 | CEB-09   | 26.86     |
| 25-6                                 | CEB-10   | 34.27     |
| 35-6                                 | CEB-11   | 40.87     |
| 35-8                                 | CEB-12   | 48.16     |
| 50-6                                 | CEB-13   | 62.16     |
| 50-8                                 | CEB-14   | 62.16     |
| 50-10                                | CEB-15   | 62.16     |
| 70-8                                 | CEB-16   | 102.45    |
| 70-10                                | CEB-17   | 102.45    |
| 70-12                                | CEB-18   | 102.45    |
| 95-10                                | CEB-19   | 133.13    |
| 95-12                                | CEB-20   | 133.13    |
| 120-10                               | CEB-21   | 181.75    |
| 120-12                               | CEB-22   | 181.75    |
| 120-16                               | CEB-23   | 181.75    |
| 150-10                               | CEB-24   | 261.63    |
| 150-12                               | CEB-25   | 258.16    |
| 150-16                               | CEB-26   | 253.53    |
| 185-12                               | CEB-27   | 382.03    |
| 185-16                               | CEB-28   | 382.03    |
| 225-16                               | CEB-231  | 496.62    |
| 240-16                               | CEB-29   | 526.73    |
| 240-20                               | CEB-30   | 526.73    |
| 300-16                               | CEB-31   | 728.15    |
| 300-20                               | CEB-32   | 728.15    |
| 400-20                               | CEB-33   | 1,055.76  |
| 500-20                               | CEB-34   | 1,422.72  |
| 630-20                               | CEB-35   | 1,981.86  |
| 800                                  | CEB-62   | 3,173.05  |
| 1000                                 | CEB-76   | 7,173.80  |

| COPPER TUBE HEAVY DUTY IN-LINE CONNECTORS |          |           |
|---|----------|-----------|
| mm <sup>2</sup>                           | CAT. NO. | PRICE (₹) |
| 1.5                                       | EH-453   | 4.06      |
| 1.5                                       | CB-41    | 6.25      |
| 2.5                                       | EH-454   | 4.87      |
| 4   | CB-3     | 6.96      |
| 4.6                                       | EH-455   | 8.11      |
| 6   | CB-4     | 9.15      |
| 10  | EH-460   | 12.86     |
| 16  | CB-6     | 14.59     |
| 20  | CB-47    | 16.45     |
| 25  | CB-24    | 34.27     |
| 35  | CB-25    | 47.00     |
| 50  | CB-26    | 71.31     |
| 70  | CB-27    | 136.61    |
| 70  | CB-51    | 120.40    |
| 95  | CB-28    | 192.18    |
| 95  | CB-52    | 156.29    |
| 120                                       | CB-29    | 257.00    |
| 120                                       | CB-53    | 184.07    |
| 150                                       | CB-30    | 316.03    |
| 150                                       | CB-54    | 261.63    |
| 185                                       | CB-55    | 358.87    |
| 185                                       | CB-31    | 413.27    |
| 240                                       | CB-32    | 634.38    |
| 240                                       | CB-56    | 549.88    |
| 300                                       | CB-33    | 900.64    |
| 300                                       | CB-57    | 781.40    |
| 400                                       | CB-34    | 1,596.37  |
| 400                                       | CB-58    | 1,151.84  |
| 500                                       | CB-35    | 2,050.16  |
| 500                                       | CB-59    | 1,684.35  |
| 550                                       | CB-60    | 1,866.10  |
| 630                                       | CB-36    | 2,920.70  |
| 630                                       | CB-61    | 2,493.53  |
| 800                                       | CB-42    | 4,195.24  |
| 1000                                      | CB-43    | 6,244.24  |



| COPPER TUBE HEAVY DUTY IN-LINE CONNECTORS |          |           |
|---|----------|-----------|
| mm <sup>2</sup>                           | CAT. NO. | PRICE (₹) |
| 1.5                                       | EH-463   | 4.98      |
| 2.5                                       | EH-464   | 6.14      |
| 4-6                                       | EH-465   | 9.27      |



### COPPER DIN TYPE TERMINALS

| mm <sup>2</sup> -E | CAT. NO.  | PRICE (₹) | mm <sup>2</sup> -E | CAT. NO.    | PRICE (₹) |
|--------------------|-----------|-----------|--------------------|-------------|-----------|
| 6-5                | DIN-6-5   | 23.27     | 95-16              | DIN-95-16   | 608.92    |
| 6-6                | DIN-6-6   | 23.27     | 120-10             | DIN-120-10  | 764.04    |
| 6-8                | DIN-6-8   | 23.27     | 120-12             | DIN-120-12  | 764.04    |
| 10-5               | DIN-10-5  | 23.73     | 120-14             | DIN-120-14  | 764.04    |
| 10-6               | DIN-10-6  | 23.73     | 120-16             | DIN-120-16  | 764.04    |
| 10-8               | DIN-10-8  | 23.73     | 120-20             | DIN-120-20  | 764.04    |
| 16-6               | DIN-16-6  | 86.02     | 150-10             | DIN-150-10  | 1,090.49  |
| 16-8               | DIN-16-8  | 86.02     | 150-12             | DIN-150-12  | 1,090.49  |
| 16-10              | DIN-16-10 | 86.02     | 150-14             | DIN-150-14  | 1,090.49  |
| 16-12              | DIN-16-12 | 86.02     | 150-16             | DIN-150-16  | 1,090.49  |
| 25-6               | DIN-25-6  | 108.83    | 150-20             | DIN-150-20  | 1,090.49  |
| 25-8               | DIN-25-8  | 108.83    | 185-10             | DIN-185-10  | 1,247.93  |
| 25-10              | DIN-25-10 | 108.83    | 185-12             | DIN-185-12  | 1,247.93  |
| 25-12              | DIN-25-12 | 108.83    | 185-14             | DIN-185-14  | 1,247.93  |
| 35-6               | DIN-35-6  | 211.85    | 185-16             | DIN-185-16  | 1,247.93  |
| 35-8               | DIN-35-8  | 211.85    | 185-20             | DIN-185-20  | 1,247.93  |
| 35-10              | DIN-35-10 | 211.85    | 240-12             | DIN-240-12  | 1,789.70  |
| 35-12              | DIN-35-12 | 211.85    | 240-14             | DIN-240-14  | 1,789.70  |
| 35-14              | DIN-35-14 | 211.85    | 240-16             | DIN-240-16  | 1,789.70  |
| 50-8               | DIN-50-8  | 314.88    | 240-20             | DIN-240-20  | 1,789.70  |
| 50-10              | DIN-50-10 | 314.88    | 300-14             | DIN-300-14  | 2,163.60  |
| 50-12              | DIN-50-12 | 314.88    | 300-16             | DIN-300-16  | 2,163.60  |
| 50-14              | DIN-50-14 | 314.88    | 300-20             | DIN-300-20  | 2,163.60  |
| 50-16              | DIN-50-16 | 314.88    | 400-14             | DIN-400-14  | 4,251.96  |
| 70-8               | DIN-70-8  | 415.59    | 400-16             | DIN-400-16  | 4,251.96  |
| 70-10              | DIN-70-10 | 415.59    | 400-20             | DIN-400-20  | 4,251.96  |
| 70-12              | DIN-70-12 | 415.59    | 500-16             | DIN-500-16  | 5,039.14  |
| 70-14              | DIN-70-14 | 415.59    | 500-20             | DIN-500-20  | 5,039.14  |
| 70-16              | DIN-70-16 | 415.59    | 625-16             | DIN-625-16  | 4,989.37  |
| 95-8               | DIN-95-8  | 608.92    | 625-20             | DIN-625-20  | 4,989.37  |
| 95-10              | DIN-95-10 | 608.92    | 800-16             | DIN-800-16  | 9,002.85  |
| 95-12              | DIN-95-12 | 608.92    | 800-20             | DIN-800-20  | 9,002.85  |
| 95-14              | DIN-95-14 | 608.92    | 1000-21            | DIN-1000-21 | 11,351.68 |

### COPPER TUBE TERMINAL ICF SERIES

| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) |
|--------------------|----------|-----------|--------------------|----------|-----------|
| 17-5               | CUS-106  | 42.72     | 90-8               | CUS-161  | 314.88    |
| 17-6               | CUS-145  | 42.72     | 90-10              | CUS-162  | 314.88    |
| 17-8               | CUS-146  | 42.72     | 110-6              | CUS-115  | 384.34    |
| 17-10              | CUS-109  | 43.87     | 110-8              | CUS-164  | 384.34    |
| 23-5               | CUS-107  | 70.73     | 110-10             | CUS-165  | 384.34    |
| 23-6               | CUS-147  | 70.73     | 110-13             | CUS-166  | 384.34    |
| 23-8               | CUS-148  | 70.73     | 146-8              | CUS-138  | 562.62    |
| 23-10              | CUS-108  | 74.44     | 146-10             | CUS-167  | 562.62    |
| 29-5               | CUS-110  | 104.89    | 146-13             | CUS-168  | 562.62    |
| 29-6               | CUS-149  | 96.32     | 146-17             | CUS-169  | 562.62    |
| 29-8               | CUS-150  | 96.32     | 183-10             | CUS-128  | 735.10    |
| 29-10              | CUS-151  | 98.75     | 183-13             | CUS-170  | 773.30    |
| 29-13              | CUS-111  | 96.32     | 183-17             | CUS-171  | 773.30    |
| 45-5               | CUS-116  | 136.61    | 225-10             | CUS-139  | 889.06    |
| 45-6               | CUS-152  | 136.61    | 225-13             | CUS-172  | 889.06    |
| 45-8               | CUS-153  | 136.61    | 225-17             | CUS-173  | 889.06    |
| 45-10              | CUS-154  | 136.61    | 225-21             | CUS-174  | 889.06    |
| 45-10              | CUS-113  | 136.61    | 299-13             | CUS-140  | 1,257.19  |
| 57-6               | CUS-112  | 223.42    | 299-17             | CUS-175  | 1,272.24  |
| 57-8               | CUS-155  | 223.42    | 299-21             | CUS-176  | 1,257.19  |
| 57-10              | CUS-156  | 223.42    | 366-13             | CUS-141  | 1,770.01  |
| 57-13              | CUS-157  | 223.42    | 366-17             | CUS-177  | 1,770.01  |
| 75-6               | CUS-114  | 284.79    | 366-21             | CUS-178  | 1,770.01  |
| 75-8               | CUS-158  | 284.79    | 437-13             | CUS-142  | 2,427.54  |
| 75-10              | CUS-159  | 284.79    | 437-17             | CUS-179  | 2,428.71  |
| 75-13              | CUS-160  | 284.79    | 437-21             | CUS-180  | 2,428.71  |
| 90-6               | CUS-137  | 314.88    |                    |          |           |



### COPPER TUBE LIGHT DUTY IN-LINE CONNECTORS

| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | mm <sup>2</sup> | CAT. NO. | PRICE (₹) |
|--------------------|----------|-----------|-----------------|----------|-----------|
| 2.5                | CB-23    | 6.83      | 225             | CB-20    | 428.33    |
| 25                 | CB-7     | 34.27     | 240             | CB-15    | 448.01    |
| 35                 | CB-8     | 45.73     | 300             | CB-16    | 677.21    |
| 50                 | CB-9     | 68.31     | 400             | CB-17    | 1,025.67  |
| 70                 | CB-10    | 98.75     | 500             | CB-18    | 1,330.11  |
| 95                 | CB-11    | 140.07    | 630             | CB-19    | 1,832.53  |
| 120                | CB-12    | 193.33    | 800             | CB-21    | 2,867.44  |
| 150                | CB-13    | 246.58    | 1000            | CB-22    | 4,269.33  |
| 185                | CB-14    | 309.09    |                 |          |           |



## ALUMINIUM SERIES

Designed for excellent performance, Aluminium series products offers wide range of application requirements upto 36kV All the products are manufactured to precision with attention to detail offering competitive solutions.



| ALUMINIUM TUBE TERMINAL |          |           |
|-------------------------|----------|-----------|
| mm <sup>2</sup> -E      | CAT. NO. | PRICE (₹) |
| 2.5-3                   | ALS-151  | 3.13      |
| 2.5-3.5                 | ALS-309  | 3.13      |
| 4-4                     | ALS-155  | 3.25      |
| 4-5                     | ALS-317  | 3.25      |
| 6-5                     | ALS-158  | 3.71      |
| 6-6                     | ALS-313  | 3.71      |
| 10-4                    | ALS-159  | 4.52      |
| 10-6                    | ALS-214  | 4.52      |
| 10-8                    | ALS-215  | 4.52      |
| 16-6                    | ALS-252  | 6.25      |
| 16-8                    | ALS-216  | 6.25      |
| 16-10                   | ALS-217  | 6.25      |
| 25-6                    | ALS-253  | 8.57      |
| 25-8                    | ALS-218  | 8.57      |
| 25-10                   | ALS-219  | 8.57      |
| 25-12                   | ALS-220  | 8.57      |
| 35-6                    | ALS-254  | 10.31     |
| 35-8                    | ALS-221  | 10.31     |
| 35-10                   | ALS-222  | 10.31     |
| 50-8                    | ALS-255  | 15.51     |
| 50-10                   | ALS-312  | 15.51     |
| 50-12                   | ALS-224  | 15.51     |
| 70-8                    | ALS-256  | 24.31     |
| 70-10                   | ALS-225  | 24.31     |
| 70-12                   | ALS-226  | 24.31     |
| 95-10                   | ALS-227  | 26.06     |
| 95-12                   | ALS-228  | 25.48     |
| 95-16                   | ALS-229  | 25.48     |
| 120-10                  | ALS-257  | 36.12     |
| 120-12                  | ALS-230  | 35.32     |
| 120-16                  | ALS-231  | 35.32     |
| 150-10                  | ALS-258  | 48.04     |
| 150-12                  | ALS-232  | 46.89     |
| 150-16                  | ALS-233  | 46.89     |
| 185-10                  | ALS-311  | 60.66     |
| 185-12                  | ALS-234  | 59.28     |
| 185-16                  | ALS-235  | 59.97     |
| 225-12                  | ALS-320  | 85.43     |
| 240-12                  | ALS-236  | 98.17     |
| 240-16                  | ALS-237  | 98.17     |
| 300-16                  | ALS-300  | 138.92    |
| 300-20                  | ALS-259  | 138.92    |
| 400-20                  | ALS-260  | 201.44    |
| 500-20                  | ALS-296  | 316.03    |
| 630-20                  | ALS-261  | 410.96    |
| 800                     | ALS-318  | 650.60    |
| 1000                    | ALS-319  | 948.10    |

| ALUMINIUM TUBE TERMINALS LONG BARREL |          |           |
|--------------------------------------|----------|-----------|
| mm <sup>2</sup> -E                   | CAT. NO. | PRICE (₹) |
| 2.5-3                                | ALS-551  | 4.52      |
| 2.5-3.5                              | ALS-509  | 4.52      |
| 4-4                                  | ALS-555  | 4.52      |
| 4-5                                  | ALS-517  | 4.52      |
| 6-5                                  | ALS-558  | 4.87      |
| 6-6                                  | ALS-513  | 4.87      |
| 10-6                                 | ALS-514  | 5.91      |
| 10-8                                 | ALS-515  | 5.91      |
| 16-6                                 | ALS-552  | 7.42      |
| 16-8                                 | ALS-516  | 7.42      |
| 16-10                                | ALS-617  | 7.42      |
| 25-8                                 | ALS-518  | 8.57      |
| 25-10                                | ALS-519  | 8.57      |
| 25-12                                | ALS-520  | 8.57      |
| 35-8                                 | ALS-521  | 12.16     |
| 35-10                                | ALS-522  | 12.16     |
| 50-8                                 | ALS-655  | 18.76     |
| 50-10                                | ALS-512  | 18.76     |
| 50-12                                | ALS-524  | 18.76     |
| 70-8                                 | ALS-556  | 30.34     |
| 70-10                                | ALS-525  | 30.34     |
| 70-12                                | ALS-526  | 30.34     |
| 95-10                                | ALS-527  | 31.49     |
| 95-12                                | ALS-528  | 31.49     |
| 95-16                                | ALS-529  | 31.49     |
| 120-10                               | ALS-557  | 46.89     |
| 120-12                               | ALS-530  | 46.89     |
| 120-16                               | ALS-531  | 46.89     |
| 150-10                               | ALS-658  | 57.53     |
| 150-12                               | ALS-532  | 56.26     |
| 150-16                               | ALS-533  | 56.26     |
| 185-10                               | ALS-511  | 73.40     |
| 185-12                               | ALS-534  | 75.02     |
| 185-16                               | ALS-535  | 74.21     |
| 225-12                               | ALS-620  | 105.12    |
| 240-12                               | ALS-536  | 119.24    |
| 240-16                               | ALS-537  | 119.24    |
| 300-16                               | ALS-500  | 174.81    |
| 300-20                               | ALS-559  | 174.81    |
| 400-20                               | ALS-560  | 251.21    |
| 500-20                               | ALS-596  | 402.86    |
| 630-20                               | ALS-561  | 522.10    |
| 800                                  | ALS-618  | 781.40    |
| 1000                                 | ALS-619  | 1,171.52  |

| ALUMINIUM TERMINALS FOR AL. XLPE CONDUCTORS |          |           |
|---|----------|-----------|
| mm <sup>2</sup> -E                          | CAT. NO. | PRICE (₹) |
| 25-8  | ALS-XL17 | 12.16     |
| 35-8  | ALS-XL18 | 16.56     |
| 50-10                                       | ALS-XL19 | 26.52     |
| 70-10                                       | ALS-XL20 | 35.32     |
| 95-12                                       | ALS-XL21 | 55.11     |
| 120-12                                      | ALS-XL22 | 70.04     |
| 150-12                                      | ALS-XL23 | 101.41    |
| 185-12                                      | ALS-XL24 | 134.29    |
| 225-12                                      | ALS-XL25 | 166.70    |
| 240-12                                      | ALS-XL26 | 185.22    |
| 300-20                                      | ALS-XL27 | 241.95    |
| 400-20                                      | ALS-XL28 | 385.49    |
| 500-20                                      | ALS-XL29 | 535.99    |
| 630-20                                      | ALS-XL30 | 766.36    |
| 800-20                                      | ALS-XL31 | 1,034.93  |
| 1000-20                                     | ALS-XL32 | 2,204.12  |



| ALUMINIUM TUBE TERMINALS TWO HOLES |          |           |
|------------------------------------|----------|-----------|
| mm <sup>2</sup> -E                 | CAT. NO. | PRICE (₹) |
| 150                                | ALS-701  | 112.18    |
| 240                                | ALS-702  | 201.44    |
| 300                                | ALS-703  | 309.09    |
| 630                                | ALS-706  | 816.13    |
| 300                                | ALS-704  | 309.09    |
| 300                                | ALS-705  | 339.19    |



### ALUMINIUM REDUCER TERMINALS

| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) |
|--------------------|----------|-----------|
| 2.5                | AWP-01   | 10.31     |
| 2.5                | AWP-07   | 10.31     |
| 4                  | AWP-15   | 10.31     |
| 4                  | AWP-16   | 9.50      |
| 6                  | AWP-17   | 10.88     |
| 6                  | AWP-18   | 9.50      |
| 10                 | AWP-19   | 11.82     |
| 10                 | AWP-20   | 11.82     |
| 10                 | AWP-21   | 11.82     |
| 10                 | AWP-22   | 11.82     |
| 16                 | AWP-23   | 24.31     |
| 16                 | AWP-24   | 24.31     |
| 16                 | AWP-02   | 16.56     |
| 25                 | AWP-25   | 26.52     |
| 25                 | AWP-03   | 33.69     |
| 35                 | AWP-04   | 35.32     |
| 50                 | AWP-26   | 40.29     |
| 50                 | AWP-05   | 67.85     |
| 70                 | AWP-27   | 61.70     |
| 70                 | AWP-06   | 78.84     |
| 70                 | AWP-28   | 93.77     |
| 95                 | AWP-29   | 89.25     |
| 95                 | AWP-08   | 125.03    |
| 95                 | AWP-31   | 81.62     |
| 95                 | AWP-32   | 131.98    |
| 120                | AWP-33   | 107.31    |
| 120                | AWP-34   | 107.31    |
| 120                | AWP-35   | 125.03    |
| 120                | AWP-36   | 169.02    |
| 150                | AWP-10   | 196.81    |
| 150                | AWP-37   | 153.97    |
| 185                | AWP-30   | 250.05    |
| 185                | AWP-38   | 201.44    |
| 225                | AWP-39   | 328.77    |
| 225                | AWP-46   | 472.32    |
| 225                | AWP-42   | 417.90    |
| 240                | AWP-44   | 430.64    |
| 240                | AWP-43   | 314.88    |
| 300                | AWP-45   | 397.07    |
| 300                | AWP-47   | 426.01    |



### ALUMINIUM IN LINE CONNECTORS

| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) |
|--------------------|----------|-----------|
| 2.5                | ALS-145  | 2.56      |
| 2.5                | ALS-6    | 2.56      |
| 4                  | ALS-5    | 2.67      |
| 6                  | ALS-13   | 2.67      |
| 10                 | ALS-14   | 3.25      |
| 10                 | ALS-146  | 3.13      |
| 16                 | ALS-4    | 4.06      |
| 25                 | ALS-3    | 6.71      |
| 35                 | ALS-2    | 6.71      |
| 50                 | ALS-12   | 12.16     |
| 70                 | ALS-1    | 20.03     |
| 95                 | ALS-15   | 23.73     |
| 120                | ALS-9    | 33.69     |
| 150                | ALS-10   | 40.18     |
| 185                | ALS-11   | 51.40     |
| 225                | ALS-147  | 79.65     |
| 240                | ALS-16   | 80.57     |
| 300                | ALS-17   | 119.24    |
| 400                | ALS-18   | 180.59    |
| 500                | ALS-19   | 289.42    |
| 630                | ALS-20   | 371.60    |
| 800                | ALS-148  | 515.15    |
| 1000               | ALS-149  | 860.12    |



### ALUMINIUM IN LINE CONNECTORS FOR AL XLPE CONDUCTORS

| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) |
|--------------------|----------|-----------|
| 25                 | ALS-XL01 | 10.31     |
| 35                 | ALS-XL02 | 16.09     |
| 50                 | ALS-XL03 | 25.48     |
| 70                 | ALS-XL04 | 35.32     |
| 95                 | ALS-XL05 | 49.09     |
| 120                | ALS-XL06 | 62.40     |
| 150                | ALS-XL07 | 83.35     |
| 185                | ALS-XL08 | 125.03    |
| 225                | ALS-XL09 | 151.66    |
| 240                | ALS-XL10 | 175.96    |
| 300                | ALS-XL11 | 228.05    |
| 400                | ALS-XL12 | 349.61    |
| 500                | ALS-XL13 | 457.27    |
| 630                | ALS-XL14 | 629.75    |
| 800                | ALS-XL15 | 862.43    |
| 1000               | ALS-XL16 | 1,187.73  |

## BI-METALLIC SERIES

Designed for Excellent and rugged performance to meet the installation requirements for power generation via renewable sources. The connectors are time tested and proven to offer most reliable connections upto 36kV.



### BI-METALLIC CONNECTORS (FRICTION WELDED)

| Sr. No | Dowell's Cat. No. | Size (Sq.mm) | PRICE (₹) |
|--------|-------------------|--------------|-----------|
| 1      | CACF-16-16        | 16-16        | 343.82    |
| 2      | CACF-25-16        | 25-16        | 343.82    |
| 3      | CACF-25-25        | 25-25        | 343.82    |
| 4      | CACF-35-16        | 35-16        | 343.82    |
| 5      | CACF-35-25        | 35-25        | 336.88    |
| 6      | CACF-35-35        | 35-35        | 332.25    |
| 7      | CACF-50-25        | 50-25        | 422.54    |
| 8      | CACF-50-35        | 50-35        | 422.54    |
| 9      | CACF-50-50        | 50-50        | 409.81    |
| 10     | CACF-70-35        | 70-35        | 417.90    |
| 11     | CACF-70-50        | 70-50        | 408.64    |
| 12     | CACF-70-70        | 70-70        | 392.44    |
| 13     | CACF-95-50        | 95-50        | 522.10    |
| 14     | CACF-95-70        | 95-75        | 507.05    |
| 15     | CACF-95-95        | 95-95        | 504.73    |
| 16     | CACF-120-70       | 120-70       | 659.86    |
| 17     | CACF-120-95       | 120-95       | 648.27    |
| 18     | CACF-120-120      | 120-120      | 632.07    |
| 19     | CACF-150-95       | 150-95       | 643.64    |
| 20     | CACF-150-120      | 150-120      | 629.75    |
| 21     | CACF-150-150      | 150-150      | 605.45    |
| 22     | CACF-185-120      | 185-120      | 898.32    |
| 23     | CACF-185-150      | 185-150      | 876.32    |
| 24     | CACF-185-185      | 185-185      | 1,093.96  |
| 25     | CACF-240-150      | 240-150      | 974.73    |
| 26     | CACF-240-185      | 240-185      | 1,085.86  |
| 27     | CACF-240-240      | 240-240      | 1,045.34  |

### BI-METALLIC TERMINALS (FRICTION WELDED)

| Sr. No | Dowell's Cat. No. | Size (Sq.mm) | PRICE (₹) |
|--------|-------------------|--------------|-----------|
| 1      | CAF-25-10         | 25           | 275.52    |
| 2      | CAF-35-10         | 35           | 302.14    |
| 3      | CAF-50-13         | 50           | 344.98    |
| 4      | CAF-70-13         | 70           | 404.01    |
| 5      | CAF-95-13         | 95           | 410.96    |
| 6      | CAF-120-13        | 120          | 471.16    |
| 7      | CAF-150-13        | 150          | 520.94    |
| 8      | CAF-185-13        | 185          | 872.86    |
| 9      | CAF-240-13        | 240          | 893.69    |
| 10     | CAF-300-17        | 300          | 1,136.80  |
| 11     | CAF-400-17        | 400          | 1,149.52  |
| 12     | CAF-500           | 500          | 2,991.31  |
| 13     | CAF-630           | 630          | 3,483.30  |



### ALUMINIUM ALLOY TUBULAR BI-METALLIC TERMINALS

| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) |
|--------------------|----------|-----------|--------------------|----------|-----------|
| 10-6               | BL-01    | 5.67      | 120-12             | BL-16    | 49.09     |
| 10-8               | BL-02    | 6.25      | 150-12             | BL-17    | 67.85     |
| 16-6               | BL-03    | 8.00      | 150-16             | BL-18    | 67.85     |
| 16-8               | BL-04    | 8.00      | 185-12             | BL-19    | 84.86     |
| 25-8               | BL-05    | 10.31     | 185-16             | BL-20    | 84.86     |
| 25-10              | BL-06    | 10.31     | 225-12             | BL-21    | 119.13    |
| 35-8               | BL-07    | 12.16     | 240-12             | BL-22    | 144.71    |
| 35-10              | BL-08    | 12.16     | 240-16             | BL-23    | 144.71    |
| 50-8               | BL-09    | 21.54     | 300-16             | BL-24    | 230.37    |
| 50-10              | BL-10    | 21.54     | 300-20             | BL-25    | 230.37    |
| 70-10              | BL-11    | 33.11     | 400-20             | BL-26    | 289.42    |
| 70-12              | BL-12    | 33.11     | 500-20             | BL-27    | 416.75    |
| 95-10              | BL-13    | 33.69     | 630-20             | BL-28    | 542.93    |
| 95-12              | BL-14    | 33.69     | 800-20             | BL-29    | 814.97    |
| 120-10             | BL-15    | 49.09     | 1000-20            | BL-30    | 1,333.59  |

## COPPER RING, PIN AND FORK TERMINALS



| PIN TERMINAL NON-INSULATED |          |           |                    |          |           |
|----------------------------|----------|-----------|--------------------|----------|-----------|
| mm <sup>2</sup> -E         | CAT. NO. | PRICE (₹) | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) |
| 0.75                       | CP-59    | 3.25      | 4                  | CP-3     | 6.14      |
| 1                          | CP-44    | 3.25      | 6                  | CP-5     | 6.14      |
| 1.5                        | CP-9     | 3.25      | 10                 | CP-7     | 9.61      |
| 1.5                        | CP-35    | 3.60      | 16                 | CP-8     | 18.99     |
| 2.5                        | CP-1     | 3.25      | 50                 | CP-88    | 71.31     |
| 2.5                        | CP-2     | 3.25      | 70                 | CP-89    | 96.55     |
| 25                         | CP-86    | 35.43     | 95                 | CP-90    | 126.18    |
| 35                         | CP-87    | 47.00     |                    |          |           |

| NON INSULATED RING TERMINALS |          |           |                    |          |           |
|------------------------------|----------|-----------|--------------------|----------|-----------|
| mm <sup>2</sup> -E           | CAT. NO. | PRICE (₹) | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) |
| 0.75-4                       | RS-7317  | 3.02      | 10-5               | RS-7026  | 8.23      |
| 1-3.5                        | RS-7318  | 3.02      | 10-6               | RS-7120  | 8.92      |
| 1.5-3                        | RS-7001  | 3.25      | 10-8               | RS-7121  | 11.34     |
| 1.5-3.5                      | RS-7002  | 3.25      | 10-10              | RS-7027  | 15.28     |
| 1.5-3.5                      | RS-7048  | 3.25      | 10-10              | RS-7123  | 16.45     |
| 1.5-4                        | RS-7003  | 3.25      | 10-12              | RS-7028  | 15.63     |
| 1.5-4                        | RS-7049  | 3.25      | 16-5               | RS-7124  | 14.13     |
| 1.5-4                        | RS-7004  | 3.36      | 16-6               | RS-7029  | 15.28     |
| 1.5-4                        | RS-7154  | 3.48      | 16-6               | RS-7031  | 20.72     |
| 1.5-5                        | RS-7005  | 3.36      | 16-8               | RS-7030  | 18.99     |
| 1.5-5                        | RS-7006  | 4.06      | 16-10              | RS-7032  | 23.27     |
| 1.5-6                        | RS-7007  | 4.06      | 16-10              | RS-7128  | 23.73     |
| 1.5-6                        | RS-7106  | 4.17      | 16-12              | RS-7033  | 22.00     |
| 2.5-3                        | RS-7107  | 3.71      | 25-6               | RS-7156  | 33.57     |
| 2.5-3.5                      | RS-7008  | 4.06      | 25-8               | RS-7034  | 34.97     |
| 2.5-3.5                      | RS-7108  | 4.06      | 25-8               | RS-7036  | 38.90     |
| 2.5-4                        | RS-7009  | 3.48      | 25-10              | RS-7035  | 33.57     |
| 2.5-5                        | RS-7010  | 3.48      | 25-10              | RS-7132  | 49.44     |
| 2.5-5                        | RS-7109  | 3.48      | 25-12              | RS-7037  | 49.44     |
| 2.5-5                        | RS-7110  | 4.87      | 35-6               | RS-7133  | 40.87     |
| 2.5-6                        | RS-7011  | 3.48      | 35-8               | RS-7038  | 43.87     |
| 2.5-6                        | RS-7012  | 4.87      | 35-10              | RS-7135  | 55.57     |
| 2.5-8                        | RS-7013  | 5.67      | 35-12              | RS-7040  | 51.75     |
| 2.5-8                        | RS-7014  | 6.83      | 50-8               | RS-7136  | 62.16     |
| 2.5-10                       | RS-7015  | 8.00      | 50-10              | RS-7137  | 67.15     |
| 2.5-10                       | RS-7151  | 8.00      | 50-12              | RS-7042  | 72.82     |
| 4.6-4                        | RS-7155  | 6.25      | 50-16              | RS-7139  | 90.77     |
| 4.6-5                        | RS-7050  | 6.25      | 70-10              | RS-7140  | 91.81     |
| 4.6-5                        | RS-7016  | 7.42      | 70-12              | RS-7141  | 94.12     |
| 4.6-6                        | RS-7017  | 6.37      | 70-16              | RS-7142  | 109.29    |
| 4.6-6                        | RS-7019  | 8.46      | 95-10              | RS-7144  | 133.13    |
| 4.6-6                        | RS-7115  | 9.27      | 95-12              | RS-7044  | 127.35    |
| 4.6-8                        | RS-7018  | 7.42      | 95-16              | RS-7145  | 144.71    |
| 4.6-8                        | RS-7020  | 9.84      | 120-12             | RS-7146  | 165.55    |
| 4.6-8                        | RS-7116  | 12.16     | 120-16             | RS-7147  | 204.90    |
| 4.6-10                       | RS-7022  | 12.16     | 120-20             | RS-7148  | 236.16    |
| 4.6-10                       | RS-7023  | 10.88     | 150-12             | RS-7149  | 351.92    |
| 4.6-12                       | RS-7024  | 10.88     | 150-16             | RS-7045  | 346.14    |
| 10-5                         | RS-7025  | 9.15      | 150-20             | RS-7046  | 386.66    |



| PIN TERMINAL (INSULATED) |          |           |                    |          |           |
|--------------------------|----------|-----------|--------------------|----------|-----------|
| mm <sup>2</sup> -E       | CAT. NO. | PRICE (₹) | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) |
| 0.75                     | CPI-60   | 3.60      | 4                  | CPI-20   | 7.30      |
| 1                        | CPI-45   | 3.60      | 4                  | CPI-21   | 9.61      |
| 1.5                      | CPI-17   | 3.60      | 6                  | CPI-22   | 10.54     |
| 1.5                      | CPI-40   | 4.06      | 6                  | CPI-23   | 11.11     |
| 2.5                      | CPI-18   | 3.71      | 10                 | CPI-24   | 12.86     |
| 2.5                      | CPI-19   | 3.71      | 16                 | CPI-25   | 23.73     |



| PIN TERMINAL DOUBLE GRIP (PRE-INSULATED) |          |           |                    |          |           |
|--|----------|-----------|--------------------|----------|-----------|
| mm <sup>2</sup> -E                       | CAT. NO. | PRICE (₹) | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) |
| 1.5                                      | CPD-26   | 4.87      | 2.5                | CPD-28   | 5.10      |
| 2.5                                      | CPD-27   | 5.10      | 4                  | CPD-29   | 8.80      |

| END SEALING FERRULES NON-INSULATED |          |           |                    |          |           |
|------------------------------------|----------|-----------|--------------------|----------|-----------|
| mm <sup>2</sup> -L                 | CAT. NO. | PRICE (₹) | mm <sup>2</sup> -L | CAT. NO. | PRICE (₹) |
| 0.5-6                              | EH-508   | 1.04      | 6-10               | EH-518   | 1.85      |
| 0.75-6                             | EH-509   | 1.04      | 6-12               | EH-519   | 2.08      |
| 1-6                                | EH-510   | 1.04      | 6-15               | EH-520   | 2.90      |
| 1-10                               | EH-511   | 1.04      | 10-12              | EH-521   | 3.36      |
| 1.5-7                              | EH-512   | 1.04      | 10-15              | EH-522   | 3.48      |
| 1.5-10                             | EH-513   | 1.16      | 10-18              | EH-523   | 4.06      |
| 2.5-7                              | EH-514   | 1.16      | 16-12              | EH-524   | 3.48      |
| 2.5-12                             | EH-515   | 1.28      | 16-15              | EH-525   | 4.06      |
| 4-9                                | EH-516   | 1.28      | 16-18              | EH-526   | 4.75      |
| 4-12                               | EH-517   | 1.51      | -                  | -        | -         |



| RING TERMINALS INSULATED |          |           |                    |          |           |
|--------------------------|----------|-----------|--------------------|----------|-----------|
| mm <sup>2</sup> -E       | CAT. NO. | PRICE (₹) | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) |
| 0.75-4                   | RSI-7501 | 3.48      | 2.5-5              | RSI-7073 | 5.10      |
| 1-4                      | RSI-7502 | 3.48      | 2.5-5              | RSI-7075 | 6.96      |
| 1.5-3                    | RSI-7054 | 4.87      | 2.5-6              | RSI-7074 | 5.10      |
| 1.5-3.5                  | RSI-7055 | 4.87      | 2.5-6              | RSI-7076 | 6.14      |
| 1.5-3.5                  | RSI-7058 | 4.98      | 2.5-8              | RSI-7077 | 6.25      |
| 1.5-4                    | RSI-7056 | 4.87      | 2.5-8              | RSI-7079 | 7.42      |
| 1.5-4                    | RSI-7059 | 4.98      | 2.5-10             | RSI-7081 | 8.80      |
| 1.5-4                    | RSI-7061 | 3.71      | 4.6-4              | RSI-7083 | 7.42      |
| 1.5-4                    | RSI-7063 | 4.87      | 4.6-5              | RSI-7084 | 7.42      |
| 1.5-5                    | RSI-7062 | 3.71      | 4.6-5              | RSI-7086 | 8.80      |
| 1.5-5                    | RSI-7065 | 5.91      | 4.6-6              | RSI-7089 | 8.46      |
| 1.5-5                    | RSI-7066 | 5.67      | 4.6-6              | RSI-7092 | 9.84      |
| 1.5-6                    | RSI-7067 | 5.91      | 4.6-6              | RSI-7093 | 10.65     |
| 2.5-3                    | RSI-7068 | 4.98      | 4.6-8              | RSI-7090 | 8.80      |
| 2.5-3.5                  | RSI-7069 | 4.98      | 4.6-8              | RSI-7094 | 10.65     |
| 2.5-3.5                  | RSI-7070 | 5.67      | 4.6-8              | RSI-7096 | 12.86     |
| 2.5-4                    | RSI-7071 | 4.87      | 4.6-10             | RSI-7099 | 12.16     |
| 2.5-5                    | RSI-7072 | 4.87      | 4.6-12             | RSI-7100 | 12.16     |

| RING TERMINALS DOUBLE GRIP (PRE-INSULATED) |          |           |                    |          |           |
|--|----------|-----------|--------------------|----------|-----------|
| mm <sup>2</sup> -E                         | CAT. NO. | PRICE (₹) | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) |
| 1.5-3                                      | PSD-7437 | 5.10      | 4.6-5              | PSD-7469 | 10.54     |
| 1.5-3.5                                    | PSD-7438 | 5.10      | 4.6-6              | PSD-7472 | 9.61      |
| 1.5-4                                      | PSD-7439 | 5.10      | 4.6-8              | PSD-7473 | 10.42     |
| 1.5-3.5                                    | PSD-7441 | 5.10      | 4.6-6              | PSD-7475 | 11.46     |
| 1.5-4                                      | PSD-7442 | 5.10      | 4.6-6              | PSD-7476 | 12.86     |
| 1.5-4                                      | PSD-7444 | 4.98      | 4.6-8              | PSD-7477 | 12.86     |
| 1.5-5                                      | PSD-7445 | 4.98      | 4.6-8              | PSD-7479 | 14.13     |
| 1.5-4                                      | PSD-7446 | 5.79      | 4.6-8              | PSD-7482 | 15.28     |
| 1.5-5                                      | PSD-7448 | 6.14      | 4.6-12             | PSD-7483 | 14.13     |
| 1.5-6                                      | PSD-7449 | 6.14      |                    |          |           |
| 1.5-6                                      | PSD-7450 | 6.37      |                    |          |           |
| 2.5-3                                      | PSD-7451 | 6.14      |                    |          |           |
| 2.5-3.5                                    | PSD-7452 | 6.14      |                    |          |           |
| 2.5-3.5                                    | PSD-7453 | 6.25      |                    |          |           |
| 2.5-4                                      | PSD-7454 | 5.33      |                    |          |           |
| 2.5-5                                      | PSD-7455 | 5.33      |                    |          |           |
| 2.5-5                                      | PSD-7456 | 5.33      |                    |          |           |
| 2.5-6                                      | PSD-7457 | 5.33      |                    |          |           |
| 2.5-5                                      | PSD-7458 | 7.42      |                    |          |           |
| 2.5-6                                      | PSD-7459 | 6.83      |                    |          |           |
| 2.5-8                                      | PSD-7460 | 7.42      |                    |          |           |
| 2.5-8                                      | PSD-7462 | 8.80      |                    |          |           |
| 2.5-10                                     | PSD-7464 | 9.84      |                    |          |           |
| 4.6-4                                      | PSD-7466 | 9.27      |                    |          |           |
| 4.6-5                                      | PSD-7467 | 9.27      |                    |          |           |



| FORK TERMINAL NON-INSULATED |            |           |                    |          |           |
|-----------------------------|------------|-----------|--------------------|----------|-----------|
| mm <sup>2</sup> -E          | CAT. NO.   | PRICE (₹) | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) |
| 1-3                         | RS-7249SPL | 2.90      | 2.5-5              | RS-7280  | 8.34      |
| 1.5-3.5                     | RS-7249    | 2.90      | 4.6-3              | RS-7252  | 5.10      |
| 2.5-3.5                     | RS-7251    | 3.13      | 4.6-3.5            | RS-7253  | 5.10      |



| FORK TERMINAL INSULATED |             |           |                    |          |           |
|-------------------------|-------------|-----------|--------------------|----------|-----------|
| mm <sup>2</sup> -E      | CAT. NO.    | PRICE (₹) | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) |
| 1-3                     | RSI-7926SPL | 3.48      | 2.5-5              | RSI-7929 | 9.50      |
| 1.5-3.5                 | RSI-7926    | 3.48      | 4.6-3              | RSI-7930 | 6.83      |
| 2.5-3.5                 | RSI-7928    | 4.06      | 4.6-3.5            | RSI-7931 | 6.83      |

| FORK TERMINALS PRE INSULATED |          |           |                    |          |           |
|------------------------------|----------|-----------|--------------------|----------|-----------|
| mm <sup>2</sup> -E           | CAT. NO. | PRICE (₹) | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) |
| 1.5-3.5                      | PSD-7935 | 4.75      | 4.6-3              | PSD-7939 | 8.46      |
| 2.5-3.5                      | PSD-7937 | 5.10      | 4.6-3.5            | PSD-7940 | 8.46      |
| 2.5-5                        | PSD-7938 | 12.16     |                    |          |           |




| SNAPON TERMINALS   |          |           |
|--------------------|----------|-----------|
| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) |
| 1.5                | SNP-8351 | 4.29      |
| 1.5                | SND-8352 | 6.02      |
| 2.5                | SNP-8347 | 4.40      |
| 2.5                | SND-8348 | 6.48      |
| 4                  | SND-8476 | 11.23     |
| 1.5                | SND-8359 | 7.88      |
| 1.5                | SND-8362 | 7.88      |
| 1.5                | SNP-8336 | 4.29      |
| 1.5                | SNP-8356 | 4.29      |
| 1.5                | SNP-8358 | 4.98      |





| END SEALING FERRULES INSULATED |          |           |
|--------------------------------|----------|-----------|
| mm <sup>2</sup> -L             | CAT. NO. | PRICE (₹) |
| 0.5-8                          | EHI-508  | 1.28      |
| 0.75-8                         | EHI-509  | 1.28      |
| 1-6                            | EHI-510  | 1.51      |
| 1-10                           | EHI-511  | 1.51      |
| 1.5-10                         | EHI-513  | 1.74      |
| 2.5-8                          | EHI-514  | 1.74      |
| 2.5-12                         | EHI-515  | 1.97      |
| 4-12                           | EHI-517  | 2.56      |
| 6-12                           | EHI-519  | 3.02      |
| 10-12                          | EHI-521  | 3.60      |
| 16-15                          | EHI-525  | 6.14      |

| COPPER TWIN TYPE LUGS |           |            |                |           |
|-----------------------|-----------|------------|----------------|-----------|
| mm <sup>2</sup> -E    | LENGTH mm | CAT. NO.   | COLOUR NATURAL | PRICE (₹) |
| 0.5-8                 | 8         | TW-0.5-8   | WHITE          | 3.02      |
| 0.5-10                | 10        | TW-0.5-10  | WHITE          | 3.13      |
| 0.75-8                | 8         | TW-0.75-8  | GREY           | 3.02      |
| 0.75-10               | 10        | TW-0.75-10 | GREY           | 3.02      |
| 1-8                   | 8         | TW-1-8     | RED            | 3.13      |
| 1-10                  | 10        | TW-1-10    | RED            | 3.13      |
| 1.5-8                 | 8         | TW-1.5-8   | BLACK          | 3.13      |
| 1.5-10                | 10        | TW-1.5-10  | BLACK          | 3.13      |
| 2.5-8                 | 8         | TW-2.5-8   | BLUE           | 3.36      |
| 2.5-10                | 10        | TW-2.5-10  | BLUE           | 3.71      |
| 4-12                  | 12        | TW-4-12    | GREY           | 4.29      |
| 6-12                  | 12        | TW-6-12    | YELLOW         | 4.29      |





## CABLE GLANDS



### DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF BRASS CABLE GLANDS

|                            |                  | WEATHER PROOF    |           |         | FLAME PROOF      |           |         |
|----------------------------|------------------|------------------|-----------|---------|------------------|-----------|---------|
| SUITABLE OVER ALL DIAMETER | NIPPLE ET THREAD | DOWELLS CAT. NO. | PRICE (₹) | BOX PKG | DOWELLS CAT. NO. | PRICE (₹) | BOX PKG |
| 6.0-12.0                   | 3/4"             | DBW-01SS         | 280.16    | 56      | DBF-01SS         | 361.18    | 50      |
| 12.0-16.5                  | 3/4"             | DBW-01S          | 321.83    | 50      | DBF-01S          | 388.97    | 40      |
| 16.5-18.5                  | 3/4"             | DBW-01           | 360.03    | 36      | DBF-01           | 429.49    | 24      |
| 16.5-18.5                  | 1"               | DBW-01A          | 412.12    | 30      | DBF-01A          | 486.21    | 30      |
| 18.5-20.0                  | 1"               | DBW-02           | 460.74    | 20      | DBF-02           | 563.77    | 20      |
| 18.5-20.0                  | 3/4"             | DBW-02A          | 475.79    | 20      | DBF-02A          | 593.86    | 20      |
| 20.0-23.0                  | 1"               | DBW-03           | 488.53    | 20      | DBF-03           | 637.86    | 20      |
| 23.0-26.0                  | 1"               | DBW-04           | 637.86    | 12      | DBF-04           | 810.34    | 12      |
| 23.0-26.0                  | 1.1/4"           | DBW-04A          | 717.73    | 12      | DBF-04A          | 905.27    | 12      |
| 26.0-30.0                  | 1.1/4"           | DBW-05           | 798.77    | 12      | DBF-05           | 941.15    | 12      |
| 26.0-30.0                  | 1.1/2"           | DBW-05A          | 956.21    | 12      | DBF-05A          | 1,091.65  | 12      |
| 30.0-33.0                  | 1.1/2"           | DBW-06           | 1,148.37  | 10      | DBF-06           | 1,346.33  | 8       |
| 30.0-33.0                  | 1.1/4"           | DBW-06A          | 1,187.73  | 8       | DBF-06A          | 1,407.68  | 8       |
| 33.0-37.0                  | 1.1/2"           | DBW-07           | 1,341.69  | 6       | DBF-07           | 1,514.18  | 6       |
| 37.0-41.0                  | 2"               | DBW-08           | 1,721.40  | 6       | DBF-08           | 1,876.51  | 6       |
| 41.0-46.0                  | 2"               | DBW-09           | 1,899.66  | 5       | DBF-09           | 2,169.40  | 5       |
| 46.0-52.0                  | 2"               | DBW-10           | 2,084.88  | 4       | DBF-10           | 2,441.43  | 4       |
| 46.0-52.0                  | 2.1/2"           | DBW-10A          | 2,545.62  | 3       | DBF-010A         | 2,773.67  | 3       |
| 52.0-54.0                  | 2.1/2"           | DBW-011A         | 3,094.33  | 2       | DBF-011A         | 3,721.77  | 2       |
| 54.0-61.0                  | 2.1/2"           | DBW-011          | 3,102.44  | 2       | DBF-011          | 3,409.21  | 2       |
| 61.0-66.0                  | 3"               | DBW-012          | 3,788.91  | 2       | DBF-012          | 4,115.36  | 2       |
| 66.0-72.0                  | 3"               | DBW-013A         | 4,746.27  | 1       | DBF-013A         | 5,777.71  | 1       |
| 72.0-78.0                  | 3.1/4"           | DBW-013          | 5,357.49  | 1       | DBF-013          | 6,486.18  | 1       |
| 78.0-84.0                  | 3.1/2"           | DBW-014          | 6,428.29  | 1       | DBF-014          | 6,886.71  | 1       |
| 84.0-94.0                  | 4"               | DBW-015          | 8,609.26  | 1       | DBF-015          | 9,370.98  | 1       |
| 94.0-104.0                 | 4.1/2"           | DBW-016          | 11,094.68 | 1       | DBF-016          | 12,052.04 | 1       |



**DC TYPE MEDIUM DUTY ARMOURED BRASS CABLE GLANDS**

| SUITABLE OVER ALL DIAMETER | DOWELLS CAT. NO. | PRODUCT CODE | NIPPLE (inch) | PRICE (₹) | INNER PACKING (NOS.) |
|----------------------------|------------------|--------------|---------------|-----------|----------------------|
| 07.0-14.0                  | DC-3/8"          | DGP10036     | 5/8"          | 217.64    | 64                   |
| 14.1-15.5                  | DC-1/2"          | DGP10037     | 5/8"          | 260.47    | 50                   |
| 15.6-17.0                  | DC-5/8"          | DGP10038     | 3/4"          | 266.26    | 46                   |
| 17.1-18.5                  | DC-3/4"          | DGP10039     | 3/4"          | 307.94    | 28                   |
| 18.6-19.5                  | DC-7/8"          | DGP10040     | 3/4"          | 371.60    | 24                   |
| 19.6-22.5                  | DC-1"            | DGP10041     | 1"            | 413.27    | 20                   |
| 22.6-25.5                  | DC-1.1/8"        | DGP10042     | 1.1/8"        | 527.88    | 15                   |
| 25.6-31.5                  | DC-1.1/4"        | DGP10043     | 1.1/4"        | 695.73    | 12                   |
| 31.6-34.5                  | DC-1.3/8"        | DGP10044     | 1.1/2"        | 831.18    | 12                   |
| 34.6-36.5                  | DC-1.1/2"        | DGP10045     | 1.1/2"        | 978.2     | 8                    |
| 36.6-44.5                  | DC-1.3/4"        | DGP10046     | 2"            | 1,345.17  | 5                    |
| 44.6-49.5                  | DC-2"            | DGP10047     | 2"            | 1,541.96  | 5                    |
| 49.6-54.5                  | DC-2.1/4"        | DGP10048     | 2.1/4"        | 1,800.11  | 4                    |
| 54.6-63.5                  | DC-2.1/2"        | DGP10049     | 2.1/2"        | 2,475.01  | 2                    |
| 63.6-69.5                  | DC-2.3/4"        | DGP10050     | 2.3/4"        | 2,794.52  | 2                    |
| 69.6-74.5                  | DC-3"            | DGP10051     | 3"            | 3,440.47  | 2                    |
| 74.6-81.0                  | DC-3.1/4"        | DGP10052     | 3.1/4"        | 3,984.56  | 1                    |
| 81.1-86.0                  | DC-3.1/2"        | DGP10053     | 3.1/2"        | 5,197.75  | 1                    |
| 86.1-100.0                 | DC-4"            | DGP10054     | 4"            | 7,060.36  | 1                    |

**DOUBLE COMPRESSION UN-ARMOURED BRASS CABLE GLANDS**

| SR. NO. | SUITABLE OVER ALL DIAMETER | DOWELLS CAT. NO. | PRICE (₹) | BOX PKG |
|---------|----------------------------|------------------|-----------|---------|
| 1       | 6.0-12.5                   | DBW-01SS(UN)     | 297.51    | 50      |
| 2       | 12.6-14.0                  | DBW-01S(UN)      | 325.29    | 50      |
| 3       | 14.1-17.0                  | DBW-01A(UN)      | 394.75    | 30      |
| 4       | 17.1-19.0                  | DBW-02(UN)       | 502.42    | 20      |
| 5       | 19.1-22.0                  | DBW-03SP(UN)     | 535.99    | 20      |
| 6       | 22.1-25.0                  | DBW-04A(UN)      | 760.56    | 12      |
| 7       | 25.1-29.0                  | DBW-05A(UN)      | 833.49    | 12      |
| 8       | 29.1-32.0                  | DBW-06SP(UN)     | 1,165.74  | 10      |
| 9       | 32.1-35.0                  | DBW-07SP(UN)     | 1,341.69  | 6       |
| 10      | 35.1-40.0                  | DBW-08(UN)       | 1,684.35  | 6       |
| 11      | 40.1-43.0                  | DBW-09(UN)       | 1,994.60  | 5       |
| 12      | 43.1-51.0                  | DBW-010A(UN)     | 2,457.65  | 3       |
| 13      | 51.1-59.0                  | DBW-011SP(UN)    | 3,248.31  | 2       |
| 14      | 59.1-65.0                  | DBW-012(UN)      | 3,815.54  | 2       |
| 15      | 65.1-71.0                  | DBW-013(UN)      | 4,838.88  | 1       |
| 16      | 71.1-79.0                  | DBW-014(UN)      | 5,900.42  | 1       |
| 17      | 79.1-89.0                  | DBW-015(UN)      | 8,852.37  | 1       |





| SINGLE COMPRESSION & SIBG BRASS CABLE GLANDS |     |              |           |          |                  |           |          |
|--|-----|--------------|-----------|----------|------------------|-----------|----------|
| SINGLE COMPRESSION GLANDS                    |     |              |           |          | SIBG SERIES      |           |          |
| DOWELLS CAT. NO.                             |     | PRODUCT CODE | PRICE (₹) | BOX PKG. | DOWELLS CAT. NO. | PRICE (₹) | BOX PKG. |
| INCH   | MM  |              |           |          |                  |           |          |
| 3/8"   | 10  | DGP10001     | 82.55     | 64       | 1616             | 145.87    | 70       |
| 1/2"   | 12  | DGP10002     | 82.55     | 128      | 1619             | 150.50    | 50       |
| 5/8"   | 16  | DGP10003     | 82.55     | 135      | 2119             | 241.95    | 40       |
| 3/4"   | 19  | DGP10004     | 91.81     | 105      | 2125             | 219.96    | 40       |
| 7/8"   | 22  | DGP10005     | 113.33    | 84       | 2925             | 294.05    | 24       |
| 1"   | 25  | DGP10006     | 164.39    | 60       | 2932             | 323.03    | 20       |
| 1.1/8"                                       | 28  | DGP10007     | 203.75    | 30       | 2938             | 350.77    | 20       |
| 1.1/4"                                       | 32  | DGP10008     | 274.36    | 24       | 3638             | 505.88    | 10       |
| 1.3/8"                                       | 35  | DGP10009     | 341.51    | 24       | 4251             | 880.95    | 5        |
| 1.1/2"                                       | 38  | DGP10010     | 402.86    | 16       | 5451             | 1,003.67  | 4        |
| 1.3/4"                                       | 45  | DGP10011     | 488.53    | 12       | 5463             | 1,044.19  | 4        |
| 2"   | 50  | DGP10012     | 597.34    | 10       | 6063             | 1,531.55  | 4        |
| 2.1/4"                                       | 57  | DGP10013     | 767.51    | 6        | 6675             | 1,855.68  | 3        |
| 2.1/2"                                       | 63  | DGP10014     | 886.75    | 5        | 7882             | 2,677.59  | 3        |
| 2.3/4"                                       | 70  | DGP10015     | 1,302.33  | 5        |                  |           |          |
| 3"   | 75  | DGP10016     | 1,531.55  | 4        |                  |           |          |
| 3.1/4"                                       | 82  | DGP10017     | 1,627.63  | 3        |                  |           |          |
| 3.1/2"                                       | 88  | DGP10018     | 2,146.25  | 3        |                  |           |          |
| 4"   | 100 | DGP10019     | 2,546.78  | 3        |                  |           |          |
| 4.1/2"                                       | 112 | DGP10020     | 4,055.17  | 2        |                  |           |          |



| BRASS PG GLAND              |                  |           |
|-----------------------------|------------------|-----------|
| SUIT ABLE OVER ALL DIAMETER | DOWELLS CAT. NO. | PRICE (₹) |
| 2-5                         | MPG-7            | 91.62     |
| 3-8                         | MPG-9            | 119.07    |
| 4-10                        | MPG-11           | 146.63    |
| 5-12                        | MPG-13.5         | 191.84    |
| 8-14                        | MPG-16           | 201.76    |
| 12-17                       | MPG-21           | 336.26    |
| 16-25                       | MPG-29           | 678.04    |
| 20-32                       | MPG-36           | 747.50    |
| 28-37                       | MPG-42           | 1,476.25  |
| 32-40                       | MPG-48           | 1,550.12  |




| FLANGE TYPE CABLE GLANDS    |                  |              |           |
|-----------------------------|------------------|--------------|-----------|
| SUIT ABLE OVER ALL DIAMETER | DOWELLS CAT. NO. | PRODUCT CODE | PRICE (₹) |
| 12.0-16.0                   | DOWELLS-5        | DGP10021     | 151.66    |
| 16.1-18.0                   | DOWELLS-4        | DGP10022     | 193.33    |
| 18.1-21.0                   | DOWELLS-3        | DGP10023     | 208.38    |
| 21.1-25.0                   | DOWELLS-2        | DGP10024     | 258.16    |
| 25.1-29.0                   | DOWELLS-1        | DGP10025     | 299.83    |
| 29.1-33.0                   | DOWELLS-1        | DGP10026     | 373.92    |
| 33.1-35.0                   | DOWELLS-0        | DGP10027     | 463.05    |
| 35.1-38.0                   | DOWELLS-00       | DGP10028     | 527.88    |
| 38.1-41.0                   | DOWELLS-38       | DGP10029     | 524.41    |
| 41.1-45.0                   | DOWELLS-001      | DGP10030     | 666.80    |
| 45.1-52.0                   | DOWELLS-002      | DGP10031     | 761.73    |
| 52.1-59.0                   | DOWELLS-003      | DGP10032     | 825.39    |
| 59.1-67.0                   | DOWELLS-0033     | DGP10033     | 999.04    |
| 67.1-76.0                   | DOWELLS-004      | DGP10034     | 1,332.43  |



| NYLON PG GLAND              |                  |           |
|-----------------------------|------------------|-----------|
| SUIT ABLE OVER ALL DIAMETER | DOWELLS CAT. NO. | PRICE (₹) |
| 3.5-6                       | PG-7             | 23.15     |
| 4-8                         | PG-9             | 28.67     |
| 5-10                        | PG-11            | 38.59     |
| 6-12                        | PG-13.5          | 48.51     |
| 10-14                       | PG-16            | 57.33     |
| 13-18                       | PG-21            | 76.07     |
| 18-25                       | PG-29            | 119.07    |
| 22-32                       | PG-36            | 189.63    |
| 30-38                       | PG-42            | 238.14    |
| 34-44                       | PG-48            | 285.55    |



| FOR GLAND SIZE     | EARTH TAG         |           | LSF/LSZH SHROUD  |           |
|--------------------|-------------------|-----------|------------------|-----------|
|                    | DOWELL'S CAT. NO. | PRICE (₹) | SHROUD SIZE/CODE | PRICE (₹) |
| DBW -01SS/DBF-01SS | DET-20            | 57.55     | 2023             | 35.28     |
| DBW -01S/DBF-01S   | DET-20            | 57.55     | 2026             | 44.10     |
| DBW -01/DBF-01     | DET-20            | 57.55     | 2030             | 45.20     |
| DBW -01A/DBF-01A   | DET-25            | 59.87     | 2030A            | 45.20     |
| DBW -02/DBF-02     | DET-25            | 59.87     | 2533             | 55.13     |
| DBW -02A/DBF-02A   | DET-20            | 57.55     | 2533A            | 55.13     |
| DBW -03/DBF-03     | DET-25            | 59.87     | 2535             | 55.13     |
| DBW -04/DBF-04     | DET-25            | 59.87     | 4000             | 111.35    |
| DBW -04A/DBF-04A   | DET-32            | 104.74    | 4000A            | 111.35    |
| DBW -05/DBF-05     | DET-32            | 104.74    | 3246             | 95.92     |
| DBW -05A/DBF-05A   | DET-40            | 115.76    | 3246A            | 95.92     |
| DBW -06/DBF-06     | DET-40            | 115.76    | 3251             | 93.71     |
| DBW -06A/DBF-06A   | DET-32            | 104.74    | 3251A            | 93.71     |
| DBW -07/DBF-07     | DET-40            | 115.76    | 4053             | 111.35    |
| DBW -08/DBF-08     | DET-50            | 155.45    | 5063             | 165.38    |
| DBW -09/DBF-09     | DET-50            | 155.45    | 5068             | 180.81    |
| DBW -010/DBF-010   | DET-50            | 155.45    | 6371             | 282.24    |
| DBW -010A/DBF-010A | DET-63            | 197.35    | 6371A            | 282.24    |
| DBW -011A/DBF-011A | DET-63            | 197.35    | 6388A            | 313.11    |
| DBW -011/DBF-011   | DET-63            | 197.35    | 6388             | 313.11    |
| DBW -012/DBF-012   | DET-75            | 274.52    | 7595             | 323.03    |
| DBW -013A/DBF-013A | DET-75            | 274.52    | 7595A            | 323.03    |
| DBW -013/DBF-013   | DET-82            | 296.57    | 7595B            | 323.03    |
| DBW -014/DBF-014   | DET-90            | 330.75    |                  |           |
| DBW -015/DBF-015   | DET-100           | 463.05    |                  |           |
| DBW -016/DBF-016   | DET-110           |           |                  |           |



**FIG 1** Terminating the armouring of an swa cable to metallic enclosures

## TOOLS AND ACCESSORIES

The extensive list of tools and accessories are developed to offer the best equipment for crimping and preparing the connectors. Matched to DOWELL'S connectors and dies for best performance and conformity



| HAND OPERATED CRIMPING TOOLS |                   |           |                       |           |           |
|------------------------------|-------------------|-----------|-----------------------|-----------|-----------|
| mm <sup>2</sup> Range        | CAT. NO.          | PRICE (₹) | mm <sup>2</sup> Range | CAT. NO.  | PRICE (₹) |
| 1.5-6                        | SYT-17            | 1,126.65  | 6-50                  | SYT-9     | 3,165.75  |
| 0.5-16                       | SYT-2             | 1,432.20  | 16-50                 | SYT-50    | 4,392.15  |
| 0.75                         | SYG-2622          | 2,058.37  | 25-400                | SYT-7     | 20,647.20 |
| 1.5                          | SYG-2216          | 2,058.37  | 10-35                 | SYT-53M   | 3,073.35  |
| 2.5                          | SYH-1614          | 2,058.37  | 0.25-6                | SYT-6-6   | 4,482.45  |
| 4-6                          | SYI-1210/SYO-1210 | 3,499.34  | 120                   | SYT-120   | 2,464.09  |
| 10-95                        | SYB-95            | 9,215.85  | 240                   | SYT-240   | 3,714.33  |
| 10-185                       | SYB-9502          | 12,770.10 | 500                   | SYT-500   | 6,368.04  |
| 1.5-10                       | SYA-427           | 1,231.65  | 0.5-6                 | SYT-52M   | 2,259.60  |
| 10-185                       | SYT-185           | 8,958.60  | 1.5-4.6               | SYT-1546  | 2,259.60  |
| 25-400                       | SYT-400           | 16,176.30 | 10-185                | SYB-9502H | 14,071.21 |
| 16-300                       | SYM-300           | 20,507.61 | 240                   | SYXL-240  | 8,758.26  |



| HYDRAULIC CRIMPING TOOLS |          |           |                       |          |           |
|--------------------------|----------|-----------|-----------------------|----------|-----------|
| mm <sup>2</sup> Range    | CAT. NO. | PRICE (₹) | mm <sup>2</sup> Range | CAT. NO. | PRICE (₹) |
| 10-300                   | SYD-20A  | 33,791.10 | 10-1000               | SYE-150B | 60,602.85 |
| 50-400                   | SYD-20B  | 41,503.35 | 10-1000               | SYE-150C | 53,489.10 |
| 10-300                   | SYD-20C  | 43,095.15 | 16-300                | SYT-106  | 12,081.30 |
| 10-1000                  | SYE-150A | 54,909.75 | 50-630                | SYT-102R | 54,428.22 |
| 10-120                   | SYT-107  | 13,343.56 | 50-400                | SYT-109  | 74,926.95 |

| SPECS.  | DOWELL'S CAT. NO. | PRICE (₹)  |
|---|-------------------|------------|
| Hand Operated Hydraulic Pump<br>(Max. Pressure 10000 P.S.I.)  | R-T1242           | 10,797.89  |
| Jack Hose Pipe<br>Standard 2 meters   | R-T1349           | 3,084.80   |
| Electrically Operated Power Pack Capacity = Max. pressure 700 Bar<br>Special features: Electrically Operated Pump Electric Motor: 2HP SYT - 117<br>Tank Capacity: 25 Ltr. Oil: Hydraulic Oil no. 68 |                   | 219,180.31 |

**CORROSION INHIBITING COMPOUND**

GTZ - 8785 Rs. 69.46/-



| mm <sup>2</sup> Range | DOWELL'S CAT. NO.                           | PRICE (₹) |
|-----------------------|---|-----------|
| UPTO 300              | JACK FOR SYD-20A (SPD-2034)                 | 28,779.66 |
| UPTO 400              | JACK FOR SYD-20B (SPD-2036)(PORTABLE JACK)  | 26,995.82 |
| UPTO 630              | JACK FOR SYT-102R (HY-282)(portable jack)   | 30,209.61 |
| UPTO 1000             | JACK FOR SYE-150A (SPE-1709)                | 34,195.14 |
| UPTO 1000             | JACK FOR SYE-150B (SPE-1713)(PORTABLE JACK) | 48,592.69 |



| SPECS.   | DOWELL'S CAT. NO.  | PRODUCT CODE   | PRICE (₹)             |
|--|--|--|-----------------------|
| CRIMPING JIGS FOR SYD-20B TOOL   | JDA-50, JDA-70, JDA-95, JDA-120, JDA-150, JDA-240, JDA-300, JDA-400  | W-TSA1080, W-TSA1081, W-TSA1082, W-TSA1083, W-TSA1084, W-TSA1085, W-TSA1086, W-TSA1087, W-TSA1088                                  | Rs. 1,743.06/- (each) |
| CRIMPING JIGS FOR SYE-150A TOOL  | JER-11, JER-12, JER-13, JER-14   | W-TSA1125, W-TSA1126, W-TSA1127, W-TSA1128   | Rs. 2,397.94/- (each) |
|  | JER-15, JER-16, JER-17, JER-18   | W-TSA1129, W-TSA1130, W-TSA1131, W-TSA1132   | Rs. 2,615.13/- (each) |
| CRIMPING JIGS FOR SYE-150 B TOOL                                       | JEA-10, JEA-16, JEA-25, JEA-35   | W-TSA1063, W-TSA1064, W-TSA1065, W-TSA1066   | Rs. 2,070.50/- (each) |
|  | JEA-50, JEA-70, JEA-95, JEA-120, JEA-150   | W-TSA1067, W-TSA1068, W-TSA1069, W-TSA1070, W-TSA1071  | Rs. 2,941.47/- (each) |
|  | JEA-185, JEA-140, JEA-300, JEA-400   | W-TSA1072, W-TSA1073, W-TSA1074, W-TSA1075   | Rs. 4,118.94/- (each) |
|  | JEA-500, JEA-600, JEA-800, JEA-1000  | W-TSA1076, W-TSA1077, W-TSA1078, W-TSA1079   | Rs. 5,577.55/- (each) |
| JIG FOR SYB-95/9502 RING DIES  | JBR-1, JBR-2, JBR-3, JBR-4, JBR-5, JBR-6, JBR-7, JBR-9, JBR-10, JBR-11   | W-TSA1024, W-TSA1025, W-TSA1026, W-TSA1027, W-TSA1037, W-TSA1028, W-TSA1029, W-TSA1030, W-TSA1031, W-TSA1032                       | Rs. 379.26 /- (each)  |
| JIG FOR SYB-95/9502 PUNCH TYPE RING DIES                               | JBR-12, JBR-13   | W-TSA1033, W-TSA1043   | Rs. 464.16 /- (each)  |
| CRIMPING JIG FOR SYT-185 (PLIERTYPE)                                   | R-1, R-2, R-3, R-4, R-5, R-6, R-7, R-9, R-10, R-11, R-12, R-13   | W-TSA1034, W-TSA1035, W-TSA1145, W-TSA1036, W-TSA1146, W-TSA1147, W-TSA1038, W-TSA1039, W-TSA1040, W-TSA1041, W-TSA1042, W-TSA1148 | Rs. 456.44 /- (each)  |
| CRIMPING JIG FOR SYT-7 (Hex profile) (Mechanical gear power)           | JRH-25, JRH-35, JRH-50, JRH-70, JRH-95, JRH-120, JRH-150, JRH-185, JRH-240, JRH-300, JRH-400   | W-TSA1150, W-TSA1151, W-TSA1152, W-TSA1153, W-TSA1154, W-TSA1155, W-TSA1156, W-TSA1157, W-TSA1158, W-TSA1159, W-TSA1160            | Rs. 1,197.32/- (each) |
| JIG FOR SYT-102R (Hex profile) (Foot operated hydraulic crimping tool) | HY-267 (50 mm <sup>2</sup> ), HY-268 (70 mm <sup>2</sup> ), HY-269 (95 mm <sup>2</sup> ), HY-270 (120 mm <sup>2</sup> ), HY-271 (150 mm <sup>2</sup> ), HY-272 (185 mm <sup>2</sup> ), HY-273 (240 mm <sup>2</sup> ), HY-274 (300 mm <sup>2</sup> ), HY-275 (400 mm <sup>2</sup> ), HY-279 (500 mm <sup>2</sup> ), HY-280 (630 mm <sup>2</sup> ) | W-TSA1114, W-TSA1115, W-TSA1116, W-TSA1117, W-TSA1118, W-TSA1119, W-TSA1120, W-TSA1121, W-TSA1122                                  | Rs. 2,252.41/- (each) |
| JIG FOR SYT-400 Hex Profile (plier type)                               | J-25, J-35, J-50, J-70, J-95, J-120, J-150, J-185, J-240, J-300, J-400   | W-TSA1044, W-TSA1045, W-TSA1046, W-TSA1047, W-TSA1048, W-TSA1049, W-TSA1050, W-TSA1051, W-TSA1052, W-TSA1053, W-TSA1054            | Rs. 895.23/- (each)   |
| CRIMPING JIGS FOR SYD-20A TOOL   | JDR-11, JDR-12, JDR-13, JDR-14, JDR-15   | W-TSA1161, W-TSA1162, W-TSA1163, W-TSA1164, W-TSA1165  | Rs. 1,525.86/- (each) |
| CRIMPING JIGS FOR SYD-20A TOOL   | JDR-16   | W-TSA1166  | Rs. 2,614.03/- (each) |







**POLYCAB**

IDEAS. CONNECTED.

**Manufactured By:**

**Dowells Cable Accessories Pvt. Ltd.**

(Subsidiary company of POLYCAB INDIA LIMITED)

Unit-7, Plot No. 74/P, 74/1/P, 74/2/1, 74/2/2,80, Village:Vaseti,

Taluka : Halol, Dist.: Panchmahals, Gujarat 389352, India.

**Corporate & Head Office: POLYCAB INDIA LIMITED,**

The Ruby, 20th & 21st floor, Senapati Bapat Marg, Tulsi Pipe Road,

Dadar West, Mumbai – 400 028, Maharashtra, India.

Email: [customercare@polycab.com](mailto:customercare@polycab.com) | Toll Free No. : 1800 267 0008

Website: [www.dowellscableaccessories.com](http://www.dowellscableaccessories.com)

Authorised Dealer