

PRICE LIST June-2024

THE TOOL COMPANY

CUT Clean **STRIP** Easy

CRIMP Right

Products Range: 0.1mm² To 1000mm²

Crimping Tools	Stripping Tools	Cutting Tools	Pliers	Mechanical Tools	Gear Powered Tools
Battery Powered Tools	Hydraulic Tools	Pneumatic Tools	Fastening Tools	Network & Telecom TOOLS	
Din Rail Cutters	Anti Corrosive Compound	Tools Accessories			



WELCOME TO JAINSON

Founded in **1985**, Jainson has embarked on a transformative journey, evolving from a pioneering manufacturer of high-quality crimping tools to becoming a globally recognized leader in the design, manufacturing, and marketing of tools. Today, our esteemed organization stands at the forefront of innovation, offering a comprehensive suite of products that encompasses a wide array of tools catering to various purposes, all under the trusted Jainson brand. Jainson is not just our name; it's a promise of quality, reliability, and innovation in the tool manufacturing industry. We are **"The Tool Company"**

OUR MISSION

It is to empower professionals by providing them with superior quality tools that enhance efficiency, precision, and safety. We leverage state-of-the-art technology and a deep understanding of our customers' needs to offer products that set the standard for reliability and performance. Our dedication to innovation and quality ensures that every Jainson product is an essential component of professional toolkits.

OUR VISION

Jainson aspires to be the global leader in quality and innovation within the tool manufacturing sector. Our vision is to continually broaden our product line and market presence, ensuring that professionals worldwide recognize Jainson as a hallmark of excellence. We are committed to maintaining our reputation as a reliable source for professional-grade tools, embodying the spirit of craftsmanship and innovation.

OUR CORE VALUES

Excellence



We relentlessly pursue excellence, delivering products and services that exceed the highest standards of quality and performance.

Innovation



Our drive for innovation keeps
us at the cutting edge,
constantly setting new
benchmarks for functionality
and design in the tools industry.

Integrity



Integrity is the cornerstone of our operations, ensuring we earn the trust of our customers, partners, and communities through ethical practices and transparency.

Sustainability



Committed to sustainability, we advocate for environmental stewardship, aiming to make a positive impact for future generations.

Accountability



We hold ourselves accountable for the impact of our actions on our customers, our communities, and the environment, striving always to make a positive difference.

Customer Satisfaction



Our customers are the focal point of our mission. We are dedicated to enriching their experience with exceptional service and unparalleled product quality.

OUR LEGACY AND FUTURE

Jainson has built a strong global presence over the years, supported by a robust distribution network and a commitment to customer service. As we look to the future, our focus remains on delivering high-caliber products that professionals across various industries can rely on. We are committed to furthering our legacy of excellence, innovation, and global leadership in the tool manufacturing sector.

ENGAGE WITH JAINSON

Explore our diverse range of products and join us in our journey towards creating a future defined by unparalleled quality, innovation, and customer satisfaction.

At Jainson, we are more than just a tools company; we are a partner in your professional success, dedicated to providing the tools you need to achieve excellence in every endeavor.



INDEX

1	Manual Crimping Tools	6	Din Rail Cutter & PVC Trunking Cut	
	1-6	•••••		18
2	Manual Cutting & Stripping Tools	7	Fastening Tools For Cable Ties	
	7-9			18
3	Pneumatic Crimping Tools	8	Network / Telecom Tools	
	10			19
4	Hydraulic Crimping & Cutting Tools	9	Pumps, Jacks, Ad Anti Corrosive Co Die Sets	
	11-14		2	0-21

Battery Powered Crimping & Cutting Tools

15-17



NON- INSULATED TERMINAL CRIMPING TOOL



Weight: 400grm MRP: Rs.780/- Capacity: 0.5mm2 to 6mm2

(W Type Crimping)

VIRAT-6

- Hand Operated Light Weight Crimping Pliers fitted with Jaws, are designed to have close metal-to-metal contact between Wires Cable terminal ends.
- VIRAT-6 Ratchet type Crimping Pliers suitable for Non-insulated Terminal Ends 0.5mm² to 6mm³
- All parts are made from special Alloy Steel duly Hardened & Tempered.

NON- INSULATED TERMINAL CRIMPING TOOL



MRP: Rs.960/- Capacity: 1.5mm² to 10mm² Weight: 525grm

10P-427

- Ratchet type Crimping Plier to crimp Cable Terminal End from 1.5 mm2 to 10mm²
- This tool has unique interiocking device, the locked ratchet will not release itself till the crimping operation is completed to ensure crimping
- All parts are made from special Alloy Steel duly Hardened & Tempered.

NON- INSULATED TERMINAL CRIMPING TOOL



Capacity: 0.5mm2 to 6mm2 Weight: 400arm

'D' TYPE CRIMPING

SUPER-6

- Hand Operated Light Weight Crimping Pliers fitted with Jaws, are designed to have close metal-to-metal contact between Wires and Cable terminal ends.
- SUPER-6 Ratchet type Crimping Pliers suitable for Non insulated terminal end 0.5 mm2 to 6mm2
- All parts are made from special Alloy Steel duly Hardened & Tempered.

NON- INSULATED TERMINAL CRIMPING TOOL



MRP: Rs.1,030/-Capacity: 0.5mm² to 16mm² Weight: 700grm.

SAMRAT-16

- Hand Operated Havy duty Ratchet type Crimping Tools to crimp non-Insulated terminal end for 0.5mm² to 16mm².
- Best Crimping result by precise Crimping Jaws and integral lock with self releasing Mechanism when correct pressure reached.
- All parts are made from special Alloy Steel duly Hardened & Tempered.

INSULATED TERMINAL CRIMPING TOOL



Weight: 550grm. MRP: Rs.1,650/- Capacity: 1.5,2.5,4-6mm²

TRISHUL (3 in 1) Hand Operated Light Weight Ratchet type Crimping plier to crimp pre

- Insulated cable Terminal Ends.
- Trishul is suitable for 3 in 1 pre insulated Cable Terminal Ends i.e. 1.5,2.5,4-6mm².
- The tool features an adjustment dial with six section to further enchance the quality of tools. This tool is designed as, push to release, and close to release.

END SEALING FERRULES CRIMPING TOOL



MRP: Rs.1,650/- Capacity: 0.5mm² to 6mm² Weight: 550grm.

CHETAK-6

- Ratchet type tool is specially designed to crimp ends sealing ferrules. of size 0.5mm² to 6mm².
- The tool features an adjustment dial with six section to further enchance the quality of tools. This tool is designed as, push to release, and close to
- The tools are with the features of High effectiveness and a long life.

END SEALING FERRULES CRIMPING TOOL



MRP: Rs.1,650/- Capacity: 10mm² to 16mm² Weight: 550grm.

CHETAK-16

LUV-KUSH-6

- Ratchet tool is specially designed to crimp ends sealing ferrules. of size 10mm² to 16mm².
- The tool features an adjustment dial with six section to further enchance the quality of tools. This tool is designed as, push to release, and close to
- Specially made from alloy steel and all parts are Hardened & Tempered.

OPEN BARREL TAB CRIMPING TOOL



MRP: Rs.1,850/- **Capacity:** 0.5-1.0,1.1-2.5, 4-6mm²

- Hand operated Light Weight Ratchet type crimping plier to crimp open barrel tab Terminal ends with Capacity 0.5-1.0,1.1-2.5,4-6mm².
- The tool features an adjustment dial with six section to further enchance the quality of tools. This tool is designed as, push to release, and close to release.
 - Specially made from Alloy steel and all parts are Hardened & Tempered.



INSULATED/NON INSULATED & END SEALING FERRULES CRIMPING TOOL





988 1.5.2.5.4-6mmi 15000

TRISHAKTI

- The tools is specially designed with precise crimping die sets without screw fixing.
- You can replace the die sets only by pushing ahead.
- Ideal crimping Tool for the connection of the power distributing cabinet.
- Provide -2 sets of dies at both side for using and storing easily.

END SEALING FERRULES CRIMPING TOOL (4 SPOT CRIMPING)



MRP: Rs. 750/-





Weight: 400arm.

CHAKRA-6

SPIDER-6

CHAKRA-16

- Self Adjustable Crimping Pliers.
- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.25mm2 to 6.0 mm2
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (4 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

END SEALING FERRULES CRIMPING TOOL (4 SPOT CRIMPING)



MRP: Rs.1,920/- Capacity: 0.25mm2 to 6mm2



Weight: 400grm.

CHAKRA-6 PRIME

- Self Adjustable Crimping Pliers.
- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.25mm2 to 6.0 mm3
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (4 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened &

END SEALING FERRULES CRIMPING TOOLS (6 SPOTS CRIMPING)



Capacity: 0.25mm2 to 6mm2



Weight: 400grm.

Self Adjustable Crimping Pliers.

- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.25mm2 to 6.0 mm2
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (6 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

END SEALING FERRULES CRIMPING TOOLS (6 SPOTS CRIMPING)



Capacity: 0.25mm² to 6mm² MRP: Rs.2.620/-



Weight: 400grm.

SPIDER-6 PRIME

- Self Adjustable Crimping Pliers.
- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.25mm² to 6.0 mm
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (6 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

END SEALING FERRULES CRIMPING TOOLS (4 SPOTS CRIMPING)



MRP: Rs.1,700/-Capacity: 4mm² to 16mm²



Weight: 550arm.

Self Adjustable Crimping Pliers.

- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 4 mm² to 16 mm²
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (4 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

END SEALING FERRULES CRIMPING TOOLS (4 SPOTS CRIMPING)



MRP: Rs.1,800/-



Capacity: 0.08mm² to 16mm² Weight: 675grm.

CHAKRA-16 PRIME

- Self Adjustable Crimping Pliers.
- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.08mm² to 16mm²
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (4 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

END SEALING FERRULES CRIMPING TOOLS (6 SPOTS CRIMPING)





MRP: Rs.2,150/-Capacity: 0.08mm² to 16mm²

Weight: 675grm.

SPIDER-16 PRIME

- Self Adjustable Crimping Pliers.
- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.08mm2 to 16 mm2
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (6 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.



SOLAR TERMINAL CRIMPING TOOL




CX-01



MRP: Rs.1,100/-Crimping range: 2.5mm²,4mm², 6mm²



Weight: 450grm.



- The components of tool are made of special steel
- Precise crimping die and integral lock with self releasing mechanism ensure high quality crimping effect after crimping repeatedly
- Due to best handle grasping position, light and compact structure and handle design ensure perfect crimping effect

SOLAR TERMINAL CRIMPING TOOL





MRP: Rs.3,350/-Crimping range: 2.5mm²,4mm², 6mm²

Weight: 720grm.

MC-4 PRIME

- MC 4 Prime Crimping Tool adopts High Precision Rachet mechanism for complete crimps.
- MC 4 prime has 1.2 metric tons pressure at crimping force with minimum hand effort.
- EDM Crimping Jaw ensure an accurate crimping result.
- TPR+PP Handle material & ergonomically handle shape reducing the working fatigue.
- This tool is with features of high effectiveness and long life.

COAXIAL CRIMPING TOOL-RG55,58,59,62,5,6,21,140,141,142,143,210,212,222, 223,303,304,400, BELDEN 8279,8281,9231,9141



MRP: Rs.1,100/- Capacity: 8.1,6.5,5.4,2.6,1.72mm



Weight: 575grm.

 The components of the ratchet crimping tools are made of special steel.

- Designed according to human factors engineering, it can save energy when crimping.
- Precise crimping die sets and intergral lock with self releasing mechanism ensure high-quality crimping effect.
- Due to best handle grasping position, light and compact structure and handle design ensure perfect crimping effect

COAXIAL CRIMPING TOOL-RG58,59,62,8X,140,142,174,210,223,303,400, FIBER OPTIC, BELDEN 8279





MRP: Rs.1,100/- Capacity: 6.5,5.4,3.25,2.0,1.72,1.0mm Weight: 575grm.

- CX-02 The components of the ratchet crimping tools are made of special steel.
- Designed according to human factors engineering, it can save energy when crimping.
- Precise crimping die sets and integral lock with self releasing mechanism ensure high-quality crimping effect.
- Due to best handle grasping position, light and compact structure and handle design ensure perfect crimping effect

D-SUB TERMINAL CRIMPING TOOL-XH2.54/3.96,PH2.0,PX,KK254,JST,MOLEX, DUPONT,D-SUB TERMINAL



MRP: Rs.2,100/-


7 IN 1 CRIMPING TOOL SET

Capacity: 0.08-0.5mm²



Weight: 400grm.

The components of the ratchet crimping tools are made of special steel.



- Precise crimping die sets and integral lock with self releasing
- mechanism ensure high-quality crimping effect.
- Due to best handle grasping position, light and compact structure and handle design ensure perfect crimping effect





What's Included: * Wire Stripper & Cutter - 1 * Crimping Tool - 1 Crimping Die - 5

INDRA

D-SUB

This versatile tool set comes with a convenient Kit Box for seamless storage and portability. It finds its application across various industries including the electronic industry, automotive, and electric appliance repairing.

VERSATILE WIRE CRIMPER TOOL SET: Engineered to accommodate a wide array of terminals including, non-insulated, insulated, end sealing, open barrel, and Mc4. CONSISTENT CRIMPING PERFORMANCE: Each crimp is executed with precision,

thanks to the reliable ratchet mechanism, ensuring uniform and accurate results with every **ERGONOMIC DESIGN**: Featuring a professional-grade crimping mechanism, this tool set

enables effortless crimping, allowing for extended usage without causing hand fatigue. **COMPREHENSIVE INCLUSIONS**: The set includes a precision Wire Stripper for efficient wire cutting and stripping, delivering professional-grade results effortlessly.

Match A & B marking on the tool with corresponding markings on die for proper alignment. **END SEALING FERRULE** OPEN BARREL TAB TERMINAL









Capacity:









 Innovative mechanical structure, it can saving 30% energy when crimping.
 Precise crimping die sets and integral lock with self releasing mechanism ensure high-quality crimping effect after crimping repeatedly. • Due to best handle grasping position, light and compact structure and handle design ensure perfect crimping effect.

END SEALING FERRULES

OPEN BARREL TAB TERMINAL

CRIMPING TOOL

CRIMPING TOOL

JN 008 **CRIMPING TOOL**

Capacity: 0.5mm² to 6mm² Weight: 575grm. MRP: Rs.1,100/-

Capacity: 0.5mm² to 6mm² Weight: 575grm. MRP: Rs.1,100/-

END SEALING FERRULES JN 010 **CRIMPING TOOL**



Capacity: 6mm²/10mm²/16mm² Weight: 575grm. MRP: Rs.1.100/-

END SEALING FERRULES CRIMPING TOOL

INSULATED TERMINAL

JN 011

Capacity: 0.5mm² to 6mm² Weight: 575grm. MRP: Rs.1,100/-

END SEALING FERRULES CRIMPING TOOL

JN 014



Capacity: 10mm²/16mm²/25mm²/35mm² Weight: 575grm. MRP: Rs.1,150/-

Capacity: 0.25mm² to 6mm² Weight: 400grm. MRP: Rs.1,100/-

Precise crimping die sets and integral lock with self releasing mechanism ensure high-quality crimping effect after crimping repeatedly. • Due to best handle grasping position, light and compact structure and handle design ensure perfect crimping effect

INSULATED TERMINAL JN 004 **CRIMPING TOOL**

END SEALING FERRULES

INSULATED TERMINAL

CRIMPING TOOL

END SEALING FERRULES CRIMPING TOOL

JN 005

JN 007

JN 009

JN 012



Capacity: 0.5mm² to 6mm² Weight: 450grm. MRP: Rs.1,250/-

Capacity: 0.5mm² to 6mm² Weight: 450grm. MRP: Rs.1,250/-

JN 006



JN 001

Capacity: 6mm²/10mm²/16mm² Weight: 450grm. MRP: Rs.1,250/-

END SEALING FERRULES CRIMPING TOOL



Capacity: 10mm2/16mm2/25mm2/35mm2 Weight: 450grm. MRP: Rs.1,300/-

The components of the tool are made of special steel. Designed according to human factors engineering, it can save energy.

OPEN BARREL TAB TERMINAL JN 48B (TAB 2.8,4.8,6.3) CRIMPING TOOL



Capacity: 0.5mm2-1.5mm2 Weight: 400grm. MRP: Rs.1,150/-

END SEALING FERRULES CRIMPING TOOL

JN 013



Capacity: 0.25mm2 to 6mm2 Weight: 400grm. MRP: Rs.1,150/-

Saves energy compared to common crimping Tools. • All the key parts of the energy saving crimping tools have been specially harden. The tools are with the features of high effectiveness and long using lifetime. • Favorable balance of the barycenter, angle press top and handle shape design meeting human being engineering principle make the operation more easy and convenient.

CRIMPING TOOL

Capacity: 0.5mm² to 6mm² Weight: 575grm. MRP: Rs.1,450/-

• END SEALING FERRULES CRIMPING TOOL

JN 002:



Capacity: 0.5mm² to 6mm² Weight: 575grm. MRP: Rs.1,450/-

OPEN BARREL TAB TERMINAL 1N 003 **CRIMPING TOOL**



Capacity: 0.5mm² to 6mm² Weight: 575grm. MRP: Rs.1,450/-



MRP: Rs.1,650/-Capacity: 6mm2 to 50mm2



Weight: 1.600Kg

(DIELESS)

VIKRANT-50

- ManualLy Operated dieless Light Weight Crimping tools, with rotating die of size 6mm2 to 50mm2.
- Press the handle till the two portions of the die set touch each other, There by ensuring perfect Crimping.
- To release the die set, open the moving handle at a right angle of 90°degree.
- All precision parts are Hardened & Tempered.

(HEAVY DUTY DIELESS)

ARJUN-50

- Heavy Duty easy to operate Dieless Crimping Tool to Crimp 16,25,35,50mm² aluminium & Copper tubular Terminal ends.
- ARJUN-50 is most convenient for crimping at remote place and in trenches too (i.e. for underground cable)
- All parts are made from EN-19 material which duly Hardened & Tempered.



MRP: Rs.2.800/-

Capacity: 16.25.35.50mm



Weight: 2.600Kg.

(DIELESS HEXAGONAL TYPE)

DELTA-50B

- Compact dieless Crimping Tools to Crimp Aluminium & Copper tubular terminals ends upto 50mm2.
- It is with the characteristics of long life. accurate bore diameter and good crimping effect.
- All parts are made from special Alloy Steel duly Hardened & Tempered.
- Most convenient for crimping at remote places and in trenches too.



MRP: Rs.1.850/-

Capacity: 6mm2 to 50mm3

Weight: 1.67Kg.

(DIELESS HEXAGONAL TYPE)

DELTA-120B

- Compact dieless Crimping Tools to Crimp Aluminium & Copper tubular terminals ends upto 120mm.
- It is with the characteristics of long life. accurate bore diameter and good crimping effect.
- All parts are made from special Alloy Steel duly Hardened & Tempered.
- Most convenient for crimping at remote places and in trenches too.



MRP: Rs.5,450/-

Capacity: 10mm2 to 120mm2

Weight: 4.3Kg.

(DIELESS HEXAGONAL TYPE)

DELTA-150B

- Compact dieless Crimping Tools to Crimp Aluminium & Copper tubular terminals ends upto 150mm.
- It is with the characteristics of long life. accurate bore diameter and good crimping effect.
- All parts are made from special Alloy Steel duly Hardened & Tempered.
- Most convenient for crimping at remote places and in trenches too.




MRP: Rs 5,450/- **Capacity:** 25mm² to 150mm²

Weight: 4.3Ka.

(HEAVY DUTY DIELESS 'W'PUNCH TYPE)

PLUTO-50



- All parts are made from special Alloy Steel duly Hardened & Tempered.
- Adujust to Jaw Diemeater according to the size of terminals.
- Length of the tools is 570 mm.






MRP: Rs.2,800/- Capacity: Upto 50mm²

Weight: 2.500Kg.

(HEAVY DUTY DIELESS PUNCH TYPE)

PLUTO-95



- All parts are made from special Alloy Steel duly Hardened &
- Tempered. Adujust to Jaw Diemeater according to the size of terminals.
- Length of the tools is 635 mm.



MRP: Rs.4,400/- Capacity: 10mm² to 95mm²

Weight: 3.900Kg.



MRP: Rs.6,500/- Capacity: 10mm²-95mm²

Weight: 3.600Kg.

(HEAVY DUTY DIELESS PUNCH TYPE)

AGNEE-95

- Heavy Duty Dieless Crimping Tools to Crimp Aluminium & copper tubular terminalends 10mm² to 95mm²
- It is provided with 520 mm long handles fitted with the tool to minimize
- The diameter of the crimping mouth can be adjusted according to the size ofhe terminal.
- All parts are made from special Alloy Steel duly Hardened & Tempered.










HEXAGONAL TYPE DIES Capacity: 10mm2 to 95mm2

Weight: 5.400Kg. Dies: H-10 to H-95 (7 Sets) MRP: 6,400/- (Except R-8)



GRD-95

- Hand Operated Heavy duty Crimping Tools with dies R-1 To R-10, (Except R-8) to crimp 10mm² to 95mm² aluminium & copper tubular
- The tool has a detachable handle.
- The body of the Tools is made from special Alloy Steel.
- For the purpose of fixing the Equipment on the table, we have provided a stand and screw.
- Hand Operated Heavy duty Crimping Tools with Dies H-10 To H-95, to crimp 10mm2 to 95mm2 aluminium & copper tubular Terminal end.





MRP.: 14,900/-

RING TYPE DIES

Capacity: 10mm2 to 185mm2 Weight: 7.300Kg.

Dies: R-1 to R-13 (12 Sets) MRP: 7,650/- (Except R-8)

HEXAGONAL TYPE DIES

Capacity: 10mm2 to 185mm2 Weight: 7.300Kg.

Dies: H-10 to H-185 (10 Sets) MRP: 7,650/-(Except R-8)



GRD-185

- Hand Operated Heavy duty Crimping Tools with Dies R-1 To R-11 Ring Type (Except R-8) and R-12 & R-13 Punchtype to crimp 10mm² to 185 mm² aluminium & Copper tubular terminal end.
- The tool has a detachable handle.
- The body of the Tool is made from special Alloy Steel.
- For the purpose of fixed the Equipment on the table, we have provided a stand and screw.



RING TYPE DIES

VISHAL-185

- Hand Operated Mechanical crimping Tool with interchangeable Die sets R-1 to R-13, (Exceot R-8) to crimp 10mm² to185mm² aluminium and copper tubular Terminal ends.
- Provided with a Dual gripper system in Jaws and Dies for perfect crimping. It is must convenient for crimping at remote places and in trenches too (i.e. for underground cables)

Capacity: 10mm² to 185mm² Dies: R-1 to R-13 (12 Sets) Weight: 7.100 Kg.

Packed in Regzine Bag.

HEXAGONAL TYPE DIES

•Hand Operated Mechanical crimping Tool with interchangeable Die sets from H-10 to H-185 to crimp 10mm² to 185mm² aluminium and

Capacity: 10mm² to 185mm² Dies: H-10 to H-185 (10 Sets) Weight: 7.100 Kg.



(Hexagonal Type Die) **PLIER TYPE**

SURYA-400

- Hand Operated Heavy Duty Mechanical Cromping Tool provided with interchangeable Hex Pattern Die, suitable for 25mm² to 400 mm²
- It is most convenient for crimping at remote places and in trenches to (i.e. for underground cables)
- It is supplied with rubber moulded extension handles to increase Leverage and in turn reducing manual effort.
- The tool is packed in a very durable steel case.

Capacity: 25mm² to 400mm² **Dies**: H-25 to H-400 (11 Sets)

Weight: 7.300 Kg. Packing: Steel Case



(Hexagonal Type Die) GEAR POWERED

SANGRAM-400

- Hand Operated Gear Powered light weight Compression Tool with Interchangeable Hex pattern Die to crimp aluminium Terminal end from 25mm² to 400mm² and copper terminal end from 25mm² to 300mm²
- It is a multi stroke crimping Tools with ratchet pin lock, rapid ⁴motion and has a maximum opening of 90²
- It is most convenient for crimping at remote places and in trenches too (i.e. for underground cables).
- It develops a maximum pressure 100 kN. Packed in carrying Regzine Bag.

Capacity: 25mm² to 400mm² **Dies**: H-25 to H-400 (11 Sets) **Weight**: 5.800 Kg.

Aluminium Tubular: 25mm² to 400mm² **Copper Tubular** : 25mm² to 300mm²



MANUAL CUTTING TOOLS





TIGER 22

- For cutting copper and aluminium conductors as well as multple stranded cables can be cut up to 25mm2.
- Not suitable for steel wire and wire ropes
- Clean and smooth cut without crushing and deformation
- Double Edge type, tip edge is suitable for cutting cables inside of narrow space like a switchboard





Weight: 180grm.

TIGER 38

- For cutting copper and aluminium conductors as well as multple stranded cables can be cut up to 38mm.
- Not suitable for steel wire and wire ropes
- Clean and smooth cut without crushing and deformation
- Double Edge type,tip edge is suitable for cutting cables inside of narrow space like a switchboard





Cutting range: Up to 25mm² Length: 165mm

Weight: 300grm.



MRP: Rs.625/-

MRP: Rs.425/-

MRP: Rs.325/-



Cutting range: Up to 35mm² Length: 160mm Weight: 125grm.

TIGER 35

- For cutting copper and aluminium conductors as well as multple stranded cables.
- Not suitable for steel wire and wire ropes
- Clean and smooth cut without crushing and deformation Favourable transmission ratio due to double lever BLADE high-grade chrome vanadium electric steel, forged, oil-hardened.



MRP: Rs.775/-



Cutting range: Up to 70mm² Length: 215mm Weight: 325grm.

TIGER 70(A)

- This cable cutter is with equipped with a spring and safety lock for easy storage
- For cutting copper and aluminium conductors as well as multple stranded cables can be cut up to 70mm2.
- Not suitable for steel wire and wire ropes
- Clean and smooth cut without crushing and deformation



MRP: Rs.625/-

Cutting range: Up to 70mm² Length: 245mm Weight: 500grm.

TIGER 70(B)

- This 10 inch wire cutter has good toughness, sharp cutting, high hardness, strong and durable.
- For cutting copper and aluminium conductors as well as multple stranded cables can be cut up to 70mm².
- Not suitable for steel wire and wire ropes
- Clean and smooth cut without crushing and deformation



MRP: Rs.1150/-

Cutting range: Up to 125mm²Length: 385mm Weight: 750grm.

TIGER -125

- For cutting copper and aluminium conductors as well as multple stranded cables.
- Not suitable for steel wire and wire ropes
- Favourable transmission ratio due to double lever
- Forged, oil-hardened, replacable blades
- Handles material steel.



MRP: Rs.2300/-



Cutting range: Up to 250 mm² Length: 560 mm Weight: 1.200 Kg.



TIGER -250

- For cutting copper and aluminium conductors as well as multple stranded cables.
- Not suitable for steel wire and wire ropes
- Favourable transmission ratio due to double lever
- Forged, oil-hardened, replacable blades
- Handles material steel.







- **TIGER -500**
- For cutting copper and aluminium conductors as well as multple stranded cables.
- Not suitable for steel wire and wire ropes
- Favourable transmission ratio due to double lever
- Forged, oil-hardened, replacable blades
- · Handles material steel.

Cutting range: Up to500mm² Length: 745mm Weight: 2.800Kg. MRP: Rs.3450/-



MANUAL CUTTING TOOLS



cable Steel-Reinforced) which is smaller than 620mm²

Weight: 3.600Kg. MRP: Rs.13,500/-



















MANUAL CUTTING & STRIPPING TOOLS





- Stripping diameter can be adjusted automatically for different wire cross section.
- Zebra wire stripper & cutter is easy stripping without any adjustment.
- Multifunction made of steel by special hardened with long lifetime.

MRP: Rs.690/-Stripping: 0.2mm² to 6mm² Weight: 300grm.

05N 5" Small Wire Cutter/ Nipper With Internal Spring MRP: Rs195/- Weight: 60grm.







Blade made of stainless steel Ergonomically designed safety handle, with transparent protective cap



- Efficiently strip round cables with our cable knife. Its design allows for precise circular cuts around the circumference and longitudinal cuts along the length, ensuring clean removal of outer insulation without damaging inner wires
- It is applicable for stripping circular PVC cable, rubber cable, silicon cable and teflon cable.

MRP: Rs.600/- Stripping: Ø8mm² to 28mm² Length: 138mm Weight: 150grm.





Adjust cutting depth









cutting arround






Communication Cable



CABLE KNIFE

PANTHER MAX (PG-5)



LV Cable (PVC Insulation) MV Cable (PVC Insulation)

Suitable for longitudinal and circular cutting. Cutting depth can be adjusted from 0-5mm

MRP: Rs.2,700/- Stripping: above Ø 25mm Length: 155mm Weight: 225grm.



PNEUMATIC CRIMPING TOOLS

Handle

Crimping Die

Choose the required die

from the 6 dies provided

with the tool.

Foot Switch

VAAYU-10

The machine is driven by dual-action normal cylinder, which has advantages of high efficience and quality in crimping force and speed. The machine is fit for crimping many kinds of terminals. The die sets are interchangeable with our manual crimping tools. So we provide you all kinds of die sets for crimping.

Accessories

6 Nos die set .one foot air valve, two air pipes.



END SEALING FERRULES

FERRULES
For 0.25-10mm²







INSULATED TERMINAL For 1-6mm²





SOLAR MC4 TERMINAL

For 2.5,4,6mm²








Put the terminal in the jaw of the die and press the foot switch to crimp it

The dies can be changed

by using the L-key after

cutting of the air supply

Specification





NON-INSULATED TERMINAL

For 0.5-10mm²





OPEN BARREL TAB TERMINAL

For 0.5-6mm²



Terminal Locating Board

MRP: Rs 23,000/-

With the positioning plate, the terminal can be inserted into the center position of the die precisely, so as to ensure the balance of the pressure on each side and improve the speed and



Description	VAAYU CHAKRA-6
Range of Application	0.08-10mm ²
Output force	13.5 kN
Applicable air pressure	0.6-0.8 MPa
Gross Weight	5.82Kg.
Net Weight	5.49Kg.

MRP: Rs 28,000/-

VAAYU CHAKRA 6





Adjust the size of the crimping interface according to the diameter of the crimping terminal. (In the positive direction, the diameter is increased; in the opposite direction, the diameter is decreased)

The traditional fixed mould is replaced by the square crimping mould, which may perform flexible crimping connection to end selling ferrules terminals.

Since the square can be adjusted steplessly, the crimping specification can be set freely within 0.08-10mm².

After crimping the terminals look beautiful in square without any flash edge.

The machine is driven by dual-action normal cylinder, which has advantages of high efficiency and quality in crimping force and speed.

Accessories: one foot air valve. two air pipes.



HYDRAULIC CRIMPING TOOLS

With Hand Pump MRP: Rs. 34,500/- With Foot Pump MRP: Rs. 38,500/-

HEXAGONAL TYPE DIES

VARUN-400

- Hydraulic Compression Light Weight Heavy Duty Tools.
- Compact Design Tool with a two stage setting of high & low pressure for quick oil output.
- Compression Force 16 Metric Tons.
- Maximum Stroke 32 mm Operating Pressure 10,000 PSI / 700 Kg. / cm²
- Flip Top Head
- Made from alloy steel(EN19) and duly tempered and hardened for high durability and long life.
- Do not pump when dies are not in place.

Capacity: 25mm² to 400mm² Dies: H-25 to H-400(11 Sets)

Weight: 13,900 kg.



HEXAGONAL TYPE DIES

BHOOMI-400

- Hydraulic Compression Light Weight Heavy Duty Tools.
- Compact Design Tool with a two stage setting of high & low pressure for quick oil output.
- Compression Force 16 Metric Tons.
- Maximum Stroke 24 mm
- Operating Pressure 10,000 PSI / 700 Kg. / cm2
- Made from alloy steel(EN19) and duly tempered and hardened for high durability and long life.
- Do not pump when dies are not in place.

Capacity: 25mm² to 400mm² Dies: H-25 to H-400(11 Sets)

Weight: 12.500 kg.



HEXAGONAL TYPE DIES

SPICE-400

- Hydraulic Compression Light Weight Heavy Duty Tools.
- Compact Design Tool with a two stage setting of high & low pressure for quick oil output.
- Compression Force 16 Metric Tons.
- . Maximum Stroke 24 mm
- Operating Pressure 10,000 PSI / 700 Kg. / cm²
- Made from alloy steel(EN19) and duly tempered and hardened for high durability and long life.
- Do not pump when dies are not in place.

Capacity: 25mm² to 400mm² **Dies**: H-25 to H-400(11 Sets)

Weight: 14.200 kg.



With Hand Pump MRP: Rs. 34,500/- With Foot Pump MRP: Rs. 38,500/-

HEXAGONAL TYPE DIES

DHANUSH-400

- Hydraulic Compression Light Weight Heavy Duty Tools.
- Compact Design Tool with a two stage setting of high & low pressure for quick oil output.
- Compression Force 16 Metric Tons.
- . Maximum Stroke 24 mm
- Operating Pressure 10,000 PSI / 700 Kg. / cm²
- Made from alloy steel(EN19) and duly tempered and hardened for high durability and long life.
- Do not pump when dies are not in place.

Capacity: 25mm² to 400mm² **Dies**: H-25 to H-400(11 Sets)

Weight: 15.800 kg.



HEXAGONAL TYPE DIES

TEJAS-630

- Heavy Duty Htdraulic Compression Tools.
- Compact Design Tool with a two stage setting of high & low pressure for quick oil output.
- Compression Force 25 Metric Tons.
- Maximum Stroke 22 mm
- Operating Pressure 10,000 PSI / 700 Kg. / cm²
- Flip Top Head
- Made from alloy steel(EN19) and duly tempered and hardened for high durability and long life.
- Do not pump when dies are not in place.

Capacity: 50mm² to 630mm² **Dies**: H-50 to H-630(11 Sets)

Weight: 17.900 kg.



HYDRAULIC CRIMPING & CUTTING TOOLS



With Hand Pump MRP.: 58,000/- With Foot Pump MRP.: 62,000/-

HEXAGONAL TYPE DIES PRITHVI-1000

- Heavy Duty Hydraulic Compression Tools.
- Two stage setting of high & low pressure for quick oil output.
- Maximum Pressure 45 Metric Tons.
- Maximum Stroke 22 mm
- Operating Pressure 10,000 PSI / 700 Kg. / cm²
- Made from alloy steel(EN19) and duly tempered and hardened for high durability and long life.
- Do not pump when dies are not in place.

Capacity: 50mm² to 1000mm²

Dies : H-50 to H-1000(13 Sets) **Weight :** 23.500 kg.



With Hand Pump MRP.: 54,000/- With Foot Pump MRP.: 58,000/-

HEXAGONAL TYPE DIES DHANUSH-1000

- Heavy Duty Hydraulic Compression Tools.
- Two stage setting of high & low pressure for quick oil output.
- Maximum Pressure 30 Metric Tons.
- Maximum Stroke 22 mm
- Operating Pressure 10,000 PSI / 700 Kg. / cm²
- Made from alloy steel(EN19) and duly tempered and hardened for high durability and long life.
- Do not pump when dies are not in place.

Capacity: 50mm2 to 1000mm2

Dies: H-50 to H-10000(13 Sets) Weight: 19.000 kg.



With Hand Pump MRP.: 45,000/- With Foot Pump MRP.: 49,000/-

MASTER-85KF

- Cuts Cu/Al cable and Armoured Cu/Al cable.
- Jaws slide open quickly to save time between cuts.
- Jaws are made of special steel and are duly hardened and tempered for long life and durability
- Lightweight and easy to use.
- Operated by hydraulic pump with rated pressure 700 bar.
 Output force(ton): 8.5
- Cutting range:
 - Ø 85mm Cu/Al cable and Armoured Cu/Al cable.

Total Weight: 15.650 Kg.



With Hand Pump MRP.: 36,000/- With Foot Pump MRP.: 40,000/-

MANGAL-85

- Cuts Cu/Al cable and Armoured Cu/Al cable.
- Flip cutting head, easy for operation, more convenient.
- Jack is made of special steel and are duly hardened and tempered for long life and durability
- Lightweight and easy to use.
- Operated by hydraulic pump with rated pressure 700 bar.
- Cutting range:
 - Ø 85mm Cu/Al cable and Armoured Cu/Al cable.

Total Weight: 17.700 Kg.



HYDRAULIC CRIMPING TOOLS













HYDRAULIC CRIMPING & CUTTING TOOLS

PRECAUTION

AAKASH-400 /AAKASH-500

HYDRAULIC DIELESS

AAKASH-400 & AAKASH-500 is a Dieless flip-top Hand Operated Hydraulic Crimping Tool with a universally rotating Crimping Head through 360°. It has a Hydraulic pump made from drawn alloy steel Rod fitted with an automatic "BLOW-OFF" Valve preset at 8500PSI. To prevent excessive pressure and ensure fool prof Crimping. A clear click sound is heard on completion of crimping of cable Terminal End.

An Extra feature is the novel presence of a specially designed CLASSIC handle to lock. The crimping jaws in any Predetermined position to avoid unnecessary strokes while Crimping the same size of Cable Terminal End. This tool is most ideal for Cable Terminal End as well as inline connectors ferrules. It is also most suitable for tension and non-tension jointing of both AAC ACSR conductor without the need for any separate steel sleeve for ACSR Conductors.

AAKASH-400

Capacity: Up to 400mm² Weight: 5.800 kg. MRP: 22,500/-

AAKASH-500

Capacity: Up to 500mm² Weight: 5.800 kg. MRP: 23,500/-



Dies: H-25 to H-400 (11 Sets)

MRP.: 28.000/-Capacity: 25mm2 to 400mm2

Weight: 8.500Kg.

HEXAGONAL TYPE DIES ASHOKA-400

Hand Operated Hydraulic Compression Light Weight, Compact Design tool, with a two stage setting of high & low pressure for quick oil output.

For use with interchangeable Die set 25mm2 to 400mm2 Reliable, Positive Crimping mechanism incorporating calibrated pressure release valve (ENSURE CORRECT CRIMPING FORCE)

It has a Flip Flop Head

Compact light weight tool designed to accept industry standard hexagonal dies, reduces operator effort & ensures consistent Compression are made. Dies are available for compressing conductors cable & coded ferrules. Manufactured from High grade alloy steel.

Compression Force-16 metric tons.

Maximum stroke ASHOKA-400 - 32mm.

To start operating the tool tighten the Release valve & after compression is complete, loose the release valve.

It has an operating pressure at 10,000 PSI / 700Kg/cm²

WARNING: Do not pump when dies are not in place.



Dies: H-25 to H-400 (11 Sets)

MRP.: 28.000/-Capacity: 25mm2 to 400mm2

Weight: 8.500Kg.

HEXAGONAL TYPE DIES

SHAKTI-400

Hand Operated Hydraulic Compression Light Weight, Compact Design tool, with a two stage setting of high & low pressure for quick oil output. For use output. For use with interchangeable Die set 25mm2 to 400mm2 Reliable, Positive Crimping mechanism incorporating calibrated pressure release valve (ENSURE CORRECT CRIMPING FORCE)

SWIVEL" G" Type Head and Head part can rotate at 180° Compact light weight tool designed to accept industry standard hexagonal dies, reduces operator effort & ensures consistent Compression are made.

Dies are available for compressing conductors cable & coded ferrules.

Manufactured from High grade alloy steel. Compression Force-16 metric tons.

Maximum stroke SHAKTI-400 - 24mm.

To start operating the tool tighten the Release valve & after compression is complete, loose the release valve.

It has a has operating pressure at 10,000 PSI / 700Kg/cm²

WARNING: Do not pump when dies are not in place.

HYDRAULIC CUTTING TOOL

MARS 85

Hand Operated Hydraulic Compression Light Weight, Compact Design tool with high user safety.

Manufactured from High grade alloy steel.

Flip top cutting head rotates 350°.

To start operating the tool tighten the Release valve & after compression is complete, loose the release valve.

Cutting range:

Ø 85mm Cu/Al cable and Armoured Cu/Al cable.

Weight: 10.500kg. MRP:28,000/-



BATTERY POWERED CRIMPING & CUTTING TOOLS

PURE COPPER MOTOR STABLE PERFORMANCE

Durable power, low noise, high temperature resistance, and longer service life



Key features of Jupiter tools:

One trigger: All tools can be controlled by one trigger. These results in an easy handling.

Automatic Release/Retraction: The hydraulic unit incorporates an automatic retraction which returns the piston into it is starting position when the maximum operating pressure is reached

Micro computer control system: It automatically detects the pressure when in crimping with double safety protect.

Continuous Crimping: Enhances work efficiency with consistent performance. **LED Displays:** Real-time information on

both the tool and its charger, ensuring optimal operation and charging status.

Rotating Head: Adapts to any working

Rotating Head: Adapts to any working condition, enabling easy access to tight spaces and awkward angles.

Specially Designed Suitcase: Organised and portable, making it easy to transport tools with minimal hassle.

High-Strength Alloy Chrome Plated Steel Dies: Durable and aesthetically pleasing, capable of withstanding rigorous use.

Temperature sensor: It makes the tool stop working automatically when the temperature over 60* C under long time working. The fault signal sounds it means the tool can't continue work until the temperature reduced to the normal.



BATTERY POWERED CRIMPING & CUTTING TOOLS



JUPITER-400 (with Continuous Crimping Function)

Crimping force: 120kN Crimping range: 16-400mm² **Crimping Cycle**: 5s-8s (depends on the size of the cable) Voltage : 18v Capacity : 4.0 Ah : approx. N.W 7kg G.W 15kg Weight **Package** : Plastic box Accessories : Fast Charger with LED display : 1pc. Battery: 2pcs. Dies. : 16,25,35,50,70,95,120,150,185,240,300,400mm²

Warning: Do not use when dies are not in place.



JUPITER-630

(with Continuous Crimping Function)

Crimping force	: 250kN		
Crimping range	: 16-630mm ²		
Crimping Cycle	: 5s - 8s (depends on the size of cable)		
Voltage	: 18v		
Capacity	: 4.0 Ah		
Weight	: approx. N.W .7.5kg G.W. 19.5kg		
Package	: Plastic box		
Accessories	: Fast Charger with LED display : 1pc.		
	Battery: 2pcs		
Dies.: 16.25.35.50.70.95.120.150.185.240.300.400.500.630mm ²			

Warning: Do not use when dies are not in place.



JUPITER-85 (with Continuous Cutting Function)

Crimping force	: 120kN		
Cutting range	: Ø 85mm (Cu/AL and armoured cable)		
Voltage	: 18v		
Capacity	: 4.0 Ah		
Weight	: approx. N.W .7.5kg G.W. 13.5kg		
Package	: Plastic box		
Accessories	: Fast Charger with LED display : 1pc. Battery : 2pcs		



JUPITER-400+85 (with Continuous Crimping/Cutting Function)

This is a 2 in 1 Cutting and Crimping tool. It merges cutting and crimping in a single, versatile tool, offering the best of both worlds with its interchangeable head feature. This multipurpose tool embodies the peak of innovation, designed for professionals seeking efficiency.

Crimping force	: 120kN		
Crimping Range: 16 - 400mm²			
Crimping Cycle : 5s-8s (depends on the size of cable)			
Cutting range	: Ø 85mm (Cu/AL and armoured cable)		
Voltage	: 18v Capacity : 4.0 Ah		
Weight	: approx. N.W.11kg G.W. 19.5kg		
Package	: Plastic box		
Accessories	: Fast Charger with LED display : 1pc.		
	Battery: 2pcs.		
Dies.: 16,25,35,5	0,70,95,120,150,185,240,300,400mm ²		

Warning: Do not use when dies are not in place.



BATTERY POWERED CRIMPING TOOL






NON- INSULATED TERMINAL For 1.5/2.5/8/10mm²



END SEALING FERRULES For 0.5/1/1.5/2.5/4/6mm²





END SEALING FERRULES For 6/10/18mm²



END SEALING FERRULES For 25/35/50mm²



INSULATED TERMINAL For 1.5/2.5/4-6mm²

> HEXAGON TYPE CRIMPING NON- INSULATED TERMINAL For 1/1.5/2.5/4/6/10mm²

MRP: Rs.65,000/-

MRP: Rs.62,500/-

JUPITER-50X

Jupiter-50X Battery Powered Crimping Tool is vertical cold press clamping tool. It is a speedy, simple-to-use, safe crimping tool that can be adjusted for a variety of applications. Due to its highly controlled action, the tool also produces more accurate and consistent results than are possible using a hand-operated tool. We provide all-copper motor strong power, which can let you easily handle high-intensity work. A variety of replaceable dies can be selected and used according to the needs. Jupiter-50X gives excellent crimping results with minimum effort for cable lugs and connectors up to 50sqmm. This tool combines the benefits of manual crimping tools with the convenience of battery powered hydraulic crimping tools.

- Simple and safe: one-button operating concept for controlling all tool functions
- Electronic control with locking function monitors full closing of the dies
- Very low weight and high speed for maximum efficiency
- Simple and safe: automatic retraction when operation is complete
- Manual retract as required
- Powerful drive technology for fatigue proof operations
- Powerful 18 V Li-lon battery with charge status display
- LED for work area illumination

Warning: Do not use when dies are not in place.

.5-50mm ²).5-10mm ²).5-6mm ²	END SEALING FERRULES NON- INSULATED TERMINAL OPEN BARREL TAB TERMINAL
).5-6mm²	OPEN BARREL TAB TERMINAL
).5-6mm²	INSULATED TERMINAL
h Li-lon	
5.0kg	
ОХ	
	h Li-lon 5.0kg

ELECTRIC POWERED TOOLS



BIJLEE-400

- Electric Power Cable Crimping Tool Cu/Al TERMINAL Crimping Pliers Range 25-400mm²
- Plug-in hydraulic crimping pliers Tight and powerful crimping.
- Powerful Core Machine Compatibility.
- Anti overload / anti burning machine provides strong output power guarantee.
- Accurate line pressing Head can rotate 360°


This crimping tool does not have automatic release mechanism, it has to be done manually when both dies make contact.


Warning: Do not use when dies are not in place.

Voltage:	220V/50Hz
Output:	120 kN
Rated Power:	1100W
Load Power:	2200W
Weight:	approx. N.W. 9.5Kg. G.W.14.5kg
Package:	Plastic box.
Crimping Range:	25, 35, 50,70,95,120,150,185,240300,400mm ² .



DIN RAIL CUTTER & PVC TRUNKING CUTTER





FASTENING TOOLS FOR CABLE TIES



MRP: Rs.2,900/-

Capacity :4.6-12mm Weight, 600gm



NETWORK / TELECOM TOOLS



Network crimping tool for 4P4C, 6P6C,8P8C modular plug, stripping round lan cable MRP: Rs.325/-

JNT PLUS



Network crimping tool for 6P6C, 8P8C modular plug, stripping round lan cable

MRP: Rs.425/-

JNT PLUS-R

2 in 1 Network Crimping Tool



Network crimping tool with ratchet for 6P6C,8P8C modular plug, stripping round lan cable

MRP: Rs.515/-



Network crimping tool with ratchet for 6P6C,8P8C Pass-Through modular plug, stripping lan cable

MRP: Rs.950/-





MRP: Rs.515/-



















PUMP

HPCT-20/HPCT-150



MRP: Rs. 15,500/-

- Hand Operated Hydraulic pump is designed to Crimp Copper/Aluminium Cable Terminal Ends for **HPCT-20** up to 400mm² & HPCT-150 up to 1000mm²
- To start operating the pump tighten the Release vale & after compression is complete, loose the release valve.
- Reliable, Positive Crimping mechanism incorporating calibrated.
- In non-working condition keep the release value loose.

SAGAR-400



MRP: Rs. 16,500/-

- Foot Operated Hydraulic pump is designed to Crimp Copper/Aluminium Cable Terminal Ends for 400mm²
- To start operating the pump tighten the Release vale & after compression is complete, loose the release valve.
- Mechanism provided in the pump controls the pressure developed while Crimping the Terminals & the preset safety valve prevents excess pressure.

BHOOMI-400, VARUN-400, SPICE-400, DHANUSH-400, TEJAS-630 PRITHVI-1000, DHANUSH-1000, MANGAL-85 & MASTER-85KF



MRP: Rs. 17,500/-

MRP: Rs. 21,500/-

- Pump is Designed with two stage setting of high & low pressure for quick oil output.
- Manual operating type i.e. Hand & Foot.
- Working pressure 1000PSI i.e. 700kg/cm2.
- Mechanism provided in the pump controls the pressure developed while Crimping the Terminals & the preset safety valve prevents excess pressure.
- To start operating the pump tighten the Release vale & after compression is complete, loose the release valve.
- Oil displacement per stroke at low pressure stage is 13 cc & at high pressure stage 2.3cc
- Oil grade Hydrol 68 Weight 12Kg.
- Volume (mm) Hand 730 x 180 x180. Foot 620 x 220 x280.
- Oil capacity Hand -1000/700 Foot 600/350.

JACK

HPCT-20



MRP: Rs. 16,500/-

HPCT-150



MRP: Rs. 22,500/-

SAGAR-400



MRP: Rs. 18,500/-

SPICE-400



MRP: Rs. 19,500/-

VARUN-400



MRP: Rs. 19,500/-

BHOOMI-400



MRP: Rs. 19,500/-

DHANUSH-400



MRP: Rs. 19,500/-

TEJAS-630



MRP: Rs. 22,500/-

PRITHVI-1000



MRP: Rs. 30,500/-

DHANUSH-1000



MRP: Rs. 26,500/-

MANGAL-85



MRP: Rs. 21,000/-

MASTER-85KF



MRP: Rs. 34,000/-

HOSE PIPE



1/4" B.S.P. FOR HPCT-20/HPCT-150 SAGAR-400

Length: 2 meters MRP:1,600/-

MAKE:PARKER

BATTERY

Lithium-ion battery for Jupiter-400/ Jupiter-630/ Jupiter-85/Jupiter-400+85

MRP: Rs.6500/-

ACC-50 Anti Corrosive Compound for electrical joints



Anti Corrosive Compound for electrical joints Prevents corrosion of electrical joints Prevents ingress of moisture in electrical joints Prevents oxidation of the surface of wire conductor Useful for Aluminium to Aluminium or Aluminium to copper joints MRP: Rs.55/-Weight: 50grm.

HOSE PIPE





MAKE: PARKER





Fast Charger with LED Display for Jupiter-400/ Jupiter-630/ Jupiter-85/ Jupiter-400+85 MRP: Rs.7000/-



DIES

GRD-95/GRD-185 **RING TYPE DIES**



R-1,R-2,R-3.R-4,R-5, R-6,R-7,R-9,R-10,R-11, MRP: Rs.340/-Each

PUNCH TYPE DIES R-12.R-13. MRP: Rs.460/-Each

GRD-95/GRD-185 **HEXAGONAL TYPE DIES**



H-10,H-16,H-25,H-35 H-50,H-70,H-95 H-120,H-150,H-185 MRP: Rs.380/-Each

SURYA-400 **HEXAGONAL TYPE DIES**



H-25,H-35 H-50,H-70,H-95 H-120,H-150,H-185, H-240,H-300,H-400. MRP: Rs.680/-Each

SANGRAM-400 HEXAGONAL TYPE DIES



H-25,H-35 H-50,H-70,H-95 H-120,H-150, H-185,H-240, H-300,H-400. MRP: Rs.890/-Each

VISHAL-185 **RING TYPE DIES**



R-1,R-2,R-3,R-4,R-5, R-6,R-7,R-9,R-10, R-11, R-12, R-13, MRP: Rs.420/-Each

VISHAL-185 **HEXAGONAL TYPE DIES**



H-10.H-16.H-25.H-35 H-50,H-70,H-95 H-120,H-150,H-185 MRP: Rs.450/-Each

SAGAR-400 **HEXAGONAL TYPE DIES** H-25,H-35



H-120,H-150, H-185, H-240, H-300, H-400. MRP: Rs.1,080/-Each

H-50,H-70,H-95

BHOMI-400 & SHAKTI-400,SPICE-400





H-70,H-95,H-120, H-150,H-185,H-240, H-300.H-400. MRP: Rs.1250/-Each


HPCT-20



R-11, R-12,R-13, R-14,R-15 MRP: Rs.1,300/-Each



RING TYPE DIES



R-16,R-17,R-18. MRP: Rs.2,200/-Each

HPCT-20 HEXAGONAL TYPE DIES



H-50,H-70 ,H-95, H-120, H-150, H-185, H-240,H-300, MRP: Rs.1,350/-Each



H-400. MRP: Rs.2,600/-Each

R-4,R-5,R-6,R-7, R-9,R-10, R-11, R-12,R-13,R-14, R-15,R-16,R-17 R-18 MRP: Rs.2,400/-Each

HPCT-150 RING TYPE DIES



R-19.R-20.R-21 R-22,R-23,R-27,R-29. MRP: Rs.2,750/-Each



H-50,H-70 H-95, H-120, H-150, H-185, H-240,H-300, H-400. MRP: Rs.2,550/-Each

HPCT-150 HEXAGONAL TYPE DIES



H-500.H-630. H-800,H-1000. MRP: Rs.3,500/-Each

ADOPTER BLOCK



ADOPTER BLOCK FOR **HPCT-150 TOOL** TO USE **GRD-95, HPCT-20 DIES** MRP: Rs.3,900/-Each

ASHOKA-400 HEXAGONAL TYPE DIES



H-25,H-35,H-50, H-70,H-95,H-120, H-150,H-185, H-240, H-300, H-400. MRP: Rs.1,400/-Each

VARUN-400 **HEXAGONAL TYPE DIES**



H-25,H-35 H-50,H-70,H-95 H-120,H-150, H-185, H-240, H-300, H-400. MRP: Rs.1,400/-Each

DHANUSH-400 HEXAGONAL TYPE DIES



H-25,H-35,H-50, H-70.H-95.H-120. H-150,H-185,H-240, H-300.H-400. MRP: Rs.1,400/-Each

TEJAS-630 **HEXAGONAL TYPE DIES**



H-50.H-70.H-95 H-120,H-150, H-185, H-240, H-300, H-400, H-500,H-630 MRP: Rs.2,500/-Each

DHANUSH-1000 HEXAGONAL TYPE DIES



H-50.H-70,H-95 H-120,H-150,H-185, H-240,H-300, H-400, H-500,H-630 H-800, H-1000. MRP: Rs.3,400/-Each

HEXAGONAL TYPE DIES CRIMPING COPPER & ALUMINIUM TERMINAL ENDS, FITTED TO

GRD-95, GRD-185, VISHAL-185, SANGRAM-400, SURYA-400, SAGAR-400, HPCT-20, HPCT-150, BHOOMI-400 & VARUN-400, DHANUSH-400, DHANUSH-1000.

		,			
DIE REF.	CUS.SOCKET mm ²	ALS.SOCKET mm²	DIE REF.	CUS.SOCKET	ALS.SOCKET mm²
H-10	16	10	H-185	225/ 240	185
H-16	25	16	H-240	300	225/ 240
H-25	35	25	H-300	400	300
H-35	50	35	H-400	500	400
H-50	70	50	H-500	630	500
H-70	95	70	H-630	800	630
H-95	120	95	H-800	1000	800
H-120	150	120	H-1000		1000
H-150	185	150			

SUITABLE DIE CHART

RING TYPE DIES CRIMPING COPPER & ALUMINIUM TERMINAL ENDS, FITTED TO GRD-95, GRD-185, VISHAL-185,HPCT-20,HPCT-150.

DIE REF.	CUS.SOCKET	ALS.SOCKET	DIE REF.	CUS.SOCKET	ALS.SOCKET
R-1	10 CA	10 AA	R-14	240 CA	225 AA
R-2	16 CA	16 AA	R-15	300 CA	240 AA
R-3	25 CA		R-16		300 AA
R-4	35 CA	25 AA	R-17	400 CA	
R-5		35 AA	R-18	500 CA	400 AA
R-6	50 CA		R-19	625 CA	
R-7	70 CA	50 AA	R-20		500 AA
R-9	95 CA	70 AA	R-21		625 AA
R-10	120 CA	95 AA	R-22	1000 CA	
R-11	150 CA	120 AA	R-23	800 CA	
R-12	185 CA	150 AA	R-27		800 AA
R-13		185 AA	R-29		1000 AA

PRITHVI-1000 **HEXAGONAL TYPE DIES**

H-50,H-70,H-95 H-120,H-150,H-185, H-240,H-300, H-400,

H-500,H-630 H-800,H-1000. MRP: Rs.3,400/-Each



Website: www.jainsontools.com



E-Pricelist/E-Catalogue

In this Price List All Prices are (Incl. of all Taxes)

*We reserve the right of change in technology & to carry out the modification without prior notice.

All disputes are subject to Mumbai jurisdiction.

G. J. METAL WORKS

Mumbai - INDIA

Email: jainsontools@gmail.com