



Empowering SMEs & MSMEs, Empowering Growth

sme@sme.supply



+91 7506991063

HEX SPACERS WITH TAPPING

Material : Nylon 66 Black UL 94 - V2


A/F	L	THREADING	Part Code
6	10	M3	SME610M3
6	12	M3	SME612M3
6	15	M3	SME615M3
6	20	M3	SME620M3
6	25	M3	SME625M3






AVAILABLE SIZES

A/F	L	THREADING	PART CODE
6	10	M3	SME610M3



		TOLERANCE UNLESS OTHERWISE STATED	± 0.2 ANGLE $\pm 0'10''$
HEAT TREATMENT	N.A		UNIT MM
MATERIAL	NYLON 66 BLACK	DATE 17.8.2011	QTY.
TITLE HEX SPACERS WITH TAPPING		DRG.NO. 200	
		SCALE 1:1	SHEET 1 OF 1



AVAILABLE SIZES

A/F	L	THREADING	PART CODE
6	12	M3	SME612M3

		TOLERANCE UNLESS OTHERWISE STATED		+0.2 -0.2 ANGLE +0°10'
HEAT TREATMENT N.A				UNIT MM
MATERIAL NYLON 66 BLACK		DATE 17.8.2011		QTY.
TITLE HEX SPACERS WITH TAPPING		DRG.NO. 200		
		SCALE 1:1		SHEET 1 OF 1



AVAILABLE SIZES

A/F	L	THREADING	PART CODE
6	15	M3	SME615M3
6	20	M3	SME620M3
6	25	M3	SME625M3

		TOLERANCE UNLESS OTHERWISE STATED		+0.2 -0.2 ANGLE +0°10'
HEAT TREATMENT N.A				UNIT MM
MATERIAL NYLON 66 BLACK		DATE 17.8.2011		QTY.
TITLE HEX SPACERS WITH TAPPING		DRG.NO. 200		
		SCALE 1:1		SHEET 1 OF 1