



**TERMINAL BLOCK :
2.54 TO 10.16 MM**

				
XT126 5 MM	XY 127 5 MM	XY 128 3.81 MM	XY 128 5 MM	XY 128 5 MM Right Angle
				
XY 128 7.5 MM	XY 129 5 MM	XY 129 7.5 MM	XY 130 9.5 MM	XY 135 10.16 MM
				
XY 103 5 MM	XY 300 5 MM	ZB 300 5 MM (BLUE)	XY 302 3.5 MM	XY 303 3.81 MM
				
XY 304 5.08 MM	XY 308 2.54 MM	XY 350 3.5 MM	XYEK EEK 3.81 MM	XYEK EEK 5.08 MM
				
XY 123 R 2.54 MM	XY 262 7.5 MM	XY 636 6.35 MM & 7.62 MM		

PLUGGABLE TERMINAL BLOCK COMBICON
3.5 MM | 3.81 MM | 5.08 MM & 7.5 MM

sme@sme.supply

+91 7506991063

				
XY 2500 3.5 MM Female Straight	XY 2500 3.50 MM Female Right Angles	XY 2500 3.5 MM Male Straight	XY 2500 3.5 MM Male Right Angle	XY 2500 3.81 MM Female Straight
				
XY 2500 3.81 MM Female Right Angle	XY 2500 3.81 MM Male Straight	XY 2500 3.81 MM Male Right Angle	XY 2500 5.08 MM Female Straight	XY 2500 5.08 MM Female Right Angle
				
XY2500 5.08 MM Male Straight (Open)	XY2500 5.08 MM Male Straight (Closed)	XY 2500 5.08 MM Male Right Angle (Open)	XY 2500 5.08 MM Male R/A (Closed)	XY 2500 7.62 MM Female Straight
				
XY 2500 7.62 MM Female Right Angle	XY 2500 7.62 MM Male Straight (Open)	XY2500 7.62 MM Male Straight (Closed)	XY 2500 7.62 MM Male R/A (Open)	XY 2500 7.62 MM Male R/A (Closed)
				
XY2500 5.08 MM Female S/T with Side Screw	XY2500FBS 5.08 MM F R / A With Side Screw	XY2500 5.08 MM Male Straight With Side Screw	XY2500 5.08 MM Male R/A With Side Screws	XY2500 FR 5.08MM Male Cable Type



**XY2500TRF -
3.5 / -3.81**



Empowering SMEs & MSMEs, Empowering Growth

sme@sme.supply

+91 7506991063

D-SUB CONNECTOR

D-Sub Solder Type Pin 9/15/25/37/50	D-Sub PMT Type Pin 9/15/25/37/50	D-Sub PMT Type White Pin 9/15/25/37/50	D-Sub Female IDC Type Pin 9/15/25/37/50	D-Sub Right Angle Pin 9/15/25/37/50
15 Pin VGA xSolder Type	15 Pin VGA PMT type	Mini Gender Changer	Dust Cover Grey Pin 9/15/25/37/50	Dust Cover Black Pin 9/15/25/37/50
		Website - https://sme.supply/ Phone no - 9867761322 , 7506991063		
D-Sub Dust Cover Chrome Plated Pin 9/15/25/37/50	D-Sub Metal Dust Cover Pin 9/15/25/37/50			



SUPER SEAL WATER PROOF AUTOMOTIVE CONNECTORS

Super Seal Connector 2 Pin	Super Seal 2 Pin Male	Super Seal 2 Pin Female	Super Seal 2/3/4/5/6 Connectors	Water Seal

ELECTRICAL CONNECTOR

sme@sme.supply

+91 7506991063

			
3 in 3 out Connector	Press fit Connector	Strip Connector 2 way	Strip Connector 4 way



SOLAR MC4 CONNECTOR

				
MC4 LQ1 - 30 Amp	MC4 Fuse	MC4 Diode	MC4 Panel LQ2	MC4 LQ 1 - 50 Amp
				
MC4 1x2 "Y" Connector	MC4 1x3 "Y3" Connector	MC4 1x4 "Y" Connector	MC4 1x2 "T" Connector	MC4 1x3 "T" Connector
				
MC4 1x4 "T" Connector	MC4 1x5 "T" Connector	MC4 1x6 "T" Connector	MC4 "Y" Single Pin & 2 Pin with Fuse	MC4 1x6 "Y" Connector
	Website - https://sme.supply/ Phone no - 9867761322 , 7506991063			
MC4 Evo 2				

EV BATTERY CONNECTOR

sme@sme.supply

+91 7506991063

				
2+4 Battery Connector	2+4 Battery Connector	2+4 Battery Connector	1+2+5 Battery Connector	1+2+5 Battery Connector
				
M23 2+1+5 Connector	M23 2+1+5 Connector	M23 2+4 Connector	M23 2+4 Connector	With wire Connector
				
50 AMP Connector	120 AMP Connector	175 AMP Connector		

SOLDER LESS D-SUB AND VGA

		
15 Pin VGA Male	9 Pin D Male & Female	25 Pin D Male & Female

Website - <https://sme.supply/>
Phone no - 9867761322 , 7506991063

MRS - GX - AVIATION CONNECTOR

sme@sme.supply

+91 7506991063

				
MRS 12 MM M Panel / F Cable	MRS 12 MM M / F Both Cable Type	MRS 16 MM M Panel F Cable	MRS 16 MM Flange Type	
				
MRS 16 MM Right Angle	MRS 16 MM Revited Type	MRS 20 MM M / F 12 / 14 & 15 Pin	MRS 20 MM M / F 2 Pin To 8 Pin	MRS 20 MM M / F 9 Pin To 10 Pin
				
MRS 20 MM M / F 9 Pin To 10 Pin	MRS 20 MM Male Flange Type Female Cable Type 2 pin to 8 pin	MRS 20 MM M / F Both Cable	MRS 25 MM M / F 2 to 8 pin	MRS 28 MM 16 Pin M / F
				
MRS 28 MM M / F 24Pin	MRS 16 MM Reverse Type M / F	M 16 Male & Female Cable Type	M 16 Male Cable & Female Panel STD	M 16 Female Cable Type REV
	Website - https://sme.supply/ Phone no - 9867761322 , 7506991063			
M 16 Male Panel REV				

RF- SMA CONNECTOR

sme@sme.supply

+91 7506991063


				
Male Connector For RG316 / RG174 Cable	Female Connector With 4 Hole Panel Mount Flange	Female Connector For RG174/RG316 Cable	SMA Male To BNC Female Adapter	SMA Female To BNC Male Adapter
				
SMA Female To N Male Adapter	SMA Female Panel 2 Hole	Female Connectors R/A For PCB Mount	Female Edge Connector For PCB Mount	Male For LMR 300 Cable
				
BNC Female To Female Isolated Bulkhead	Male Right Angle For RG 17 / 316	RP SMA Female PCB EDGE	SMA Male For RG 58 and LMR 200 Cable	SMA T Type 3 Female Adapter
				
SMA Female Panel 4 Hole Teflon 5 MM	SMA T Type 1 Male 2 Female	SMA T Type 2 Male 1 Female	SMA Female Connector For PCB Mount	SMA Male To Male Adapter
				
SMA Male Terminator	SMA Female To Female Adapter	SMA Male To Male Right Angle Adapter	SMA Male To Female Adapter	SMA Female Panel 4 Hole Extended Teflon 12 MM

				
SMA Female To Female Panel 4 Hole Adapter	RP SMA Male To RP SMA Female Adapter	SMA PCB Right Angle 20 MM	UHF Male With Reducer	UHF Female Panel Mount 4 Hole
				
BNC Female Bulkhead Grounding	N Male To N Male Adapter	N Male To BNC Female Adapter	BNC Female Right Angle	BNC Female Panel 4 Hole
				
BNC Female Bulkhead Isolated Grounding	BNC Female PCB Straight	SMA Female Panel 2 Hole Extended Teflon 12 MM	Female Edge Connector For PCB Mount	UHF Male To Male
				
BNC Male To Male	BNC Male To Female	N Female To Female	UHF Female To Female	BNC Female To Female
				
SMA Female To UHF Female	SMA Male To UHF Female	SMA Male To N Female		

PIN HEADER

sme@sme.supply

+91 7506991063

				
Berg Strip Single Row 1.27 MM	Berg Strip Single Row 2 MM	Berg Strip Single Row 2.54 MM	Berg Strip Dual row 2.54 MM	Berg Strip Right Angle 2.54 MM
				
Berg Strip Right Angle Dual Row	Berg Strip 2.54MM Dual Insulator	Flow Solder Dual Row Straight	Flow Solder Single Row Straight	Flow Solder Single Row Right Angle
				
Flow Solder Dual Row Right Angle 2.54 MM	Flow Solder Elongated 2.54 MM	Flow Solder Single Row SMT Type	Berg Housing	SIL Socket

PCB WIRE TO WIRE CONNECTORS 2.50MM To 6.32MM

				
2517 / 2518 2.5 MM	401/ 402 4 MM	557 / 559 4.2 MM	micro Fit Connector 3 MM	Power Mate Connector 6.3 MM
				
EL Series 4.5 MM	6.3 MM 250 Series HXH Brand	4.14 MM Male Female HXH Brand		

FRC - IDC CONNECTOR

1.27MM | 2MM | 2.57MM SMD+DIP

				
Box Header 1.27 MM	Box Header 2 MM	Box Header Straight 2.54 MM	Box Header Straight (Grey)	Box Header Right Angle (Black)
				
Box Header Right Angle (Grey)	SMD Type	FRC Male Straight Lock Type	FRC Male Straight Lock Type (Grey)	FRC Male Lock Type Right Angle (Black)
				
FRC Male Right Angle Lock Type (Grey)	FRC Male SMD Type	FRC Male Lock Type 2 MM	Box Header Crimping Type	FRC IDC Lock Type
				
FRC Female	FRC Female (Grey)	Flat Ribbon Cable	Multicolor Flat Ribbon Cable	Transition Header

LED CONNECTOR

			
DC Connector (Orange)	DC Connector (Grey)	DC Connector Round	SMD Connector

PCB CONNECTORS WIRE TO BOARD 1.25MM To 5.08MM

sme@sme.supply

+91 7506991063

				
1.25 MM Series	2 MM 201 Series	2.54 MM Berg Connector	2.5 MM 259 Series	2.54 MM 2510 Series
				
2.5 MM 252 Series	2.5MM 2511 Series	2.5 MM 2515 Series	3.96 MM CPU Connector	3.96 MM Lock Type CPU
				
3 MM Pitch Connector Micro Fit	5.08 MM CPU Connector	4.2 MM Mini Fit Connector		

TOOL FOR CRIMPING WIRE

				
MC4 Disconnecting Tool	MC4 Crimping Tool	RMC Crimping Tool	RMC Crimping Tool	RMC Crimping Tool
				
FRC Crimping Tool	4P4C / 6P6C & 8P8C Crimping Tool			

SIM CARD HOLDER

sme@sme.supply

+91 7506991063

				
8 Pin SIM Holder Hinge Type	6 Pin SIM Holder Spring Type	6 Pin Micro SIM Holder	Micro SD Card Push Type	SIM Holder 6+1 Push Type
				
SIM Holder 6+2 Push Type	Micro SD Card Holder Push Type	SD Card Holder	6 Pin SIM Holder	6 Pin SIM Holder Hinge Type
				
6 Pin SIM Holder Push Type	6 Pin SIM Holder Flap Type	Micro SIM Holder 6+1 Push Type	6 Pin Holder Open Lock Type	

BARRIER TERMINAL BLOCK

				
25C 7.65 MM	35C 8.25 MM	45C 9.5 MM	HB-9500 ZBA-501	635 G 6.35 MM
				
9500 G 9.5 MM				

IC SOCKET

sme@sme.supply

+91 7506991063

			
IC Socket Round Pin	IC Socket Narrow	IC Socket Wide	PLCC Socket

SWITCHES

				
DIP Switch Piano Type	DIP Switch (Red & Blue)	Lock & key	Tare Switch	Tactile Switch

TELEPHONE & RJ 45 JACK CONNECTOR

				
RJ 45 - 8P8C PCB Mount Right Angle	RJ 11 8P8C Socket	RJ 45 4P4C	RJ 45 8P8C	RJ 45 Boot
				
RJ 45 8P8C Shielded	RJ 45 1132-02	1124 Hood 10P 10C		

ANTENNA

sme@sme.supply

+91 7506991063

				
GSM Spring Antenna	GSM Antenna Bend type RP	GSM Antenna 5 cm	GPS Antenna	SMA Female to UFL
				
GSM Antenna 10 cm	GSM Antenna	GSM Antenna Bend type	RF 1.13- IPEX 20cm Antenna	4G GSM Antenna
				
GSM Antenna 7CM	GPS + GSM Antenna			

DC | AC SOCKET

				
AC Socket with Flap	AC Socket	DC Socket	DC Socket	DC Socket
				
DC Socket	DC Socket			