


IP 65/66/67

ABS & POLYCARBONATE ENCLOSURES



Sr.	Code	LXWXD (mm)	Sr.	Code	LXWXD (mm)
1	1.02	275x225x105 AS/APC	58	7.07	140x120x76 AS/APC
2	1.03	280x200x140 AS/APC	59	7.07B	140x120x100 AS/APC
3	1.04	280x280x130 AS/APC	60	7.08	150x150x75 AS/APC
4	1.05A	350x300x146 AS/APC	61	7.08A	150x150x100 AS/APC
5	1.05B	350x300x205 AS/APC	62	7.09A	160x115x55 AS/APC
6	2.00A	180x130x100 AS/APC	63	7.09B	160x115x75 AS/APC
7	2.01A	180x180x100 AS/APC	64	7.10A	170x125x66 AS/APC
8	2.01	180x180x138 AS/APC	65	7.10B	170x125x115 AS/APC
9	2.02	240x180x138 AS/APC	66	7.11	175x124x36 (Novire Box) AS/APC
10	2.03	320x240x138 AS/APC	67	7.12	180x160x75 AS/APC
11	2.04	420x320x138 AS/APC	68	7.13	205x125x75 AS/APC
12	2.04B	420x320x210 AS/APC	69	7.13A	210x80x55 AS/APC
13	2.05A	640x420x160 AS/APC	70	7.14	230x125x90 AS/APC
14	2.05B	640x420x210 AS/APC	71	7.15	240x70x92 AS/APC
15	2.06	640x380x230 AS/APC	72	7.16	250x200x90 AS/APC
16	3.01A	300x150x135 AS/APC	73	7.17	260x160x90 AS/APC
17	3.01B	300x150x210 AS/APC	74	7.18	260x176x92 AS/APC
18	3.02	300x300x210 AS/APC	75	7.19	315x225x90 AS/APC
19	3.03	450x300x210 AS/APC	76	7.20	350x260x90 AS/APC
20	3.04	600x300x210 AS/APC	77	12.01	2 Way Window
21	4.01	90x90x54 AS/APC	78	12.02	4 Way Window
22	4.02	100x100x60 AS/APC	79	12.03	8 Way Window
23	4.03	140x110x70 AS/APC	80	12.04	12 Way Window
24	4.04	130x130x100 AS/APC	81	SK-553AS/APC	50X52X35MM
25	4.05	170x130x80 AS/APC	82	SK-563AS/APC	50X65X35MM
26	4.06	210x160x100 AS/APC	83	SK-885AS/APC	80X82X55MM
27	4.07	260x210x120 AS/APC	84	SK-888AS/APC	80X82X85MM
28	5.01 Eco	2 Way - 138x98x75 AS/APC	85	SK-801235AS/APC	80X120X35MM
29	5.01	2 Way - 225x100x100 AS/APC	86	SK-815AS/APC	80X120X55MM
30	5.02 Eco	4 Way - 160x115x75 AS/APC	87	SK-80165AS/APC	80X160X55MM
31	5.02	4 Way - 225x150x100 AS/APC	89	SK-80215AS/APC	80X210X55MM
32	5.03	8 Way - 225x225x100 AS/APC	90	SK-818AS/APC	80X120X85MM
33	5.04	12 Way- 300x225x100 AS/APC	91	SK-101060AS/APC	100X100X60MM
34	5.05A	1x12 Way - 400x300x100 AS/APC	92	SK-101080AS/APC	100X100X80MM
35	5.05	2x12 Way - 400x300x100 AS/APC	93	SK-117AS/APC	122X125X75MM
36	5.06	3x12 Way - 600x300x100 AS/APC	94	SK-121470AS/APC	120X140X70MM
37	6.01	138X98X68 AS/APC	95	SK-121410AS/APC	120X140X100MM
38	6.02A	200 X98X60 AS/APC	96	SK-127AS/APC	120X200X75MM
39	6.02B	200X98X82 AS/APC	97	SK-129AS/APC	120X200X90MM
40	6.03	138X138X82 AS/APC	98	SK-121765AS/APC	125X170X65MM
41	6.04	225X138X68 AS/APC	99	SK-121785AS/APC	120X170X85MM
42	6.05	225X160X100 AS/APC	100	SK-121710AS/APC	125X175X100MM
43	6.06A	225X225X115 AS/APC	101	SK-151575AS/APC	150X150X75MM
44	6.06B	225X225X180 AS/APC	102	SK-151510AS/APC	150X150X100MM
45	6.07	300X225X115 AS/APC	103	SK-181810AS/APC	180X180X100MM
46	6.08	400X300X100 AS/APC	104	SK-142260AS/APC	140X225X60MM
47	6.09	600X300X100 AS/APC	105	SK-142275AS/APC	140X225X75MM
48	7.01 L	84x58x33 (SKO11-36) AS/APC	106	SK-142290AS/APC	140X225X90MM
49	7.02 L	100x70x50 AS/APC	107	SK-142211AS/APC	140X225X110MM
50	7.03 L	160x80x55 AS/APC	108	SK-1259AS/APC	160X250X90MM
51	7.01	80x56x40 AS/APC	109	SK-192813AS/APC	190X280X130MM
52	7.02	100x100x62 AS/APC	110	SK-12515AS/APC	160X250X115MM
53	7.03	115x65x40 (SKO304) AS/APC	111	SK-253085AS/APC	250X300X85MM
54	7.04	125x80x56 AS/APC	112	SK-253011AS/APC	250X300X110MM
55	7.05	125x125x62 AS/APC	113	SK-253015AS/APC	250X300X150MM
56	7.06A	134x90x36 (Elenkey Box) AS/APC	114	SK-253017AS/APC	250X300X170MM
57	7.06B	134x90x56 AS/APC	115	SK-282813AS/APC	280X280X130MM
			116	SK-304014AS/APC	300X400X140MM



AS = TOP ABS PLASTIC AND BOTTOM ABS PLASTIC

APC = TOP PC TRANSPARENT AND BOTTOM ABS PLASTIC

NOTE- ALUMINUM JUNCTION BOXES ALSO AVAILABLE IN 6-8 SIZES

HINGES TYPE BOX-IP67



SR.NO.	MODEL NO	SIZE
1	SKNH241912AS/APC	240x190x120MM
2	SKNH292012AS/APC	290x200x120MM
3	SKNH303015AS/APC	300x300x150MM
4	SKNH403517AS/APC	400x350x170MM
5	SKNH191410AS/APC	190X140X100MM
6	1.02AS/APC	275X225X105MM
7	1.03AS/APC	280X200X140MM
8	1.04AS/APC	280X280X130MM
9	1.05(A) AS/APC	350X300X146MM
10	1.05(B) AS/APC	350X300X205MM
11	SKNH212010AS/APC	210X200X100MM



- **H- Hinges, AS = Top & Bottom ABS Plastic, APC = Top Transparent Pc & Bottom Abs Plastic**

PLASTIC TABLE TOP

SR.NO.	MODEL NO	SIZE
1	SKO15-32	198X158X62MM
2	SKO15-32H1	198X158X118MM
3	SKO15-32-H2	198X158X155MM
4	SKO15-33	225X198X62MM
5	SKO15-33H1	225X198X118MM
6	SKO15-33H2	225X198X162MM
7	SKO15-34	290X258X72MM
8	SKO15-35	290X258X108MM
9	SKO15-35H1	290X258X150MM




MS TABLE TOP

SR.NO.	MODEL NO	SIZE
1	SKT162295	160X220X95MM
2	SKT162212	160X220X120MM
3	SKT232595	230X250X95MM
4	SKT232512	230X225X120MM
5	SKT323012	320X300C125MM



DESK TOP ENCLOSURES



Sr. No.	Product Code	Size(LxWxH)
1	SKO18-4	272x200x83 mm
2	SKO18-5	188x134x59 mm
3	SKO18-6	177x130x52 mm
4	SKO18-34	188x133x57 mm
5	SKO1188G	134x189x87mm
6	SKO18-100	272x200x83 mm

HAND HELD ENCLOSURES




SKO21-20-G-O,SKO21-20-G-O-BC,
SKO21-20-G-S,SKO21-20-G-S-BC

Sr. No.	Product Code	Size(LxWxH)
1	21-20-G-O	180x100x41 mm
2	21-20-G-O-BC	180x100x41 mm
3	SK21-22	236x130x43 mm
4	SK21-22D	236x130x43 mm
5	SK21-53	209x110x40 mm
6	SK21-53D	209x110x40 mm
7	SK21-24	197x108x69 mm

Sr. No.	Product Code	Size(LxWxH)
8	SK21-18D	135x70x24 mm
9	SKO400	155X80X25MM
10	SK21-39D	160x70x29 mm
11	SK21-109	112x86x57 mm
12	SK21-74D	83x152x34 mm
13	SK21-79	60x106x20 mm
14	21-20-G-S-BC	180x100x41 mm
15	21-20-G-S	180x100x41 mm

NOTE = S= SOLID, O- CUTOUT WINDOW, BC- BATTERY COMPARTMENT G- GREY WHITE, B-BLACK

CARD MASTER WALL MOUNTING ENCLOSURES



Sr. No.	Product Code	Size(LxWxH)
1	11-23	295x255x111 mm
2	11-23T	295x255x111 mm
3	11-24	222x185x106 mm
4	11-24T	222x185x106 mm
5	11-25	165x158x121 mm
6	11-25T	165x158x121 mm
7	25/22-3TT	280x219x156mm
8	11-103	218x184x126 mm
9	11-103T	218x184x126 mm

Sr. No.	Product Code	Size(LxWxH)
10	11-193	198x191x120 mm
11	11-193T	198x191x120 mm
12	11-194	320x270x121 mm
13	11-194T	320x270x121 mm
14	11-195	190x173x130 mm
15	11-195T	190x173x130 mm
16	11-196	247x200x115 mm
17	11-196T	247x200x115 mm

CABLE GLANDS

LIGHT GREY, DARK GREY, BLACK




Sr. No.	Model	Cable Dia	Hole Dia
1	PG-7	3-6.5 mm	12.5 mm
2	PG-9	4-8 mm	15.2 mm
3	PG-11	5-10 mm	18.6 mm
4	PG-13.5	6-12 mm	20.4 mm
5	PG-16	10-14 mm	22.5 mm
6	PG-19	12-15 mm	24 mm
7	PG-21	13-18 mm	28.3 mm
8	PG-25	16-21 mm	30 mm
9	PG-29	18-25 mm	37 mm
10	PG-36	22-32 mm	47 mm
11	PG-42	28-38 mm	54 mm
12	PG-48	35-45 mm	59.3 mm
13	PG-63	42-50 mm	72 mm
14	M-12	3-6 mm	12 mm
15	M-16	5-10 mm	16 mm
16	M-20	8-13 mm	20 mm
17	M-25	11-17 mm	25 mm
18	M-32	15-21 mm	32 mm
19	M-40	19-28 mm	40 mm
20	M-50	25-35 mm	50 mm
21	M-63	35-45 mm	63 mm



PG-M Type Plastic Waterproof Cable Gland

DIN PANEL ENCLOSURES



Model	Specification
ED4-7522	(CN22)
ED4-7522V	(CN22-V)
ED4-7522F	(CN22-F)
ED4-7522VF	(CN22-VF)
ED4-7545	(CN45)
ED4-7545V	(CN45-V)
ED4-7545F	(CN45-F)
ED4-7545VF	(CN45-VF)
ED4-7555	(CN55)
ED4-7555V	(CN55-V)

Model	Specification
ED4-7555F	(CN55-F)
ED4-7555-VF	(CN55-VF)
ED4-7570	(CN70)
ED4-7570V	(CN70-V)
ED4-7570F	(CN70-F)
ED4-7570VF	(CN70-VF)
ED4-75100	(CN100)
ED4-75100V	(CN100-V)
ED4-75100F	(CN100-F)
ED4-75100VF	(CN100-VF)

V-WITH VETILATION,F-WITH FLAP,VF-WITH VENTILATION & FLAP

INDUSTRIAL CARRYING CASES




Specification>

Model	OD(mm)	ID(mm)	Lid/bottom depth(mm)	Net weight(kg)	IP rate	Pull rod	Material	Optional color
45-1	263x206x106	239x159x92.5	26/66.5	0.75	IP67		ABS/PP	■ ■ ■ ■ ■
45-2	263x206x156	239x159x142.5	26/116.5	1	IP67		ABS/PP	■ ■ ■ ■ ■
45-3	335x236x126	309x189x112	26/86	1.2	IP67		ABS/PP	■ ■ ■ ■ ■
45-4	335x236x176	309x189x162	26/136	1.4	IP67		ABS/PP	■ ■ ■ ■ ■
45-15	303x250x136	279x199x122	26/96	1.27	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-25	260x206x126	236x156x112.5	26/86.5	0.94	IP67		ABS/PP	■ ■ ■ ■ ■
45-27	273x222x84	252x152x63	31.5/31.5	0.78	IP55		ABS/PP	■ ■ ■ ■ ■
45-28	390x314x102	369x236x84	42/42	1.41	IP55		ABS/PP	■ ■ ■ ■ ■
45-29	256x240x94	219x186x77	38.5/38.5	0.74	IP55		ABS/PP	■ ■ ■ ■ ■
45-5	383x296x166	358.5x238.5x151.5	30.5/121	1.9	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-6	425x336x126	398.5x278.5x111	30/81	2.1	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-7	425x336x196	398.5x278.5x181	30/151	2.5	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-8	476x386x206	442x322x190.7	40/150.7	3.3	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-14	473x386x151	442x322x135.7	40/95.7	3	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-16	358x281x116	334x229x102	26/76	1.5	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-17	358x281x156	334x229x142	26/116	1.73	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-30	419x229x341	365x165x301	52/249	2.86	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-39	395x296x186	368.5x238.5x171.5	30.5/141	2.29	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-9	586x436x216	547x367x200	50/150	4.6	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-10	580x436x286	547x367x270	50/220	5.4	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-13	762x396x193	697x327x172	36/136	5.5	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-18	520x466x146	492x402x131	40/91	4.2	IP67	✓	ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-19	551x466x224	492x402x191	40/151	6.2	IP67	✓	ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-20	647x496x224	587x427x189.5	49.5/140	7.8	IP67	✓	ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-21	647x496x304	587x427x269.5	49.5/220	8.8	IP67	✓	ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-24	538x400x200	492x336x167	40/127	5.5	IP67	✓	ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-26	539x398x174	482x336x164	41.5/122.5	2.6	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-34	670x442x170	650*410*163	81.5/81.5	3.68	IP55		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
45-35	492x353x122	459x289x105	34/71	2.46	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1200	306x246x128	235x181x113	30/83	1.27	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1400	345x298x148	300x225x132	30/102	1.98	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1450	412x330x168	379x267x156	44/112	3.8	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1455	395x302x168	348x228x152	31/121	2.45	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1456	435x343x150	390x270x134	31/103	2.7	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1457	435x343x198	390x270x182	31/151	3	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1460	532x330x322	490x268x309	152/157	4.5	IP67	✓	ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1510	559x355x239	502x277x193.5	45.5/148	5.4	IP67	✓	ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1550	520x432x212	485x372x198	46/152	4.2	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1560	575x472x272	535x412x235	54/181	6	IP67	✓	ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1610	643x505x314	553x419x270	52/218	9.9	IP67	✓	ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1620	643x505x363	548x414x319	52/267	10.5	IP67	✓	ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1630	802x629x435	703x533x391	83/308	14.1	IP67	✓	ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1640	704x701x397	609x602x353	51/302	13.6	IP67	✓	ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1650	813x528x310	724x441x266	47/219	11.95	IP67	✓	ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1655	793x426x220	730x350x200	50/150	5.9	IP67	✓	ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1660	820x600x492	716x499x448	89/359	15.2	IP67	✓	ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1690	861x731x425	762x635x381	73/308	17.75	IP67	✓	ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
46-1720	1128x410x162	1076x356x149	46/103	6.5	IP67		ABS/PP	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■

CUSTOMISE ALUMINUM CARRYING CASES ALSO AVAILABLE

ED-2 (Model A) Series 70

SR.NO.	Width Size	Enclosure Model	External Dimension WxLxH	Terminals	Pitch	Pitch
1	30	ED2A – 1173	ED2A – 1173	4+4	5mm	SLOT
2	50	ED2A – 1175	ED2A – 1175	8+8	5mm	SLOT
3	70	ED2A – 1177	ED2A – 1177	12+12	5mm	SLOT
4	90	ED2A – 1179	ED2A – 1179	16+16	5mm	SLOT
5	110	ED2A – 11711	ED2A – 11711	20+20	5mm	SLOT




ED-2 (MODEL - B) SERIES 70

SR.NO.	Flap	Enclosure Model	External Dimension WxLxH	Terminals	Pitch	Pitch
1	✓	ED2B- 1173	30x70x110	4+4	5mm	5.08mm
2	✓	ED2B – 1175	50x70x110	8+8	5mm	5.08mm
3	✓	ED2B – 1177	70x70x110	12+12	5mm	5.08mm
4	✓	ED2B – 1179	90x70x110	16+16	5mm	5.08mm
5	✓	ED2B – 11711	110x70x110	20+20	5mm	5.08mm




ED-2 (Model C) Series 70

SR.NO.	Flap	Enclosure Model	External Dimension WxLxH	Terminals	Pitch	Pitch
1	✓	ED2C – 1153	30x70x110	4+4	5mm	5.08mm
2	✓	ED2C – 1155	50x70x110	8+8	5mm	5.08mm
3	✓	ED2C – 1157	70x70x110	12+12	5mm	5.08mm
4	✓	ED2C – 1159	90x70x110	16+16	5mm	5.08mm
5	✓	ED2C – 11511	110x70x110	20+20	5mm	5.08mm



ED-3 (7060) Series 70

SR.NO.	Flap	Enclosure Model	External Dimension WxLxH	Terminals	Pitch	Pitch
1	✓	ED2D – 1133	30x70x110	4+4	5mm	5.08mm
2	✓	ED2D – 1135	50x70x110	8+8	5mm	5.08mm
3	✓	ED2D – 1137	70x70x110	12+12	5mm	5.08mm
4	✓	ED2D – 1139	90x70x110	16+16	5mm	5.08mm
5	✓	ED2D – 11311	110x70x110	20+20	5mm	5.08mm




ED-3 (7060) Series 70

SR.NO.	Width Size	Enclosure Model	External Dimension WxLxH	Terminals	Pitch	Optional
1	60	Ed3 - 7060	60x100x70	6+6	9.15mm	Finger Guard




ED-3 (7010) Series 70

SR.NO.	Width Size	Enclosure Model	External Dimension WxLxH	Terminals	Pitch	Optional
1	100	Ed3 - 7010	100x100x70	10+10	9.15mm	Finger Guard



ED-3 (7015) Series 70

SR.NO.	Width Size	Enclosure Model	External Dimension WxLxH	Terminals	Pitch	Optional
1	150	Ed3 - 7015	150x100x70	16+16	9.15mm	Finger Guard



ED-3 (7610) Series 70

SR.NO.	Width Size	Enclosure Model	External Dimension WxLxH	Terminals	Pitch	Optional
1	60	Ed3 - 7610	60x100x70	6+6	9.15mm	Finger Guard



Dealer

