


























| SWITCHING                               | IP MARKING                                                                          | POLE | 6A TYPE | M.R.P. (Rs) | 10A TYPE | M.R.P. (Rs) | 16A TYPE | M.R.P. (Rs) | 25A TYPE | M.R.P. (Rs) |
|-----------------------------------------|-------------------------------------------------------------------------------------|------|---------|-------------|----------|-------------|----------|-------------|----------|-------------|
| OFF -ON , 4 POS. 90 DEG. THROW          |    | 1    | N1R194O | 208         | N1S194O  | 322         | N1U194O  | 427         | N1V194O  | 473         |
|                                         |                                                                                     | 2    | N1R294O | 257         | N1S294O  | 359         | N1U294O  | 481         | N1V294O  | 576         |
|                                         |                                                                                     | 3    | N2R394O | 273         | N2S394O  | 427         | N2U394O  | 557         | N2V394O  | 1043        |
|                                         |                                                                                     | 4    | N2R494O | 332         | N2S494O  | 470         | N2U494O  | 597         | N2V494O  | 865         |
| OFF -ON , 2 POS. 90 DEG. THROW          |    | 1    | N1R192O | 208         | N1S192O  | 322         | N1U192O  | 427         | N1V192O  | 473         |
|                                         |                                                                                     | 2    | N1R292O | 257         | N1S292O  | 359         | N1U292O  | 481         | N1V292O  | 576         |
|                                         |                                                                                     | 3    | N2R392O | 273         | N2S392O  | 427         | N2U392O  | 557         | N2V392O  | 1043        |
|                                         |                                                                                     | 4    | N2R492O | 332         | N2S492O  | 470         | N2U492O  | 597         | N2V492O  | 865         |
| OFF -ON , 2 POS. 60 DEG. THROW          |    | 1    | N1R16O  | 208         | N1S16O   | 322         | N1U16O   | 427         | N1V16O   | 473         |
|                                         |                                                                                     | 2    | N1R26O  | 257         | N1S26O   | 359         | N1U26O   | 481         | N1V26O   | 576         |
|                                         |                                                                                     | 3    | N2R36O  | 273         | N2S36O   | 427         | N2U36O   | 838         | N2V36O   | 1043        |
|                                         |                                                                                     | 4    | N2R46O  | 332         | N2S46O   | 470         | N2U46O   | 597         | N2V46O   | 884         |
| TWO WAY NO OFF, 4 POS. 90 DEG.THROW     |    | 1    | N1R19B  | 257         | N1S19B   | 395         | N1U19B   | 530         | N1V19B   | 581         |
|                                         |                                                                                     | 2    | N2R29B  | 332         | N2S29B   | 465         | N2U29B   | 597         | N2V29B   | 773         |
|                                         |                                                                                     | 3    | N3R39B  | 395         | N3S39B   | 568         | N3U39B   | 781         | N3V39B   | 1140        |
|                                         |                                                                                     | 4    | N4R49B  | 481         | N4S49B   | 657         | N4U49B   | 897         | N4V49B   | 1486        |
| TWO WAY WITH OFF 4 POS. 90 DEG. THROW   |   | 1    | N1R19BO | 257         | N1S19BO  | 395         | N1U19BO  | 530         | N1V19BO  | 581         |
|                                         |                                                                                     | 2    | N2R29BO | 332         | N2S29BO  | 465         | N2U29BO  | 597         | N2V29BO  | 773         |
|                                         |                                                                                     | 3    | N3R39BO | 395         | N3S39BO  | 568         | N3U39BO  | 781         | N3V39BO  | 1140        |
|                                         |                                                                                     | 4    | N4R49BO | 481         | N4S49BO  | 657         | N4U49BO  | 897         | N4V49BO  | 1486        |
| THREE WAY NO OFF 3 POS. 60 DEG. THROW   |  | 1    | N2R16C  | 311         | N2S19C   | 427         | N2U19C   | 562         | N2V19C   | 713         |
|                                         |                                                                                     | 2    | N3R26C  | 395         | N3S29C   | 624         | N3U29C   | 770         | N3V29C   | 927         |
|                                         |                                                                                     | 3    | N5R36C  | 557         | N5S39C   | 765         | N5U39C   | 1132        | N5V39C   | 1327        |
|                                         |                                                                                     | 4    | N6R46C  | 700         | N6S49C   | 854         | N6U49C   | 1308        | N6V49C   | 1673        |
| THREE WAY WITH OFF 4 POS. 90 DEG. THROW |  | 1    | N2R19CO | 295         | N2S19CO  | 443         | N2U19CO  | 551         | N2V19CO  | 745         |
|                                         |                                                                                     | 2    | N3R29CO | 395         | N3S29CO  | 508         | N3U29CO  | 662         | N3V29CO  | 911         |
|                                         |                                                                                     | 3    | N5R39CO | 557         | N5S39CO  | 673         | N5U39CO  | 1100        | N5V39CO  | 1327        |
|                                         |                                                                                     | 4    | N6R49CO | 700         | N6S49CO  | 854         | N6U49CO  | 1324        | N6V49CO  | 1648        |
| FOUR WAY NO OFF, 4 POS. 90 DEG.THROW    |  | 1    | N2R19D  | 311         | N2S19D   | 459         | N2U19D   | 667         | N2V19D   | 846         |
|                                         |                                                                                     | 2    | N4R29D  | 438         | N4S29D   | 678         | N4U29D   | 781         | N4V29D   | 992         |
|                                         |                                                                                     | 3    | N6R39D  | 586         | N6S39D   | 716         | N6U39D   | 1221        | N6V39D   | 1557        |
|                                         |                                                                                     | 4    | N8R49D  | 800         | N8S49D   | 924         | N8U49D   | 1421        | N8V49D   | 1870        |
| FIVE WAY WITH OFF, 6 POS. 60 DEG THROW  |  | 1    | N3R16EO | 368         | N3S16EO  | 560         | N3U16EO  | 885         | N3V16EO  | 1178        |
| SIX WAY NO OFF 6 POS. 60 DEG. THROW     |  | 1    | N3R16F  | 384         | N3S16F   | 754         | N3U16F   | 892         | N3V16F   | 1049        |
|                                         |                                                                                     | 2    | N6R26F  | 738         | N6S26F   | 876         | N6U26F   | 1186        | N6V26F   | 1840        |
|                                         |                                                                                     | 3    | N9R36F  | 886         | N9S36F   | 1570        | N9U36F   | 2005        | N9V36F   | 2186        |
| SEVEN WAY WTH OFF 8 POS. 45 DEG.THROW   |  | 1    | N4R14GO | 481         | N4S14GO  | 705         | N4U14GO  | 935         | N4V14GO  | 1194        |
| EIGHT WAY NO OFF 45 DEG.THROW           |  | 1    | N4R14H  | 481         | N4S14H   | 827         | N4U14H   | 1000        | N4V14H   | 1251        |
|                                         |                                                                                     | 2    | N8R24H  | 827         | N8S24H   | 1185        | N8U24H   | 1659        | N8V24H   | 1951        |
|                                         |                                                                                     | 3    | N12R34H | 1149        |          |             | N12U34H  | 2354        | N12V34H  | 2532        |

| SWITCHING                                | IP MARKING                                                                          | POLE | 32A TYPE | M.R.P. (Rs) | 40A TYPE | M.R.P. (Rs) | 63A TYPE | M.R.P. (Rs) |
|------------------------------------------|-------------------------------------------------------------------------------------|------|----------|-------------|----------|-------------|----------|-------------|
| OFF -ON , 4 POS. 90 DEG. THROW           |    | 1    | N1W194O  | 581         | N1X194O  | 805         | N1Y194O  | 1095        |
|                                          |                                                                                     | 2    | N1W294O  | 670         | N1X294O  | 943         | N1Y294O  | 1320        |
|                                          |                                                                                     | 3    | N2W394O  | 819         | N2X394O  | 1081        | N2Y394O  | 1780        |
|                                          |                                                                                     | 4    | N2W494O  | 949         | N2X494O  | 1211        | N2Y494O  | 2055        |
| OFF -ON , 2 POS. 90 DEG. THROW           |    | 1    | N1W192O  | 581         | N1X192O  | 805         | N1Y192O  | 1095        |
|                                          |                                                                                     | 2    | N1W292O  | 670         | N1X292O  | 943         | N1Y292O  | 1320        |
|                                          |                                                                                     | 3    | N2W392O  | 819         | N2X392O  | 1081        | N2Y392O  | 1780        |
|                                          |                                                                                     | 4    | N2W492O  | 949         | N2X492O  | 1211        | N2Y492O  | 2055        |
| OFF -ON , 2 POS. 60 DEG. THROW           |    | 1    | N1W16O   | 581         | N1X16O   | 805         | N1Y16O   | 1095        |
|                                          |                                                                                     | 2    | N1W26O   | 670         | N1X26O   | 943         | N1Y26O   | 1320        |
|                                          |                                                                                     | 3    | N2W36O   | 1157        | N2X36O   | 1505        | N2Y36O   | 2113        |
|                                          |                                                                                     | 4    | N2W46O   | 949         | N2X46O   | 1211        | N2Y46O   | 2055        |
| TWO WAY NO OFF, 4 POS. 90 DEG. THROW     |    | 1    | N1W19B   | 649         | N1X19B   | 916         | N1Y19B   | 1205        |
|                                          |                                                                                     | 2    | N2W29B   | 884         | N2X29B   | 1220        | N2Y29B   | 1770        |
|                                          |                                                                                     | 3    | N3W39B   | 1224        | N3X39B   | 1520        | N3Y39B   | 2332        |
|                                          |                                                                                     | 4    | N4W49B   | 1557        | N4X49B   | 1815        | N4Y49B   | 2897        |
| TWO WAY WITH OFF, 4 POS. 90 DEG. THROW   |  | 1    | N1W19BO  | 649         | N1X19BO  | 916         | N1Y19BO  | 1205        |
|                                          |                                                                                     | 2    | N2W29BO  | 884         | N2X29BO  | 1220        | N2Y29BO  | 1770        |
|                                          |                                                                                     | 3    | N3W39BO  | 1224        | N3X39BO  | 1520        | N3Y39BO  | 2332        |
|                                          |                                                                                     | 4    | N4W49BO  | 1557        | N4X49BO  | 1815        | N4Y49BO  | 2897        |
| THREE WAY WITH OFF, 4 POS. 90 DEG. THROW |  | 2    | N3W29CO  | 976         | N3X29CO  | 1470        | N3Y29CO  | 1621        |
|                                          |                                                                                     | 3    | N5W39CO  | 1438        | N5X39CO  | 1935        | N5Y39CO  | 2438        |
|                                          |                                                                                     | 4    | N6W49CO  | 1802        | N6X49CO  | 2560        | N6Y49CO  | 2908        |
| FOUR WAY NO OFF, 4 POS. 90 DEG. THROW    |  | 1    | N2W19D   | 884         | N2X19D   | 1285        | N2Y19D   | 1732        |
|                                          |                                                                                     | 2    | N4W29D   | 1086        | N4X29D   | 1775        | N4Y29D   | 1932        |
|                                          |                                                                                     | 3    | N6W39D   | 1716        | N6X39D   | 2425        | N6Y39D   | 2556        |
|                                          |                                                                                     | 4    | N8W49D   | 1989        | N8X49D   | 2845        | N8Y49D   | 3373        |
| FIVE WAY WITH OFF, 6 POS. 60 DEG. THROW  |  | 1    | N3W16EO  | 1194        | N3X16EO  | 1905        | N3Y16EO  | 1781        |
| SIX WAY NO OFF 6 POS. 60 DEG. THROW      |  | 1    | N3W16F   | 1194        | N3X16F   | 1530        | N3Y16F   | 1819        |
|                                          |                                                                                     | 2    | N6W26F   | 1886        | N6X26F   | 2450        | N6Y26F   | 2497        |
|                                          |                                                                                     | 3    | N9W36F   | 2267        | N9X36F   | 2880        | N9Y36F   | 3362        |
| SEVEN WAY WITH OFF 8 POS. 45 DEG. THROW  |  | 1    | N4W14GO  | 1220        | N4X14GO  | 1795        | N4Y14GO  | 2059        |
| EIGHT WAY NO OFF 45 DEG. THROW           |  | 1    | N4W14H   | 1316        | N4X14H   | 1905        | N4Y14H   | 2165        |
|                                          |                                                                                     | 2    | N8W24H   | 2105        | N8X24H   | 2965        | N8Y24H   | 4091        |
|                                          |                                                                                     | 3    | N12W34H  | 2586        | N12X34H  | 4135        | N12Y34H  | 4702        |

| AMMETER & VOLTMETER SWITCH                                          |                                                                                   |     |      |         |             |
|---------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----|------|---------|-------------|
| SWITCHING                                                           | IP MARKING                                                                        | AMP | POLE | TYPE    | M.R.P. (Rs) |
| TO READ CURRENT IN EACH PHASE WITH OFF, TO BE USED WITH CTO 90 Deg. |  | 6   | 3    | N3R39AP | 395         |
|                                                                     |                                                                                   | 10  | 3    | N3S39AP | 430         |
| TO READ VOTAGE BETWEEN PHASES WITH OFF 90 DEG.                      |  | 6   | 3    | N2R39VP | 300         |
|                                                                     |                                                                                   | 10  | 3    | N2S39VP | 395         |

