

dowell's® | **POLYCAB**

SYMBOL OF QUALITY

Connecting Power Networks with Trust



House of Designers & Makers of Terminals,
Tools & Cable Glands Since 1961

National Price
List 27 September

2025



INDEX

ABOUT DOWELL'S	2
DOWELL'S PRODUCT CATEGORY	4
CONNECTORS AND LUGS FOR 2C, 3C, 3.5C & 4C SECTOR SHAPED CONDUCTORS	5
Copper Sector Lugs – Long Barrel	6
Copper Sector Lugs – Short Barrel	7
Copper & Aluminium connectors	8
Aluminium Sector Lugs – Long Barrel	9
Aluminium Sector Lugs – Short Barrel	10

COPPER SERIES	11-14
Copper Tube Terminals Medium Duty	
Copper Tube Terminals Heavy Duty Long Barrel	
Copper Tube Terminals Heavy Duty BS 4579/IEC 61238	
Copper Tube Terminals Extended Palm (Blank)	
Copper Reducer Terminals	
Copper Tublar Terminals Long Barrel	
Copper DIN Type Terminals	
Copper Tube Terminals ICF Series	
Copper Tube Terminals Heavy Duty In – line Connectors	
Copper Tube Terminals Heavy Duty In – Insulated Connectors	
Copper Tube Light Duty In – line Connectors	14

ALUMINIUM SERIES	15-16
Aluminium Tube Terminals	
Aluminium Tube Terminals Long Barrel	
Aluminium Terminals for Al. XLPE Insulated Conductors	
Aluminium Tube Terminals Two Holes	
Aluminium Reducer Terminals	
Aluminium In – line Connectors	
Aluminium In – line Connectors for Al. XLPE Insulated Conductors	16

BI-METTALIC SERIES	17
Bi-Mettalic Connectors (Friction Welded)	
Bi-Mettalic Terminals (Friction Welded)	
Aluminium Alloy Tublar Bi-Mettalic Terminals	17

COPPER RING, PIN & FORK TERMINALS

18-20

Pin Terminals non – insulated	
Pin Terminals Insulated	
Pin Terminals Double Grip (Pre – insulated)	
Ring Terminals non – insulated	
Ring Terminals Insulated	
Ring Terminals Double Grip (Pre – insulated)	
Fork Terminals non – insulated	
Fork Terminals Insulated	
Fork Terminals Double Grip (Pre – insulated)	
Snap on Terminals	
End Sealing Ferrules non – insulated	
End Sealing Ferrules Insulated	
Copper Twin Type Lugs	20

CABLE GLANDS

21-32

Double Compression Armoured weather and Flame Proof Brass Cable Glands	
Double Compression Type Medium Duty Armoured Brass Cable Glands	
Double Compression Un – Armoured Brass Cable Glands	
Single Compression & SIBG Brass Cable Glands	
Brass PG Gland	
Nylon PG Gland	
Flange Type Cable Glands	
Double Compression Armoured weather and Flame Proof SS316/304 Cable Glands with NPT Threading	
Double Compression Armoured weather and Flame Proof SS316/304 Cable Glands with Metric Threading	
Double Compression Armoured weather and Flame Proof SS316/304 Cable Glands	
Earth Tag & LSF/ LSZH Shroud	32

TOOLS & ACCESSORIES

33-34

Hand Operated Crimping Tools	
Hydraulic Crimping Tools	
Corrosion Inhibiting Compound	
Jack for SYD/ SYT/ SYE	34

DOWELL'S CLIENT

36-37





COMPANY PROFILE

Dowells is proud of being Pioneer & market leader in Terminal Technology with its accumulated experience in the line of manufacturing of cable Terminals, Connectors, Cable Glands, Crimping system & Accessories since 1961.


At present, Dowells Cable Accessories Pvt Ltd Company is a subsidiary of Polycab India Ltd., India's leading Cables & Wires company with a glorious track record of over 4 decades having their manufacturing facilities at Halol in Gujarat state having an measuring area of 1,00,000 Sq. ft with in house manufacturing facilities. This facility caters to more than 2500 line items with production capacity of 2500 metric tons per annum, with an aim to serve world's best technology for cable connections.

OUR VISION

To solidify our leadership in Wire and Cable Accessories by investing in technology, boosting operational efficiency, and prioritizing customer satisfaction, while enhancing sales, services, and brand recognition.

OUR MISSION

we will create a great place to work by inspiring our people to continuously innovate and bring greater value to our customers and environment, there by enhancing stakeholder value.



**CABLE
GLANDS**

**Dowell's
Product
Category**



**CONNECTORS
AND LUGS**



**TOOLS &
ACCESSORIES**

CONNECTORS AND LUGS FOR 2C,3C,3.5C & 4C SECTOR SHAPED CONDUCTORS

Designed primarily for solid or stranded sector shaped conductors for all angular arrangement of 2C,3C,3.5C and 4C cables. Dowell connectors allow a precision fit on the sector conductor, resulting in a perfect and a reliable connection. The connectors and lugs being sector shaped, it eliminates the process of rounding of sector shaped cable conductors. The design gives an optimum crimping quality with sector shaped dies, making it more reliable and trusted connection.

CABLE GLANDS

DOWELL's cable glands are available for armoured and unarmored cables and are designed for usage in oil and gas, petrochemical, construction, pharmaceutical, transportation, solar and mining industries, to name a few. Dowell's cable glands are available in Brass, Nickel coated brass, Tin coated brass, Stainless steel, Nylon and Polyamide. Dowell's glands provides excellent vermin proofing and protection to the cores of the cables.

CONNECTORS AND LUGS

DOWELL's is a pioneer in designing and manufacturing Solderless Electrical tubular connectors. These Connectors are crimped on to a conductor, to facilitate a termination or a straight connection with utmost reliability. These are designed with optimum ductility which is an absolute necessity for connectors that will have to withstand the severe deformation arising when compressed or crimped during the installation. The connectors are available in both aluminium and copper (Electrolytically tin plated to prevent oxidation), Bimetallic and Friction welded (CU to Al). Sheet metal terminals are also available as Ring, Pin & Fork terminals. Dowell corrosion Inhibiting compound is available to prevent oxidation on conductors surfaces.

TOOLS & ACCESSORIES

The extensive range of tools and accessories have been developed to offer the best equipment for crimping and preparing the connectors. Manual, Hydraulic and Electrically operated tools are available. These tools are specifically designed to match DOWELL'S connectors shapes and dimensions for ideal crimping and low resistance to obtain best performance and reliability.

FEATURES

- Increase in the contact surface area
- Reduces contact Resistance > 10%
- Drastic Reduction in hot spots
- Improved conductivity
- Better resilience against electrical and mechanical forces

COPPER SECTOR LUGS – LONG BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	CUS-2001	CUS-3001	CUS-3501	CUS-4001	54.00	100
25	10.5	CUS-2002	CUS-3002	CUS-3502	CUS-4002	54.00	100
25	13	CUS-2003	CUS-3003	CUS-3503	CUS-4003	54.00	100
35	8.4	CUS-2004	CUS-3004	CUS-3504	CUS-4004	85.00	100
35	10.5	CUS-2005	CUS-3005	CUS-3505	CUS-4005	85.00	100
50	8.4	CUS-2006	CUS-3006	CUS-3506	CUS-4006	122.00	200
50	10.5	CUS-2007	CUS-3007	CUS-3507	CUS-4007	122.00	100
50	13	CUS-2008	CUS-3008	CUS-3508	CUS-4008	122.00	200
70	8.4	CUS-2009	CUS-3009	CUS-3509	CUS-4009	196.00	60
70	10.5	CUS-2010	CUS-3010	CUS-3510	CUS-4010	196.00	60
70	13	CUS-2011	CUS-3011	CUS-3511	CUS-4011	196.00	200
95	10.5	CUS-2012	CUS-3012	CUS-3512	CUS-4012	264.00	40
95	13	CUS-2013	CUS-3013	CUS-3513	CUS-4013	264.00	40
95	17	CUS-2014	CUS-3014	CUS-3514	CUS-4014	264.00	100
120	10.5	CUS-2015	CUS-3015	CUS-3515	CUS-4015	339.00	80
120	13	CUS-2016	CUS-3016	CUS-3516	CUS-4016	339.00	40
120	17	CUS-2017	CUS-3017	CUS-3517	CUS-4017	339.00	40
150	10.5	CUS-2018	CUS-3018	CUS-3518	CUS-4018	485.00	60
150	13	CUS-2019	CUS-3019	CUS-3519	CUS-4019	485.00	60
150	17	CUS-2020	CUS-3020	CUS-3520	CUS-4020	485.00	100
185	10.5	CUS-2021	CUS-3021	CUS-3521	CUS-4021	552.00	40
185	13	CUS-2022	CUS-3022	CUS-3522	CUS-4022	552.00	40
185	17	CUS-2023	CUS-3023	CUS-3523	CUS-4023	552.00	40
240	13	CUS-2024	CUS-3024	CUS-3524	CUS-4024	809.00	80
240	17	CUS-2025	CUS-3025	CUS-3525	CUS-4025	809.00	40
300	17	CUS-2026	CUS-3026	CUS-3526	CUS-4026	1,012.00	40
300	20.3	CUS-2027	CUS-3027	CUS-3527	CUS-4027	1,012.00	60
400	20.3	CUS-2028	CUS-3028	CUS-3528	CUS-4028	1,430.00	40
500	21	CUS-2029	CUS-3029	CUS-3529	CUS-4029	1,682.00	20
630	21	CUS-2030	CUS-3030	CUS-3530	CUS-4030	2,525.00	20

COPPER SECTOR LUGS – SHORT BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	CUS-2101	CUS-3101	CUS-3601	CUS-4101	38.00	100
25	10.5	CUS-2102	CUS-3102	CUS-3602	CUS-4102	38.00	100
25	13	CUS-2103	CUS-3103	CUS-3603	CUS-4103	38.00	100
35	8.4	CUS-2104	CUS-3104	CUS-3604	CUS-4104	55.00	200
35	10.5	CUS-2105	CUS-3105	CUS-3605	CUS-4105	55.00	100
50	8.4	CUS-2106	CUS-3106	CUS-3606	CUS-4106	85.00	200
50	10.5	CUS-2107	CUS-3107	CUS-3607	CUS-4107	85.00	100
50	13	CUS-2108	CUS-3108	CUS-3608	CUS-4108	85.00	100
70	8.4	CUS-2109	CUS-3109	CUS-3609	CUS-4109	140.00	200
70	10.5	CUS-2110	CUS-3110	CUS-3610	CUS-4110	140.00	200
70	13	CUS-2111	CUS-3111	CUS-3611	CUS-4111	140.00	200
95	10.5	CUS-2112	CUS-3112	CUS-3612	CUS-4112	166.00	100
95	13	CUS-2113	CUS-3113	CUS-3613	CUS-4113	166.00	100
95	17	CUS-2114	CUS-3114	CUS-3614	CUS-4114	166.00	100
120	10.5	CUS-2115	CUS-3115	CUS-3615	CUS-4115	248.00	100
120	13	CUS-2116	CUS-3116	CUS-3616	CUS-4116	248.00	100
120	17	CUS-2117	CUS-3117	CUS-3617	CUS-4117	248.00	100
150	10.5	CUS-2118	CUS-3118	CUS-3618	CUS-4118	312.00	100
150	13	CUS-2119	CUS-3119	CUS-3619	CUS-4119	312.00	100
150	17	CUS-2120	CUS-3120	CUS-3620	CUS-4120	312.00	100
185	10.5	CUS-2121	CUS-3121	CUS-3621	CUS-4121	401.00	100
185	13	CUS-2122	CUS-3122	CUS-3622	CUS-4122	401.00	100
185	17	CUS-2123	CUS-3123	CUS-3623	CUS-4123	401.00	100
240	13	CUS-2124	CUS-3124	CUS-3624	CUS-4124	631.00	80
240	17	CUS-2125	CUS-3125	CUS-3625	CUS-4125	631.00	80
300	17	CUS-2126	CUS-3126	CUS-3626	CUS-4126	807.00	60
300	20.3	CUS-2127	CUS-3127	CUS-3627	CUS-4127	807.00	60
400	20.3	CUS-2128	CUS-3128	CUS-3628	CUS-4128	1,197.00	40
500	21	CUS-2129	CUS-3129	CUS-3629	CUS-4129	1,389.00	20
630	21	CUS-2130	CUS-3130	CUS-3630	CUS-4130	2,082.00	20

COPPER SECTOR CONNECTORS



SIZE (SQ - MM)	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
	2 CORE	3 CORE	3.5 CORE	4 CORE		
25	2S-CB-25	3S-CB-25	3.5S-CB-25	4S-CB-25	26.00	100
35	2S-CB-35	3S-CB-35	3.5S-CB-35	4S-CB-35	40.00	100
50	2S-CB-50	3S-CB-50	3.5S-CB-50	4S-CB-50	65.00	100
70	2S-CB-70	3S-CB-70	3.5S-CB-70	4S-CB-70	112.00	200
95	2S-CB-95	3S-CB-95	3.5S-CB-95	4S-CB-95	163.00	100
120	2S-CB-120	3S-CB-120	3.5S-CB-120	4S-CB-120	210.00	100
150	2S-CB-150	3S-CB-150	3.5S-CB-150	4S-CB-150	282.00	100
185	2S-CB-185	3S-CB-185	3.5S-CB-185	4S-CB-185	398.00	100
240	2S-CB-240	3S-CB-240	3.5S-CB-240	4S-CB-240	616.00	80
300	2S-CB-300	3S-CB-300	3.5S-CB-300	4S-CB-300	856.00	60
400	2S-CB-400	3S-CB-400	3.5S-CB-400	4S-CB-400	1,314.00	40
500	2S-CB-500	3S-CB-500	3.5S-CB-500	4S-CB-500	1,505.00	40
630	2S-CB-630	3S-CB-630	3.5S-CB-630	4S-CB-630	2,062.00	30

ALUMINIUM SECTOR CONNECTORS



SIZE (SQ - MM)	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
	2 CORE	3 CORE	3.5 CORE	4 CORE		
25	2S-ALS-1	3S-ALS-1	3.5S-ALS-1	4S-ALS-1	4.00	200
35	2S-ALS-2	3S-ALS-2	3.5S-ALS-2	4S-ALS-2	7.00	800
50	2S-ALS-3	3S-ALS-3	3.5S-ALS-3	4S-ALS-3	12.00	800
70	2S-ALS-4	3S-ALS-4	3.5S-ALS-4	4S-ALS-4	20.00	1600
95	2S-ALS-5	3S-ALS-5	3.5S-ALS-5	4S-ALS-5	29.00	100
120	2S-ALS-6	3S-ALS-6	3.5S-ALS-6	4S-ALS-6	32.00	80
150	2S-ALS-7	3S-ALS-7	3.5S-ALS-7	4S-ALS-7	44.00	100
185	2S-ALS-8	3S-ALS-8	3.5S-ALS-8	4S-ALS-8	57.00	100
240	2S-ALS-9	3S-ALS-9	3.5S-ALS-9	4S-ALS-9	90.00	80
300	2S-ALS-10	3S-ALS-10	3.5S-ALS-10	4S-ALS-10	122.00	60
400	2S-ALS-11	3S-ALS-11	3.5S-ALS-11	4S-ALS-11	189.00	40
500	2S-ALS-19	3S-ALS-19	3.5S-ALS-19	4S-ALS-19	226.00	20
630	2S-ALS-20	3S-ALS-20	3.5S-ALS-20	4S-ALS-20	300.00	20

ALUMINIUM SECTOR LUGS – LONG BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	2S-ALS-518	3S-ALS-518	3.5S-ALS-518	4S-ALS-518	8.00	800
25	10.5	2S-ALS-519	3S-ALS-519	3.5S-ALS-519	4S-ALS-519	8.00	800
25	13	2S-ALS-520	3S-ALS-520	3.5S-ALS-520	4S-ALS-520	8.00	800
35	8.4	2S-ALS-521	3S-ALS-521	3.5S-ALS-521	4S-ALS-521	11.00	400
35	10.5	2S-ALS-522	3S-ALS-522	3.5S-ALS-522	4S-ALS-522	11.00	400
50	8.4	2S-ALS-655	3S-ALS-655	3.5S-ALS-655	4S-ALS-655	18.00	400
50	10.5	2S-ALS-512	3S-ALS-512	3.5S-ALS-512	4S-ALS-512	18.00	400
50	13	2S-ALS-524	3S-ALS-524	3.5S-ALS-524	4S-ALS-524	18.00	400
70	8.4	2S-ALS-556	3S-ALS-556	3.5S-ALS-556	4S-ALS-556	27.00	200
70	10.5	2S-ALS-525	3S-ALS-525	3.5S-ALS-525	4S-ALS-525	27.00	200
70	13	2S-ALS-526	3S-ALS-526	3.5S-ALS-526	4S-ALS-526	27.00	200
95	10.5	2S-ALS-527	3S-ALS-527	3.5S-ALS-527	4S-ALS-527	33.00	200
95	13	2S-ALS-528	3S-ALS-528	3.5S-ALS-528	4S-ALS-528	33.00	200
95	17	2S-ALS-529	3S-ALS-529	3.5S-ALS-529	4S-ALS-529	33.00	200
120	10.5	2S-ALS-557	3S-ALS-557	3.5S-ALS-557	4S-ALS-557	43.00	160
120	13	2S-ALS-530	3S-ALS-530	3.5S-ALS-530	4S-ALS-530	43.00	160
120	17	2S-ALS-531	3S-ALS-531	3.5S-ALS-531	4S-ALS-531	43.00	160
150	10.5	2S-ALS-658	3S-ALS-658	3.5S-ALS-658	4S-ALS-658	54.00	100
150	13	2S-ALS-532	3S-ALS-532	3.5S-ALS-532	4S-ALS-532	54.00	100
150	17	2S-ALS-533	3S-ALS-533	3.5S-ALS-533	4S-ALS-533	54.00	100
185	10.5	2S-ALS-511	3S-ALS-511	3.5S-ALS-511	4S-ALS-511	73.00	100
185	13	2S-ALS-534	3S-ALS-534	3.5S-ALS-534	4S-ALS-534	73.00	100
185	17	2S-ALS-535	3S-ALS-535	3.5S-ALS-535	4S-ALS-535	73.00	100
240	13	2S-ALS-536	3S-ALS-536	3.5S-ALS-536	4S-ALS-536	118.00	60
240	17	2S-ALS-537	3S-ALS-537	3.5S-ALS-537	4S-ALS-537	118.00	60
300	17	2S-ALS-500	3S-ALS-500	3.5S-ALS-500	4S-ALS-500	160.00	40
300	20.3	2S-ALS-559	3S-ALS-559	3.5S-ALS-559	4S-ALS-559	160.00	40
400	20.3	2S-ALS-560	3S-ALS-560	3.5S-ALS-560	4S-ALS-560	220.00	40
500	20.3	2S-ALS-596	3S-ALS-596	3.5S-ALS-596	4S-ALS-596	350.00	20
630	20.3	2S-ALS-561	3S-ALS-561	3.5S-ALS-561	4S-ALS-561	450.00	20

ALUMINIUM SECTOR LUGS – SHORT BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	2S-ALS-218	3S-ALS-218	3.5S-ALS-218	4S-ALS-218	6.00	40
25	10.5	2S-ALS-219	3S-ALS-219	3.5S-ALS-219	4S-ALS-219	6.00	800
25	13	2S-ALS-220	3S-ALS-220	3.5S-ALS-220	4S-ALS-220	6.00	800
35	8.4	2S-ALS-221	3S-ALS-221	3.5S-ALS-221	4S-ALS-221	7.00	400
35	10.5	2S-ALS-222	3S-ALS-222	3.5S-ALS-222	4S-ALS-222	7.00	800
50	8.4	2S-ALS-255	3S-ALS-255	3.5S-ALS-255	4S-ALS-255	11.00	400
50	10.5	2S-ALS-312	3S-ALS-312	3.5S-ALS-312	4S-ALS-312	11.00	400
50	13	2S-ALS-224	3S-ALS-224	3.5S-ALS-224	4S-ALS-224	11.00	400
70	8.4	2S-ALS-256	3S-ALS-256	3.5S-ALS-256	4S-ALS-256	20.00	200
70	10.5	2S-ALS-225	3S-ALS-225	3.5S-ALS-225	4S-ALS-225	20.00	200
70	13	2S-ALS-226	3S-ALS-226	3.5S-ALS-226	4S-ALS-226	20.00	200
95	10.5	2S-ALS-227	3S-ALS-227	3.5S-ALS-227	4S-ALS-227	25.00	200
95	13	2S-ALS-228	3S-ALS-228	3.5S-ALS-228	4S-ALS-228	25.00	200
95	17	2S-ALS-229	3S-ALS-229	3.5S-ALS-229	4S-ALS-229	25.00	200
120	10.5	2S-ALS-257	3S-ALS-257	3.5S-ALS-257	4S-ALS-257	34.00	200
120	13	2S-ALS-230	3S-ALS-230	3.5S-ALS-230	4S-ALS-230	34.00	200
120	17	2S-ALS-231	3S-ALS-231	3.5S-ALS-231	4S-ALS-231	34.00	200
150	10.5	2S-ALS-258	3S-ALS-258	3.5S-ALS-258	4S-ALS-258	45.00	160
150	13	2S-ALS-232	3S-ALS-232	3.5S-ALS-232	4S-ALS-232	45.00	160
150	17	2S-ALS-233	3S-ALS-233	3.5S-ALS-233	4S-ALS-233	45.00	160
185	10.5	2S-ALS-311	3S-ALS-311	3.5S-ALS-311	4S-ALS-311	57.00	100
185	13	2S-ALS-234	3S-ALS-234	3.5S-ALS-234	4S-ALS-234	57.00	100
185	17	2S-ALS-235	3S-ALS-235	3.5S-ALS-235	4S-ALS-235	57.00	80
240	13	2S-ALS-236	3S-ALS-236	3.5S-ALS-236	4S-ALS-236	89.00	80
240	17	2S-ALS-237	3S-ALS-237	3.5S-ALS-237	4S-ALS-237	89.00	60
300	17	2S-ALS-300	3S-ALS-300	3.5S-ALS-300	4S-ALS-300	133.00	60
300	20.3	2S-ALS-259	3S-ALS-259	3.5S-ALS-259	4S-ALS-259	133.00	40
400	20.3	2S-ALS-260	3S-ALS-260	3.5S-ALS-260	4S-ALS-260	169.00	20
500	20.3	2S-ALS-296	3S-ALS-296	3.5S-ALS-296	4S-ALS-296	252.00	30
630	20.3	2S-ALS-261	3S-ALS-261	3.5S-ALS-261	4S-ALS-261	337.00	30

COPPER SERIES

Designed for excellent performance, copper series products, is guaranteed by high quality raw materials for making safe, reliable, and long-lasting electrical connections upto 36kV



COPPER TUBE TERMINAL MEDIUM DUTY

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5-5	CUS-05	6.00	8000
4-6	CUS-06	8.00	4000
6-6	CUS-07	9.00	3200
10-6	CUS-08	11.00	3200
16-6	CUS-09	20.00	3200
25-6	CUS-10	24.00	1600
35-6	CUS-11	35.00	1600
35-8	CUS-12	35.00	1600
50-6	CUS-13	46.00	400
50-8	CUS-14	46.00	800
50-10	CUS-15	46.00	800
70-8	CUS-16	80.00	200
70-10	CUS-17	80.00	400
70-12	CUS-18	80.00	400
95-10	CUS-19	116.00	400
95-12	CUS-20	116.00	400
120-10	CUS-21	146.00	200
120-12	CUS-22	146.00	200
120-16	CUS-23	146.00	200
150-10	CUS-24	215.00	200
150-12	CUS-25	215.00	200
150-16	CUS-26	215.00	200
185-12	CUS-27	320.00	100
185-16	CUS-28	320.00	100
225-16	CUS-231	379.00	100
240-16	CUS-29	429.00	100
240-20	CUS-30	429.00	100
300-16	CUS-31	637.00	60
300-20	CUS-32	637.00	60
400-20	CUS-33	867.00	40
500-20	CUS-34	1,159.00	40
630-20	CUS-35	1,625.00	20
800	CUS-062	2,675.00	20
1000	CUS-076	5,902.00	10

COPPER TUBE TERMINAL HEAVY DUTY LONG BARREL

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
25-8	CUS-282	28.00	800
35-8	CUS-283	59.00	800
50-8	CUS-284	98.00	400
70-10	CUS-285	151.00	200
95-12	CUS-286	237.00	200
120-12	CUS-287	337.00	100
150-12	CUS-288	415.00	100
185-12	CUS-289	601.00	100
240-16	CUS-290	843.00	60
300-16	CUS-291	1,112.00	40
400-20	CUS-292	1,695.00	20
500-21	CUS-293	3,009.00	20
630-21	CUS-294	4,009.00	15



COPPER TUBE TERMINAL EXTENDED PALM (BLANK)

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
50	CUS-466	126.00	200
70	CUS-467	208.00	200
95	CUS-468	297.00	100
120	CUS-469	357.00	200
150	CUS-470	468.00	100
185	CUS-471	694.00	100
240	CUS-472	896.00	80
300	CUS-473	1,480.00	60
400	CUS-474	2,563.00	40
500	CUS-475	3,074.00	20
630	CUS-476	4,735.00	20

COPPER TUBE TERMINAL HEAVY DUTY BS-4579/IEC 61238

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5-5	CUS-538	7.00	8000
1.5-6	CUS-539	7.00	8000
2.5-4	CUS-388	8.00	4000
2.5-5	CUS-540	8.00	4000
2.5-6	CUS-541	8.00	4000
4-5	CUS-389	10.00	4000
4-6	CUS-543	10.00	4000
6-5	CUS-390	11.00	6400
6-6	CUS-544	11.00	6400
6-8	CUS-545	11.00	6400
10-6	CUS-353	13.00	3200
10-8	CUS-547	13.00	3200
16-8	CUS-549	17.00	3200
16-6	CUS-354	17.00	3200
20-8	CUS-550	18.00	800
25-6	CUS-355	26.00	3200
25-8	CUS-551	26.00	1600
25-10	CUS-552	26.00	3200
35-8	CUS-356	47.00	1600
35-6	CUS-542	47.00	1600
35-10	CUS-554	47.00	1600
50-8	CUS-357	74.00	800
50-10	CUS-556	74.00	800
70-10	CUS-358	120.00	400
70-8	CUS-557	120.00	400
70-13	CUS-559	120.00	400
95-10	CUS-359	170.00	400
95-13	CUS-561	170.00	400
120-17	CUS-546	220.00	200
120-13	CUS-241	220.00	200
150-13	CUS-242	275.00	200
150-17	CUS-564	275.00	200
185-17	CUS-243	427.00	100
240-17	CUS-244	576.00	100
240-21	CUS-567	576.00	50
300-17	CUS-245	837.00	60
300-21	CUS-569	837.00	60
400-17	CUS-246	1,346.00	40
400-21	CUS-571	1,346.00	20
500-21	CUS-247	1,797.00	40
550-21	CUS-573	2,190.00	20
630-21	CUS-248	2,695.00	20
800	CUS-599	4,684.00	15
1000	CUS-590	6,664.00	10



COPPER REDUCER TERMINAL			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5	WPC-01	24.00	2400
2.5	WPC-07	22.00	2400
4	WPC-15	24.00	2400
4	WPC-16	22.00	4000
6	WPC-17	24.00	2400
6	WPC-18	22.00	4000
10	WPC-19	29.00	2400
10	WPC-20	26.00	3200
10	WPC-21	31.00	1600
10	WPC-22	28.00	3200
16	WPC-23	57.00	1600
16	WPC-24	57.00	1600
16	WPC-02	39.00	3200
25	WPC-25	60.00	800
25	WPC-03	79.00	400
35	WPC-04	87.00	1600
50	WPC-26	97.00	800
50	WPC-05	227.00	200
70	WPC-27	135.00	400
70	WPC-6	227.00	200
70	WPC-28	224.00	400
95	WPC-29	216.00	400
95	WPC-31	181.00	400
120	WPC-33	262.00	120
120	WPC-34	262.00	120
120	WPC-35	303.00	120
120	WPC-36	407.00	60
150	WPC-10	475.00	60
150	WPC-37	370.00	120
185	WPC-30	604.00	120
185	WPC-38	486.00	240
225	WPC-39	793.00	120
240	WPC-44	1,039.00	120
240	WPC-43	760.00	120
300	WPC-45	962.00	120
300	WPC-47	1,027.00	60
400	WPC-101	1,956.00	10

COPPER TUBULAR TERMINALS LONG BARREL			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5-5	CEB-05	8.00	2400
4-6	CEB-06	12.00	2400
6-6	CEB-07	13.00	2400
10-6	CEB-08	16.00	1600
16-6	CEB-09	27.00	1600
25-6	CEB-10	35.00	800
35-6	CEB-11	49.00	100
35-8	CEB-12	49.00	400
50-6	CEB-13	63.00	100
50-8	CEB-14	63.00	100
50-10	CEB-15	63.00	400
70-8	CEB-16	103.00	100
70-10	CEB-17	103.00	100
70-12	CEB-18	103.00	100
95-10	CEB-19	134.00	100
95-12	CEB-20	134.00	100
120-10	CEB-21	182.00	200
120-12	CEB-22	182.00	200
120-16	CEB-23	182.00	200
150-10	CEB-24	262.00	100
150-12	CEB-25	262.00	100
150-16	CEB-26	262.00	100
185-12	CEB-27	383.00	100
185-16	CEB-28	383.00	100
225-16	CEB-231	482.00	100
240-16	CEB-29	527.00	80
240-20	CEB-30	527.00	80
300-16	CEB-31	729.00	60
300-20	CEB-32	729.00	60
400-20	CEB-33	1,056.00	40
500-20	CEB-34	1,423.00	20
630-20	CEB-35	1,982.00	20
800	CEB-62	3,137.00	15
1000	CEB-76	7,174.00	10




COPPER DIN TYPE TERMINALS							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
6-5	DIN-6-5	18.00	800	95-16	DIN-95-16	457.00	100
6-6	DIN-6-6	18.00	800	120-10	DIN-120-10	670.00	100
6-8	DIN-6-8	18.00	800	120-12	DIN-120-12	670.00	100
10-5	DIN-10-5	18.00	400	120-14	DIN-120-14	670.00	100
10-6	DIN-10-6	18.00	400	120-16	DIN-120-16	670.00	100
10-8	DIN-10-8	18.00	400	120-20	DIN-120-20	670.00	100
16-6	DIN-16-6	65.00	400	150-10	DIN-150-10	818.00	100
16-8	DIN-16-8	65.00	200	150-12	DIN-150-12	818.00	100
16-10	DIN-16-10	65.00	200	150-14	DIN-150-14	818.00	100
16-12	DIN-16-12	65.00	200	150-16	DIN-150-16	818.00	100
25-6	DIN-25-6	82.00	200	150-20	DIN-150-20	818.00	100
25-8	DIN-25-8	82.00	200	185-10	DIN-185-10	1,018.00	100
25-10	DIN-25-10	82.00	200	185-12	DIN-185-12	1,018.00	100
25-12	DIN-25-12	82.00	200	185-14	DIN-185-14	1,018.00	100
35-6	DIN-35-6	159.00	100	185-16	DIN-185-16	1,018.00	100
35-8	DIN-35-8	159.00	100	185-20	DIN-185-20	1,018.00	100
35-10	DIN-35-10	159.00	100	240-12	DIN-240-12	1,680.00	60
35-12	DIN-35-12	159.00	100	240-14	DIN-240-14	1,680.00	60
35-14	DIN-35-14	159.00	100	240-16	DIN-240-16	1,680.00	60
50-8	DIN-50-8	237.00	100	240-20	DIN-240-20	1,680.00	60
50-10	DIN-50-10	237.00	100	300-14	DIN-300-14	2,098.00	40
50-12	DIN-50-12	237.00	100	300-16	DIN-300-16	2,098.00	40
50-14	DIN-50-14	237.00	100	300-20	DIN-300-20	2,098.00	40
50-16	DIN-50-16	237.00	100	400-14	DIN-400-14	3,390.00	20
70-8	DIN-70-8	312.00	100	400-16	DIN-400-16	3,390.00	20
70-10	DIN-70-10	312.00	100	400-20	DIN-400-20	3,390.00	20
70-12	DIN-70-12	312.00	100	500-16	DIN-500-16	4,888.00	20
70-14	DIN-70-14	312.00	100	500-20	DIN-500-20	4,888.00	20
70-16	DIN-70-16	312.00	100	625-16	DIN-625-16	4,888.00	15
95-8	DIN-95-8	457.00	100	625-20	DIN-625-20	4,888.00	15
95-10	DIN-95-10	457.00	100	800-16	DIN-800-16	8,732.00	15
95-12	DIN-95-12	457.00	100	800-20	DIN-800-20	8,732.00	15
95-14	DIN-95-14	457.00	100	1000-21	DIN-1000-21	11,000.00	10

COPPER TUBE TERMINAL ICF SERIES			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
17-5	CUS-106	35.00	100
17-10	CUS-109	40.00	800
23-8	CUS-148	54.00	200
23-10	CUS-108	70.00	800
29-8	CUS-150	93.00	200
29-10	CUS-151	95.79	200
29-13	CUS-111	93.43	100
45-8	CUS-153	127.00	200
45-10	CUS-154	127.00	200
45-10	CUS-113	127.00	200
57-10	CUS-156	216.00	100
57-13	CUS-157	216.00	100
75-10	CUS-159	279.00	100
90-10	CUS-162	336.00	100
110-10	CUS-165	401.00	50
110-13	CUS-166	401.00	50
146-13	CUS-168	610.00	100
146-17	CUS-169	610.00	60
225-13	CUS-172	927.00	20
299-13	CUS-140	1,284.00	60
366-17	CUS-177	1,781.00	20
437-13	CUS-142	2,419.00	40



COPPER TUBE HEAVY DUTY IN-LINE CONNECTORS			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5	EH-453	5.00	4000
1.5	CB-41	5.00	4000
2.5	EH-454	5.00	16000
4	CB-3	6.00	4000
4.6	EH-455	9.00	4000
6	CB-4	7.00	4000
10	EH-460	10.00	3200
16	CB-6	11.00	3200
20	CB-47	17.00	4000
25	CB-24	26.00	1600
35	CB-25	47.00	800
50	CB-26	72.00	400
70	CB-27	137.00	200
70	CB-51	121.00	400
95	CB-28	193.00	200
95	CB-52	157.00	200
120	CB-29	257.00	100
120	CB-53	185.00	200
150	CB-30	317.00	100
150	CB-54	262.00	80
185	CB-55	359.00	100
185	CB-31	414.00	100
240	CB-32	635.00	80
240	CB-56	550.00	40
300	CB-33	901.00	20
300	CB-57	782.00	30
400	CB-34	1,597.00	10
400	CB-58	1,152.00	20
500	CB-35	2,037.00	20
500	CB-59	1,685.00	20
550	CB-60	2,454.00	10
630	CB-36	3,477.00	15
630	CB-61	2,494.00	15
800	CB-42	5,361.00	10
1000	CB-43	6,245.00	10



COPPER TUBE TERMINALS HEAVY DUTY IN-INSULATED CONNECTORS			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5	EH-463	5.00	3200
2.5	EH-464	6.00	4000
4-6	EH-465	9.00	4000



COPPER TUBE LIGHT DUTY IN-LINE CONNECTORS							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5	CB-23	6.00	4000	225	CB-20	322.00	20
25	CB-7	26.00	400	240	CB-15	337.00	20
35	CB-8	35.00	200	300	CB-16	508.00	30
50	CB-9	52.00	100	400	CB-17	770.00	20
70	CB-10	75.00	100	500	CB-18	1,331.00	10
95	CB-11	106.00	50	630	CB-19	1,375.00	10
120	CB-12	145.00	160	800	CB-21	2,569.00	15
150	CB-13	185.00	60	1000	CB-22	5,469.00	10
185	CB-14	310.00	100				

ALUMINIUM SERIES

Designed for excellent performance, Aluminium series products offers wide range of application requirements upto 36kV All the products are manufactured to precision with attention to detail offering competitive solutions.



ALUMINIUM TUBE TERMINALS			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.

2.5-3	ALS-151	3.00	2400
2.5-3.5	ALS-309	3.00	2400
4-4	ALS-155	3.00	3200
4-5	ALS-317	3.00	3200
6-5	ALS-158	3.00	3200
6-6	ALS-313	3.00	3200
10-4	ALS-159	4.00	2400
10-6	ALS-214	4.00	3200
10-8	ALS-215	4.00	3200
16-6	ALS-252	5.00	1600
16-8	ALS-216	5.00	1600
16-10	ALS-217	5.00	1600
25-6	ALS-253	7.00	400
25-8	ALS-218	7.00	800
25-10	ALS-219	7.00	800
25-12	ALS-220	7.00	800
35-6	ALS-254	8.00	400
35-8	ALS-221	8.00	800
35-10	ALS-222	8.00	800
50-8	ALS-255	12.00	400
50-10	ALS-312	12.00	400
50-12	ALS-224	12.00	400
70-8	ALS-256	19.00	200
70-10	ALS-225	19.00	200
70-12	ALS-226	19.00	200
95-10	ALS-227	25.00	200
95-12	ALS-228	25.00	200
95-16	ALS-229	25.00	200
120-10	ALS-257	34.00	200
120-12	ALS-230	34.00	200
120-16	ALS-231	34.00	200
150-10	ALS-258	45.00	160
150-12	ALS-232	45.00	160
150-16	ALS-233	45.00	160
185-10	ALS-311	60.00	100
185-12	ALS-234	60.00	100
185-16	ALS-235	60.00	100
225-12	ALS-320	86.00	100
240-12	ALS-236	99.00	80
240-16	ALS-237	99.00	80
300-16	ALS-300	163.00	60
300-20	ALS-259	163.00	60
400-20	ALS-260	202.00	40
500-20	ALS-296	317.00	20
630-20	ALS-261	411.00	30
800	ALS-318	651.00	20
1000	ALS-319	949.00	10

ALUMINIUM TUBE TERMINALS LONG BARREL			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.

2.5-3	ALS-551	4.00	2400
2.5-3.5	ALS-509	4.00	4000
4-4	ALS-555	4.00	1600
4-5	ALS-517	4.00	3200
6-5	ALS-558	4.00	3200
6-6	ALS-513	4.00	3200
10-6	ALS-514	5.00	3200
10-8	ALS-515	5.00	1600
16-6	ALS-552	6.00	1600
16-8	ALS-516	6.00	1600
16-10	ALS-617	6.00	800
25-8	ALS-518	8.00	800
25-10	ALS-519	8.00	800
25-12	ALS-520	8.00	800
35-8	ALS-521	10.00	400
35-10	ALS-522	10.00	400
50-8	ALS-655	15.00	400
50-10	ALS-512	15.00	400
50-12	ALS-524	15.00	400
70-8	ALS-556	30.00	200
70-10	ALS-525	30.00	200
70-12	ALS-526	30.00	200
95-10	ALS-527	31.00	200
95-12	ALS-528	31.00	200
95-16	ALS-529	31.00	200
120-10	ALS-557	45.00	160
120-12	ALS-530	45.00	160
120-16	ALS-531	45.00	160
150-10	ALS-658	56.00	100
150-12	ALS-532	56.00	100
150-16	ALS-533	56.00	100
185-10	ALS-511	74.00	100
185-12	ALS-534	74.00	100
185-16	ALS-535	74.00	100
225-12	ALS-620	106.00	80
240-12	ALS-536	120.00	60
240-16	ALS-537	120.00	60
300-16	ALS-500	175.00	40
300-20	ALS-559	175.00	40
400-20	ALS-560	252.00	40
500-20	ALS-596	403.00	20
630-20	ALS-561	523.00	20
800	ALS-618	782.00	10
1000	ALS-619	1,172.00	8

ALUMINIUM TERMINALS FOR AL. XLPE INSULATED CONDUCTORS			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.

25-8	ALS-XL17	11.80	200
35-8	ALS-XL18	18.00	200
50-10	ALS-XL19	27.50	200
70-10	ALS-XL20	38.00	200
95-12	ALS-XL21	56.00	160
120-12	ALS-XL22	71.00	800
150-12	ALS-XL23	102.00	2400
185-12	ALS-XL24	135.00	1600
225-12	ALS-XL25	180.00	60
240-12	ALS-XL26	196.00	60
300-20	ALS-XL27	260.00	50
400-20	ALS-XL28	300.00	30
500-20	ALS-XL29	402.00	30
630-20	ALS-XL30	833.00	15
800-20	ALS-XL31	1,035.00	10
1000-20	ALS-XL32	1,433.00	10



ALUMINIUM TUBE TERMINALS TWO HOLES			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.

150	ALS-701	85.00	60
240	ALS-702	152.00	40
300	ALS-703	232.00	30
630	ALS-706	613.00	15
300	ALS-704	232.00	30
300	ALS-705	232.00	30



ALUMINIUM REDUCER TERMINALS			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5	AWP-01	11.00	2400
2.5	AWP-07	11.00	2400
4	AWP-15	11.00	2400
4	AWP-16	11.00	2400
6	AWP-17	11.00	1600
6	AWP-18	11.00	3200
10	AWP-19	12.00	1600
10	AWP-20	12.00	3200
10	AWP-21	12.00	1600
10	AWP-22	12.00	3200
16	AWP-23	16.00	1600
16	AWP-24	16.00	1600
16	AWP-02	16.00	3200
25	AWP-25	22.00	1600
25	AWP-03	22.00	800
35	AWP-04	24.00	800
50	AWP-26	45.00	800
50	AWP-05	45.00	200
70	AWP-27	61.00	400
70	AWP-06	61.00	200
70	AWP-28	80.00	100
95	AWP-29	82.00	400
95	AWP-08	117.00	100
95	AWP-31	82.00	160
95	AWP-32	117.00	80
120	AWP-33	100.00	60
120	AWP-34	100.00	60
120	AWP-35	117.00	120
120	AWP-36	155.00	60
150	AWP-10	185.00	40
150	AWP-37	145.00	160
185	AWP-30	237.00	40
185	AWP-38	192.00	160
225	AWP-39	272.00	30
225	AWP-46	412.00	30
225	AWP-42	360.00	30
240	AWP-44	375.00	120
240	AWP-43	330.00	80
300	AWP-45	410.00	80
300	AWP-47	375.00	20

ALUMINIUM IN LINE CONNECTORS			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5	ALS-145	2.00	2400
2.5	ALS-6	2.00	400
4	ALS-5	2.00	4000
6	ALS-13	2.00	3200
10	ALS-14	3.00	3200
10	ALS-146	3.00	1600
16	ALS-4	4.00	3200
25	ALS-3	6.00	800
35	ALS-2	7.00	1600
50	ALS-12	13.00	1600
70	ALS-1	21.00	200
95	ALS-15	24.00	200
120	ALS-9	34.00	3200
150	ALS-10	41.00	100
185	ALS-11	52.00	100
225	ALS-147	80.00	80
240	ALS-16	81.00	60
300	ALS-17	120.00	40
400	ALS-18	181.00	40
500	ALS-19	290.00	20
630	ALS-20	372.00	20
800	ALS-148	516.00	10
1000	ALS-149	861.00	8



ALUMINIUM IN LINE CONNECTORS FOR AL XLPE INSULATED CONDUTORS			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
25	ALS-XL01	11.00	200
35	ALS-XL02	17.00	200
50	ALS-XL03	26.00	200
70	ALS-XL04	36.00	200
95	ALS-XL05	50.00	100
120	ALS-XL06	63.00	100
150	ALS-XL07	84.00	40
185	ALS-XL08	126.00	40
225	ALS-XL09	166.00	60
240	ALS-XL10	176.00	60
300	ALS-XL11	229.00	60
400	ALS-XL12	272.00	40
500	ALS-XL13	343.00	30
630	ALS-XL14	630.00	15
800	ALS-XL15	863.00	15
1000	ALS-XL16	1,188.00	10

BI-METALLIC SERIES

Designed for Excellent and rugged performance to meet the installation requirements for power generation via renewable sources. The connectors are time tested and proven to offer most reliable connections upto 36kV.



BI-METALLIC CONNECTORS (FRICTION WELDED)

Dowell's Cat. No.	Size (Sq.mm)	PRICE (₹)	STD PKG.
CACF-16-16	16-16	258.00	200
CACF-25-16	25-16	258.00	200
CACF-25-25	25-25	258.00	400
CACF-35-16	35-16	258.00	200
CACF-35-25	35-25	253.00	200
CACF-35-35	35-35	250.00	200
CACF-50-25	50-25	317.00	160
CACF-50-35	50-35	317.00	200
CACF-50-50	50-50	308.00	160
CACF-70-35	70-35	314.00	200
CACF-70-50	70-50	307.00	200
CACF-70-70	70-70	295.00	100
CACF-95-50	95-50	392.00	160
CACF-95-70	95-75	381.00	160
CACF-95-95	95-95	379.00	160
CACF-120-70	120-70	660.00	50
CACF-120-95	120-95	649.00	80
CACF-120-120	120-120	633.00	80
CACF-150-95	150-95	644.00	40
CACF-150-120	150-120	630.00	80
CACF-150-150	150-150	606.00	80
CACF-185-120	185-120	674.00	40
CACF-185-150	185-150	654.00	40
CACF-185-185	185-185	854.00	10
CACF-240-150	240-150	732.00	40
CACF-240-185	240-185	834.00	40
CACF-240-240	240-240	797.00	40

BI-METALLIC TERMINALS (FRICTION WELDED)

Dowell's Cat. No.	Size (Sq.mm)	PRICE (₹)	STD PKG.
CAF-25-10	25	250.00	400
CAF-35-10	35	253.00	400
CAF-50-13	50	345.00	200
CAF-70-13	70	405.00	200
CAF-95-13	95	411.00	100
CAF-120-13	120	472.00	80
CAF-150-13	150	521.00	80
CAF-185-13	185	873.00	40
CAF-240-13	240	894.00	40
CAF-300-17	300	1,160.00	40
CAF-400-17	400	1,445.00	40
CAF-500	500	2,992.00	12
CAF-630	630	3,484.00	12



ALUMINIUM ALLOY TUBULAR BI-METALLIC TERMINALS

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
10-8	BL-02	4.40	3200	150-12	BL-17	51.00	160
16-6	BL-03	6.00	1600	150-16	BL-18	51.00	160
16-8	BL-04	6.00	1600	185-12	BL-19	66.00	100
25-8	BL-05	8.00	800	185-16	BL-20	66.00	100
25-10	BL-06	8.00	800	225-12	BL-21	94.00	100
35-8	BL-07	10.00	800	240-12	BL-22	109.00	80
35-10	BL-08	10.00	800	240-16	BL-23	109.00	80
50-8	BL-09	17.00	400	300-16	BL-24	180.00	60
50-10	BL-10	17.00	400	300-20	BL-25	180.00	60
70-10	BL-11	25.00	200	400-20	BL-26	222.00	40
70-12	BL-12	25.00	200	500-20	BL-27	350.00	20
95-10	BL-13	28.00	200	630-20	BL-28	452.00	30
95-12	BL-14	28.00	200	800-20	BL-29	716.00	20
120-10	BL-15	38.00	200	1000-20	BL-30	1,045.00	10
120-12	BL-16	38.00	200				

COPPER RING, PIN AND FORK TERMINALS



PIN TERMINAL NON-INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.75	CP-59	2.68	8000	4	CP-3	5.07	16000
1	CP-44	2.68	8000	6	CP-5	5.07	10000
1.5	CP-9	2.68	16000	10	CP-7	7.93	6400
1.5	CP-35	2.97	8000	16	CP-8	15.66	3200
2.5	CP-1	2.68	16000	50	CP-88	58.80	400
2.5	CP-2	2.68	8000	70	CP-89	79.61	200
25	CP-86	29.22	1600	95	CP-90	104.04	200
35	CP-87	38.76	800				

RING TERMINALS NON-INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.75-4	RS-7317	2.49	16000	10-5	RS-7026	6.79	3200
1-3.5	RS-7318	2.49	16000	10-6	RS-7120	7.36	6400
1.5-3	RS-7001	2.68	8000	10-8	RS-7121	9.35	3200
1.5-3.5	RS-7002	2.68	8000	10-10	RS-7027	12.60	3200
1.5-3.5	RS-7048	2.68	8000	10-10	RS-7123	13.57	3200
1.5-4	RS-7003	2.68	16000	10-12	RS-7028	12.89	3200
1.5-4	RS-7049	2.68	8000	16-5	RS-7124	11.66	3200
1.5-4	RS-7004	2.78	16000	16-6	RS-7029	12.60	3200
1.5-4	RS-7154	2.87	8000	16-6	RS-7031	17.09	1600
1.5-5	RS-7005	2.78	16000	16-8	RS-7030	15.66	3200
1.5-5	RS-7006	3.35	8000	16-10	RS-7032	19.19	3200
1.5-6	RS-7007	3.35	8000	16-10	RS-7128	19.57	1600
1.5-6	RS-7106	3.44	8000	16-12	RS-7033	18.14	1600
2.5-3	RS-7107	3.06	8000	25-6	RS-7156	27.68	800
2.5-3.5	RS-7008	3.35	8000	25-8	RS-7034	28.84	1600
2.5-3.5	RS-7108	3.35	8000	25-8	RS-7036	32.08	1600
2.5-4	RS-7009	2.87	16000	25-10	RS-7035	27.68	800
2.5-5	RS-7010	2.87	16000	25-10	RS-7132	40.77	800
2.5-5	RS-7109	2.87	8000	25-12	RS-7037	40.77	800
2.5-5	RS-7110	4.02	2400	35-6	RS-7133	33.70	800
2.5-6	RS-7011	2.87	16000	35-8	RS-7038	36.18	1600
2.5-6	RS-7012	4.02	4000	35-10	RS-7135	45.82	800
2.5-8	RS-7013	4.68	4000	35-12	RS-7040	42.67	800
2.5-8	RS-7014	5.64	6400	50-8	RS-7136	51.26	800
2.5-10	RS-7015	6.60	6400	50-10	RS-7137	55.37	800
2.5-10	RS-7151	6.60	6400	50-12	RS-7042	60.05	400
4.6-4	RS-7155	5.16	10000	50-16	RS-7139	74.84	400
4.6-5	RS-7050	5.16	10000	70-10	RS-7140	75.70	400
4.6-5	RS-7016	6.12	10000	70-12	RS-7141	77.61	400
4.6-6	RS-7017	5.26	10000	70-16	RS-7142	90.11	400
4.6-6	RS-7019	6.98	6400	95-10	RS-7144	109.77	400
4.6-6	RS-7115	7.65	6400	95-12	RS-7044	105.01	400
4.6-8	RS-7018	6.12	5000	95-16	RS-7145	119.32	400
4.6-8	RS-7020	8.12	6400	120-12	RS-7146	136.50	160
4.6-8	RS-7116	10.03	3200	120-16	RS-7147	168.95	240
4.6-10	RS-7022	10.03	3200	120-20	RS-7148	194.72	240
4.6-10	RS-7023	8.98	3200	150-12	RS-7149	290.16	160
4.6-12	RS-7024	8.98	3200	150-16	RS-7045	285.40	160
10-5	RS-7025	7.55	3200	150-20	RS-7046	318.81	160



PIN TERMINAL (INSULATED)							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.75	CPI-60	2.97	16000	4	CPI-20	6.02	3200
1	CPI-45	2.97	4000	4	CPI-21	7.93	1600
1.5	CPI-17	2.97	10000	6	CPI-22	8.69	3200
1.5	CPI-40	3.35	4000	6	CPI-23	9.17	800
2.5	CPI-18	3.06	10000	10	CPI-24	10.60	1600
2.5	CPI-19	3.06	4000	16	CPI-25	19.57	1600

RING TERMINALS (INSULATED)							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.75	RSI-60	2.97	16000	4	RSI-20	6.02	3200
1	RSI-45	2.97	4000	4	RSI-21	7.93	1600
1.5	RSI-17	2.97	10000	6	RSI-22	8.69	3200
1.5	RSI-40	3.35	4000	6	RSI-23	9.17	800
2.5	RSI-18	3.06	10000	10	RSI-24	10.60	1600
2.5	RSI-19	3.06	4000	16	RSI-25	19.57	1600



PIN TERMINAL DOUBLE GRIP (PRE-INSULATED)							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5	CPD-26	4.02	10000	2.5	CPD-28	4.21	4000
2.5	CPD-27	4.21	10000	4	CPD-29	7.26	1600



RING TERMINALS INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.75-4	RSI-7501	2.87	8000	2.5-5	RSI-7073	4.21	6400
1-4	RSI-7502	2.87	8000	2.5-5	RSI-7075	5.74	6400
1.5-3	RSI-7054	4.02	4000	2.5-6	RSI-7074	4.21	6400
1.5-3.5	RSI-7055	4.02	10000	2.5-6	RSI-7076	5.07	6400
1.5-3.5	RSI-7058	4.11	2400	2.5-8	RSI-7077	5.16	6400
1.5-4	RSI-7056	4.02	10000	2.5-8	RSI-7079	6.12	3200
1.5-4	RSI-7059	4.11	2400	2.5-10	RSI-7081	7.26	800
1.5-4	RSI-7061	3.06	10000	4.6-4	RSI-7083	6.12	3200
1.5-4	RSI-7063	4.02	4000	4.6-5	RSI-7084	6.12	3200
1.5-5	RSI-7062	3.06	10000	4.6-5	RSI-7086	7.26	3200
1.5-5	RSI-7065	4.88	4000	4.6-6	RSI-7089	6.98	3200
1.5-5	RSI-7066	4.68	4000	4.6-6	RSI-7092	8.12	3200
1.5-6	RSI-7067	4.88	4000	4.6-6	RSI-7093	8.79	3200
2.5-3	RSI-7068	4.11	4000	4.6-8	RSI-7090	7.26	1600
2.5-3.5	RSI-7069	4.11	4000	4.6-8	RSI-7094	8.79	3200
2.5-3.5	RSI-7070	4.68	2400	4.6-8	RSI-7096	10.61	1600
2.5-4	RSI-7071	4.02	10000	4.6-10	RSI-7099	10.03	1600
2.5-5	RSI-7072	4.02	10000	4.6-12	RSI-7100	10.03	1600



RING TERMINALS DOUBLE GRIP (PRE-INSULATED)							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5-3	PSD-7437	4.21	2400	2.5-6	PSD-7457	4.40	5000
1.5-3.5	PSD-7438	4.21	2400	2.5-5	PSD-7458	6.12	2400
1.5-4	PSD-7439	4.21	2400	2.5-6	PSD-7459	5.64	3200
1.5-3.5	PSD-7441	4.21	2400	2.5-8	PSD-7460	6.12	1600
1.5-4	PSD-7442	4.21	2400	2.5-8	PSD-7462	7.26	1600
1.5-4	PSD-7444	4.11	4000	2.5-10	PSD-7464	8.12	1600
1.5-5	PSD-7445	4.11	4000	4.6-4	PSD-7466	7.65	800
1.5-4	PSD-7446	4.78	2400	4.6-5	PSD-7467	7.65	1600
1.5-5	PSD-7448	5.07	4000	4.6-5	PSD-7469	8.70	1600
1.5-6	PSD-7449	5.07	4000	4.6-6	PSD-7472	7.93	3200
1.5-6	PSD-7450	5.26	2400	4.6-8	PSD-7473	8.60	800
2.5-3	PSD-7451	5.07	2400	4.6-6	PSD-7475	9.45	400
2.5-3.5	PSD-7452	5.07	2400	4.6-6	PSD-7476	10.61	800
2.5-3.5	PSD-7453	5.16	2400	4.6-8	PSD-7477	10.61	800
2.5-4	PSD-7454	4.40	10000	4.6-8	PSD-7479	11.66	400
2.5-5	PSD-7455	4.40	10000	4.6-8	PSD-7482	12.60	400
2.5-5	PSD-7456	4.40	5000	4.6-12	PSD-7483	11.66	400



FORK TERMINALS NON-INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1-3	RS-7249SPL	2.40	16000	2.5-5	RS-7280	6.88	4000
1.5-3.5	RS-7249	2.40	16000	4.6-3	RS-7252	4.21	16000
2.5-3.5	RS-7251	2.59	16000	4.6-3.5	RS-7253	4.21	8000





FORK TERMINALS INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1-3	RSI-7926SPL	2.87	4000	2.5-5	RSI-7929	7.84	1600
1.5-3.5	RSI-7926	2.87	4000	4.6-3	RSI-7930	5.64	3200
2.5-3.5	RSI-7928	3.35	10000	4.6-3.5	RSI-7931	5.64	3200

FORK TERMINALS DOUBLE GRIP (PRE INSULATED)							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5-3.5	PSD-7935	3.92	4000	4.6-3	PSD-7939	6.98	1600
2.5-3.5	PSD-7937	4.21	4000	4.6-3.5	PSD-7940	6.98	1600
2.5-5	PSD-7938	10.03	800				



SNAP ON TERMINALS							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5	SNP-8351	4.00	2000	1.5	SND-8359	5.00	2000
1.5	SND-8352	4.00	2000	1.5	SND-8362	6.00	2000
2.5	SNP-8347	4.00	4000	1.5	SNP-8336	4.00	2000
2.5	SND-8348	5.00	5000	1.5	SNP-8356	4.00	2000
4	SND-8476	8.00	5000	1.5	SNP-8358	4.00	2000



END SEALING FERRULES NON-INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.5-6	EH-508	1.00	20000	6-10	EH-518	2.00	10000
0.75-6	EH-509	1.00	20000	6-12	EH-519	2.00	10000
1-6	EH-510	1.00	20000	6-15	EH-520	3.00	10000
1-10	EH-511	1.00	20000	10-12	EH-521	3.00	2500
1.5-7	EH-512	1.00	20000	10-15	EH-522	3.38	2500
1.5-10	EH-513	1.00	20000	10-18	EH-523	5.00	2500
2.5-7	EH-514	1.00	20000	16-12	EH-524	3.00	2500
2.5-12	EH-515	1.00	20000	16-15	EH-525	3.94	2000
4-9	EH-516	1.00	16000	16-18	EH-526	5.00	2000
4-12	EH-517	2.00	16000				

COPPER TWIN TYPE LUGS					
mm ² -E	LENGTH mm	CAT. NO.	COLOUR NATURAL	PRICE (₹)	STD PKG.
0.5-8	8	TW-0.5-8	WHITE	2.00	8000
0.5-10	10	TW-0.5-10	WHITE	2.00	8000
0.75-8	8	TW-0.75-8	GREY	2.00	4000
0.75-10	10	TW-0.75-10	GREY	3.00	4000
1-8	8	TW-1-8	RED	3.00	8000
1-10	10	TW-1-10	RED	3.00	8000
1.5-8	8	TW-1.5-8	BLACK	3.00	8000
1.5-10	10	TW-1.5-10	BLACK	3.00	8000
2.5-8	8	TW-2.5-8	BLUE	3.00	8000
2.5-10	10	TW-2.5-10	BLUE	4.00	8000
4-12	12	TW-4-12	GREY	5.00	4000
6-12	12	TW-6-12	YELLOW	6.00	4000



END SEALING FERRULES INSULATED			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.5-8	EH-508	1.00	40000
0.75-8	EH-509	1.00	40000
1-6	EH-510	2.00	20000
1-10	EH-511	2.00	25000
1.5-10	EH-513	2.00	25000
2.5-8	EH-514	2.00	15000
2.5-12	EH-515	2.00	16000
4-12	EH-517	3.00	8000
6-12	EH-519	3.00	8000
10-12	EH-521	4.00	2000
16-15	EH-525	5.00	1000

CABLE GLANDS



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF BRASS CABLE GLANDS

		WEATHER PROOF			FLAME PROOF		
SUITABLE OVER ALL DIAMETER	NIPPLE ET THREAD	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0-12.0	3/4"	DBW-01SS	285.35	224	DBF-01SS	367.87	200
12.0-16.5	3/4"	DBW-01S	343.40	168	DBF-01S	396.17	200
16.5-18.5	3/4"	DBW-01	384.16	144	DBF-01	437.44	96
16.5-18.5	1"	DBW-01A	439.74	120	DBF-01A	518.79	120
18.5-20.0	1"	DBW-02	491.61	80	DBF-02	574.20	80
18.5-20.0	3/4"	DBW-02A	491.61	80	DBF-02A	604.85	80
20.0-23.0	1"	DBW-03	497.57	80	DBF-03	649.67	80
23.0-26.0	1"	DBW-04	680.60	48	DBF-04	825.34	48
23.0-26.0	1.1/4"	DBW-04A	731.01	48	DBF-04A	922.02	48
26.0-30.0	1.1/4"	DBW-05	852.29	48	DBF-05	958.57	48
26.0-30.0	1.1/2"	DBW-05A	1,020.28	48	DBF-05A	1,164.80	48
30.0-33.0	1.1/2"	DBW-06	1,225.32	40	DBF-06	1,436.54	32
30.0-33.0	1.1/4"	DBW-06A	1,267.31	32	DBF-06A	1,502.00	32
33.0-37.0	1.1/2"	DBW-07	1,431.59	24	DBF-07	1,615.64	24
37.0-41.0	2"	DBW-08	1,836.74	24	DBF-08	2,002.24	24
41.0-46.0	2"	DBW-09	2,026.94	20	DBF-09	2,209.54	20
46.0-52.0	2"	DBW-10	2,224.57	16	DBF-10	2,605.01	16
46.0-52.0	2.1/2"	DBW-10A	2,716.18	12	DBF-10A	2,959.51	12
52.0-54.0	2.1/2"	DBW-011A	3,151.58	8	DBF-011A	3,971.13	8
54.0-61.0	2.1/2"	DBW-011	3,310.31	8	DBF-011	3,637.63	8
61.0-66.0	3"	DBW-012	4,042.77	8	DBF-012	4,391.09	8
66.0-72.0	3"	DBW-013A	5,064.28	4	DBF-013A	6,164.82	4
72.0-78.0	3.1/4"	DBW-013	5,716.45	4	DBF-013	6,920.76	4
78.0-84.0	3.1/2"	DBW-014	6,858.99	4	DBF-014	7,348.12	6
84.0-94.0	4"	DBW-015	9,186.09	4	DBF-015	9,998.84	6
94.0-104.0	4.1/2"	DBW-016	11,838.03	4	DBF-016	12,859.53	4



DOUBLE COMPRESSION TYPE MEDIUM DUTY ARMOURED BRASS CABLE GLANDS

SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRODUCT CODE	NIPPLE (inch)	PRICE (₹)	INNER PACKING (NOS.)
07.0-14.0	DC-3/8"	DGP10036	5/8"	221.67	256
14.1-15.5	DC-1/2"	DGP10037	5/8"	277.93	200
15.6-17.0	DC-5/8"	DGP10038	3/4"	284.10	184
17.1-18.5	DC-3/4"	DGP10039	3/4"	328.58	112
18.6-19.5	DC-7/8"	DGP10040	3/4"	378.48	96
19.6-22.5	DC-1"	DGP10041	1"	440.96	80
22.6-25.5	DC-1.1/8"	DGP10042	1.1/8"	563.25	60
25.6-31.5	DC-1.1/4"	DGP10043	1.1/4"	742.35	48
31.6-34.5	DC-1.3/8"	DGP10044	1.1/2"	886.87	48
34.6-36.5	DC-1.1/2"	DGP10045	1.1/2"	1,043.74	32
36.6-44.5	DC-1.3/4"	DGP10046	2"	1,435.30	20
44.6-49.5	DC-2"	DGP10047	2"	1,570.49	20
49.6-54.5	DC-2.1/4"	DGP10048	2.1/4"	1,833.42	16
54.6-63.5	DC-2.1/2"	DGP10049	2.1/2"	2,520.80	8
63.6-69.5	DC-2.3/4"	DGP10050	2.3/4"	2,846.22	8
69.6-74.5	DC-3"	DGP10051	3"	3,504.12	8
74.6-81.0	DC-3.1/4"	DGP10052	3.1/4"	4,058.28	4
81.1-86.0	DC-3.1/2"	DGP10053	3.1/2"	5,546.00	4
86.1-100.0	DC-4"	DGP10054	4"	7,190.98	4



DOUBLE COMPRESSION UN-ARMOURED BRASS CABLE GLANDS

SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0-12.5	DBW-01SS(UN)	303.02	200
12.6-14.0	DBW-01S(UN)	331.31	200
14.1-17.0	DBW-01A(UN)	421.20	120
17.1-19.0	DBW-02(UN)	511.72	80
19.1-22.0	DBW-03SP(UN)	545.91	80
22.1-25.0	DBW-04A(UN)	774.64	48
25.1-29.0	DBW-05A(UN)	848.91	48
29.1-32.0	DBW-06SP(UN)	1,187.31	40
32.1-35.0	DBW-07SP(UN)	1,366.52	24
35.1-40.0	DBW-08(UN)	1,715.52	24
40.1-43.0	DBW-09(UN)	2,031.51	20
43.1-51.0	DBW-010(UN)	2,503.12	12
51.1-59.0	DBW-011(UN)	3,308.41	8
59.1-65.0	DBW-012(UN)	3,886.13	8
65.1-71.0	DBW-013(UN)	5,163.09	4
71.1-79.0	DBW-014(UN)	6,009.58	2
79.1-89.0	DBW-015(UN)	9,016.14	2



SINGLE COMPRESSION & SIBG BRASS CABLE GLANDS

SINGLE COMPRESSION GLANDS					SIBG SERIES		
DOWELLS CAT. NO.		PRODUCT CODE	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
INCH	MM						
3/8"	10	DGP10001	84.08	256	1616	148.57	280
1/2"	12	DGP10002	84.08	512	1619	158.00	200
5/8"	16	DGP10003	84.08	540	2119	246.43	160
3/4"	19	DGP10004	97.97	420	2125	224.03	160
7/8"	22	DGP10005	115.43	336	2925	313.76	96
1"	25	DGP10006	175.41	240	2932	344.68	80
1.1/8"	28	DGP10007	207.52	120	2938	374.28	80
1.1/4"	32	DGP10008	292.75	96	3638	515.24	40
1.3/8"	35	DGP10009	364.40	96	4251	939.98	20
1.1/2"	38	DGP10010	429.86	64	5451	1,070.92	16
1.3/4"	45	DGP10011	521.27	48	5463	1,063.51	16
2"	50	DGP10012	637.37	40	6063	1,634.17	16
2.1/4"	57	DGP10013	818.94	24	6675	1,980.02	12
2.1/2"	63	DGP10014	946.17	20	7882	2,727.13	12
2.3/4"	70	DGP10015	1,326.43	20			
3"	75	DGP10016	1,634.17	16			
3.1/4"	82	DGP10017	1,736.69	12			
3.1/2"	88	DGP10018	2,185.96	12			
4"	100	DGP10019	2,593.90	12			
4.1/2"	112	DGP10020	4,326.87	8			



BRASS PG GLAND

SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
2-5	MPG-7	93.32	200
3-8	MPG-9	121.28	80
4-10	MPG-11	149.35	200
5-12	MPG-13.5	195.39	200
8-14	MPG-16	205.50	200
12-17	MPG-21	342.49	120
16-25	MPG-29	690.59	60
20-32	MPG-36	761.33	48
28-37	MPG-42	1,503.57	20
32-40	MPG-48	1,578.80	16

NYLON PG GLAND

SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
3.5-6	PG-7	17.00	200
4-8	PG-9	21.00	80
5-10	PG-11	28.00	200
6-12	PG-13.5	34.00	200
10-14	PG-16	41.00	200
13-18	PG-21	54.00	120
18-25	PG-29	84.00	60
22-32	PG-36	133.00	24
30-38	PG-42	167.00	20
34-44	PG-48	200.00	16



FLANGE TYPE CABLE GLANDS

SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
12.0-16.0	DGPI0021	161.83	40
16.1-18.0	DGPI0022	206.29	60
18.1-21.0	DGPI0023	222.35	60
21.1-25.0	DGPI0024	275.46	60
25.1-29.0	DGPI0025	319.92	60
29.1-33.0	DGPI0026	398.98	24
33.1-35.0	DGPI0027	494.08	24
35.1-38.0	DGPI0028	563.25	24
38.1-41.0	DGPI0029	568.88	40
41.1-45.0	DGPI0030	679.14	60
45.1-52.0	DGPI0031	812.77	60
52.1-59.0	DGPI0032	880.70	60
59.1-67.0	DGPI0033	1,065.98	60
67.1-76.0	DGPI0034	1,357.08	60
76.1-84	DGPI0035	2236.15	40



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS316 CABLE GLANDS WITH NPT THREADING

SUITABLE OVERALL DIAMETER	NIPPLE NPT THREAD	WEATHER PROOF			FLAME PROOF		
		DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0 - 12.0	3/4" NPT	DBW-01SS (3/4 NPT)-SS316	872.00	224	DBF-01SS (3/4 NPT)-SS316	910.00	200
6.0 - 12.0	1/2" NPT	DBW-01SS (1/2 NPT)-SS316	834.00	224	DBF-01SS (1/2 NPT)-SS316	872.00	200
12.0 - 16.5	3/4" NPT	DBW-01S (3/4 NPT)-SS316	1,100.00	200	DBF-01S (3/4 NPT)-SS316	1,138.00	160
12.0 - 16.5	1/2" NPT	DBW-01S (1/2 NPT)-SS316	1,062.00	200	DBF-01S (1/2 NPT)-SS316	1,100.00	160
16.5 - 18.5	3/4" NPT	DBW-01 (3/4 NPT)-SS316	1,403.00	144	DBF-01 (3/4 NPT)-SS316	1,441.00	96
16.5 - 18.5	1/2" NPT	DBW-01 (1/2 NPT)-SS316	1,403.00	144	DBF-01 (1/2 NPT)-SS316	1,441.00	96
16.5 - 18.5	1" NPT	DBW-01 (1 NPT)-SS316	1,555.00	144	DBF-01 (1 NPT)-SS316	1,631.00	96
18.5 - 20.0	1" NPT	DBW-02 (1 NPT)-SS316	1,877.00	80	DBF-02 (1 NPT)-SS316	1,934.00	80
18.5 - 20.0	1/2" NPT	DBW-02 (1/2 NPT)-SS316	1,574.00	80	DBF-02 (1/2 NPT)-SS316	1,612.00	80
18.5 - 20.0	3/4" NPT	DBW-02 (3/4 NPT)-SS316	1,668.00	80	DBF-02 (3/4 NPT)-SS316	1,706.00	80
20.0 - 23.0	3/4" NPT	DBW-03 (3/4 NPT)-SS316	1,668.00	80	DBF-03 (3/4 NPT)-SS316	1,706.00	80
20.0 - 23.0	1" NPT	DBW-03 (1 NPT)-SS316	2,048.00	80	DBF-03 (1 NPT)-SS316	2,123.00	80
20.0 - 23.0	1/2" NPT	DBW-03 (1/2 NPT)-SS316	1,668.00	80	DBF-03 (1/2 NPT)-SS316	1,706.00	80
20.0 - 23.0	1.1/4" NPT	DBW-03 (1.1/4 NPT)-SS316	2,313.00	80	DBF-03 (1.1/4 NPT)-SS316	2,389.00	80
23.0 - 26.0	1" NPT	DBW-04 (1 NPT)-SS316	2,351.00	48	DBF-04 (1 NPT)-SS316	2,427.00	48
23.0 - 26.0	3/4" NPT	DBW-04 (3/4 NPT)-SS316	2,351.00	48	DBF-04 (3/4 NPT)-SS316	2,427.00	48
23.0 - 26.0	1.1/4" NPT	DBW-04 (1.1/4 NPT)-SS316	2,844.00	48	DBF-04 (1.1/4 NPT)-SS316	2,957.00	48
23.0 - 26.0	1.1/2" NPT	DBW-04 (1.1/2 NPT)-SS316	3,071.00	48	DBF-04 (1.1/2 NPT)-SS316	3,147.00	48
26.0 - 30.0	3/4" NPT	DBW-05 (3/4 NPT)-SS316	2,957.00	48	DBF-05 (3/4 NPT)-SS316	3,014.00	48
26.0 - 30.0	1.1/4" NPT	DBW-05 (1.1/4 NPT)-SS316	3,071.00	48	DBF-05 (1.1/4 NPT)-SS316	3,147.00	48
26.0 - 30.0	1.1/2" NPT	DBW-05 (1.1/2 NPT)-SS316	3,374.00	48	DBF-05 (1.1/2 NPT)-SS316	3,469.00	48
26.0 - 30.0	1" NPT	DBW-05 (1 NPT)-SS316	2,844.00	48	DBF-05 (1 NPT)-SS316	2,995.00	48
26.0 - 30.0	2" NPT	DBW-05 (2 NPT)-SS316	3,981.00	48	DBF-05 (2 NPT)-SS316	4,246.00	48
26.0 - 30.0	1.1/2" NPT	DBW-05 (1.1/2 NPT)-SS316	3,374.00	48	DBF-05 (1.1/2 NPT)-SS316	3,469.00	48
30.0 - 33.0	1.1/2" NPT	DBW-06 (1.1/2 NPT)-SS316	3,981.00	40	DBF-06 (1.1/2 NPT)-SS316	4,208.00	32
30.0 - 33.0	2" NPT	DBW-06 (2 NPT)-SS316	4,739.00	40	DBF-06 (2 NPT)-SS316	5,004.00	32
30.0 - 33.0	1.1/4" NPT	DBW-06 (1.1/4 NPT)-SS316	3,715.00	40	DBF-06 (1.1/4 NPT)-SS316	3,981.00	32
33.0 - 37.0	1.1/4" NPT	DBW-07 (1.1/4 NPT)-SS316	4,512.00	24	DBF-07 (1.1/4 NPT)-SS316	4,625.00	24
33.0 - 37.0	2" NPT	DBW-07 (2 NPT)-SS316	4,701.00	24	DBF-07 (2 NPT)-SS316	5,118.00	24
33.0 - 37.0	1.1/2" NPT	DBW-07 (1.1/2 NPT)-SS316	4,512.00	24	DBF-07 (1.1/2 NPT)-SS316	4,891.00	24
37.0 - 41.0	1.1/2" NPT	DBW-08 (1.1/2 NPT)-SS316	5,383.00	24	DBF-08 (1.1/2 NPT)-SS316	5,763.00	24
41.0 - 46.0	2" NPT	DBW-09 (2 NPT)-SS316	8,909.00	20	DBF-09 (2 NPT)-SS316	9,288.00	20
46.0 - 52.0	1.1/2" NPT	DBW-10 (1.1/2 NPT)-SS316	11,942.00	16	DBF-10 (1.1/2 NPT)-SS316	12,321.00	16
46.0 - 52.0	2" NPT	DBW-010 (2 NPT)-SS316	11,942.00	144	DBF-010 (2 NPT)-SS316	12,321.00	16
54.0 - 61.0	2" NPT	DBW-011 (2 NPT)-SS316	15,732.00	8	DBF-011 (2 NPT)-SS316	16,111.00	8
54.0 - 61.0	2.1/2" NPT	DBW-011A (2.1/2 NPT)-SS316	16,490.00	8	DBF-011A (2.1/2 NPT)-SS316	16,870.00	8
61.0 - 66.0	2" NPT	DBW-012 (2 NPT)-SS316	17,741.00	8	DBF-012 (2 NPT)-SS316	18,007.00	8
66.0 - 72.0	2.1/2" NPT	DBW-013A (2.1/2 NPT)-SS316	26,119.00	4	DBF-013A (2.1/2 NPT)-SS316	26,460.00	4
72.0 - 78.0	3.1/4" NPT	DBW-013 (3.1/4 NPT)-SS316	26,915.00	4	DBF-013 (3.1/4 NPT)-SS316	27,484.00	4
78.0 - 84.0	3.1/2" NPT	DBW-014 (3.1/2 NPT)-SS316	29,152.00	4	DBF-014 (3.1/2 NPT)-SS316	29,758.00	6
84.0 - 94.0	4" NPT	DBW-015 (4 NPT)-SS316	36,203.00	4	DBF-015 (4 NPT)-SS316	36,771.00	6
94.0 - 104.0	4.1/2" NPT	DBW-016 (4.1/2 NPT)-SS316	39,046.00	4	DBF-016 (4.1/2 NPT)-SS316	40,183.00	4



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS304 CABLE GLANDS WITH NPT THREADING

SUITABLE OVERALL DIAMETER	NIPPLE NPT THREAD	WEATHER PROOF			FLAME PROOF		
		DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0 - 12.0	3/4" NPT	DBW-01SS (3/4 NPT)-SS304	683.00	224	DBF-01SS (3/4 NPT)-SS304	721.00	200
6.0 - 12.0	1/2" NPT	DBW-01SS (1/2 NPT)-SS304	645.00	224	DBF-01SS (1/2 NPT)-SS304	683.00	200
12.0 - 16.5	3/4" NPT	DBW-01S (3/4 NPT)-SS304	778.00	200	DBF-01S (3/4 NPT)-SS304	816.00	160
12.0 - 16.5	1/2" NPT	DBW-01S (1/2 NPT)-SS304	702.00	200	DBF-01S (1/2 NPT)-SS304	740.00	160
16.5 - 18.5	3/4" NPT	DBW-01 (3/4 NPT)-SS304	1,081.00	144	DBF-01 (3/4 NPT)-SS304	1,119.00	96
16.5 - 18.5	1/2" NPT	DBW-01 (1/2 NPT)-SS304	1,081.00	144	DBF-01 (1/2 NPT)-SS304	1,119.00	96
16.5 - 18.5	1" NPT	DBW-01 (1 NPT)-SS304	1,176.00	144	DBF-01 (1 NPT)-SS304	1,251.00	96
18.5 - 20.0	1" NPT	DBW-02 (1 NPT)-SS304	1,441.00	80	DBF-02 (1 NPT)-SS304	1,479.00	80
18.5 - 20.0	1/2" NPT	DBW-02 (1/2 NPT)-SS304	1,176.00	80	DBF-02 (1/2 NPT)-SS304	1,214.00	80
18.5 - 20.0	3/4" NPT	DBW-02 (3/4 NPT)-SS304	1,176.00	80	DBF-02 (3/4 NPT)-SS304	1,214.00	80
20.0 - 23.0	3/4" NPT	DBW-03 (3/4 NPT)-SS304	1,176.00	80	DBF-03 (3/4 NPT)-SS304	1,214.00	80
20.0 - 23.0	1" NPT	DBW-03 (1 NPT)-SS304	1,441.00	80	DBF-03 (1 NPT)-SS304	1,119.00	80
20.0 - 23.0	1/2" NPT	DBW-03 (1/2 NPT)-SS304	1,195.00	80	DBF-03 (1/2 NPT)-SS304	1,251.00	80
20.0 - 23.0	1.1/4" NPT	DBW-03 (1.1/4 NPT)-SS304	1,934.00	80	DBF-03 (1.1/4 NPT)-SS304	2,010.00	80
23.0 - 26.0	1" NPT	DBW-04 (1 NPT)-SS304	2,142.00	48	DBF-04 (1 NPT)-SS304	2,237.00	48
23.0 - 26.0	3/4" NPT	DBW-04 (3/4 NPT)-SS304	2,142.00	48	DBF-04 (3/4 NPT)-SS304	2,237.00	48
23.0 - 26.0	1.1/4" NPT	DBW-04 (1.1/4 NPT)-SS304	2,540.00	48	DBF-04 (1.1/4 NPT)-SS304	2,635.00	48
23.0 - 26.0	1.1/2" NPT	DBW-04 (1.1/2 NPT)-SS304	2,730.00	48	DBF-04 (1.1/2 NPT)-SS304	2,825.00	48
26.0 - 30.0	3/4" NPT	DBW-05 (3/4 NPT)-SS304	2,502.00	48	DBF-05 (3/4 NPT)-SS304	2,597.00	48
26.0 - 30.0	1.1/4" NPT	DBW-05 (1.1/4 NPT)-SS304	2,806.00	48	DBF-05 (1.1/4 NPT)-SS304	2,957.00	48
26.0 - 30.0	1.1/2" NPT	DBW-05 (1.1/2 NPT)-SS304	3,109.00	48	DBF-05 (1.1/2 NPT)-SS304	3,261.00	48
26.0 - 30.0	1" NPT	DBW-05 (1 NPT)-SS304	2,540.00	48	DBF-05 (1 NPT)-SS304	2,635.00	48
26.0 - 30.0	2" NPT	DBW-05 (2 NPT)-SS304	4,739.00	48	DBF-05 (2 NPT)-SS304	4,966.00	48
26.0 - 30.0	1.1/2" NPT	DBW-05 (1.1/2 NPT)-SS304	3,109.00	48	DBF-05 (1.1/2 NPT)-SS304	3,261.00	48
30.0 - 33.0	1.1/2" NPT	DBW-06 (1.1/2 NPT)-SS304	2,957.00	40	DBF-06 (1.1/2 NPT)-SS304	3,071.00	32
30.0 - 33.0	2" NPT	DBW-06 (2 NPT)-SS304	3,981.00	40	DBF-06 (2 NPT)-SS304	4,284.00	32
30.0 - 33.0	1.1/4" NPT	DBW-06 (1.1/4 NPT)-SS304	2,957.00	40	DBF-06 (1.1/4 NPT)-SS304	3,981.00	32
33.0 - 37.0	1.1/4" NPT	DBW-07 (1.1/4 NPT)-SS304	3,602.00	24	DBF-07 (1.1/4 NPT)-SS304	3,867.00	24
33.0 - 37.0	2" NPT	DBW-07 (2 NPT)-SS304	4,360.00	24	DBF-07 (2 NPT)-SS304	4,587.00	24
33.0 - 37.0	1.1/2" NPT	DBW-07 (1.1/2 NPT)-SS304	3,602.00	24	DBF-07 (1.1/2 NPT)-SS304	4,246.00	24
37.0 - 41.0	1.1/2" NPT	DBW-08 (1.1/2 NPT)-SS304	4,739.00	24	DBF-08 (1.1/2 NPT)-SS304	5,004.00	24
41.0 - 46.0	2" NPT	DBW-09 (2 NPT)-SS304	5,497.00	20	DBF-09 (2 NPT)-SS304	5,763.00	20
46.0 - 52.0	1.1/2" NPT	DBW-10 (1.1/2 NPT)-SS304	6,066.00	16	DBF-10 (1.1/2 NPT)-SS304	6,596.00	16
46.0 - 52.0	2" NPT	DBW-010 (2 NPT)-SS304	6,066.00	144	DBF-010 (2 NPT)-SS304	6,596.00	16
54.0 - 61.0	2" NPT	DBW-011 (2 NPT)-SS304	8,909.00	8	DBF-011 (2 NPT)-SS304	9,440.00	8
54.0 - 61.0	2.1/2" NPT	DBW-011A (2.1/2 NPT)-SS304	8,909.00	8	DBF-011A (2.1/2 NPT)-SS304	9,440.00	8
61.0 - 66.0	2" NPT	DBW-012 (2 NPT)-SS304	12,700.00	8	DBF-012 (2 NPT)-SS304	9,440.00	8
66.0 - 72.0	2.1/2" NPT	DBW-013A (2.1/2 NPT)-SS304	13,647.00	4	DBF-013A (2.1/2 NPT)-SS304	14,216.00	4
72.0 - 78.0	3.1/4" NPT	DBW-013 (3.1/4 NPT)-SS304	13,837.00	4	DBF-013 (3.1/4 NPT)-SS304	14,216.00	4
78.0 - 84.0	3.1/2" NPT	DBW-014 (3.1/2 NPT)-SS304	15,732.00	4	DBF-014 (3.1/2 NPT)-SS304	16,225.00	6
84.0 - 94.0	4" NPT	DBW-015 (4 NPT)-SS304	19,713.00	4	DBF-015 (4 NPT)-SS304	20,281.00	6
94.0 - 104.0	4.1/2" NPT	DBW-016 (4.1/2 NPT)-SS304	27,673.00	4	DBF-016 (4.1/2 NPT)-SS304	28,242.00	4



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS316 CABLE GLANDS WITH METRIC THREADING

SUITABLE OVERALL DIAMETER	NIPPLE METRIC THREAD	WEATHER PROOF			FLAME PROOF		
		DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0 – 12.0	M20	DBW-01SS-M20-SS316	797.00	200	DBF-01SS-M20-SS316	853.00	200
12.1 – 16.5	M16	DBW-01S-M16-SS316	986.00	200	DBF-01S-M16-SS316	1,043.00	160
12.1 – 16.5	M20	DBW-01S-M20-SS316	986.00	200	DBF-01S-M20-SS316	1,043.00	160
12.1 – 16.5	M25	DBW-01S-M25-SS316	1,157.00	200	DBF-01S-M25-SS316	1,195.00	160
16.6 – 18.5	M20	DBW-01-M20-SS316	1,214.00	120	DBF-01-M20-SS316	1,289.00	120
16.6 – 18.5	M25	DBW-01-M25-SS316	1,214.00	120	DBF-01-M25-SS316	1,365.00	120
16.6 – 18.5	M32	DBW-01-M32-SS316	1,460.00	120	DBF-01-M32-SS316	1,498.00	120
18.6 – 20.0	M20	DBW-02-M20-SS316	1,441.00	80	DBF-02-M20-SS316	1,536.00	80
18.6 – 20.0	M25	DBW-02-M25-SS316	1,441.00	80	DBF-02-M25-SS316	1,536.00	80
20.1 – 23.0	M20	DBW-03-M20-SS316	1,593.00	80	DBF-03-M20-SS316	1,631.00	80
20.1 – 23.0	M25	DBW-03-M25-SS316	1,593.00	80	DBF-03-M25-SS316	1,631.00	80
23.1 – 26.0	M25	DBW-04-M25-SS316	2,199.00	48	DBF-04-M25-SS316	2,313.00	48
23.1 – 26.0	M32	DBW-04-M32-SS316	2,540.00	48	DBF-04-M32-SS316	2,635.00	48
26.1 – 30.0	M32	DBW-05-M32-SS316	2,787.00	48	DBF-05-M32-SS316	2,938.00	48
26.1 – 30.0	M40	DBW-05-M40-SS316	3,109.00	48	DBF-05-M40-SS316	3,564.00	48
30.1 – 33.0	M32	DBW-06-M32-SS316	3,469.00	32	DBF-06-M32-SS316	3,659.00	32
30.1 – 33.0	M40	DBW-06-M40-SS316	3,469.00	32	DBF-06-M40-SS316	3,659.00	32
33.1 – 37.0	M40	DBW-07-M40-SS316	4,246.00	24	DBF-07-M40-SS316	4,474.00	24
37.1 – 41.0	M50	DBW-08-M50-SS316	5,023.00	24	DBF-08-M50-SS316	5,270.00	24
41.1 – 46.0	M50	DBW-09-M50-SS316	7,961.00	20	DBF-09-M50-SS316	8,340.00	20
46.1 – 52.0	M50	DBW-010-M50-SS316	10,046.00	12	DBF-010-M50-SS316	10,482.00	16
46.1 – 52.0	M63	DBW-010-M63-SS316	10,046.00	12	DBF-010-M63-SS316	11,752.00	16
54.1 – 61.0	M63	DBW-011-M63-SS316	14,785.00	8	DBF-011-M63-SS316	15,410.00	8
52.1 – 54.0	M63	DBW-011A-M63-SS316	14,785.00	8	DBF-011A-M63-SS316	15,410.00	8
61.1 – 66.0	M75	DBW-012-M75-SS316	16,756.00	4	DBF-012-M75-SS316	17,476.00	8
66.1 – 72.0	M75	DBW-013A-M75-SS316	24,679.00	4	DBF-013A-M75-SS316	25,626.00	4
72.1 – 78.0	M78	DBW-013-M78-SS316	24,679.00	4	DBF-013-M78-SS316	25,626.00	4
72.1 – 78.0	M82	DBW-013-M82-SS316	24,679.00	4	DBF-013-M82-SS316	25,626.00	4
78.1 – 84.0	M90	DBW-014-M90-SS316	27,484.00	2	DBF-014-M90-SS316	28,564.00	6
84.1 – 94.0	M100	DBW-015-M100-SS316	34,876.00	2	DBF-015-M100-SS316	36,203.00	6
94.1 – 104.0	M100	DBW-016-M100-SS316	37,492.00	4	DBF-016-M100-SS316	39,046.00	4



DOUBLE COMPRESSION ARMOURED WEATHER AND FLAME PROOF SS304 CABLE GLANDS WITH METRIC THREADING

		WEATHER PROOF			FLAME PROOF		
SUITABLE OVERALL DIAMETER	NIPPLE METRIC THREAD	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0 - 12.0	M20	DBW-01SS-M20-SS304	645.00	200	DBF-01SS-M20-SS304	683.00	200
12.1 - 16.5	M16	DBW-01S-M16-SS304	797.00	200	DBF-01S-M16-SS304	834.00	160
12.1 - 16.5	M20	DBW-01S-M20-SS304	797.00	200	DBF-01S-M20-SS304	834.00	160
12.1 - 16.5	M25	DBW-01S-M25-SS304	986.00	200	DBF-01S-M25-SS304	1,024.00	160
16.6 - 18.5	M20	DBW-01-M20-SS304	1,005.00	120	DBF-01-M20-SS304	1,043.00	120
16.6 - 18.5	M25	DBW-01-M25-SS304	1,043.00	120	DBF-01-M25-SS304	1,100.00	120
16.6 - 18.5	M32	DBW-01-M32-SS304	1,176.00	120	DBF-01-M32-SS304	1,251.00	120
18.6 - 20.0	M20	DBW-02-M20-SS304	1,157.00	80	DBF-02-M20-SS304	1,214.00	80
18.6 - 20.0	M25	DBW-02-M25-SS304	1,157.00	80	DBF-02-M25-SS304	1,214.00	80
20.1 - 23.0	M20	DBW-03-M20-SS304	1,195.00	80	DBF-03-M20-SS304	1,251.00	80
20.1 - 23.0	M25	DBW-03-M25-SS304	1,195.00	80	DBF-03-M25-SS304	1,251.00	80
23.1 - 26.0	M25	DBW-04-M25-SS304	1,763.00	48	DBF-04-M25-SS304	1,858.00	48
23.1 - 26.0	M32	DBW-04-M32-SS304	1,763.00	48	DBF-04-M32-SS304	1,858.00	48
26.1 - 30.0	M32	DBW-05-M32-SS304	2,180.00	48	DBF-05-M32-SS304	2,313.00	48
26.1 - 30.0	M40	DBW-05-M40-SS304	2,180.00	48	DBF-05-M40-SS304	2,616.00	48
30.1 - 33.0	M32	DBW-06-M32-SS304	2,673.00	32	DBF-06-M32-SS304	2,806.00	32
30.1 - 33.0	M40	DBW-06-M40-SS304	2,673.00	32	DBF-06-M40-SS304	2,806.00	32
33.1 - 37.0	M40	DBW-07-M40-SS304	3,261.00	24	DBF-07-M40-SS304	3,393.00	24
37.1 - 41.0	M50	DBW-08-M50-SS304	4,038.00	24	DBF-08-M50-SS304	4,360.00	24
41.1 - 46.0	M50	DBW-09-M50-SS304	6,748.00	20	DBF-09-M50-SS304	7,165.00	20
46.1 - 52.0	M50	DBW-010-M50-SS304	8,378.00	12	DBF-010-M50-SS304	8,909.00	16
46.1 - 52.0	M63	DBW-010-M63-SS304	8,378.00	12	DBF-010-M63-SS304	8,909.00	16
54.1 - 61.0	M63	DBW-011-M63-SS304	14,368.00	8	DBF-011-M63-SS304	14,747.00	8
52.1 - 54.0	M63	DBW-011A-M63-SS304	14,368.00	8	DBF-011A-M63-SS304	14,747.00	8
61.1 - 66.0	M75	DBW-012-M75-SS304	14,974.00	8	DBF-012-M75-SS304	15,543.00	8
66.1 - 72.0	M75	DBW-013A-M75-SS304	20,774.00	4	DBF-013A-M75-SS304	21,419.00	4
72.1 - 78.0	M78	DBW-013-M78-SS304	20,774.00	4	DBF-013-M78-SS304	21,419.00	4
72.1 - 78.0	M82	DBW-013-M82-SS304	20,774.00	4	DBF-013-M82-SS304	21,419.00	4
78.1 - 84.0	M90	DBW-014-M90-SS304	21,305.00	2	DBF-014-M90-SS304	21,949.00	6
84.1 - 94.0	M100	DBW-015-M100-SS304	26,783.00	2	DBF-015-M100-SS304	27,673.00	6
94.1 - 104.0	M100	DBW-016-M100-SS304	32,791.00	4	DBF-016-M100-SS304	33,739.00	4




DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS316 CABLE GLANDS

SUITABLE OVERALL DIAMETER	NIPPLE ET THREAD	WEATHER PROOF			FLAME PROOF		
		DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0-12.0	3/4"	DBW-01SS-SS316	797.00	200	DBF-01SS-SS316	853.00	200
12.0-16.5	3/4"	DBW-01S-SS316	986.00	200	DBF-01S-SS316	1,043.00	200
16.5-18.5	3/4"	DBW-01-SS316	1,214.00	200	DBF-01-SS316	1,289.00	200
16.5-18.5	1"	DBW-01A-SS316	1,214.00	120	DBF-01A-SS316	1,289.00	120
18.5-20.0	1"	DBW-02-SS316	1,441.00	80	DBF-02-SS316	1,536.00	80
18.5-20.0	3/4"	DBW-02A-SS316	1,441.00	80	DBF-02A-SS316	1,536.00	80
20.0-23.0	1"	DBW-03-SS316	1,593.00	80	DBF-03-SS316	1,631.00	80
23.0-26.0	1"	DBW-04-SS316	2,199.00	48	DBF-04-SS316	2,313.00	48
23.0-26.0	1.1/4"	DBW-04A-SS316	2,199.00	48	DBF-04A-SS316	2,313.00	48
26.0-30.0	1.1/4"	DBW-05-SS316	2,787.00	48	DBF-05-SS316	2,938.00	48
26.0-30.0	1.1/2"	DBW-05A-SS316	2,787.00	48	DBF-05A-SS316	2,938.00	48
30.0-33.0	1.1/2"	DBW-06-SS316	3,469.00	40	DBF-06-SS316	3,659.00	32
30.0-33.0	1.1/4"	DBW-06A-SS316	3,469.00	32	DBF-06A-SS316	3,659.00	32
33.0-37.0	1.1/2"	DBW-07-SS316	4,246.00	24	DBF-07-SS316	4,474.00	24
37.0-41.0	2"	DBW-08-SS316	5,023.00	24	DBF-08-SS316	5,270.00	24
41.0-46.0	2"	DBW-09-SS316	7,961.00	20	DBF-09-SS316	8,340.00	20
46.0-52.0	2"	DBW-010-SS316	10,046.00	12	DBF-010-SS316	10,482.00	16
46.0-52.0	2.1/2"	DBW-010A-SS316	10,046.00	12	DBF-010A-SS316	10,482.00	16
52.0-54.0	2.1/2"	DBW-011A-SS316	14,785.00	8	DBF-011A-SS316	15,410.00	8
54.0-61.0	2.1/2"	DBW-011-SS316	14,785.00	8	DBF-011-SS316	15,410.00	8
61.0-66.0	3"	DBW-012-SS316	16,756.00	8	DBF-012-SS316	17,476.00	8
66.0-72.0	3"	DBW-013A-SS316	24,679.00	4	DBF-013A-SS316	25,626.00	4
72.0-78.0	3.1/4"	DBW-013-SS316	24,679.00	4	DBF-013-SS316	25,626.00	4
78.0-84.0	3.1/2"	DBW-014-SS316	27,484.00	2	DBF-014-SS316	28,564.00	6
84.0-94.0	4"	DBW-015-SS316	34,876.00	2	DBF-015-SS316	36,203.00	6



DOUBLE COMPRESSION ARMOURED WEATHER AND FLAME PROOF SS304 CABLE GLANDS

SUITABLE OVERALL DIAMETER	NIPPLE ET THREAD	WEATHER PROOF			FLAME PROOF		
		DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0-12.0	3/4"	DBW-01SS-SS304	645.00	200	DBF-01SS-SS304	683.00	200
12.0-16.5	3/4"	DBW-01S-SS304	797.00	200	DBF-01S-SS304	834.00	200
16.5-18.5	3/4"	DBW-01-SS304	1,005.00	200	DBF-01-SS304	1,062.00	200
16.5-18.5	1"	DBW-01A-SS304	1,005.00	120	DBF-01A-SS304	1,062.00	120
18.5-20.0	1"	DBW-02-SS304	1,157.00	80	DBF-02-SS304	1,214.00	80
18.5-20.0	3/4"	DBW-02A-SS304	1,157.00	80	DBF-02A-SS304	1,214.00	80
20.0-23.0	1"	DBW-03-SS304	1,195.00	80	DBF-03-SS304	1,251.00	80
23.0-26.0	1"	DBW-04-SS304	1,763.00	48	DBF-04-SS304	1,858.00	48
23.0-26.0	1.1/4"	DBW-04A-SS304	1,763.00	48	DBF-04A-SS304	1,858.00	48
26.0-30.0	1.1/4"	DBW-05-SS304	2,180.00	48	DBF-05-SS304	2,313.00	48
26.0-30.0	1.1/2"	DBW-05A-SS304	2,180.00	48	DBF-05A-SS304	2,313.00	48
30.0-33.0	1.1/2"	DBW-06-SS304	2,673.00	40	DBF-06-SS304	2,806.00	32
30.0-33.0	1.1/4"	DBW-06A-SS304	2,673.00	32	DBF-06A-SS304	2,806.00	32
33.0-37.0	1.1/2"	DBW-07-SS304	3,261.00	24	DBF-07-SS304	3,393.00	24
37.0-41.0	2"	DBW-08-SS304	4,038.00	24	DBF-08-SS304	4,360.00	24
41.0-46.0	2"	DBW-09-SS304	6,748.00	20	DBF-09-SS304	7,165.00	20
46.0-52.0	2"	DBW-010-SS304	8,378.00	12	DBF-010-SS304	8,795.00	16
46.0-52.0	2.1/2"	DBW-010A-SS304	8,378.00	12	DBF-010A-SS304	8,795.00	8
52.0-54.0	2.1/2"	DBW-011A-SS304	14,216.00	8	DBF-011A-SS304	14,747.00	8
54.0-61.0	2.1/2"	DBW-011-SS304	14,216.00	8	DBF-011-SS304	14,747.00	8
61.0-66.0	3"	DBW-012-SS304	14,974.00	8	DBF-012-SS304	15,543.00	8
66.0-72.0	3"	DBW-013A-SS304	20,774.00	4	DBF-013A-SS304	21,419.00	4
72.0-78.0	3.1/4"	DBW-013-SS304	20,774.00	4	DBF-013-SS304	21,419.00	4
78.0-84.0	3.1/2"	DBW-014-SS304	21,305.00	2	DBF-014-SS304	21,949.00	6
84.0-94.0	4"	DBW-015-SS304	26,783.00	2	DBF-015-SS304	27,673.00	6
94.0-104.0	4.1/2"	DBW-016-SS304	32,791.00	4	DBF-016-SS304	33,739.00	4



	EARTH TAG			LSF/LSZH SHROUD		
FOR GLAND SIZE	DOWELL'S CAT. NO.	PRICE (₹)	BOX PKG	SHROUD SIZE/CODE	PRICE (₹)	BOX PKG
DBW -01SS/DBF-01SS	DET-20	37.00	200	2023	22.00	1600
DBW -01S/DBF-01S	DET-20	37.00	200	2026	28.00	4000
DBW -01/DBF-01	DET-20	37.00	200	2030	36.00	200
DBW -02A/DBF-02A	DET-20	37.00	200	2030A	38.00	200
DBW -01A/DBF-01A	DET-25	46.00	200	2533	38.00	100
DBW -02/DBF-02	DET-25	46.00	200	2533A	38.00	100
DBW -03/DBF-03	DET-25	46.00	200	2535	47.00	100
DBW -04/DBF-04	DET-25	46.00	200	4000	58.00	100
DBW -04A/DBF-04A	DET-32	55.00	200	4000A	58.00	100
DBW -05/DBF-05	DET-32	55.00	200	3246	60.00	100
DBW -06A/DBF-06A	DET-32	55.00	200	3246A	69.00	100
DBW -05A/DBF-05A	DET-40	60.00	200	3251	95.00	100
DBW -06/DBF-06	DET-40	60.00	200	3251A	95.00	100
DBW -07/DBF-07	DET-40	60.00	200	4053	104.00	60
DBW -08/DBF-08	DET-50	69.00	200	5063	137.00	50
DBW -09/DBF-09	DET-50	69.00	200	5068	151.00	60
DBW -010/DBF-010	DET-50	69.00	200	6371	158.00	50
DBW -010A/DBF-010A	DET-63	126.00	200	6371A	158.00	50
DBW -011A/DBF-011A	DET-63	126.00	200	6388	241.00	30
DBW -011/DBF-011	DET-63	126.00	200	6388A	241.00	30
DBW -012/DBF-012	DET-75	160.00	200	7595	266.00	30
DBW -013A/DBF-013A	DET-75	160.00	200	7595A	266.00	30
DBW -014/DBF-014	DET-90	160.00	200	7595B	362.00	30
DBW -015/DBF-015	DET-100	323.00	200			




FIG 1 Terminating the armouring of an swa cable metallic enclosures

TOOLS AND ACCESSORIES

The extensive list of tools and accessories are developed to offer the best equipment for crimping and preparing the connectors. Matched to DOWELL'S connectors and dies for best performance and conformity.



HAND OPERATED CRIMPING TOOL							
mm ² -RANGE	CAT. NO.	PRICE (₹)	STD PKG	mm ² -RANGE	CAT. NO.	PRICE (₹)	STD PKG
1.5-6	SYT-17	1,093.00	1	25-400	SYT-7	18,257.00	1
0.5-16	SYT-2	1,134.00	1	10-35	SYT-53M	1,980.00	1
1.5	SYG-2216	1,997.00	1	0.25-6	SYT-6-6	4,290.00	1
2.5	SYH-1614	1,310.00	1	120	SYT-120	2,244.00	1
4-6	SYI-1210	3,059.00	1	240	SYT-240	3,432.00	1
10-95	SYB-95	8,940.00	1	500	SYT-500	6,270.00	1
10-185	SYB-9502	11,779.00	1	0.5-6	SYT-52 M	1,650.00	1
10-185	SYT-185	18,856.00	1	1.5-4.6	SYT-1546	1,650.00	1
25-400	SYT-400	29,316.00	1	10-185	SYB-9502 H	11,779.00	1
6-50	SYT-9	2,786.00	1	16-300	SYT-106	9,570.00	1
16-50	SYT-50	7,855.00	1	50-400	SYT-109	14,218.00	1



HYDRAULIC CRIMPING TOOLS			
mm ² -RANGE	CAT. NO.	PRICE (₹)	STD PKG
10-300	SYD-20A	23,788.00	1
50-400	SYD-20B	35,885.00	1
10-300	SYD-20C	37,416.00	1
10-1000	SYE-150A	63,915.00	1
10-1000	SYE-150B	54,909.00	1
10-1000	SYE-150C	57,073.0	1
50-630	SYT-102R	52,796.00	1

CORROSION INHIBITING COMPOUND



GTZ - 8785 Rs. 69/-

SPECS.	DOWELL'S CAT. NO.	PRICE (₹)	STD PKG
"Hand Operated Hydraulic Pump (Max. Pressure 10000 P.S.I.)"	R-T1242	9,857.00	1
"Jack Hose Pipe Standard 2 meters"	R-T1349	3,412.00	1
"Electrically Operated Power Pack Capacity = Max. pressure 700 Bar Special features: Electrically Operated Pump Electric Motor: 2HP Tank Capacity: 25 Ltr. Oil: Hydraulic Oil no. 68"	SYT-117	2,14,500.00	1



mm² RANGE	CAT. NO.	PRICE (₹)	STD PKG
UPTO 300	SYD-20A-JACK	22,177.00	1
UPTO 400	SYD-20B-JACK	19,788.00	1
UPTO 630	SYT-102R-JACK	24,974.00	1
UPTO 1000	SYE-150A-JACK	44,732.00	1
UPTO 1000	SYE-150B-JACK	32,889.00	1



Dowell's Clientele

ABB



**A
AREVA**


TATA
TATA POWER

HITACHI



SIEMENS


Reliance
Industries Limited



WAAREE®
One with the Sun

ESSAR 



NOTES

[illegible]



POLYCAB

Manufactured By:

Dowells Cable Accessories Pvt. Ltd.

(Subsidiary company of POLYCAB INDIA LIMITED)

Unit-7, Plot No. 74/P, 74/1/P, 74/2/1, 74/2/2, 80, Village: Vaseti,

Taluka : Halol, Dist.: Panchmahals, Gujarat 389352, India.

Corporate & Head Office: POLYCAB INDIA LIMITED,

The Ruby, 20th & 21st floor, Senapati Bapat Marg, Tulsi Pipe Road,
Dadar West, Mumbai – 400 028, Maharashtra, India.

Email: customercare@polycab.com | Toll Free No. : 1800 267 0008

Website: www.dowellscableaccessories.com

