



**Kontech
Industries**
CONNECTING POWER

AN ISO 9001 : 2015 COMPANY

PRICE LIST



WE SERVE Industry...



www.kontechindustries.in

01 June 2026



Industrial Electrical Products : Cable Terminal Ends/ Lugs (Copper & Aluminium)

Transmission of power through a quality Lug holds a key to reliable power supply. Our lugs ensure that the required supply is delivered without compromising on the quality and quantity of the same.

They fulfill both the aspects and are designed for the reliability and ease of installation that engineers require. We manufacture a entire range of quality lugs suitable for diverse applications across every industry segment. Moreover, we utilise the finest quality oxygen-free, EC grade copper which is devised exclusively to manufacture the lugs.




Konetech boasts of sophisticated technology at all its plants. The new-age, imported equipment at our manufacturing units ensures our customers the very best quality. Every single lug undergoes stringent quality norms through our testing facilities for unmatched performance and reliability.

Our pan India network with panel of experienced, prompt experts, provide viable solutions to our customers. We have a number of dealers and distributors across India,

Technical Specifications

Electrical & Mechanical	Properties	Results
Conductivity (IAS)	99.98%	Tensile
Strength	25 kg/mm2	minimum
Electrical & Mechanical	Properties	maximum

Disclaimer: The results are obtained under standard test conditions.
Variation may occur within accepted limits. Comprehensive Range of Lugs



Copper Ring Terminal Ends

Non Insulated –
Availability: Min. 1.5 mm² to Max. 150 mm²
Insulated – Availability: Min. 1.5 mm² to Max. 4-6 mm² |
Insulated, Reinforced Metal – Availability: Min. 1.5 mm² to Max. 4-6 mm²



Copper Pin Type Terminal Ends

Non Insulated – Availability: Min. 1.5 mm² to Max. 95 mm²
Insulated – Availability: Min. 1 mm² to Max. 16 mm²
Insulated, Reinforced Metal – Availability: Min. 1.5 mm² to Max. 16 mm²



Copper Rectangular Fork Terminal Ends

Non Insulated – Availability: Min. 1.5 mm² to Max. 10 mm²
Insulated – Availability: Min. 1.5 mm² to Max. 10 mm²
Insulated, Reinforced Metal – Availability: Min. 1.5 mm² to Max. 10 mm²



Copper Ring Fork Terminal Ends 'U' Cut

Non Insulated – Availability: Min. 1.5 mm² to Max. 16 mm²
Insulated – Availability: Min. 1.5 mm² to Max. 16 mm²
Insulated, Reinforced Metal – Availability: Min. 1.5 mm² to Max. 16 mm²



Copper Rectangular Special Fork Terminal Ends

Availability: Min. 1.5 mm² to Max. 2.5 mm²



Copper Insulated Twin Type End Terminals

Availability: Min. 0.5 mm² to Max. 16 mm²



Aluminium Tubular Terminal Ends

Availability: Min. 150 mm² to Max. 1000 mm²



Aluminium Crimping Connector

Availability: Min. 2.5 mm² to Max. 1000 mm²

Reliable and new-age technology | Comprehensive range – from 0.5 mm up to 1000 mm |
Voltage range – from 0.6kV to 33kV | Manufactured with high quality raw material | Available in Copper & Aluminium

AN ISO 9001 : 2015 COMPANY



Copper Ring
Terminal Ends

NO	CAT NO	AREA	E DIA	PRICE EACH
1	KT-7103	1.5	2.2	3.47
2	KT-7000	1.5	2.6	3.44
3	KT-7001	1.5	3.2	2.93
4	KT-7153	1.5	3.2	3.00
5	KT-7104	1.5	3.2	3.71
6	KT-7048	1.5	3.7	2.90
7	KT-7002	1.5	3.7	2.87
8	KT-7049	1.5	4.2	2.83
9	KT-7003	1.5	4.2	2.67
10	KT-7154	1.5	4.2	3.37
11	KT-7004	1.5	4.2	3.60
12	KT-7105	1.5	4.2	4.70
13	KT-7005	1.5	5.2	3.32
14	KT-7006	1.5	5.2	4.31
15	KT-7007	1.5	6.4	4.15
16	KT-7106	1.5	6.4	5.19
17	KT-7107	2.5	3.2	3.42
18	KT-7008	2.5	3.7	3.21
19	KT-7108	2.5	3.7	4.31
20	KT-7009	2.5	4.2	4.02
21	KT-7010	2.5	5.2	3.89
22	KT-7109	2.5	5.2	4.85
23	KT-7110	2.5	5.2	6.67
24	KT-7011	2.5	6.4	4.57
25	KT-7012	2.5	6.4	6.28
26	KT-7111	2.5	6.4	10.10
27	KT-7013	2.5	8.2	5.95
28	KT-7014	2.5	8.2	9.06
29	KT-7151	2.5	10.2	10.70
30	KT-7015	2.5	10.2	8.18
31	KT-7047	2.5	12.7	10.06
32	KT-7155	4.6	4.2	7.22
33	KT-7112	4.6	4.2	9.09
34	KT-7050	4.6	5.2	6.91
35	KT-7157	4.6	5.2	10.13
36	KT-7016	4.6	5.2	8.70
37	KT-7113	4.6	5.2	9.17
38	KT-7114	4.6	5.2	11.01
39	KT-7017	4.6	6.4	9.30
40	KT-7019	4.6	6.4	10.23
41	KT-7115	4.6	6.4	12.85
42	KT-7018	4.6	8.2	8.31
43	KT-7117	4.6	8.2	17.46
44	KT-7020	4.6	8.2	12.21
45	KT-7116	4.6	8.2	15.72
46	KT-7021	4.6	9.7	10.75
47	KT-7023	4.6	10.2	17.00
48	KT-7022	4.6	10.2	13.95
49	KT-7024	4.6	12.7	14.52
50	KT-7119	10	4.2	10.61
51	KT-7118	10	4.2	12.39
52	KT-7025	10	5.2	11.95
53	KT-7026	10	5.2	9.85
54	KT-7120	10	6.4	11.79

Copper Ring
Terminal Ends

NO	CAT NO	AREA	E DIA	PRICE EACH
55	KT-7121	10	8.2	15.26
56	KT-7122	10	8.2	18.19
57	KT-7123	10	10.2	24.69
58	KT-7027	10	10.2	18.45
59	KT-7028	10	12.7	22.09
60	KT-7124	16	5.2	19.49
61	KT-7125	16	5.2	22.09
62	KT-7029	16	6.4	20.79
63	KT-7126	16	6.4	27.29
64	KT-7030	16	8.2	24.69
65	KT-7127	16	8.2	27.68
66	KT-7031	16	9.7	24.04
67	KT-7128	16	10.2	33.53
68	KT-7032	16	10.4	27.42
69	KT-7033	16	12.7	31.19
70	KT-7130	25	6.2	49.39
71	KT-7156	25	6.4	45.10
72	KT-7129	25	6.4	48.48
73	KT-7034	25	8.2	46.40
74	KT-7051	25	8.2	45.75
75	KT-7036	25	8.2	48.61
76	KT-7131	25	10.2	54.07
77	KT-7035	25	10.2	45.53
78	KT-7132	25	10.2	71.10
79	KT-7037	25	12.7	69.93
80	KT-7133	35	6.4	55.37
81	KT-7038	35	8.2	54.85
82	KT-7134	35	8.2	66.81
83	KT-7039	35	10.2	63.82
84	KT-7135	35	10.2	73.57
85	KT-7040	35	12.7	75.00
86	KT-7136	50	8.2	91.64
87	KT-7137	50	10.2	92.29
88	KT-7041	50	10.2	88.39
89	KT-7138	50	10.2	106.59
90	KT-7042	50	12.7	102.69
91	KT-7139	50	16.2	120.89
92	KT-7140	70	10.2	132.59
93	KT-7141	70	12.7	131.29
94	KT-7043	70	12.4	123.49
95	KT-7142	70	16.2	152.09
96	KT-7144	95	10.2	180.69
97	KT-7143	95	10.2	168.99
98	KT-7044	95	12.7	179.39
99	KT-7145	95	16.2	206.69
100	KT-7146	120	12.7	231.39
101	KT-7147	120	16.2	258.44
102	KT-7148	120	20.3	332.79
103	KT-7149	150	12.7	495.29
104	KT-7045	150	16.2	473.19
105	KT-7150	150	16.2	530.39
106	KT-7046	150	20.3	486.19

Copper Ring
Terminal Ends (Insulated)

NO	CAT NO	AREA	E DIA	PRICE EACH
107	KT-7052	1.5	2.2	4.44
108	KT-7053	1.5	2.6	4.44
109	KT-7054	1.5	3.2	3.92
110	KT-7057	1.5	3.2	4.05
111	KT-7060	1.5	3.2	4.67
112	KT-7055	1.5	3.7	3.92
113	KT-7058	1.5	3.7	3.92
114	KT-7056	1.5	4.2	3.68
115	KT-7059	1.5	4.2	3.92
116	KT-7061	1.5	4.2	4.85
117	KT-7064	1.5	4.2	5.66
118	KT-7063	1.5	4.2	4.41
119	KT-7062	1.5	5.2	4.44
120	KT-7065	1.5	5.2	5.27
121	KT-7066	1.5	6.4	5.14
122	KT-7067	1.5	6.4	6.20
123	KT-7068	2.5	3.2	4.51
124	KT-7069	2.5	3.7	4.28
125	KT-7070	2.5	3.7	5.32
126	KT-7071	2.5	4.2	5.16
127	KT-7072	2.5	5.2	5.01
128	KT-7073	2.5	5.2	6.00
129	KT-7075	2.5	5.2	7.69
130	KT-7074	2.5	6.4	5.58
131	KT-7076	2.5	6.4	7.30
132	KT-7079	2.5	6.4	10.05
133	KT-7078	2.5	8.2	11.09
134	KT-7077	2.5	8.2	6.83
135	KT-7080	2.5	10.2	9.22
136	KT-7081	2.5	10.2	11.74
137	KT-7082	2.5	12.7	11.17
138	KT-7083	4.6	4.2	9.48
139	KT-7085	4.6	5.2	11.14
140	KT-7084	4.6	5.2	9.17
141	KT-7086	4.6	5.2	10.73
142	KT-7087	4.6	5.2	13.02
143	KT-7088	4.6	5.2	11.07
144	KT-7091	4.6	5.2	12.26
145	KT-7089	4.6	6.4	11.43
146	KT-7092	4.6	6.4	12.13
147	KT-7093	4.6	6.4	14.71
148	KT-7096	4.6	8.2	17.65
149	KT-7099	4.6	10.2	18.97
150	KT-7094	4.6	8.2	13.56
151	KT-7090	4.6	8.2	10.44
152	KT-7100	4.6	12.2	16.57
153	KT-7098	4.6	8.2	19.39
154	KT-7095	4.6	9.7	12.68
155	KT-7097	4.6	10.2	15.93

Copper Ring Terminals Ends
(Insulated with Metal Reinforcement)

NO	CAT NO	AREA	E DIA	PRICE EACH
156	KT-7435	1.5	2.2	5.50
157	KT-7436	1.5	2.6	5.50
158	KT-7437	1.5	3.2	5.06
159	KT-7440	1.5	3.2	5.14
160	KT-7443	1.5	3.2	5.81
161	KT-7438	1.5	3.7	5.06
162	KT-7441	1.5	3.7	5.03
163	KT-7439	1.5	4.2	4.74
164	KT-7442	1.5	4.2	4.98
165	KT-7444	1.5	4.2	5.81
166	KT-7447	1.5	4.2	6.72
167	KT-7446	1.5	4.2	5.50
168	KT-7445	1.5	5.2	5.53
169	KT-7448	1.5	5.2	6.33
170	KT-7449	1.5	6.4	6.13
171	KT-7450	1.5	6.4	7.30
172	KT-7451	2.5	3.2	5.58
173	KT-7452	2.5	3.7	5.42
174	KT-7453	2.5	3.7	6.41
175	KT-7454	2.5	4.2	6.39
176	KT-7455	2.5	5.2	6.09
177	KT-7456	2.5	5.2	6.98
178	KT-7457	2.5	5.2	6.93
179	KT-7459	2.5	5.2	8.41
180	KT-7458	2.5	6.4	8.80
181	KT-7461	2.5	6.4	12.21
182	KT-7460	2.5	8.2	7.95
183	KT-7462	2.5	8.2	11.17
184	KT-7463	2.5	10.2	10.39
185	KT-7464	2.5	10.2	12.99
186	KT-7015	2.5	10.2	8.18
187	KT-7465	2.5	12.7	12.42
188	KT-7466	4.6	4.2	10.78
189	KT-7468	4.6	4.2	12.99
190	KT-7467	4.6	5.2	10.44
191	KT-7469	4.6	5.2	12.55
192	KT-7470	4.6	5.2	13.95
193	KT-7471	4.6	5.2	12.81
194	KT-7474	4.6	5.2	14.81
195	KT-7472	4.6	6.4	13.09
196	KT-7475	4.6	6.4	14.08
197	KT-7476	4.6	6.4	16.45
198	KT-7483	4.6	12.2	18.48
199	KT-7473	4.6	8.2	12.11
200	KT-7477	4.6	8.2	15.02
201	KT-7479	4.6	8.2	19.49
202	KT-7481	4.6	8.2	21.21
203	KT-7478	4.6	9.7	14.44
204	KT-7480	4.6	10.2	17.75
205	KT-7482	4.6	10.2	20.82



AN ISO 9001 : 2015 COMPANY





Pin Type Terminal Ends



NO	CAT NO	AREA	PRICE EACH
206	KP-9	1.5	3.45
207	KP-35(F)	1.5	3.11
208	KP-38	1.5	7.43
209	KP-1	2.5	3.79
210	KP-2(F)	2.5	3.13
211	KP-3	4	8.31
212	KP-4(F)	4	8.28
213	KP-5	6	8.85
214	KP-6	6	9.22
215	KP-7	10	13.20
216	KP-8	16	23.03
217	KP-125	25	53.09
218	KP-135	35	59.94
219	KP-150	50	91.22
220	KP-170	70	127.99
221	KP-195	95	198.08

Copper Pin Type Terminal Ends
(Insulated)

NO	CAT NO	AREA	PRICE EACH
222	KPI-17	1.5	4.57
223	KPI-40(F)	1.5	4.56
224	KPI-42	1.5	10.43
225	KPI-51	1.5	5.92
226	KPI-18	2.5	4.85
227	KPI-19(F)	2.5	4.18
228	KPI-20	4	10.47
229	KPI-21(F)	4	10.55
230	KPI-22	6	10.88
231	KPI-23	6	11.20
232	KPI-24	10	17.15
233	KPI-25	16	26.93

Copper Pin Type Terminal Ends
(Insulated with metal Reinforcement)

NO	CAT NO	AREA	PRICE EACH
234	KPD-26	1.5	5.68
235	KPD-27	2.5	5.95
236	KPD-28(F)	2.5	5.53
237	KPD-29	4	12.13
238	KPD-30(F)	4	12.18
239	KPD-31	6	12.47
240	KPD-32	6	12.99
241	KPD-52	2.5	14.09
242	KPD-33	10	32.12
243	KPD-34	16	45.32

Copper Fork Terminal Ends



NO	CAT NO	AREA	PRICE EACH
244	KT-8055	1.5	5.00
245	KT-7249	1.5	3.19
246	KT-7250	1.5	2.88
247	KT-7251	2.5	3.76
248	KT-7280	2.5	9.19
249	KT-7252	4.6	5.76
250	KT-7253	4.6	5.76
251	KT-7254	10	17.85
252	KT-7255	10	16.91

Copper Fork Terminal Ends
(Insulated)

NO	CAT NO	AREA	PRICE EACH
253	KT-7925	1.5	9.61
254	KT-7926	1.5	4.57
255	KT-7927	1.5	3.94
256	KT-7928	2.5	5.14
257	KT-7929	2.5	11.43
258	KT-7930	4.6	7.71
259	KT-7931	4.6	9.61
260	KT-7932	10	20.66
261	KT-7933	10	19.78

Copper Fork Terminal Ends
(Insulated With Metal Refrcement)

NO	CAT NO	AREA	PRICE EACH
262	KT-7934	1.5	7.22
263	KT-7935	1.5	5.39
264	KT-7936	1.5	5.11
265	KT-7937	2.5	6.09
266	KT-7938	2.5	11.30
267	KT-7939	4.6	9.45
268	KT-7940	4.6	9.45
269	KT-7941	10	22.97
270	KT-7942	10	22.09

Copper Special
Fork Terminal Ends

NO	CAT NO	AREA	KONTECH
271	KT-900	1.5	4.17
272	KT-900(I)	1.5	5.00
273	KT-922	2.5	4.74
274	KT-922(I)	2.5	5.49

Copper Snap On Terminals



NO	CAT NO	AREA	PRICE EACH
275	KT-8351	1.5	7.07
276	KT-8352(I)	1.5	9.16
277	KT-8347	2.5	7.23
278	KT-8348(I)	2.5	7.55



Copper Ring Terminal Ends
(“U” Cut)

NO	CAT NO	AREA	E DIA	PRICE EACH
279	KT-7235	1.5	3.1	3.53
280	KT-7236	1.5	4.1	3.49
281	KT-7237	1.5	4.1	3.21
282	KT-7238	1.5	5.1	6.88
283	KT-7240	1.5	3.6	3.06
284	KT-7241	1.5	3.1	2.91
285	KT-7244	1.5	3.6	3.06
286	KT-7861	1.5	6.1	3.98
287	KT-7862	2.5	3.1	3.66
288	KT-7863	2.5	3.6	3.52
289	KT-7864	2.5	6.1	5.36
290	KT-7239	2.5	4.1	4.74
291	KT-7242	2.5	5.1	5.04
292	KT-7243	4.6	4.1	7.64
293	KT-7245	4.6	4.1	9.63
294	KT-7246	4.6	5.1	8.86
295	KT-7247	4.6	5.1	11.93
296	KT-7248	4.6	6.1	10.40
297	KT-7865	10	4.1	12.84
298	KT-7866	10	5.1	12.54
299	KT-7867	10	6.1	12.38
300	KT-7868	10	8.1	16.51
301	KT-7869	16	5.1	21.56
302	KT-7870	16	6.1	21.25
303	KT-7871	16	8.1	29.36
304	KT-7872	16	8.1	30.42

Copper Ring Terminal Ends
(“U” Cut Insulated)

NO	CAT NO	AREA	E DIA	PRICE EACH
305	KT-7873	1.5	3.1	4.74
306	KT-7874	1.5	4.1	4.13
307	KT-7875	1.5	4.1	3.98
308	KT-7876	1.5	5.1	4.13
309	KT-7877	1.5	3.6	4.28
310	KT-7878	1.5	3.1	4.43
311	KT-7879	1.5	3.6	7.95
312	KT-7880	1.5	6.1	5.04
313	KT-7881	2.5	3.1	4.74
314	KT-7882	2.5	3.6	4.74
315	KT-7883	2.5	6.1	6.11
316	KT-7884	2.5	4.1	6.27
317	KT-7885	2.5	5.1	6.57
318	KT-7886	4.6	4.1	9.93
319	KT-7887	4.6	4.1	11.93
320	KT-7888	4.6	5.1	11.16
321	KT-7889	4.6	5.1	14.07
322	KT-7890	4.6	6.1	12.68
323	KT-7891	10	4.1	16.05
324	KT-7892	10	5.1	15.90
325	KT-7893	10	6.1	15.75
326	KT-7894	10	8.1	19.88
327	KT-7895	16	5.1	26.29
328	KT-7896	16	6.1	26.15
329	KT-7897	16	8.1	34.09
330	KT-7898	16	8.1	35.16

Copper Ring Fork Terminal Ends
(“U” Cut Insulated) With Metal Reinforcement

NO	CAT NO	AREA	E DIA	PRICE EACH
331	KT-7899	1.5	3.1	5.96
332	KT-7901	1.5	4.1	5.20
333	KT-7900	1.5	4.1	5.36
334	KT-7902	1.5	5.1	5.36
335	KT-7903	1.5	3.6	5.50
336	KT-7904	1.5	3.1	5.66
337	KT-7905	1.5	3.6	9.18
338	KT-7906	1.5	6.1	6.27
339	KT-7907	2.5	3.1	6.11
340	KT-7908	2.5	3.6	5.96
341	KT-7909	2.5	6.1	7.34
342	KT-7910	2.5	4.1	7.64
343	KT-7911	2.5	5.1	7.80
344	KT-7912	4.6	4.1	11.93
345	KT-7913	4.6	4.1	13.91
346	KT-7914	4.6	5.1	13.15
347	KT-7915	4.6	5.1	16.05
348	KT-7916	4.6	6.1	14.68
349	KT-7917	10	4.1	19.11
350	KT-7918	10	5.1	19.11
351	KT-7919	10	6.1	19.11
352	KT-7920	10	8.1	23.39
353	KT-7921	16	5.1	29.97
354	KT-7922	16	6.1	29.81
355	KT-7923	16	8.1	37.76
356	KT-7924	16	8.1	38.83

Copper Fork Hook
Type Terminal Ends


NO	CAT NO	AREA	PRICE EACH
357	KT-7279	0.75	9.81
358	KT-7278	1.5	8.26
359	KT-7265	1.5	8.26
360	KP-7266	1.5	9.37
361	KT-7257	1.5	10.01
362	KT-7270	1.5	11.62
363	KT-7271	1.5	11.63
364	KT-7258	2.5	11.66
365	KT-7259	2.5	9.98
366	KT-7272	2.5	13.60
367	KT-7273	2.5	13.58
368	KT-7260	2.5	10.09
369	KT-7274	4	22.26
370	KT-7275	4	22.26
371	KT-7276	4	22.26
372	KT-7277	4	23.68
373	KT-7261	4.6	17.78
374	KT-7262	4.6	18.15
375	KT-7263	4.6	18.20
376	KT-7268	4.6	15.52
378	KT-7269	4.6	15.08
379	KT-7264	6	17.91
380	KT-7267	6	19.85


**Copper Fork Hook
Terminal Ends (Insulated)**



NO	CAT NO	AREA	PRICE EACH
381	KT-7943	0.75	11.42
382	KT-7944	1.5	13.23
383	KT-7945	1.5	10.93
384	KT-7946	1.5	10.93
385	KT-7947	1.5	10.93
386	KT-7948	1.5	10.44
387	KT-7949	1.5	13.38
388	KT-7950	1.5	13.04
389	KT-7951	2.5	13.69
390	KT-7952	2.5	12.16
391	KT-7953	2.5	12.16
392	KT-7954	2.5	15.80
393	KT-7955	2.5	15.80
394	KT-7956	4	25.07
395	KT-7960	4.6	20.70
396	KT-7963	4.6	20.33
397	KT-7964	4.6	17.87

**Copper Fork Hook Terminal Ends
(Insulated with Matel Reinforcement)**



NO	CAT NO	AREA	PRICE EACH
398	KT-7967	0.75	14.87
399	KT-7968	1.5	13.81
400	KT-7969	1.5	13.81
401	KT-7970	1.5	14.77
402	KT-7971	1.5	14.77
403	KT-7972	1.5	14.77
404	KT-7973	1.5	16.96
405	KT-7974	1.5	16.96
406	KT-7975	2.5	13.29
407	KT-7976	2.5	12.27
408	KT-7977	2.5	12.27
409	KT-7978	2.5	14.98
410	KT-7979	2.5	14.98
411	KT-7980	4	24.12
412	KT-7984	4.6	19.77
413	KT-7985	4.6	19.77
414	KT-7987	4.6	16.92
415	KT-7988	6	16.92

**Copper Tubular Crimping
Inline Connectors**


NO	CAT NO	AREA	PRICE EACH
416	KH-450	1.5	2.91
417	KH-453	1.5	5.04
418	KH-451	2.5	3.52
419	KH-454	2.5	7.04
420	KH-452	4.6	5.66
421	KH-455	4.6	11.62
422	KH-456	10	7.64
423	KH-460	10	16.35

**Copper Tubular Crimping
Inline Connectors**


NO	CAT NO	AREA	PRICE EACH
424	KH-460	16	16.36
425	KH-461	25	31.34
426	KH-484	25	32.41
427	KH-486	35	38.38
428	KH-485	35	38.38
429	KH-487	50	85.30
430	KH-480	70	81.18
431	KH-478	70	81.18
432	KH-481	95	187.74
433	KH-482	1.5	277.94
434	KH-461(I)	2.5	11.55
435	KH-464(I)	4.6	13.21
436	KH-465(I)	2.5	20.20
437	KB-3	4	9.32
438	KB-4	6	10.40
439	KB-6	16	18.04
440	KB-7	25	33.02
441	KB-8	35	44.33
442	KB-9	50	27.36
443	KB-10	70	94.02
444	KB-11	95	143.70
445	KB-12	120	196.46
446	KB-13	150	282.06
447	KB-14	185	383.73
448	KB-20	225	458.64
449	KB-15	240	498.33
450	KB-16	300	742.23
451	KB-17	400	1144.31

**Aluminium Crimping
Connector**


NO	CAT NO	AREA	PRICE EACH
452	KT-ALS-145	2.5	3.59
453	KT-ALS-6	2.5	3.59
454	KT-ALS-5	4	3.59
455	KT-ALS-13	6	3.59
456	KT-ALS-146	10	4.14
457	KT-ALS-14	10	4.68
458	KT-ALS-4	16	6.24
459	KT-ALS-3	25	8.88
460	KT-ALS-2	35	11.54
461	KT-ALS-12	50	16.37
462	KT-ALS-1	70	30.87
463	KT-ALS-15	95	33.53
464	KT-ALS-9	120	44.59
465	KT-ALS-10	150	54.03
466	KT-ALS-11	185	73.75
467	KT-ALS-147	225	124.74
468	KT-ALS-16	240	123.19
469	KT-ALS-17	300	178.37
470	KT-ALS-18	400	274.43
471	KT-ALS-19	500	367.98
472	KT-ALS-20	625	475.58
472	KT-ALS-148	800	990.13
473	KT-ALS-149	1000	1278.59

Copper Tubular Crimping
Terminal Sockets

NO	CAT NO	AREA	E DIA	PRICE EACH
475	KUS-05	2.5	5.2	8.11
476	KUS-06	4	6.5	11.77
478	KUS-07	6	6.5	15.59
479	KUS-08	10	6.5	18.65
480	KUS-09	16	6.5	26.60
481	KUS-10	25	6.5	46.63
482	KUS-11	35	6.5	54.27
483	KUS-12	35	8.2	54.27
484	KUS-13	50	6.5	74.15
485	KUS-14	50	8.2	74.15
486	KUS-15	50	10.2	74.15
487	KUS-16	70	8.2	128.42
488	KUS-17	70	10.2	128.42
489	KUS-18	70	12.7	128.42
490	KUS-19	95	10.2	178.10
491	KUS-20	95	12.7	178.10
492	KUS-21	120	10.2	236.97
493	KUS-22	120	12.7	236.96
494	KUS-23	120	16.2	236.96
495	KUS-24	150	10.2	350.09
496	KUS-25	150	12.7	350.09
497	KUS-26	150	16.2	350.09
498	KUS-27	185	12.7	512.15
499	KUS-28	185	16.2	512.15
500	KUS-231	225	16.2	641.33
501	KUS-29	240	16.2	713.95
502	KUS-30	240	20.3	713.95
503	KUS-31	300	16.2	984.54
504	KUS-32	300	20.3	984.54
505	KUS-33	400	20.3	1406.50
506	KUS-34	500	20.3	1820.81
507	KUS-35	630	20.3	2644.82
508	KUS-062	800		4158.34
509	KUS-076	1000		8853.29

Aluminium Tubler
Terminal Ends

NO	CAT NO	AREA MM2	E DIA	PRICE EACH
510	KT-ALS-151	2.5	3.2	3.14
511	KT-ALS-309	2.5	3.7	2.98
512	KT-ALS-155	4	4.2	2.91
513	KT-ALS-317	4	5.1	3.36
514	KT-ALS-158	6	5.2	2.91
515	KT-ALS-313	6	6.5	2.75
516	KT-ALS-159	10	4.2	4.55
517	KT-ALS-214	10	6.4	5.01
518	KT-ALS-215	10	8.2	5.01
519	KT-ALS-252	16	6.4	6.28
520	KT-ALS-216	16	8.2	6.28
521	KT-ALS-217	16	6.4	6.28
522	KT-ALS-253	25	8.2	7.64
523	KT-ALS-218	25	10.2	7.64
524	KT-ALS-219	25	12.7	7.64
525	KT-ALS-220	35	6.4	7.64
526	KT-ALS-254	35	8.2	10.55
527	KT-ALS-221	35	10.2	10.55
528	KT-ALS-222	50	8.2	10.55
529	KT-ALS-255	50	10.2	17.43
530	KT-ALS-312	50	12.7	17.43
531	KT-ALS-224	70	8.2	17.43
532	KT-ALS-256	70	10.2	28.23
533	KT-ALS-225	70	12.7	28.23
534	KT-ALS-226	95	10.2	28.23
535	KT-ALS-228	95	12.7	30.58
536	KT-ALS-229	95	16.2	30.58
537	KT-ALS-257	120	10.2	42.81
538	KT-ALS-230	120	12.7	42.81
539	KT-ALS-231	120	13.2	42.81
540	KT-ALS-258	150	10.2	58.10
541	KT-ALS-232	150	12.7	58.10
542	KT-ALS-233	150	16.2	58.10
543	KT-ALS-311	185	10.2	74.15
544	KT-ALS-234	185	12.7	74.15
545	KT-ALS-235	185	16.2	72.62
546	KT-ALS-320	225	12.7	94.02
547	KT-ALS-236	240	12.7	120.77
548	KT-ALS-237	240	16.2	120.77
549	KT-ALS-300	300	16.2	166.64
550	KT-ALS-259	300	20.3	166.64
551	KT-ALS-260	400	20.3	258.36
552	KT-ALS-296	500	20.3	347.04
553	KT-ALS-261	630	20.3	457.11
554	KT-ALS-318	800		729.24
555	KT-ALS-319	1000		1148.13





Copper Reducer Type
Terminal Ends

NO	CAT NO	AREA MM2	PRICE EACH
556	KPC-1	2.5	30.35
557	KPC-7	2.5	19.11
558	KPC-15	4	30.35
559	KPC-16	4	18.81
560	KPC-17	6	32.31
561	KPC-18	6	18.81
562	KPC-19	10	32.93
563	KPC-20	10	22.93
564	KPC-21	10	43.21
565	KPC-22	10	39.78
566	KPC-23	16	74.05
567	KPC-24	16	74.12
568	KPC-2	16	33.63
569	KPC-25	25	61.15
570	KPC-3	25	81.80
571	KPC-4	35	90.20
572	KPC-26	50	105.48
573	KPC-5	50	283.34
574	KPC-27	70	146.77
575	KPC-6	70	225.50
576	KPC-28	70	257.61
577	KPC-29	95	269.07
578	KPC-8	95	379.14
579	KPC-31	95	192.63
580	KPC-32	95	359.27
581	KPC-33	120	385.85
582	KPC-34	120	255.31
583	KPC-35	120	391.38
584	KPC-36	120	598.50
585	KPC-10	150	707.65
586	KPC-37	150	451.00
587	KPC-30	185	880.88
589	KPC-38	185	585.53
590	KPC-39	225	1144.21
591	KPC-46	225	1432.57
592	KPC-42	225	1405.10
593	KPC-44	240	1059.46
594	KPC-43	240	1120.97
595	KPC-45	300	1247.51
596	KPC-47	300	1486.43

Aluminum Reducer Type
Terminal Ends

NO	CAT NO	AREA	PRICE EACH
597	KPA-1	2.5	9.62
598	KPA-7	2.5	9.62
599	KPA-15	4	9.62
600	KPA-16	4	9.62
601	KPA-17	6	9.62
602	KPA-18	6	9.62
603	KPA-19	10	10.94
604	KPA-20	10	10.94
605	KPA-21	10	10.94
606	KPA-22	10	10.94
607	KPA-23	16	14.07
608	KPA-24	16	15.13
609	KPA-2	16	13.76
610	KPA-25	25	16.05
611	KPA-3	25	17.58
612	KPA-4	35	19.88
613	KPA-26	50	27.52
614	KPA-5	50	38.99
615	KPA-27	70	42.81
616	KPA-6	70	48.92
617	KPA-28	70	53.51
618	KPA-29	95	58.10
619	KPA-8	95	64.97
620	KPA-31	95	52.74
621	KPA-32	95	64.21
622	KPA-33	120	81.03
623	KPA-34	120	76.44
624	KPA-35	120	87.14
625	KPA-36	120	94.78
626	KPA-10	150	110.07
627	KPA-37	150	102.43
628	KPA-30	185	129.95
629	KPA-38	185	125.36
630	KPA-39	225	171.22
631	KPA-46	225	191.10
632	KPA-42	225	191.10
633	KPA-44	240	204.86
634	KPA-43	240	186.51
635	KPA-45	300	244.61
636	KPA-47	300	223.21



COPPER INSULATED
FERRULES

ITEM NO	CAT NO	SIZE mm ²	COL- OURS	J2	A	C	D	M	J1	PRCIE EACH
637	KO-5-L6	0.5	WHITE	6	1.1	1.5	2.6	0.5	12	1.36
638	KO-5-L8		WHITE	8	1.1	1.5	2.6	0.5	14	1.62
639	KO-5-L10 (I)		WHITE	10	1.1	1.5	2.6	0.5	16	1.70
640	KO-75-L6 (I)	0.75	GRAY	6	1.5	1.9	2.8	0.5	12	1.62
641	KO-75-L8 (I)		GRAY	8	1.5	1.9	2.8	0.5	14	1.65
642	KO-75-L10 (I)		GRAY	10	1.5	1.9	2.8	0.5	16	1.85
643	KO-75-L12 (I)		GRAY	12	1.5	1.9	2.8	0.5	18	1.96
644	KO-1-L6 (I)	1.0	RED	6	1.7	2.1	3.3	0.5	12	1.70
645	KO-1-L8 (I)		RED	8	1.7	2.1	3.3	0.5	14	1.74
646	KO-1-L10 (I)		RED	10	1.7	2.1	3.3	0.5	16	1.85
647	KO-1-L12 (I)		RED	12	1.7	2.1	3.3	0.5	18	2.15
648	KO-1.5-L8 (I)	1.5	BLACK	8	1.9	2.3	3.5	0.5	14	1.74
649	KO-1.5-L10 (I)		BLACK	10	1.9	2.3	3.5	0.5	16	1.81
650	KO-1.5-L12 (I)		BLACK	12	1.9	2.3	3.5	0.5	24	2.79
651	KO-2.5-L8 (I)	2.5	BLUE	8	2.4	2.8	4.2	0.5	14	2.11
652	KO-2.5-L10 (I)		BLUE	10	2.4	2.8	4.2	0.5	18	2.38
653	KO-2.5-L12 (I)		BLUE	12	2.4	2.8	4.2	0.5	24	3.13
654	KO-4-L10 (I)	4	ORANGE	10	2.9	3.3	4.8	0.5	16	2.38
655	KO-4-L12 (I)		ORANGE	12	2.9	3.3	4.8	0.5	18	2.77
656	KO-4-L15 (I)		ORANGE	15	2.9	3.3	4.8	0.5	24	3.66
657	KO-6-L10 (I)	6	GREEN	10	3.8	4.2	6.3	0.5	18	2.65
658	KO-6-L12 (I)		GREEN	12	3.8	4.2	6.3	0.5	20	3.04
659	KO-6-L15 (I)		GREEN	15	3.8	4.2	6.3	0.5	23	3.60
660	KO-6-L18 (I)		GREEN	18	3.8	4.2	6.3	0.5	26	3.89
661	KO-10-L12 (I)	10	BROWN	12	4.7	5.1	7.6	0.7	22	4.47
662	KO-10-L15 (I)		BROWN	15	4.7	5.1	7.6	0.7	25	4.83
663	KO-10-L18 (I)		BROWN	18	4.7	5.1	7.6	0.7	28	6.09
664	KO-16-L12 (I)	16	WHITE	12	6	6.4	8.8	0.7	24	5.70
665	KO-16-L15 (I)		WHITE	15	6	6.4	8.8	0.7	27	6.09
666	KO-16-L18 (I)		WHITE	18	6	6.4	8.8	0.7	30	6.57

COPPER INSULATED TWIN
TYPE END TERMINALS

ITEM NO	COLOURS	CAT NO	SIZE mm ²	J2	A	D	PRICE EACH
667	WHITE	FTW-5-L8	0.5	0.5	8.0	5.6	3.85
668	GREY	FTW-75-L8	0.8	0.8	8.0	6.2	4.14
669	GREY	FTW-75-L10	0.8	0.8	10.0	6.2	4.46
670	RED	FTW-1-L8	1.0	1.0	8.0	6.0	5.89
671	RED	FTW-1-L10	1.0	1.0	10.0	6.0	6.09
672	BLACK	FTW-1.5-L8	1.5	1.5	8.0	7.2	6.78
673	BLACK	FTW-1.5-L12	1.5	1.5	12.0	7.2	7.05
674	BLUE	FTW-2.5-L10	2.5	2.5	10.0	8.5	8.44
675	BLUE	FTW-2.5-L12	2.5	2.5	12.0	8.5	9.13
676	ORANGE	FTW-4-L12	4.0	4.0	12.0	9.2	11.76
677	GREEN	FTW-6-L14	6.0	6.0	14.0	10.5	13.08
678	BROWN	FTW-10-L14	10.0	10.0	14.0	13.0	14.38
679	WHITE	FTW-16-L14	16.0	16.0	14.0	19.3	16.21

Prices are Exclusive of all Duties & Taxes
Ask for Detailed Technical Literature





Certification



Our New Products :

(Special Orders For Manufacturing depend on length and terminal Ends use purpose)





connecting Power... Connecting World...



CE



Kotech Industries
CONNECTING POWER

Office Address :

KOTECH INDUSTRIES
Unit No.2,,
F-76, M.I.D.C. Ambad,
Nashik - 422010
Maharashtra (India)

+91 9765255510,
sales@kotechindustries.in

Work Address :

KOTECH INDUSTRIES
Unit No-1,Gat No. 486
Talegaon Dam Raod,
Opp. Mahindra & Mahindra,
Igatpuri, Nashik - 422403
Maharashtra (India)

+91 7276152555
kotech2014@gmail.com

satishdp36@gmail.com

AN ISO 9001 : 2015 COMPANY

www.kotechindustries.in