MASCO SUPER

PREMIUM INDUSTRIAL V-BELTS



- BEST IN PERFORMANCE
- BEST IN VALUE FOR MONEY
- BEST IN DURABILITY

- High Performance Power Transmission
- Superior Grip & Smooth Operation
- Long-Lasting & Heat Resistant
- Engineered for Heavy-Duty Applications
- Trusted Quality for Industrial Use



PRICE LIST

(w.e.f 1st December, 2025)

(w.e.f 1st december,2025)

MASCO SUPER

Classical Section 'A' Top width:-13mm Thickness:- 8mm Angle Degree:- 40 Mfg. Range (in inch):- 13 - 250

Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
A16	62	A40	154	A64	246	A88	339	A112	431	A136	523
A17	65	A41	157	A65	249	A89	343	A113	434	A137	526
A18	69	A42	161	A66	253	A90	346	A114	438	A138	530
A19	73	A43	165	A67	258	A91	350	A115	442	A139	534
A20	77	A44	169	A68	262	A92	354	A116	446	A140	538
A21	81	A45	173	A69	266	A93	358	A117	450	A144	553
A22	84	A46	176	A70	269	A94	361	A118	453	A150	576
A23	88	A47	180	A71	273	A95	365	A119	457	A158	607
A24	92	A48	185	A72	277	A96	369	A120	461	A164	630
A25	96	A49	189	A73	281	A97	373	A121	465	A165	635
A26	99	A50	193	A74	285	A98	377	A122	468	A180	692
A27	103	A51	196	A75	288	A99	380	A123	473	A190	731
A28	107	A52	200	A76	292	A100	384	A124	477	A195	751
A29	112	A53	204	A77	296	A101	388	A125	481	A198	762
A30	116	A54	208	A78	300	A102	392	A126	485	A200	771
A31	120	A55	212	A79	303	A103	395	A127	489	A205	789
A32	123	A56	215	A80	307	A104	400	A128	492	A210	808
A33	127	A57	219	A81	311	A105	404	A129	496	A225	866
A34	131	A58	223	A82	315	A106	408	A130	500	A230	886
A35	135	A59	227	A83	319	A107	412	A131	504	A232	894
A36	139	A60	230	A84	322	A108	416	A132	507	A234	902
A37	142	A61	234	A85	326	A109	419	A133	511	A235	905
A38	146	A62	238	A86	331	A110	423	A134	515	A250	963
A39	150	A63	242	A87	335	A111	427	A135	519		

Classical Section 'B' Top width:-17mm Thickness:- 11mm Angle Degree:- 40 Mfg. Range (in inch):- 16 - 320

Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
B20	105	B52	271	B84	437	B116	603	B148	769	B180	936
B21	110	B53	276	B85	442	B117	608	B149	774	B181	942
B22	115	B54	281	B86	447	B118	613	B150	781	B182	947
B23	120	B55	286	B87	452	B119	620	B151	786	B183	952
B24	125	B56	291	B88	457	B120	625	B152	791	B184	957
B25	130	B57	296	B89	463	B121	630	B153	796	B185	962
B26	135	B58	302	B90	468	B122	635	B154	801	B186	967
B27	141	B59	307	B91	473	B123	640	B155	806	B187	972
B28	146	B60	312	B92	479	B124	645	B156	811	B188	978
B29	151	B61	317	B93	484	B125	650	B157	816	B189	983
B30	156	B62	322	B94	489	B126	655	B158	822	B190	989
B31	161	B63	327	B95	494	B127	661	B159	827	B191	994
B32	166	B64	332	B96	500	B128	666	B160	832	B192	999
B33	171	B65	337	B97	505	B129	671	B161	837	B193	1004
B34	176	B66	344	B98	510	B130	676	B162	842	B194	1009
B35	183	B67	349	B99	515	B131	681	B163	847	B195	1014
B36	188	B68	354	B100	520	B132	686	B164	853	B197	1024
B37	193	B69	359	B101	525	B133	691	B165	859	B200	1040
B38	198	B70	364	B102	530	B134	696	B166	864	B204	1062
B39	203	B71	369	B103	535	B135	703	B167	869	B208	1082
B40	208	B72	374	B104	541	B136	708	B168	874	B210	1092
B41	213	B73	380	B105	547	B137	713	B169	879	B215	1118
B42	218	B74	385	B106	552	B138	718	B170	884	B218	1134
B43	224	B75	390	B107	557	B139	723	B171	889	B220	1144
B44	229	B76	395	B108	562	B140	728	B172	894	B223	1159
B45	234	B77	400	B109	567	B141	733	B173	900	B240	1248
B46	239	B78	405	B110	572	B142	739	B174	905	B250	1300
B47	244	B79	411	B111	577	B143	744	B175	910	B265	1378
B48	249	B80	416	B112	583	B144	749	B176	915		
B49	254	B81	422	B113	588	B145	754	B177	921		
B50	261	B82	427	B114	593	B146	759	B178	926		
B51	266	B83	432	B115	598	B147	764	B179	931		

(w.e.f 1st december,2025)

MASCO SUPER

Classical Section 'C' Top width:-22mm Thickness:- 14mm Angle Degree:- 40 Mfg. Range (in inch):- 32 - 450

Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
C36	343	C76	722	C116	1102	C156	1482	C196	1861	C236	2241
C37	351	C77	732	C117	1111	C157	1491	C197	1871	C237	2252
C38	361	C78	740	C118	1121	C158	1501	C198	1880	C238	2260
C39	370	C79	751	C119	1131	C159	1510	C199	1890	C239	2270
C40	380	C80	759	C120	1140	C160	1520	C200	1899	C240	2279
C41	389	C81	769	C121	1150	C161	1529	C201	1909	C241	2289
C42	399	C82	778	C122	1159	C162	1539	C202	1919	C242	2298
C43	408	C83	788	C123	1169	C163	1548	C203	1928	C243	2308
C44	418	C84	798	C124	1177	C164	1558	C204	1938	C244	2317
C45	427	C85	807	C125	1187	C165	1568	C205	1947	C245	2327
C46	437	C86	817	C126	1196	C166	1577	C206	1957	C246	2336
C47	446	C87	826	C127	1206	C167	1587	C207	1966	C247	2346
C48	456	C88	836	C128	1215	C168	1595	C208	1976	C248	2356
C49	466	C89	845	C129	1225	C169	1606	C209	1985	C249	2365
C50	475	C90	855	C130	1235	C170	1614	C210	1995	C250	2375
C51	485	C91	864	C131	1244	C171	1624	C211	2003	C252	2394
C52	494	C92	874	C132	1254	C172	1633	C212	2014	C254	2414
C53	504	C93	883	C133	1263	C173	1643	C213	2024	C255	2423
C54	513	C94	893	C134	1273	C174	1652	C214	2032	C258	2452
C55	523	C95	903	C135	1282	C175	1662	C215	2043	C260	2471
C56	531	C96	912	C136	1292	C176	1671	C216	2051	C265	2519
C57	541	C97	922	C137	1301	C177	1681	C217	2061	C268	2545
C58	550	C98	931	C138	1311	C178	1691	C218	2070	C270	2565
C59	560	C99	941	C139	1320	C179	1700	C219	2080	C275	2612
C60	570	C100	949	C140	1330	C180	1710	C220	2089	C278	2640
C61	579	C101	960	C141	1339	C181	1719	C221	2099	C280	2662
C62	589	C102	968	C142	1349	C182	1729	C222	2108	C285	2709
C63	598	C103	978	C143	1359	C183	1738	C223	2118	C290	2757
C64	608	C104	987	C144	1368	C184	1748	C224	2128	C295	2804
C65	617	C105	997	C145	1378	C185	1757	C225	2137	C298	2832
C66	627	C106	1006	C146	1386	C186	1767	C226	2147	C300	2852
C67	636	C107	1016	C147	1397	C187	1776	C227	2156	C305	2899
C68	646	C108	1026	C148	1405	C188	1786	C228	2166	C310	2946
C69	655	C109	1035	C149	1415	C189	1796	C229	2175	C315	2993
C70	665	C110	1045	C150	1424	C190	1805	C230	2185	C320	3041
C71	675	C111	1054	C151	1434	C191	1815	C231	2194	C328	3117
C72	684	C112	1064	C152	1443	C192	1823	C232	2204	C340	3230
C73	694	C113	1073	C153	1453	C193	1833	C233	2213	C350	3326
C74	703	C114	1083	C154	1463	C194	1842	C234	2223	C370	3516
C75	713	C115	1092	C155	1472	C195	1852	C235	2231		

Classical Section 'D' Top width:- 32mm Thickness:- 19mm Angle Degree:- 40 Mfg. Range (in inch):- 44.5 - 400

Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
D75	1698	D105	2287	D125	2681	D165	3539	D208	4462	D268	5749
D80	1811	D110	2376	D128	2746	D166	3561	D210	4505	D270	5792
D85	1924	D112	2390	D130	2788	D168	3604	D215	4612	D280	6006
D86	1970	D113	2422	D134	2874	D170	3647	D220	4720	D298	6393
D87	1970	D115	2467	D135	2896	D173	3711	D225	4827	D300	6435
D88	1992	D116	2489	D138	2961	D175	3754	D230	4933	D305	6542
D90	2038	D117	2513	D140	3003	D180	3861	D235	5041	D310	6650
D92	2083	D118	2531	D144	3089	D185	3970	D238	5106	D328	7036
D94	2128	D119	2553	D148	3175	D190	4075	D240	5148	D340	7215
D95	2151	D120	2574	D150	3218	D195	4183	D248	5320	D350	7508
D96	2174	D121	2595	D152	3260	D200	4290	D250	5363	D358	7685
D97	2196	D122	2617	D158	3389	D204	4376	D255	5469		
D98	2218	D123	2639	D160	3432	D205	4397	D260	5578		
D100	2218	D124	2660	D162	3475	D207	4441	D265	5684		

(w.e.f 1st december,2025)

MASCO SUPER

Wedge Section 'SPZ' Top width:- 10mm Thickness:- 8mm Angle Degree:- 40 Mfg. Range (in inch):- 365 - 4000

Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
SPZ600	128	SPZ975	210	SPZ1262	272	SPZ1482	319	SPZ1820	393	SPZ2240	483
SPZ610	132	SPZ980	211	SPZ1270	273	SPZ1487	320	SPZ1825	393	SPZ2260	486
SPZ630	136	SPZ987	212	SPZ1275	274	SPZ1500	323	SPZ1837	396	SPZ2280	491
SPZ650	139	SPZ1000	215	SPZ1280	275	SPZ1520	327	SPZ1850	398	SPZ2300	495
SPZ660	141	SPZ1010	218	SPZ1285	276	SPZ1525	328	SPZ1862	400	SPZ2360	508
SPZ670	144	SPZ1020	220	SPZ1287	278	SPZ1530	330	SPZ1880	406	SPZ2380	514
SPZ680	147	SPZ1030	221	SPZ1300	280	SPZ1537	332	SPZ1887	407	SPZ2400	517
SPZ700	151	SPZ1037	224	SPZ1312	282	SPZ1550	334	SPZ1900	409	SPZ2410	519
SPZ710	153	SPZ1040	224	SPZ1320	285	SPZ1560	336	SPZ1930	416	SPZ2500	539
SPZ722	156	SPZ1050	226	SPZ1325	286	SPZ1575	340	SPZ1937	417	SPZ2540	547
SPZ725	156	SPZ1060	229	SPZ1337	288	SPZ1580	340	SPZ1950	419	SPZ2650	570
SPZ750	162	SPZ1080	233	SPZ1340	288	SPZ1587	342	SPZ1962	423	SPZ2680	578
SPZ760	164	SPZ1100	236	SPZ1348	291	SPZ1600	344	SPZ1975	425	SPZ2690	579
SPZ762	164	SPZ1112	239	SPZ1350	291	SPZ1612	347	SPZ1987	428	SPZ2800	603
SPZ772	166	SPZ1120	242	SPZ1358	293	SPZ1625	350	SPZ2000	431	SPZ2840	612
SPZ775	166	SPZ1137	245	SPZ1360	293	SPZ1637	353	SPZ2020	434	SPZ3000	645
SPZ780	168	SPZ1140	246	SPZ1362	293	SPZ1640	353	SPZ2030	437	SPZ3150	678
SPZ787	170	SPZ1145	246	SPZ1375	296	SPZ1650	355	SPZ2037	439	SPZ3170	683
SPZ800	172	SPZ1150	247	SPZ1380	297	SPZ1662	358	SPZ2040	440	SPZ3350	722
SPZ810	174	SPZ1160	249	SPZ1387	299	SPZ1675	361	SPZ2060	444	SPZ3550	765
SPZ825	178	SPZ1162	250	SPZ1400	301	SPZ1680	362	SPZ2082	448	SPZ3750	807
SPZ837	181	SPZ1167	251	SPZ1410	304	SPZ1700	367	SPZ2087	449	SPZ3960	853
SPZ850	183	SPZ1180	255	SPZ1420	306	SPZ1712	369	SPZ2100	453	SPZ4000	861
SPZ862	185	SPZ1187	256	SPZ1425	307	SPZ1720	370	SPZ2120	457		
SPZ875	188	SPZ1200	259	SPZ1432	308	SPZ1725	371	SPZ2140	460		
SPZ900	194	SPZ1212	261	SPZ1437	309	SPZ1727	371	SPZ2150	463		
SPZ920	198	SPZ1220	262	SPZ1440	310	SPZ1737	373	SPZ2160	465		
SPZ925	199	SPZ1225	263	SPZ1450	312	SPZ1740	374	SPZ2170	468		
SPZ937	201	SPZ1230	264	SPZ1457	314	SPZ1750	378	SPZ2175	469		
SPZ940	202	SPZ1237	266	SPZ1460	314	SPZ1762	380	SPZ2187	471		
SPZ950	205	SPZ1240	268	SPZ1470	317	SPZ1787	384	SPZ2200	473		
SPZ962	208	SPZ1250	270	SPZ1480	319	SPZ1800	387	SPZ2220	478		

Wedge Section 'SPA' Top width:-13mm Thickness:- 10mm Angle Degree:- 40 Mfg. Range (in inch):- 576 - 9110

Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
SPA660	186	SPA1120	316	SPA1345	379	SPA1587	446	SPA1925	542	SPA2200	620
SPA670	188	SPA1130	319	SPA1348	380	SPA1600	452	SPA1932	544	SPA2240	630
SPA800	225	SPA1132	319	SPA1350	381	SPA1625	458	SPA1937	546	SPA2250	633
SPA825	232	SPA1140	321	SPA1357	382	SPA1632	459	SPA1950	550	SPA2280	642
SPA850	239	SPA1150	323	SPA1360	383	SPA1650	466	SPA1960	552	SPA2300	648
SPA875	246	SPA1157	325	SPA1380	389	SPA1657	467	SPA1982	557	SPA2332	657
SPA900	254	SPA1180	333	SPA1382	389	SPA1660	468	SPA2000	563	SPA2340	659
SPA925	260	SPA1187	334	SPA1400	395	SPA1662	469	SPA2010	566	SPA2360	664
SPA950	268	SPA1190	335	SPA1410	397	SPA1672	471	SPA2020	569	SPA2370	668
SPA975	274	SPA1200	337	SPA1430	403	SPA1675	472	SPA2030	571	SPA2380	670
SPA995	280	SPA1220	343	SPA1432	403	SPA1682	473	SPA2050	578	SPA2400	676
SPA1000	281	SPA1230	347	SPA1437	404	SPA1687	476	SPA2057	579	SPA2410	678
SPA1015	286	SPA1232	347	SPA1450	409	SPA1700	479	SPA2060	580	SPA2430	684
SPA1030	291	SPA1250	352	SPA1457	410	SPA1720	484	SPA2070	583	SPA2450	690
SPA1032	291	SPA1257	354	SPA1480	417	SPA1732	488	SPA2082	586	SPA2480	699
SPA1037	292	SPA1270	357	SPA1500	423	SPA1750	493	SPA2100	592	SPA2500	704
SPA1040	293	SPA1280	361	SPA1510	425	SPA1757	494	SPA2120	597	SPA2530	713
SPA1050	295	SPA1282	361	SPA1520	428	SPA1782	502	SPA2132	601	SPA2532	714
SPA1060	299	SPA1300	367	SPA1530	431	SPA1800	507	SPA2140	602	SPA2550	718
SPA1070	301	SPA1307	368	SPA1532	431	SPA1850	521	SPA2150	606	SPA2580	727
SPA1082	305	SPA1320	371	SPA1550	437	SPA1857	522	SPA2160	608	SPA2582	728
SPA1090	307	SPA1325	373	SPA1557	439	SPA1880	530	SPA2170	612	SPA2600	732
SPA1100	309	SPA1332	375	SPA1560	440	SPA1882	530	SPA2180	614	SPA2632	742
SPA1107	311	SPA1340	378	SPA1582	445	SPA1900	535	SPA2182	615	SPA2650	747

(w.e.f 1st december,2025)

MASCO SUPER

Wedge Section 'SPA' Top width:-13mm Thickness:- 10mm Angle Degree:- 40 Mfg. Range (in inch):- 576 - 9110

Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
SPA2680	754	SPA2780	782	SPA2932	826	SPA3250	915	SPA3600	1013	SPA4500	1408
SPA2700	761	SPA2800	789	SPA3000	844	SPA3280	923	SPA3750	1056	SPA5000	
SPA2720	766	SPA2840	800	SPA3082	868	SPA3350	943	SPA3870	1089		
SPA2732	769	SPA2870	809	SPA3130	881	SPA3450	972	SPA4000	1127		
SPA2750	775	SPA2880	811	SPA3150	887	SPA3530	995	SPA4040	1137		
SPA2760	777	SPA2900	816	SPA3240	913	SPA3550	999	SPA4250	1197		

Wedge Section 'SPB' Top width:-17mm Thickness:- 14mm Angle Degree:- 40 Mfg. Range (in inch):- 1000 - 16824

Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
SPB1000	365	SPB1820	663	SPB2360	860	SPB2890	1053	SPB3850	1404	SPB5380	1961
SPB1120	408	SPB1850	675	SPB2380	867	SPB2900	1057	SPB3870	1410	SPB5400	1969
SPB1160	423	SPB1900	692	SPB2400	875	SPB2950	1075	SPB3900	1421	SPB5480	1998
SPB1210	441	SPB1920	700	SPB2410	878	SPB2980	1086	SPB3950	1440	SPB5600	2040
SPB1250	456	SPB1950	712	SPB2420	883	SPB3000	1094	SPB4000	1457	SPB5680	2070
SPB1260	459	SPB1970	718	SPB2430	886	SPB3020	1100	SPB4020	1466	SPB5880	2143
SPB1280	467	SPB2000	728	SPB2450	892	SPB3050	1112	SPB4050	1477	SPB6000	2187
SPB1300	473	SPB2020	736	SPB2460	897	SPB3070	1119	SPB4060	1480	SPB6100	2223
SPB1310	478	SPB2050	748	SPB2480	903	SPB3120	1137	SPB4150	1513	SPB6200	2260
SPB1320	482	SPB2060	751	SPB2500	912	SPB3150	1148	SPB4190	1527	SPB6300	2296
SPB1340	489	SPB2070	754	SPB2510	915	SPB3160	1151	SPB4250	1549	SPB6500	2369
SPB1350	492	SPB2100	765	SPB2530	922	SPB3170	1156	SPB4310	1571	SPB6700	2442
SPB1400	510	SPB2120	774	SPB2540	926	SPB3180	1159	SPB4350	1586	SPB6800	2478
SPB1410	515	SPB2150	784	SPB2550	929	SPB3220	1174	SPB4370	1592	SPB7100	2588
SPB1450	529	SPB2160	788	SPB2580	941	SPB3250	1184	SPB4500	1640	SPB7300	2661
SPB1465	534	SPB2180	794	SPB2600	948	SPB3275	1194	SPB4560	1663	SPB7500	2734
SPB1500	547	SPB2200	801	SPB2630	959	SPB3290	1198	SPB4620	1684	SPB8000	2916
SPB1510	553	SPB2220	810	SPB2650	965	SPB3320	1210	SPB4750	1731	SPB8500	3098
SPB1540	562	SPB2240	816	SPB2660	969	SPB3350	1221	SPB4820	1756	SPB9000	3281
SPB1550	565	SPB2250	821	SPB2670	974	SPB3400	1240	SPB4850	1768		
SPB1600	583	SPB2260	824	SPB2680	977	SPB3450	1257	SPB4920	1793		
SPB1650	601	SPB2280	830	SPB2700	984	SPB3500	1275	SPB5000	1822		
SPB1700	620	SPB2285	834	SPB2720	991	SPB3550	1294	SPB5050	1840		
SPB1720	627	SPB2300	838	SPB2750	1002	SPB3600	1312	SPB5070	1848		
SPB1750	638	SPB2310	842	SPB2800	1021	SPB3650	1330	SPB5080	1851		
SPB1770	645	SPB2330	850	SPB2840	1035	SPB3750	1367	SPB5300	1932		
SPB1800	656	SPB2350	856	SPB2850	1039	SPB3800	1385	SPB5350	1950		

Wedge Section 'SPC' Top width:-22mm Thickness:- 18mm Angle Degree:- 40 Mfg. Range (in inch):- 2000 - 20000

Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
SPC2000	1362	SPC2700	1839	SPC3710	2527	SPC4560	3106	SPC6100	4156	SPC8500	5792
SPC2020	1377	SPC2800	1907	SPC3750	2554	SPC4600	3134	SPC6300	4291	SPC8900	6063
SPC2050	1397	SPC2850	1942	SPC3800	2588	SPC4610	3141	SPC6340	4320	SPC9000	6133
SPC2060	1404	SPC2900	1976	SPC3850	2624	SPC4630	3155	SPC6410	4367	SPC9200	6268
SPC2100	1431	SPC3000	2044	SPC3870	2637	SPC4650	3168	SPC6500	4428	SPC9500	6471
SPC2120	1444	SPC3050	2078	SPC3900	2658	SPC4700	3202	SPC6550	4463	SPC9800	6677
SPC2150	1465	SPC3100	2112	SPC3920	2671	SPC4750	3236	SPC6700	4565	SPC10000	6812
SPC2240	1526	SPC3150	2146	SPC4000	2725	SPC4950	3373	SPC7000	4768	SPC10500	7153
SPC2280	1554	SPC3180	2167	SPC4050	2760	SPC5000	3407	SPC7100	4838	SPC10600	7222
SPC2300	1568	SPC3200	2180	SPC4070	2773	SPC5100	3475	SPC7170	4884	SPC11000	7494
SPC2340	1595	SPC3250	2214	SPC4100	2793	SPC5150	3509	SPC7200	4905	SPC11200	7631
SPC2350	1601	SPC3260	2221	SPC4150	2827	SPC5200	3542	SPC7300	4973	SPC11800	8039
SPC2360	1608	SPC3300	2255	SPC4170	2841	SPC5300	3611	SPC7350	5007	SPC12500	8516
SPC2400	1635	SPC3350	2282	SPC4200	2862	SPC5380	3665	SPC7500	5110	SPC12800	8721
SPC2420	1649	SPC3450	2350	SPC4250	2895	SPC5400	3678	SPC7640	5204	SPC14000	9538
SPC2460	1675	SPC3460	2357	SPC4300	2929	SPC5480	3735	SPC7750	5279		
SPC2500	1703	SPC3500	2385	SPC4350	2963	SPC5600	3815	SPC7800	5314		
SPC2550	1737	SPC3550	2419	SPC4360	2970	SPC5700	3883	SPC8000	5450		
SPC2600	1772	SPC3600	2452	SPC4400	2998	SPC5800	3952	SPC8100	5518		
SPC2650	1805	SPC3650	2486	SPC4500	3066	SPC6000	4088	SPC8300	5655		

(w.e.f 1st december,2025)

MASCO SUPER

Classical Section 'AX' Top width:- 13mm Thickness:- 8mm Angle Degree:- 40 Mfg. Range (in inch):- 23 - 200

Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
AX18	119	AX38	251	AX58	383	AX78	516	AX98	647	AX118	779
AX19	125	AX39	257	AX59	390	AX79	522	AX99	654	AX119	786
AX20	132	AX40	265	AX60	397	AX80	529	AX100	662	AX120	794
AX21	139	AX41	271	AX61	403	AX81	534	AX101	667	AX121	799
AX22	145	AX42	277	AX62	410	AX82	542	AX102	674	AX122	806
AX23	152	AX43	284	AX63	416	AX83	548	AX103	680	AX123	813
AX24	159	AX44	291	AX64	423	AX84	555	AX104	688	AX124	820
AX25	166	AX45	298	AX65	430	AX85	561	AX105	693	AX125	825
AX26	171	AX46	303	AX66	436	AX86	568	AX106	700	AX126	833
AX27	178	AX47	311	AX67	443	AX87	575	AX107	707	AX127	839
AX28	185	AX48	317	AX68	449	AX88	582	AX108	714	AX128	846
AX29	192	AX49	324	AX69	457	AX89	588	AX109	719	AX129	852
AX30	197	AX50	330	AX70	462	AX90	594	AX110	727	AX130	859
AX31	205	AX51	337	AX71	469	AX91	602	AX111	734	AX131	866
AX32	211	AX52	343	AX72	476	AX92	608	AX112	740	AX132	873
AX33	218	AX53	351	AX73	483	AX93	614	AX113	747	AX133	879
AX34	225	AX54	356	AX74	488	AX94	621	AX114	753	AX134	885
AX35	231	AX55	363	AX75	496	AX95	628	AX115	760	AX136	892
AX36	238	AX56	371	AX76	503	AX96	634	AX116	766	AX138	911
AX37	245	AX57	377	AX77	508	AX97	640	AX117	773	AX140	925

Classical Section 'BX' Top width:- 17mm Thickness:- 11mm Angle Degree:- 40 Mfg. Range (in inch):- 25 - 200

Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
BX28	289	BX48	496	BX68	702	BX88	908	BX108	1115	BX128	1321
BX29	299	BX49	506	BX69	713	BX89	919	BX109	1126	BX129	1331
BX30	310	BX50	518	BX70	723	BX90	929	BX110	1136	BX130	1342
BX31	319	BX51	527	BX71	734	BX91	940	BX111	1147	BX131	1352
BX32	330	BX52	537	BX72	742	BX92	949	BX112	1157	BX132	1363
BX33	340	BX53	547	BX73	753	BX93	960	BX113	1167	BX133	1372
BX34	351	BX54	558	BX74	763	BX94	970	BX114	1177	BX134	1383
BX35	361	BX55	568	BX75	774	BX95	981	BX115	1188	BX135	1393
BX36	372	BX56	579	BX76	784	BX96	991	BX116	1198	BX136	1404
BX37	382	BX57	589	BX77	795	BX97	1002	BX117	1209	BX137	1414
BX38	392	BX58	598	BX78	804	BX98	1012	BX118	1219	BX138	1425
BX39	402	BX59	609	BX79	815	BX99	1022	BX119	1230	BX139	1435
BX40	413	BX60	620	BX80	825	BX100	1032	BX120	1238	BX140	1445
BX41	423	BX61	630	BX81	836	BX101	1043	BX121	1248	BX142	1466
BX42	434	BX62	640	BX82	846	BX102	1053	BX122	1259	BX143	1476
BX43	444	BX63	651	BX83	857	BX103	1064	BX123	1269	BX144	1487
BX44	454	BX64	662	BX84	866	BX104	1074	BX124	1280	BX145	1497
BX45	464	BX65	671	BX85	877	BX105	1085	BX125	1290	BX146	1508
BX46	475	BX66	681	BX86	887	BX106	1094	BX126	1300	BX148	1528
BX47	485	BX67	692	BX87	898	BX107	1105	BX127	1310	BX150	1549

Classical Section 'CX' Top width:- 22mm Thickness:- 14mm Angle Degree:- 40 Mfg. Range (in inch):- 40 - 200

Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
CX32	529	CX46	760	CX61	1007	CX75	1238	CX89	1471	CX104	1718
CX33	545	CX47	776	CX62	1025	CX76	1256	CX90	1487	CX105	1734
CX34	561	CX48	794	CX63	1041	CX78	1288	CX92	1520	CX106	1751
CX35	579	CX49	810	CX64	1056	CX79	1305	CX93	1536	CX107	1767
CX36	594	CX50	825	CX65	1074	CX80	1321	CX94	1552	CX108	1784
CX37	612	CX52	859	CX66	1090	CX81	1339	CX95	1570	CX109	1801
CX38	628	CX53	875	CX67	1107	CX82	1354	CX96	1586	CX110	1816
CX39	644	CX54	892	CX68	1124	CX83	1370	CX97	1602	CX112	1850
CX40	662	CX55	908	CX69	1139	CX84	1388	CX98	1619	CX113	1866
CX41	677	CX56	925	CX71	1173	CX85	1404	CX100	1653	CX114	1884
CX42	693	CX58	958	CX72	1189	CX86	1421	CX101	1668	CX115	1899
CX44	727	CX59	975	CX73	1206	CX87	1437	CX102	1684	CX116	1916
CX45	742	CX60	991	CX74	1222	CX88	1453	CX103	1702	CX117	1933

(w.e.f 1st december,2025)

MASCO SUPER

Classical Section 'CX' Top width:- 22mm Thickness:- 14mm Angle Degree:- 40 Mfg. Range (in inch):- 40 - 200


Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
CX118	1949	CX124	2048	CX130	2147	CX135	2229	CX140	2312	CX146	2412
CX120	1982	CX125	2065	CX131	2164	CX136	2247	CX141	2329	CX148	2444
CX121	1998	CX126	2081	CX132	2180	CX137	2263	CX142	2346	CX149	2461
CX122	2016	CX127	2098	CX133	2198	CX138	2280	CX144	2379	CX150	2478
CX123	2032	CX128	2115	CX134	2213	CX139	2296	CX145	2395	CX169	2792

Wedge Cogged Section 'SPZX / SPAX / SPBX'

Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
SPZX1250	349	SPZX1800	506	SPAX1250	476	SPAX1600	604	SPAX2000	760	SPBX1800	919
SPZX1350	379	SPZX1850	516	SPAX1320	504	SPAX1650	622	SPBX1500	765	SPBX1900	968
SPZX1400	394	SPZX1900	530	SPAX1332	506	SPAX1700	643	SPBX1550	793	SPBX2000	1020
SPZX1437	410	SPAX1120	426	SPAX1400	528	SPAX1800	681	SPBX1600	819	SPBX2280	1163
SPZX1600	448	SPAX1140	436	SPAX1500	566	SPAX1850	701	SPBX1700	872		


Speciality Section 'FHP' Top width:- 9.5mm Thickness:- 5.5mm Angle Degree:- 40 Mfg. Range (in inch):-15 - 60

Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
FHP 2150	79	FHP 2230	85	FHP 2290	104	FHP 2370	120	FHP 2450	141	FHP 2550	151
FHP 2160	79	FHP 2240	87	FHP 2300	107	FHP 2375	124	FHP 2460	142	FHP 2560	152
FHP 2170	79	FHP 2245	89	FHP 2310	112	FHP 2380	124	FHP 2480	144	FHP 2570	153
FHP 2180	79	FHP 2250	90	FHP 2320	114	FHP 2390	125	FHP 2490	146		
FHP 2190	79	FHP 2260	93	FHP 2325	114	FHP 2400	128	FHP 2500	146		
FHP 2200	79	FHP 2270	96	FHP 2330	118	FHP 2410	133	FHP 2510	147		
FHP 2210	80	FHP2275	99	FHP 2340	120	FHP 2420	137	FHP 2520	148		
FHP 2220	81	FHP2280	101	FHP 2350	120	FHP 2430	139	FHP 2530	149		
FHP 2225	85	FHP 2285	102	FHP 2360	120	FHP 2440	141	FHP 2540	150		




CLASSIC V-BELT

Section	Dimentions(mm)		Angle degree	Rec.min pulley dia.	Mfg.range (inches)	Belt length factor (mm)		
	Top width	Thickness				Lp to La	Li to Lp	Li to La
A	13.0	8.0	40	75 dp (mm)	20 to 195	14.0	36.0	50.0
B	17.0	11.0	40	125 dp (mm)	20 to 650	26.0	43.0	69.0
C	22.0	14.0	40	200 dp (mm)	35 to 650	32.0	56.0	88.0
D	32.0	19.0	40	350 dp (mm)	80 to 650	40.0	79.0	119.0




WEDGE V-BELT

Section	Dimentions(mm)		Angle degree	Rec.min pulley dia.	Mfg.range (inches)	Belt length factor (mm)		
	Top width	Thickness				Lp to La	Li to Lp	Li to La
SPZ	10.0	8.0	40	63 dp (mm)	630 to 4500	13.0	37.0	50.0
SPA	13.0	10.0	40	90 dp (mm)	732 to 4500	18.0	45.0	63.0
SPB	16.0	13.0	40	160 dp (mm)	1000 to 12500	28.0	60.0	88.0
SPC	22.0	18.0	40	224 dp (mm)	2000 to 12500	30.0	83.0	113.0



RAW EDGE COGGED BELT

Section	Dimentions(mm)		Angle degree	Rec.min pulley dia.	Mfg.range (inches)	Belt length factor (mm)		
	Top width	Thickness				Lp to La	Li to Lp	Li to La
AX	13.0	8.0	36	63 dp (mm)	26 to 140	14.0	36.0	50.0
BX	17.0	11.0	36	90 dp (mm)	28 to 140	26.0	43.0	69.0
CX	22.0	14.0	36	140 dp (mm)	40 to 140	32.0	56.0	88.0



RAW EDGE COGGED WEDGE BELT

Section	Dimentions(mm)		Angle degree	Rec.min pulley dia.	Mfg.range (inches)	Belt length factor (mm)		
	Top width	Thickness				Lp to La	Li to Lp	Li to La
SPZX	10.0	8.0	36	56 dp (mm)	600 to 3500	13.0	37.0	50.0
SPAX	13.0	10.0	36	71 dp (mm)	640 to 3500	18.0	45.0	63.0
SPBX	16.0	13.0	36	112 dp (mm)	1120 to 3500	28.0	60.0	88.0

NOTE:

- All prices are exclusive of GST.
- GST will be charged additionally as applicable at the time of billing.
- Prices are subject to change without prior notice.
- Belts are warranted against manufacturing defects only.
- This price list supersedes Price List Ref. 2025/12, effective from 1st December 2025.
- Prices for unlisted sizes are available on request.
- All disputes shall be subject to Mumbai (Maharashtra) jurisdiction only.






MASCO SUPER

PREMIUM INDUSTRIAL V-BELTS

OBJECTIVE

The aim of the company is to deliver ISI-standard quality products by using high-grade raw materials and advanced technical expertise. This commitment ensures superior performance, reliability, and long-lasting durability of our products.MASCO stands for Mechanical Assurance for Superior Continuous Output.

KEY FEATURES

- Maintenance-Free Operation
- Low Elongation (Low Stretch)
- High Power Transmission
- Excellent Heat Resistance
- Anti-Static Properties

PRODUCT RANGE

- Cogged V-Belts
- Domestic V-Belts
- Power Loom Belts
- Agricultural Machine Belts

APPLICATION

MASCO SUPER Classical V-Belts are all-purpose belts designed for a wide range of agricultural,industrial, and domestic machinery. They offer a technically sound and cost-effective solutionfor most standard power transmission drives.



Authorised Dealer of MASCO SUPER

STAMP

