TRINITY™ TOUCH

SOLDERLESS TERMINALS

Control Cabinet Essentials

- Insulated Terminals
- Non-insulated Terminals



REACH CERTIFIED RoHS

Price list - 2026

w.e.f. - 28/10/2026







Ring Terminals - Insulated				
Wire Range mm^2	Article No.	Stud size d2	Description	Price List (Rs/Pc)
	01 17 27051	3.20	TTRVB1-3.2 (7060)	4.10
	01 17 27055	3.20	TTRVB1-3.2S (7054)	3.47
	01 17 04183	3.70	TTRVBL1-3.7	4.34
	01 17 27052	3.70	TTRVB1-3.7S (7058)	3.47
0.5-1.5 mm^2	01 17 27053	4.20	TTRVB1-4S (7056)	3.39
	01 17 04184	4.30	TTRVBL1-4	3.48
	01 17 04185	5.30	TTRVB1-5	3.77
	01 17 06845	6.40	TTRVB1-6	5.34
	01 17 27054	8.20	TTRVB 1-8	5.86
	01 17 27043	6.40	TTRVB1-6S (7066)	4.62
	01 17 27056	3.70	TTRVBL2-3.7 (7070)	4.54
	01 17 04186	4.30	TTRVBL2-4	4.50
	01 17 27049	4.30	TTRVBL2-4S	4.46
	01 17 27059	5.20	TTRVBL2-5S (7072)	4.26
	01 17 04187	5.30	TTRVBL2-5	5.20
1.5-2.5 mm^2	01 17 04188	6.40	TTRVB2-6	6.45
	01 17 27057	6.40	TTRVBL2-6S (7074)	4.81
	01 17 04189	8.40	TTRVB2-8	6.01
	01 17 06846	10.50	TTRVBL2-10	11.38
	01 17 27058	13.00	TTRVBL2-12 (7082)	9.86
	01 17 27048	10.20	TTRVB2-10S (7080)	8.79
	01 17 04190	4.30	TTRVBL5-4 (7085)	8.56
	01 17 27060	5.20	TTRVB5-5L (7088)	9.20
	01 17 04191	5.30	TTRVB5-5 (7086)	9.31
4-6 mm^2	01 17 04192	6.40	TTRVB5-6	10.30
	01 17 27061	8.20	TTRVB5-8S (7090)	11.62
	01 17 04193	8.40	TTRVB5-8	14.68
	01 17 27062	9.00	TTRVB5-8L (7021)	15.53
	01 17 06847	10.50	TTRVB5-10	13.92
	01 17 27047	5.20	TTRVB5-5S	7.95





Ring Terminals - Insulated

Wire Range mm²	Article No.	Stud size d2	Description	Price List (Rs/Pc)
8-10 mm²	01 17 27063	5.2	TTRVB8-5 (7025)	11.48
	01 17 04194	6.4	TTRVBL8-6	20.24
	01 17 27064	6.4	TTRVB8-6S (7120)	11.94
	01 17 04195	8.4	TTRVB8-8	18.24
	01 17 27065	10.2	TRVB8-10L (7123)	22.54
	01 17 06848	10.5	TTRVB8-10	18.84
	01 17 27066	12.7	TTRVB8-12L (7028)	21.22
	01 17 06849	13	TTRVB8-12	23.76
	01 17 27044	8.20	TTRVB 8-8S	14.61
(14-16 mm²) 16	01 17 04196	6.40	TTRVBS14-6	27.34
	01 17 04197	8.40	TTRVB14-8	31.12
	01 17 27068	10.20	TTRVB14-10L (7128)	32.16
	01 17 04198	10.50	TTRVB14-10	29.80
	01 17 06850	13.00	TTRVB14-12	41.52
	01 17 27067	13.00	TTRVB14-12S (7033)	29.42
	01 17 06851	15.00	TTRVB14-14	52.76
	01 17 27046	6.40	TTRVB14-6S	20.84
	01 17 27045	8.20	TTRVB14-8S	24.48







Ring Terminals - Non-Insulated

Wire Range mm²	Article No.	Stud size d2	Description	Price List (Rs/Pc)
0.5-1.5 mm²	01 17 27000	3.20	TTRNB1-3.2 (7104)	3.80
	01 17 27004	3.20	TTRNB1-3.2S	2.78
	01 17 04212	3.70	TTRNBL1-3.7	4.10
	01 17 27001	3.70	TTRNB1-3.7S (7048)	3.06
	01 17 27002	4.20	TTRNB1-4S (7154)	2.80
	01 17 04213	4.30	TTRNBL1-4 (7003)	3.22
	01 17 04214	5.30	TTRNB1-5 (7005)	3.02
	01 17 06852	6.40	TTRNB1-6 (7106)	5.10
	01 17 27003	8.20	TTRNB1-8 (1.5-8)	5.58
	01 17 10064	6.40	TTRNB1-6S (7007)	3.84
1.5-2.5 mm²	01 17 27005	3.70	TTRNBS2-3.7 (7108)	4.22
	01 17 04215	4.30	TTRNBL2-4 (7009)	4.18
	01 17 27050	4.30	TTRNBL 2-4S	4.06
	01 17 27008	5.20	TTRNBL2-5S (7010)	3.74
	01 17 04216	5.30	TTRNBL2-5 (7109)	4.34
	01 17 04217	6.40	TTRNB2-6 (7012)	6.00
	01 17 27006	6.40	TTRNBL2-6S (7011)	4.34
	01 17 04218	8.40	TTRNB2-8 (7013)	5.54
	01 17 06853	10.50	TTRNBL2-10 (7151)	11.04
	01 17 27007	13.00	TTRNBL2-12 (7047)	9.08
	01 17 10069	10.2	TTRNB2-10S (7015)	7.54
4-6 mm²	01 17 04219	4.30	TTRNBL5-4 (7112)	8.00
	01 17 27009	5.20	TTRNB5-5L (7113)	8.64
	01 17 04220	5.30	TTRNB5-5 (7016)	7.78
	01 17 04221	6.40	TTRNB5-6 (7019)	9.74
	01 17 27010	8.20	TTRNB5-8S (7018)	7.78
	01 17 04222	8.40	TTRNB5-8 (7021)	14.12
	01 17 27011	9.20	TTRNB5-8L (7021)	10.50
	01 17 06854	10.50	TTRNB5-10 (7022)	11.40
	01 17 10068	5.20	TTRNB5-5S (7050)	6.08
8-10 mm²	01 17 27012	5.20	TTRNB8-5 (7025)	10.52
	01 17 04223	6.40	TTRNBL8-6	19.24
	01 17 27013	6.40	TTRNB8-6S (7120)	10.96
	01 17 04224	8.40	TTRNB8-8 (7121)	17.22
	01 17 27014	10.20	TTRNB8-10L (7123)	21.60
	01 17 06855	10.50	TTRNB8-10 (7027)	17.74
	01 17 27015	12.70	TTRNB8-12L (7028)	20.30
	01 17 06856	13.00	TTRNB8-12	22.70
	01 17 10065	8.20	TTRNB 8-8S (7121)	12.95





Ring Terminals - Non-Insulated

Wire Range mm²	Article No.	Stud size d2	Description	Price List (Rs/Pc)
(14-16 mm²) 16	01 17 04225	6.40	TTRNBS14-6 (7029)	25.34
	01 17 04226	8.40	TTRNB14-8 (7030)	29.12
	01 17 27017	10.20	TTRNBL14-10 (7128)	30.02
	01 17 04227	10.50	TTRNB14-10 (7032)	27.64
	01 17 06857	13.00	TTRNB14-12	39.42
	01 17 27016	13.00	TTRNB 14-12S (TR-7033)	27.26
	01 17 06858	15.00	TTRNB14-14	49.78
	01 17 10067	6.40	TTRNB14-6S (7029)	17.80
	01 17 10066	8.20	TTRNB14-8S (7030)	21.00
(22 mm²) 25	01 17 27018	6.40	TTRNB22-6 (7129)	42.86
	01 17 27020	8.20	TTRNB22-8S (7034)	41.56
	01 17 06859	8.40	TTRNB22-8 (7036)	45.36
	01 17 27021	10.20	TTRNB22-10S (7035)	39.56
	01 17 06860	10.50	TTRNB22-10 (7131)	47.82
	01 17 27019	13.00	TTRNB22-12 (7037)	58.06
(38 mm²) 35	01 17 06861	6.40	TTRNBL38-6	75.76
	01 17 27022	6.40	TTRNB38-6S (7133)	50.48
	01 17 27023	8.20	TTRNB38-8S (7038)	48.72
	01 17 06862	8.40	TTRNBL38-8	74.08
	01 17 06863	10.50	TTRNBL38-10	71.58
	01 17 27024	12.70	TTRNB38-12S (7040)	65.74
(60 mm²) 50	01 17 06864	6.40	TTRNBL60-6	99.10
	01 17 06865	8.40	TTRNBL60-8	102.56
	01 17 06866	10.50	TTRNBL60-10 (7138)	95.68
	01 17 27025	13.00	TTRNBL60-12 (7042)	88.70
	01 17 27026	16.00	TTRNBL60-16 (7139)	107.94
70 mm²	01 17 06867	8.40	TTRNBL70-8	121.20
	01 17 27029	10.20	TTRNB70-10S (7140)	105.56
	01 17 06868	10.50	TTRNBL70-10	124.26
	01 17 27027	13.00	TTRNBL70-12 (7043)	105.56
	01 17 27028	16.00	TTRNBL70-16 (7142)	123.94





Spade Terminals - Insulated

Wire Range mm²	Article No.	Stud size d2	Description	Price List (Rs/Pc)
0.5-1.5 mm²	01 17 06869	3.20	TTSVB1.5-3.2 (7927)	3.77
	01 17 04199	3.70	TTSVBL1-3.7 (7926)	3.61
	01 17 04200	4.30	TTSVBL1-4	3.60
	01 17 04201	5.30	TTSVBS1-5 (7925)	3.50
1.5-2.5 mm²	01 17 10059	3.60	TTSVBL2-3.5	4.46
	01 17 04202	4.30	TTSVBL2-4	4.24
	01 17 04203	5.30	TTSVBL2-5	6.52
	01 17 27069	5.60	TTSVBL2-3.2 (7928)	4.17
	01 17 04204	6.40	TTSVBS2-6L	6.80
	01 17 06870	8.40	TTSVB2-8	7.02
	01 17 27071	10.00	TTSVBS2-6	5.44
	01 17 27070	10.60	TTSVBL2-5L (7929)	8.99
4-6 mm²	01 17 27074	3.60	TTSVBL5-3 (7931)	6.85
	01 17 04205	4.30	TTSVBL5-4	7.52
	01 17 27072	5.10	TTSVBL 5-5S	8.78
	01 17 04206	5.30	TTSVB5-5	7.22
	01 17 04207	6.40	TTSVBL5-6	10.00
	01 17 27073	6.40	TTSVBL 5-6S	8.96
	01 17 04208	8.40	TTSVB5-8	9.18
	01 17 06871	10.5	TTSVB5-10	10.26
8-10 mm²	01 17 06872	5.30	TTSVBL8-5	14.68
	01 17 04209	6.40	TTSVB8-6	14.40
	01 17 27075	6.50	TTSVBL8-6L (7932)	20.30
	01 17 27076	8.20	TTSVBL8-8 (7933)	18.86
14-16 mm²	01 17 04210	6.40	TTSVB14-6	25.46
	01 17 04211	8.40	TTSVB14-8	26.56





Spade Terminals - Non-Insulated

Wire Range mm²	Article No.	Stud size d2	Description	Price List (Rs/Pc)
0.5-1.5 mm²	01 17 06873	3.20	TTSNB1-3.2	3.04
	01 17 04228	3.70	TTSNBL1-3.7 (7249)	2.94
	01 17 04229	4.30	TTSNBL1-4	3.46
	01 17 04230	5.30	TTSNBS1-5	4.18
1.5-2.5 mm²	01 17 27030	3.20	TTSNBL2-3.2 (7251B)	3.14
	01 17 10058	3.60	TTSNBL2-3.5 (7251)	4.12
	01 17 04231	4.30	TTSNBL2-4	3.92
	01 17 27031	5.00	TTSNBL2-5L (7280)	7.45
	01 17 04232	5.30	TTSNBL2-5	5.53
	01 17 04233	6.40	TTSNBL2-6	6.48
	01 17 27032	6.50	TTSNBL2-5	5.12
	01 17 06874	8.40	TTSNB2-8	6.70
4-6 mm²	01 17 27035	3.60	TTSNBL5-3 (7253)	5.48
	01 17 04234	4.30	TTSNBL5-4	7.00
	01 17 27033	5.10	TTSNBL 5-5S	8.28
	01 17 04235	5.30	TTSNB5-5	6.68
	01 17 27034	6.40	TTSNBL 5-6S	8.44
	01 17 04236	6.40	TTSNBL5-6	9.46
	01 17 04237	8.40	TTSNB5-8	8.64
	01 17 06875	10.50	TTSNB5-10	9.72
8-10 mm²	01 17 04238	5.30	TTSNB8-6	13.34
	01 17 06876	6.40	TTSNB8-5	13.62
	01 17 27036	6.50	TTSNBL8-6L (7254)	19.32
	01 17 27037	8.20	TTSNBL8-8 (7255)	17.90
14-16 mm²	01 17 04239	6.40	TTSNB14-6	23.42
	01 17 04240	8.40	TTSNB14-8	24.68



Pin Terminals Insulated

Wire Range mm²	Article No.	Stud size d2	Description	Price List (Rs/Pc)
0.5-1.5 mm²	01 17 08985	1.90	TTPTVB1-12	4.34
2.5 mm²	01 17 08986	1.90	TTPTVB2-12	5.92
4 mm²	01 17 08987	2.70	TTPTVB4-14	8.78
6 mm²	01 17 08988	2.70	TTPTVB5-14	9.27



Pin Terminals Non Insulated

Wire Range mm²	Article No.	Stud size d2	Description	Price List (Rs/Pc)
0.5-1.5 mm²	01 17 08205	1.90	TTPTNB1-12	4.06
2.5 mm²	01 17 08206	1.90	TTPTNB2-12	5.64
4 mm²	01 17 08207	2.70	TTPTNB4-14	7.74
6 mm²	01 17 08208	2.70	TTPTNB5-14	8.42
10 mm²	01 17 10060	6.70	TTPTNB10 -14	13.50
16 mm²	01 17 10061	8.20	TTPTNB16 -16	20.10
25 mm²	01 17 10062	11.10	TTPTNB25 -20	45.92
35 mm²	01 17 10063	12.60	TTPTNB35 -23	56.60

Terms & Conditions:

- This Price List supersedes all previous price lists.
- GST and Govt. levies, if any, are extra as applicable.
- Freight: Inclusive (if the dispatch value is > Rs. 60K).
- Prices are liable to change without any notice, in case the metal prices are increase by 5%.
- Warranty against manufacturing defect – 1 Year from date of invoice.
- Prices are valid for one month.

ENVIRONMENTAL SYSTEM CERTIFICATION DNV·GL ISO 14001:2015
QUALITY SYSTEM CERTIFICATION DNV·GL ISO 9001:2015

Trinity Touch Pvt. Ltd.

www.trinitytouch.com

INDIA
Delhi: Corporate Office
D-10, Defence Colony, New Delhi 110024 INDIA
Tel: +91.11.71200900
Fax: +91.11.71200998
E-mail: postmaster@trinitytouch.com

Trinity Touch (EUROPE) Ltd.

www.trinitytouch.co.uk

UK
MBS, Unit 3 Cronin Courtyard, Weldon South Industrial Estate Corby, Northants, NN18 8AG, UK
Tel: +44 (0) 1536 400641

D-©TRINITY TOUCH 2026